

WO9813501

Publication Title:

3' GENOMIC PROMOTER REGION AND POLYMERASE GENE MUTATIONS
RESPONSIBLE FOR ATTENUATION IN VIRUSES OF THE ORDER
DESIGNATED MONONEGAVIRALES

Abstract:

Abstract of WO9813501

Isolated, recombinantly-generated, attenuated, nonsegmented, negative-sense, single stranded RNA viruses of the Order Mononegavirales having at least one attenuating mutation in the 3' genomic promoter region and having at least one attenuating mutation in the RNA polymerase gene are described. Vaccines are formulated comprising such viruses and a physiologically acceptable carrier. The vaccines are used for immunizing an individual to induce protection against a nonsegmented, negative-sense, single stranded RNA virus of the Order Mononegavirales. Data supplied from the esp@cenet database - Worldwide

Courtesy of <http://v3.espacenet.com>

This Patent PDF Generated by Patent Fetcher(TM), a service of Stroke of Color, Inc.



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : C12N 15/45, 15/47, 15/40, C07K 14/12, 14/115, 14/135, C12N 7/04, A61K 39/165, 39/155, C07K 14/145, 14/08	A2	(11) International Publication Number: WO 98/13501 (43) International Publication Date: 2 April 1998 (02.04.98)
(21) International Application Number: PCT/US97/16718 (22) International Filing Date: 19 September 1997 (19.09.97) (30) Priority Data: 60/026,823 27 September 1996 (27.09.96) US (71) Applicants (for all designated States except US): AMERICAN CYANAMID COMPANY [US/US]; Five Giralda Farms, Madison, NJ 07940 (US). THE GOVERNMENT OF THE UNITED STATES OF AMERICA as represented by THE DEPARTMENT OF HEALTH AND HUMAN SERVICES [US/US]; Suite 325, 6011 Executive Boulevard, Rockville, MD 20852 (US). (72) Inventors; and (75) Inventors/Applicants (for US only): UDEM, Stephen, A. [US/US]; Apartment 6F/G, 155 West 70th Street, New York, NY 10023 (US). SIDHU, Mohinderjit, S. [US/US]; 3 Aspen Court, Highland Mills, NY 10930 (US). TATEM, Joanne, M. [US/US]; 62 Douglas Drive, Towaco, NJ 07082 (US). MURPHY, Brian, R. [US/US]; 5410 Tuscarawas Road, Bethesda, MD 20816 (US). RANDOLPH, Valerie, B. [US/US]; 535 Pine Brook Road, Lincoln Park, NJ 07035 (US).		(74) Agents: GORDON, Alan, M. et al.; American Home Products Corporation, Patent Law Dept. - 2B, One Campus Drive, Parsippany, NJ 07054 (US). (81) Designated States: AL, AM, AU, AZ, BA, BB, BG, BR, BY, CA, CN, CU, CZ, EE, GE, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, RO, RU, SD, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, ZW, European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE). Published <i>Without international search report and to be republished upon receipt of that report.</i>
(54) Title: 3' GENOMIC PROMOTER REGION AND POLYMERASE GENE MUTATIONS RESPONSIBLE FOR ATTENUATION IN VIRUSES OF THE ORDER DESIGNATED MONONEGAVIRALES (57) Abstract <p>Isolated, recombinantly-generated, attenuated, nonsegmented, negative-sense, single stranded RNA viruses of the Order Mononegavirales having at least one attenuating mutation in the 3' genomic promoter region and having at least one attenuating mutation in the RNA polymerase gene are described. Vaccines are formulated comprising such viruses and a physiologically acceptable carrier. The vaccines are used for immunizing an individual to induce protection against a nonsegmented, negative-sense, single stranded RNA virus of the Order Mononegavirales.</p>		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NI	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LJ	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

3' GENOMIC PROMOTER REGION AND POLYMERASE GENE
MUTATIONS RESPONSIBLE FOR ATTENUATION IN VIRUSES
OF THE ORDER DESIGNATED MONONEGAVIRALES

5

Field Of The Invention

This invention relates to isolated,
recombinantly-generated, attenuated, nonsegmented,
negative-sense, single stranded RNA viruses of the
10 Order designated Mononegavirales having at least one
attenuating mutation in the 3' genomic promoter region
and having at least one attenuating mutation in the RNA
polymerase gene. This invention was made with
Government support under a grant awarded by the Public
15 Health Service. The Government has certain rights in
the invention.

Background Of The Invention

20

Enveloped, negative-sense, single stranded
RNA viruses are uniquely organized and expressed. The
genomic RNA of negative-sense, single stranded viruses
serves two template functions in the context of a
nucleocapsid: as a template for the synthesis of
25 messenger RNAs (mRNAs) and as a template for the
synthesis of the antigenome (+) strand. Negative-
sense, single stranded RNA viruses encode and package
their own RNA dependent RNA Polymerase. Messenger RNAs
are only synthesized once the virus has been uncoated
30 in the infected cell. Viral replication occurs after
synthesis of the mRNAs and requires the continuous
synthesis of viral proteins. The newly synthesized
antigenome (+) strand serves as the template for
generating further copies of the (-) strand genomic
35 RNA.

- 2 -

The polymerase complex actuates and achieves transcription and replication by engaging the cis-acting signals at the 3' end of the genome, in particular, the promoter region. Viral genes are then transcribed from the genome template unidirectionally from its 3' to its 5' end. There is always less mRNA made from the downstream genes (e.g., the polymerase gene (L)) relative to their upstream neighbors (i.e., the nucleoprotein gene (N)). Therefore, there is always a gradient of mRNA abundance according to the position of the genes relative to the 3'-end of the genome.

Based on the revised reclassification in 1993 by the International Committee on the Taxonomy of Viruses, an Order, designated Mononegavirales, has been established. This Order contains three families of enveloped viruses with single stranded, nonsegmented RNA genomes of minus polarity (negative-sense). These families are the Paramyxoviridae, Rhabdoviridae and Filoviridae. The family Paramyxoviridae has been further divided into two subfamilies, Paramyxovirinae and Pneumovirinae. The subfamily Paramyxovirinae contains three genera, Paramyxovirus, Rubulavirus and Morbillivirus. The subfamily Pneumovirinae contains the genus Pneumovirus.

The new classification is based upon morphological criteria, the organization of the viral genome, biological activities and the sequence relationships of the proteins. The morphological distinguishing feature among enveloped viruses for the subfamily Paramyxovirinae is the size and shape of the nucleocapsids (diameter 18nm, 1mm in length, pitch of 5.5 nm), which have a left-handed helical symmetry. The biological criteria are: 1) antigenic cross-reactivity between members of a genus, and 2) the presence of neuraminidase activity in the genera Paramyxovirus,

- 3 -

Rubulavirus and its absence in genus *Morphillivirus*. In addition, variations in the coding potential of the P gene are considered, as is the presence of an extra gene (SH) in Rubulaviruses.

5 Pneumoviruses can be distinguished from Paramyxovirinae morphologically because they contain narrow nucleocapsids. In addition, pneumoviruses have major differences in the number of protein-encoding
10 cistrons (10 in pneumoviruses versus 6 in Paramyxovirinae) and an attachment protein (G) that is very different from that of Paramyxovirinae. Although the paramyxoviruses and pneumoviruses have six proteins that appear to correspond in function (N, P, M, G/H/HN, F and L), only the latter two proteins exhibit
15 significant sequence relatedness between the two subfamilies. Several pneumoviral proteins lack counterparts in most of the paramyxoviruses, namely the nonstructural proteins NS1 and NS2, the small hydrophobic protein SH, and a second protein M2. Some
20 paramyxoviral proteins, namely C and V, lack counterparts in pneumoviruses. However, the basic genomic organization of pneumoviruses and paramyxoviruses is the same. The same is true of rhabdoviruses and filoviruses. Table 1 presents the
25 current taxonomical classification of these viruses, together with examples of each genus.

Table 1

30 Classification of Nonsegmented, negative-sense, single stranded RNA Viruses of the Order Mononegavirales
Family Paramyxoviridae

 Subfamily Paramyxovirinae

 Genus Paramyxovirus

35 Sendai virus (mouse parainfluenza virus type 1)

- 4 -

- Human parainfluenza virus (PIV) types 1
and 3
Bovine parainfluenza virus (BPV) type 3
Genus *Rubulavirus*
5 Simian virus 5 (SV) (Canine
parainfluenza virus type 2)
Mumps virus
Newcastle disease virus (NDV) (avian
Paramyxovirus 1)
10 Human parainfluenza virus types 2, 4a
and 4b
Genus *Morbillivirus*
Measles virus (MV)
Dolphin Morbillivirus
15 Canine distemper virus (CDV)
Peste-des-petits-ruminants virus
Phocine distemper virus
Rinderpest virus
Subfamily *Pneumovirinae*
20 Genus *Pneumovirus*
Human respiratory syncytial virus (RSV)
Bovine respiratory syncytial virus
Pneumonia virus of mice
Turkey rhinotracheitis virus
25 Family *Rhabdoviridae*
Genus *Lyssavirus*
Rabies virus
Genus *Vesiculovirus*
Vesicular stomatitis virus
30 Genus *Ephemerovirus*
Bovine ephemeral fever virus
Family *Filoviridae*
Genus *Filovirus*
Marburg virus
35

- 5 -

For many of these viruses, no vaccines of any kind are available. Thus, there is a need to develop vaccines against such human and animal pathogens. Such vaccines would have to elicit a protective immune response in the recipient. The qualitative and quantitative features of such a favorable response are extrapolated from those seen in survivors of natural virus infection, who, in general, are protected from reinfection by the same or highly related viruses for some significant duration thereafter.

A variety of approaches can be considered in seeking to develop such vaccines, including the use of: (1) purified individual viral protein vaccines (subunit vaccines); (2) inactivated whole virus preparations; and (3) live, attenuated viruses.

Subunit vaccines have the desirable feature of being pure, definable and relatively easily produced in abundance by various means, including recombinant DNA expression methods. To date, with the notable exception of hepatitis B surface antigen, viral subunit vaccines have generally only elicited short-lived and/or inadequate immunity, particularly in naive recipients.

Formalin inactivated whole virus preparations of polio (IPV) and hepatitis A have proven safe and efficacious. In contrast, immunization with similarly inactivated whole viruses such as respiratory syncytial virus and measles virus vaccines elicited unfavorable immune responses and/or response profiles which predisposed vaccinees to exaggerated or aberrant disease when subsequently confronted with the natural or "wild-type" virus.

Early attempts (1966) to vaccinate young children using a parenterally administered formalin-inactivated RSV vaccine. Unfortunately, several field

- 6 -

5 trials of this vaccine revealed serious adverse reactions -- the development of a severe illness with unusual features following subsequent natural infection with RSV (Bibliography entries 1,2). It has been suggested that this formalinized RSV antigen elicited an abnormal or unbalanced immune response profile, predisposing the vaccinee to RSV disease (3,4).

10 Thereafter, live, attenuated RSV vaccine candidates were generated by cold passage or chemical mutagenesis. These RSV strains were found to have reduced virulence in seropositive adults. Unfortunately, they proved either over or under-attenuated when given to seronegative infants; in some cases, they also were found to lack genetic stability (5,6). Another vaccination approach using parenteral administration of live virus was ineffective and efforts along this line were discontinued (7). Notably, these live RSV vaccines were never associated with disease enhancement as observed with the formalin-inactivated RSV vaccine described above. Currently, there are no RSV vaccines approved for administration to humans, although clinical trials are now in progress with cold-passaged, chemically mutagenized strains of RSV designated A2 and B-1.

25 Appropriately attenuated live derivatives of wild-type viruses offer a distinct advantage as vaccine candidates. As live, replicating agents, they initiate infection in recipients during which viral gene products are expressed, processed and presented in the context of the vaccinee's specific MHC class I and II molecules, eliciting humoral and cell-mediated immune responses, as well as the coordinate cytokine patterns, which parallel the protective immune profile of survivors of natural infection.

- 7 -

5 This favorable immune response pattern is contrasted with the delimited responses elicited by inactivated or subunit vaccines, which typically are largely restricted to the humoral immune surveillance arm. Further, the immune response profile elicited by some formalin inactivated whole virus vaccines, e.g., measles and respiratory syncytial virus vaccines developed in the 1960's, have not only failed to provide sustained protection, but in fact have led to a predisposition to aberrant, exaggerated, and even fatal illness, when the vaccine recipient later confronted the wild-type virus.

10 While live, attenuated viruses have highly desirable characteristics as vaccine candidates, they have proven to be difficult to develop. The crux of the difficulty lies in the need to isolate a derivative of the wild-type virus which has lost its disease-producing potential (i.e., virulence), while retaining sufficient replication competence to infect the recipient and elicit the desired immune response profile in adequate abundance.

15 Historically, this delicate balance between virulence and attenuation has been achieved by serial passage of a wild-type viral isolate through different host tissues or cells under varying growth conditions (such as temperature). This process presumably favors the growth of viral variants (mutants), some of which have the favorable characteristic of attenuation. Occasionally, further attenuation is achieved through chemical mutagenesis as well.

20 This propagation/passage scheme typically leads to the emergence of virus derivatives which are temperature sensitive, cold-adapted and/or altered in their host range -- one or all of which are changes

- 8 -

from the wild-type, disease-causing viruses -- i.e., changes that may be associated with attenuation.

Several live virus vaccines, including those for the prevention of measles and mumps (which are paramyxoviruses), and for protection against polio and rubella (which are positive strand RNA viruses), have been generated by this approach and provide the mainstay of current childhood immunization regimens throughout the world.

Nevertheless, this means for generating attenuated live virus vaccine candidates is lengthy and, at best, unpredictable, relying largely on the selective outgrowth of those randomly occurring genomic mutants with desirable attenuation characteristics. The resulting viruses may have the desired phenotype in vitro, and even appear to be attenuated in animal models. However, all too often they remain either under- or overattenuated in the human or animal host for whom they are intended as vaccine candidates.

Even as to current vaccines in use, there is still a need for more efficacious vaccines. For example, the current measles vaccines provide reasonably good protection. However, recent measles epidemics suggest deficiencies in the efficacy of current vaccines. Despite maternal immunization, high rates of acute measles infection have occurred in children under age one, reflecting the vaccines' inability to induce anti-measles antibody levels comparable to those developed following wild-type measles infection (8,9,10). As a result, vaccine-immunized mothers are less able to provide their infants with sufficient transplacentally-derived passive antibodies to protect the newborns beyond the first few months of life.

- 9 -

Acute measles infections in previously immunized adolescents and young adults point to an additional problem. These secondary vaccine failures indicate limitations in the current vaccines' ability to induce and maintain antiviral protection that is both abundant and long-lived (11,12,13). Recently, yet another potential problem was revealed. The hemagglutinin protein of wild-type measles isolated over the past 15 years has shown a progressively increasing distance from the vaccine strains (14). This "antigenic drift" raises legitimate concerns that the vaccine strains may not contain the ideal antigenic repertoire needed to provide optimal protection. Thus, there is a need for improved vaccines.

Rational vaccine design would be assisted by a better understanding of these viruses, in particular, by the identification of the virally encoded determinants of virulence as well as those genomic changes which are responsible for attenuation.

Summary Of The Invention

Accordingly, it is an object of this invention to identify those regions of the genome of the RNA viruses of the Order Mononegavirales where mutations result in attenuation of those viruses.

It is a further object of this invention to produce recombinantly-generated viruses which incorporate such attenuating mutations in their genomes.

It is still a further object of this invention to formulate vaccines containing such attenuated viruses.

These and other objects of the invention as discussed below are achieved by the generation and

- 10 -

isolation of recombinantly-generated, attenuated, nonsegmented, negative-sense, single stranded RNA viruses of the Order Mononegavirales having at least one attenuating mutation in the 3' genomic promoter region and having at least one attenuating mutation in the RNA polymerase gene.

In the case of measles virus, at least one attenuating mutation in the 3' genomic promoter region is selected from the group consisting of nucleotide 26 (A → T), nucleotide 42 (A → T or A → C) and nucleotide 96 (G → A), where these nucleotides, as well as others delineated in this application (unless stated otherwise), are presented in positive strand, antigenomic, that is, message (coding) sense, and at least one attenuating mutation in the RNA polymerase gene is selected from the group consisting of nucleotide changes which produce changes in an amino acid selected from the group consisting of residues 331 (isoleucine → threonine), 1409 (alanine → threonine), 1624 (threonine → alanine), 1649 (arginine → methionine), 1717 (aspartic acid → alanine), 1936 (histidine → tyrosine), 2074 (glutamine → arginine) and 2114 (arginine → lysine).

In the case of human parainfluenza virus type 3, at least one attenuating mutation in the 3' genomic promoter region is selected from the group consisting of nucleotide 23 (T → C), nucleotide 24 (C → T), nucleotide 28 (G → T) and nucleotide 45 (T → A), and at least one attenuating mutation in the RNA polymerase gene is selected from the group consisting of nucleotide changes which produce changes in an amino acid selected from the group consisting of residues 942 (tyrosine → histidine), 992 (leucine →

- 11 -

phenylalanine), 1292 (leucine → phenylalanine), and 1558 (threonine → isoleucine).

5 In the case of human respiratory syncytial virus subgroup B, at least one attenuating mutation in the 3' genomic promoter region is selected from the group consisting of nucleotide 4 (C → G) and the insertion of an additional A in the stretch of A's at nucleotides 6-11, and at least one attenuating mutation in the RNA polymerase gene is selected from the group
10 consisting of nucleotide changes which produce changes in an amino acid selected from the group consisting of residues 353 (arginine → lysine), 451 (lysine → arginine), 1229 (aspartic acid → asparagine), 2029 (threonine → isoleucine) and 2050 (asparagine →
15 aspartic acid).

In another embodiment of this invention, attenuated virus is used to prepare vaccines which elicit a protective immune response against the wild-type form of the virus.

20 In yet another embodiment of this invention, an isolated, positive strand, antigenomic message sense nucleic acid molecule (or an isolated, negative strand genomic sense nucleic acid molecule) having the complete viral nucleotide sequence (whether of wild-type virus or virus attenuated by non-recombinant
25 means) is manipulated by introducing one or more of the attenuating mutations described in this application to generate an isolated, recombinantly-generated attenuated virus. This virus is then used to prepare
30 vaccines which elicit a protective immune response against the wild-type form of the virus.

In still another embodiment of this invention, such a complete wild-type or vaccine viral nucleotide sequence is used: (1) to design PCR primers
35 for use in a PCR assay to detect the presence of the

- 12 -

corresponding virus in a sample; or (2) to design and select peptides for use in an ELISA to detect the presence of the corresponding virus in a sample.

5

Brief Description Of The Figures

Figure 1 depicts the passage history of the Edmonston measles virus (15). The abbreviations have the following meanings: HK - human kidney; HA - human
10 amnion; CE(am) - chick embryo; CEF - chick embryo fibroblast; DK - dog kidney; WI-38 - human diploid cells; SK - sheep kidney; * - plaque cloning. The number following each abbreviation represents the number of passages.

15

Figure 2 depicts a map of the measles virus genome showing putative cis-acting regulatory elements at and near the genome and antigenome termini. Top - a
20 schematic map of the measles virus genome, beginning at the 3' end with 52 nucleotides of leader sequence (l) and ending at the 5' terminus with 37 nucleotides of trailer sequence (t). Gene boundaries are denoted by vertical bars; below each gene is the number of
25 cistronic nucleotides. Bottom - an expanded schematic view of the 3' extended genomic promoter regions of genome and antigenome, showing the position and sequence of the two highly conserved domains, A and B. The intervening intergenic trinucleotide is denoted as well. Nascent 5' RNAs encompassing the A' to B'
30 regions are presumed to contain the regulatory sequence at which the N protein encapsidation initiates.

Figure 3 depicts a genetic map of the RSV subgroup B wild-type strains designated 2B and 18537 (top portion), the intergenic sequences of those strains (middle portion) and the 68 nucleotide overlap
35 between the M2 and L genes (bottom portion). The RSV

- 13 -

2B strain has six fewer nucleotides in the G gene, encoding two fewer amino acid residues in the G protein, as compared to the 18537 strain. The 2B strain has 145 nucleotides in the 5' trailer region, as compared to 149 nucleotides in the 18537 strain. The 2B strain has one more nucleotide in each of the NS-1, NS-2 and N genes, and one fewer nucleotide in each of the M and F genes, as compared to the 18537 strain.

Detailed Description Of The Invention

Transcription and replication of negative-sense, single stranded RNA viral genomes are achieved through the enzymatic activity of a multimeric protein acting on the ribonucleoprotein core (nucleocapsid). Naked genomic RNA cannot serve as a template. Instead, these genomic sequences are recognized only when they are entirely encapsidated by the N protein into the nucleocapsid structure. It is only in that context that the genomic and antigenomic terminal promoter sequences are recognized to initiate the transcriptional or replication pathways.

All paramyxoviruses require the two viral proteins, L and P, for these polymerase pathways to proceed. The pneumoviruses, including RSV, also require the transcription elongation factor, M2, for the transcriptional pathway to proceed efficiently. Additional cofactors may also play a role, including perhaps the virus-encoded NS1 and NS2 proteins, as well as perhaps host-cell encoded proteins.

However, considerable evidence indicates that it is the L protein which performs most, if not all, the enzymatic processes associated with transcription and replication, including initiation, and termination of ribonucleotide polymerization, capping and

- 14 -

polyadenylation of mRNA transcripts, methylation and perhaps specific phosphorylation of P proteins. The L protein's central role in genomic transcription and replication is supported by its large size, sensitivity to mutations, and its catalytic level of abundance in the transcriptionally active viral complex (16).

These considerations led to the proposal that L proteins consist of a linear array of domains whose concatenated structure integrates discrete functions (17). Indeed, three such delimited, discrete elements within the negative-sense virus L protein have been identified based on their relatedness to defined functional domains of other well-characterized proteins. These include: (1) a putative RNA template recognition and/or phosphodiester bond formation domain; (2) an RNA binding element; and (3) an ATP binding domain. All prior studies of L proteins of nonsegmented negative-sense, single stranded RNA viruses have revealed these putative functional elements (17).

Without being bound by the following, it is reasonable to presume that these non-protein coding, promoter and other cis-acting genomic regulatory domains are important determinants of the efficiency with which transcription and replication by measles virus (MV) and other viruses of the Order Mononegavirales are actualized, in association with the L protein, and that they may therefore be virulence determinants for these viruses as well.

In summary, the invention is believed to encompass a coordinate set of changes between the cis-acting regulatory signal (3' genomic promoter region) and the polymerase gene (L) which results in attenuation of the virus while retaining sufficient ability of the virus to replicate. Attenuation is

- 15 -

5 optimized by rational mutations of the 3' genomic promoter region and the polymerase gene, which provide the desired balance of replication efficiency: so that the virus vaccine is no longer able to produce disease, yet retains its capacity to infect the vaccinee's cells, to express sufficiently abundant gene products to elicit the full spectrum and profile of desirable immune responses, and to reproduce and disseminate sufficiently to maximize the abundance of the immune response elicited.

10 Without being bound by the following, attenuating mutations in the extended promoter (3' genomic promoter region) and in the polymerase gene are believed to affect the display of cis-acting signals and the conformation of the polymerase complex engaging these signals. For example, when encapsidated, the promoter RNA is coiled in a helical array. Changes in promoter sequence may affect the relative positions at which the conserved signals are displayed relative to one another. Specifically, the measles wild-type 3' genomic promoter region has a pyrimidine (uracil) at positions 26 and 42 (the antigenomic message sense sequences have the purine adenine). The vaccine strains have purines at those positions (the antigenomic message sense sequences have the corresponding pyrimidines; see Table 3 in Example 1 below). The larger purines may change the distance and/or angular display between the conserved domains of the promoter (e.g. in measles, positions 1-11 and 87-98), resulting in an altered spatial presentation of the cis-acting signals to the polymerase.

30 Animal studies have demonstrated a decrease in viral replication sufficient to avoid illness but adequate to elicit the desired immune response. This likely represents a decrease in transcription, a

- 16 -

decrease in gene expression of virally encoded proteins, a decrease in antisense templates and, therefore, the production of fewer new genomes. The resulting attenuated viruses are significantly less virulent than the wild-type.

The attenuating mutations described herein may be introduced into viral strains by two methods:

(1) Conventional means such as chemical mutagenesis during virus growth in cell cultures to which a chemical mutagen has been added, selection of virus that has been subjected to passage at suboptimal temperature in order to select temperature sensitive and/or cold adapted mutations, identification of mutant virus that produce small plaques in cell culture, and passage through heterologous hosts to select for host range mutations. These viruses are then screened for attenuation of their biological activity in an animal model. Attenuated viruses are subjected to nucleotide sequencing of their 3' genomic promoter region and polymerase genes to locate the sites of attenuating mutations. Once this has been done, method (2) is then carried out.

(2) A preferred means of introducing attenuating mutations comprises making predetermined mutations using site-directed mutagenesis. These mutations are identified either by method (1) or by reference to closely-related viruses whose attenuating mutations are already known. One or more mutations are introduced into each of the 3' genomic promoter region and the polymerase gene. Cumulative effects of different combinations of coding and non-coding changes can also be assessed.

The mutations to the 3' genomic promoter region and polymerase gene are introduced by standard recombinant DNA methods into a DNA copy of the viral

- 17 -

genome. This may be a wild-type or a modified viral genome background (such as viruses modified by method (1)), thereby generating a new virus. Infectious clones or particles containing these attenuating mutations are generated using the cDNA "rescue" system, which has been applied to a variety of viruses, including Sendai virus (18); measles virus (19); respiratory syncytial virus (20); rabies (21); vesicular stomatitis virus (VSV) (15); and rinderpest virus (23); these references are hereby incorporated by reference. See, for measles virus rescue, published International patent application WO 97/06270, designating the United States (24); for PIV-3 rescue, U.S. provisional patent application 60/047575 (25); for RSV rescue, published International patent application WO 97/12032, designating the United States (26); these applications are hereby incorporated by reference.

Briefly, all Mononegavirales rescue systems can be summarized as follows: Each requires a cloned DNA equivalent of the entire viral genome placed between a suitable DNA-dependent RNA polymerase promoter (e.g., the T7 RNA polymerase promoter) and a self-cleaving ribozyme sequence (e.g., the hepatitis delta ribozyme) which is inserted into a propagatable bacterial plasmid. This transcription vector provides the readily manipulable DNA template from which the RNA polymerase (e.g., T7 RNA polymerase) can faithfully transcribe a single-stranded RNA copy of the viral antigenome (or genome) with the precise, or nearly precise, 5' and 3' termini. The orientation of the viral genomic DNA copy and the flanking promoter and ribozyme sequences determine whether antigenome or genome RNA equivalents are transcribed. Also required for rescue of new virus progeny are the virus-specific trans-acting proteins needed to encapsidate the naked,

- 18 -

single-stranded viral antigenome or genome RNA transcripts into functional nucleocapsid templates: the viral nucleocapsid (N or NP) protein, the polymerase-associated phosphoprotein (P) and the polymerase (L) protein. These proteins comprise the active viral RNA-dependent RNA polymerase which must engage this nucleocapsid template to achieve transcription and replication.

The trans-acting proteins required for measles virus rescue are the encapsidating protein N, and the polymerase complex proteins, P and L. For PIV-3, the encapsidating protein is designated NP, and the polymerase complex proteins are also referred to as P and L. For RSV, the virus-specific trans-acting proteins include N, P and L, plus an additional protein, M2, the RSV-encoded transcription elongation factor.

Typically, these viral trans-acting proteins are generated from one or more plasmid expression vectors encoding the required proteins, although some or all of the required trans-acting proteins may be produced within mammalian cells engineered to contain and express these virus-specific genes and gene products as stable transformants.

The typical (although not necessarily exclusive) circumstances for rescue include an appropriate mammalian cell milieu in which T7 polymerase is present to drive transcription of the antigenomic (or genomic) single-stranded RNA from the viral genomic cDNA-containing transcription vector. Either cotranscriptionally or shortly thereafter, this viral antigenome (or genome) RNA transcript is encapsidated into functional templates by the nucleocapsid protein and engaged by the required polymerase components produced concurrently from co-

- 19 -

transfected expression plasmids encoding the required virus-specific trans-acting proteins. These events and processes lead to the prerequisite transcription of viral mRNAs, the replication and amplification of new genomes and, thereby, the production of novel viral progeny, i.e., rescue.

For the rescue of rabies, VSV and Sendai, T7 polymerase is provided by recombinant vaccinia virus VTF7-3. This system, however, requires that the rescued virus be separated from the vaccinia virus by physical or biochemical means or by repeated passaging in cells or tissues that are not a good host for poxvirus. For MV cDNA rescue, this requirement is avoided by creating a cell line that expresses T7 polymerase, as well as viral N and P proteins. Rescue is achieved by transfecting the genome expression vector and the L gene expression vector into the helper cell line. Advantages of the host-range mutant of the vaccinia virus, MVA-T7, which expresses the T7 RNA polymerase, but does not replicate in mammalian cells, are exploited to rescue RSV, Rinderpest virus and MV. After simultaneous expression of the necessary encapsidating proteins, synthetic full length antigenomic viral RNA are encapsidated, replicated and transcribed by viral polymerase proteins and replicated genomes are packaged into infectious virions. In addition to such antigenomes, genome analogs have now been successfully rescued for Sendai and PIV-3 (25,27).

The rescue system thus provides a composition which comprises a transcription vector comprising an isolated nucleic acid molecule encoding a genome or antigenome of a nonsegmented, negative-sense, single stranded RNA virus of the Order Mononegavirales having at least one attenuating mutation in the 3' genomic promoter region and having at least one attenuating

- 20 -

mutation in the RNA polymerase gene, together with at least one expression vector which comprises at least one isolated nucleic acid molecule encoding the trans-acting proteins necessary for encapsidation, transcription and replication (e.g., N, P and L for measles virus; NP, P and L for PIV-3; N, P, L and M2 for RSV). Host cells are then transformed or transfected with the at least two expression vectors just described. The host cells are cultured under conditions which permit the co-expression of these vectors so as to produce the infectious attenuated virus.

The rescued infectious virus is then tested for its desired phenotype (temperature sensitivity, cold adaptation, plaque morphology, and transcription and replication attenuation), first by *in vitro* means. The mutations at the cis-acting 3' genomic promoter region are also tested using the minireplicon system where the required trans-acting encapsidation and polymerase activities are provided by wild-type or vaccine helper viruses, or by plasmids expressing the N, P and different L genes harboring gene-specific attenuating mutations (19,28).

If the attenuated phenotype of the rescued virus is present, challenge experiments are conducted with an appropriate animal model. Non-human primates provide the preferred animal model for the pathogenesis of human disease. These primates are first immunized with the attenuated, recombinantly-generated virus, then challenged with the wild-type form of the virus. Monkeys are infected by various routes, including but not limited to intranasal, intratracheal or subcutaneous routes of inoculation (29). Experimentally infected rhesus and cynomolgus macaques have also served as animal models for studies of

- 21 -

vaccine-induced protection against measles (30). Protection is measured by such criteria as disease signs and symptoms, survival, virus shedding and antibody titers. If the desired criteria are met, the
5 attenuated, recombinantly-generated virus is considered a viable vaccine candidate for testing in humans. The "rescued" virus is considered to be "recombinantly-generated", as are the progeny and later generations of the virus, which also incorporate the attenuating
10 mutations.

Even if a "rescued virus is underattenuated or overattenuated relative to optimum levels for vaccine use, this is information which is valuable for developing such optimum strains.

15 Optimally, a codon containing an attenuating point mutation may be stabilized by introducing a second or a second plus a third mutation in the codon without changing the amino acid encoded by the codon bearing only the attenuating point mutation.

20 Infectious virus clones containing the attenuating and stabilizing mutations are also generated using the cDNA "rescue" system described above.

25 Measles virus serves as a useful model for this invention, because sequence data are now available as described herein for the disease-causing wild-type virus and for the disease-preventing vaccines which have a demonstrated history of efficacy.

30 Measles virus was first isolated in tissue culture in 1954 (31) from an infected patient named David Edmonston. This Edmonston strain of measles became the progenitor for many live-attenuated measles vaccines including Moraten, which is the current vaccine in the United States (Attenuvax™; Merck Sharp & Dohme, West Point, PA) and was licensed in 1968 and has
35 proven to be efficacious.

- 22 -

Aggressive immunization programs instituted in the mid to late 1960s resulted in the precipitous drop in reported measles cases from near 700,000 in 1965 to 1500 in 1983. In parallel, other vaccine strains were also developed from the Edmonston strain (see Fig. 1), Schwarz (Institut Merieux, Lyon, France), Zagreb (Zagreb, Yugoslavia) and AIK-C (Japan). These other vaccines have also proven to be efficacious and have been used extensively. An early, reactogenic, underattenuated vaccine strain (Rubeovax™: Merck Sharp & Dohme) produced measles-like illness in children and its use thus was discontinued. It, however, was further attenuated successfully to produce the Moraten vaccine strain (see Fig. 1) (32). Live measles virus vaccine provides a success story of the development of an efficacious vaccine and provides a model for understanding the molecular mechanisms of viral vaccine attenuation among nonsegmented, negative-sense, single stranded RNA viruses.

Because of its significance as a major cause of human morbidity and mortality, measles virus (MV) has been quite extensively studied. MV is a large, relatively spherical, enveloped particle composed of two compartments, a lipoprotein membrane and a ribonucleoprotein particle core, each having distinct biological functions (33). The virion envelope is a host cell-derived plasma membrane modified by three virus-specified proteins: The hemagglutinin (H; approximately 80 kilodaltons (kD)) and fusion (F_{1,2}; approximately 60 kD) glycoproteins project on the virion surface and confer host cell attachment and entry capacities to the viral particle (16). Antibodies to H and/or F are considered protective since they neutralize the virus' ability to initiate infection (34,35,36). The matrix (M; approximately 37

- 23 -

kD) protein is the amphipathic protein lining the membrane's inner surface, which is thought to orchestrate virion morphogenesis and thus consummate virus reproduction (37). The virion core contains the 15,894 nucleotide long genomic RNA upon which template activity is conferred by its intimate association with approximately 2600 molecules of the approximately 60 kD nucleocapsid (N) protein (38,39,40). Loosely associated with this approximately one micron long helical ribonucleoprotein particle are enzymatic levels of the viral RNA dependent RNA polymerase (L; approximately 240 kD) which in concert with the polymerase cofactor (P; approximately 70 kD), and perhaps yet other virus-specified as well as host-encoded proteins, transcribes and replicates the MV genome sequences (41).

To date, the entire nucleotide sequences (only for the Edmonston B laboratory strain and the AIK-C vaccine strain), coding potential, and organization of the MV genome have been reported (33). The six virion structural proteins are encoded by six contiguous, non-overlapping genes which are arrayed as follows: 3'-N-P-M-F-H-L-5'. Two additional MV gene products of as yet uncertain function have also been identified. These two nonstructural proteins, known as C (approximately 20 kD) and V (approximately 45 kD), are both encoded by the P gene, the former by a second reading frame within the P mRNA; the latter by a cotranscriptionally edited P gene-derived mRNA which encodes a hybrid protein having the amino terminal sequences of P and a new zinc finger-like cysteine-rich carboxy terminal domain (16).

In addition to the sequences encoding the virus-specified proteins, the MV genome contains distinctive non-protein coding domains resembling those

- 24 -

directing the transcriptional and replicative pathways of related viruses (16,42). These regulatory signals lie at the 3' and 5' ends of the MV genome and in short internal regions spanning each intercistronic boundary. The former encode the putative promoter and/or regulatory sequence elements directing genomic transcription, genome and antigenome encapsidation, and replication. The latter signal transcription termination and polyadenylation of each monocistronic viral mRNA and then reinitiation of transcription of the next gene. In general, the MV polymerase complex appears to respond to these signals much as the RNA-dependent RNA polymerases of other non-segmented negative strand RNA viruses (16,42,43,44).

Transcription initiates at or near the 3' end of the MV genome and then proceeds in a 5' direction producing monocistronic mRNAs (40,42,45). As the polymerase traverses the MV genomic template, it encounters putative stop/start signals which, in 3' to 5' order, are: a semi-conserved transcription termination/polyadenylation signal (A/G U/C UA A/U NN A_i, where N may be any of the four bases) at which each monocistronic RNA is completed; a non-transcribed intergenic trinucleotide punctuation mark (CUU; except at the H:L boundary where it is CGU); and a semiconserved start signal for transcription initiation of the next gene (AGG A/G NN C/A A A/G G A/U, where N may be any of the four bases) (45,46). Since some polymerase complexes fail to reinitiate, the abundance of each MV mRNA diminishes in parallel with the distance of the encoding gene from the genomic 3' end. This mRNA gradient directly corresponds to the relative abundance of each virus-specified protein. This indicates that MV protein expression is ultimately controlled at the transcriptional level (44).

- 25 -

The 3' and 5' MV genomic termini contain non-protein coding sequences with distinct parallels to the leader and trailer RNA encoding regions of VSV (42). Nucleotides 1-55 define the region between the genomic 3' terminus and the beginning of the N gene, while 37 additional nucleotides can be found between the end of the L gene and the 5' terminus of the genome. However, unlike VSV, or even the paramyxoviruses Sendai and NDV, MV does not transcribe these terminal regions into short, unmodified (+) or (-) sense leader RNAs (47,48,49). Instead, leader readthrough transcripts, including full-length polyadenylated leader:N, leader:N:P, leader:N:P:M, and of course full-length antigenome MV RNAs are transcribed (48,49). Thus, the short leader transcript, the key operational element determining the switch from transcription to replication of the VSV single-stranded, negative polarity genome (50,51,52), seems absent in MV. This leads to consideration and exploration of alternative models for this crucial reproductive event (42).

Measles virus, as well as all other Mononegavirales except the rhabdoviruses, appears to have extended its terminal regulatory domains beyond the confines of leader and trailer encoding sequences (42). For measles, these regions encompass the 107 3' genomic nucleotides (the "3' genomic promoter region", also referred to as the "extended promoter", which comprises 52 nucleotides encoding the leader region, followed by three intergenic nucleotides, and 52 nucleotides encoding the 5' untranslated region of N mRNA) and the 109 5' end nucleotides (69 encoding the 3' untranslated region of L mRNA, the intergenic trinucleotide and 37 nucleotides encoding the trailer). Within these 3' terminal approximately 100 nucleotides

- 26 -

of both the genome and antigenome are two short regions of shared nucleotide sequence: 14 of 16 nucleotides at the absolute 3' ends of the genome and antigenome are identical. Internal to those termini, an additional
5 region of 12 nucleotides of absolute sequence identity have been located. Their position at and near the sites at which the transcription of the MV genome must initiate and replication of the antigenome must begin, suggests that these short unique sequence domains
10 encompass an extended promoter region.

These discrete sequence elements may dictate alternative sites of transcription initiation -- the internal domain mandating transcription initiation at the N gene start site, and the 3' terminal domain
15 directing antigenome production (42,48,53). In addition to their regulatory role as cis-acting determinants of transcription and replication, these 3' extended genomic and antigenomic promoter regions encode the nascent 5' ends of antigenome and genome
20 RNAs, respectively. Within these nascent RNAs reside as yet unidentified signals for N protein nucleation, another key regulatory element required for nucleocapsid template formation and consequently for amplification of transcription and replication. Figure
25 2 schematically shows the location and sequence of these highly conserved, putative cis-acting regulatory domains.

Terminal non-protein coding regions similar in location, size and spacing are present in the
30 genomes of other members of the genus *Paramyxoviridae*, though only 8-11 of their absolute terminal nucleotides are shared by MV (42,54). The genomic termini of the *Morbillivirus* canine distemper virus (CDV) displays a greater degree of homology with its MV relative: 73%
35 of the nucleotides of the leader and trailer sequences

- 27 -

of these two viruses are identical, including 16 of 18 at the absolute 3' termini and 17 of 18 at their 5' ends (55). No accessory internal CDV genomic domain-sharing homology to that of the MV extended promoter has been found. However, there is a 20 nucleotide long stretch lying between CDV genomic nucleotides 85 and 104 and 15,587 and 15,606 in which 15 of the 20 nucleotides are complementary (Gene Bank accession number AF 14953). This indicates that CDV, like MV contains an additional region within its non-coding 3' genomic and antigenomic ends that may provide important cis-acting promoter and/or regulatory signals (55).

Additionally, the precise length of the 3'-leader region (55 nucleotides) is identical among several members of the Family Paramyxoviridae (MV, CDV, PIV-3, BPV-3, SV and NDV). Further evidence for the importance of these extended, non-protein coding regions comes from analyses of a large number of distinct copy-back Defective Interfering Viruses (DIs) recently cloned from subacute sclerosing panencephalitis (SSPE) brain tissue. No DI with a stem shorter than the 95 5' terminal genomic nucleotides was found. This indicates that the minimal signals needed for MV DI RNA replication and encapsidation extend well beyond the 37 nucleotide long trailer sequence to encompass the additional internal putative regulatory domain (56).

As exemplified in part by measles virus, this invention is directed to the concept that important virulence/attenuation determinants reside in viral genomic non-protein coding regulatory regions and in the transacting transcription/replication enzyme complex with which these cis-acting elements must interact. The cis-acting domains are found both at the 3' and 5' ends of the MV genome, flanking the six

- 28 -

contiguous genes encoding viral structural proteins;
and within the MV genome as short regions encompassing
internal intergenic boundaries. The former encode the
putative promoter and/or regulatory sequence elements
5 directing the vital processes of genomic transcription,
genome and antigenome encapsidation, and replication.
The latter signal transcription termination and
polyadenylation of each monocistronic viral mRNA and
then reinitiation of transcription of the next gene.
10 The transcription/replication enzyme, RNA dependent RNA
polymerase molecule can modulate transcription and/or
replicative efficiency, thereby determining the
abundance of cytopathic viral gene products and/or
virion progeny.

15 Proof of the concept of this invention for
measles virus is obtained by first determining the
nucleotide sequences of the non-coding regulatory
regions (3' genomic promoter region) and the coding
regions of the L gene (with predicted amino acid
20 sequences) of the progenitor Edmonston wild-type MV
isolate, together with available measles vaccine
strains derived from this isolate (see Figure 1).
Independent other wild-type isolates were examined for
comparative purposes as well.

25 The nucleotide sequences (in positive strand,
antigenomic, message sense) of four wild-type and five
vaccine measles strains, as well as the deduced amino
acid sequences of the RNA polymerase (L protein) of
these measles viruses, are set forth as follows with
30 reference to the appropriate SEQ ID NOS. contained
herein:

- 29 -

	<u>Virus</u>	<u>Nucleotide Sequence</u>	<u>L Protein Sequence</u>
	<u>Wild-Type</u>		
	Edmonston	SEQ ID NO:1	SEQ ID NO:2
	1977	SEQ ID NO:3	SEQ ID NO:4
5	1983	SEQ ID NO:5	SEQ ID NO:6
	Montefiore	SEQ ID NO:7	SEQ ID NO:8
	<u>Vaccine</u>		
	Rubeovax™	SEQ ID NO:9	SEQ ID NO:10
10	Moraten	SEQ ID NO:11	SEQ ID NO:12
	Zagreb	SEQ ID NO:13	SEQ ID NO:14
	AIK-C	SEQ ID NO:15	SEQ ID NO:16

Each measles virus genome listed above is 15,894 nucleotides in length. Translation of the L gene starts with the codon at nucleotides 9234-9236; the translation stop codon is at nucleotides 15783-15785. The translated L protein is 2,183 amino acids long.

Note that nucleotide 2499 of 1983 wild-type measles virus is indicated as "G" in SEQ ID NO:5. In fact, the base is actually a mixture of "G" and "C". Also note that nucleotide 2143 of Rubeovax™ vaccine virus is indicated as "T" in SEQ ID NO:9. In nine clones sequenced, this base was "T" in seven and "C" in two; thus, this base can be "T" or "C".

In addition, the Schwarz vaccine virus genome is identical to that of the Moraten vaccine virus genome (SEQ ID NO:11), except that at nucleotides 4917 and 4924, Schwarz has a "C" instead of a "T".

Nucleotide differences distinguishing the 3' genomic promoter region and nucleotide and amino acid differences distinguishing the L gene and L protein sequences of the Edmonston wild-type isolate, vaccine strains and other independently isolated wild-type

- 30 -

viruses were then compared and aligned (see Tables 3-5 in Example 1 below).

As shown in Table 3, there were three mutations from the 3' genomic promoter region (in antigenomic, message sense) of the progenitor wild-type MV isolate and the derivative vaccine strains: At nucleotide position 26, from "A" to "T"; at position 42, from "A" to "C" or from "A" to "T"; and in the case of Zagreb only, at position 96, from "G" to "A". In addition, the other examined wild-type isolates differed from both the progenitor wild-type isolate and the vaccine strains at position 50 by having "A" instead of "G".

The predicted amino acid sequences of the L genes of measles vaccine strains (Rubeovax™, Moraten, Schwarz, AIK-C and Zagreb) and wild-type isolates (1977, 1983 and Montefiore), differ from the progenitor strain (Edmonston) at 49 positions in the 2183 amino acid long open reading frame (see Tables 4 and 5 in Example 1 below).

These amino acid differences can be divided into four categories:

(1) Positions where one vaccine strain differs from the progenitor, as well as from other vaccine and wild-type strains, suggesting a potential attenuation site.

(2) Specific differences between all wild-type and all vaccine sequences; these may also constitute important attenuation sites.

(3) Residues where chronologically newer wild-types differ from older wild-types; which may be attributable to genetic drift.

(4) Positions where one or more vaccine strains and/or wild-type strains have common amino acids and differ from all the other strains; these

- 31 -

changes may represent lineage-specific, potentially attenuating changes within the vaccine strains and relatedness among the wild-type isolates, respectively.

5 There were four category (1) changes where one vaccine differed from the other vaccines, as well as the wild-type strains. Two of these were in Moraten and Schwarz (amino acids 331 and 2114) and two were in AIK-C (1624 and 2074). These mutations are of special interest because all of these viruses are good
10 vaccines. Thus, these positions are sites for attenuation.

Only one position, 1717, fits into category (2), with all wild-types having aspartic acid and all vaccines having alanine. Interestingly, this position
15 is in one of two areas where the L genes of measles and canine distemper virus (which are otherwise highly homologous) do not show exceptional conservation. This difference makes it more likely that 1717 is a key position for an attenuating mutation in measles.

20 There were five positions, 149, 636, 720, 2017 and 2119, where both chronologically newer wild-types (1983 and Montefiore) differ from older wild-types (Edmonston and 1977), which therefore fit into category (3). These differences suggest genetic drift rather than denoting sites of attenuating mutations.
25 Not included in this total are 16 positions where Montefiore (the 1989 isolate) differed from the rest (see Table 5). These could be either genetic drift (category (3)) or random change (category (4)). The
30 remaining 23 positions are category (4), with one or more of the viruses differing from the consensus.

Three of these positions (1409, 1649, 1936) are potentially attenuating category (4) mutations. These are changes where two vaccine strains have a
35 common change from the progenitor wild-type strain.

- 32 -

These changes may be connected with the vaccine lineage leading to the Rubeovax™ and Moraten vaccines (Figure 1).

Applicants have found that their AIK-C vaccine strain nucleotide sequence differs from the published sequence (33) at 21 positions, including one insertion and one deletion. Several of these differences result in coding changes including two in the L gene (at amino acids 1477 and 2008).

Thus, the additional changes accrued within the L gene sequence as the measles progenitor strain is progressively attenuated to achieve a replicative capacity optimized for live vaccine purposes appears to be constrained and delimited. Presumably, this limited tolerance in the number and location of L gene changes is imposed not only by the need to preserve the multifunctional capacities of the polymerase, but also by the preexisting 3' promoter changes with which the evolving L protein must interact to achieve transcription and replication. In other words, optimal virus attenuation requires coordinate (i.e., linked) changes in the polymerase protein and the cis-acting regulatory elements on which it acts.

The 3'-leader displays the least tolerance for change, allowing highly selected changes during the attenuation process at nucleotide position 26 (always the change of from "A" to "T"), and at position 42 (the change of from "A" to "C" or from "A" to "T") (in antigenomic, message sense). In the case of Zagreb only, there is a single further change, from "G" to "A" at position 96, which may be important when combined with Zagreb L gene-specific changes. The 3'-leader region seems to have undergone only one instance of genetic drift since 1954, with a change of "G" to "A" at position 50 (see Table 3).

- 33 -

The net change in the 3' genomic promoter region during the attenuation process is the replacement of two pyrimidines by two purines in genomic sense in all MV vaccine strains. The co-
5 evolution of the L gene during these attenuation processes is believed to reflect selection of subtle changes favoring reproduction of the viruses in different host cells. All the vaccine strains were grown in chick embryo (CE) or chick embryo fibroblast
10 (CEF) cells during their attenuation process (Figure 1). In addition, some vaccine strains have been exposed to unique host cells; i.e., Zagreb vaccine was grown in dog kidney cells and human diploid cells, while the AIK-C vaccine was adapted to sheep kidney
15 cells. Moraten and Rubeovax™ were exclusively developed in CE and CEF.

Some of the lineage-specific L gene changes (position 1649 in Rubeovax™, Moraten and Schwarz vaccines and the change at position 1717 in all
20 vaccines) represent a subset of adaptations of the L gene to the 3'-leader to modulate the transcription/replication processes for vaccine attenuation. Additionally, individual vaccine-specific changes (category (1)) may provide additional fine tune
25 modulation of virus replication/transcription for each vaccine strain.

Based on Table 3 and the foregoing discussion, the key attenuating mutations for the MV 3' genomic promoter region are nucleotide 26 (A → T),
30 nucleotide 42 (A → T or A → C) and nucleotide 96 (G → A) (in antigenomic, message sense).

Based on Table 4 and the foregoing discussion, the key attenuating sites for the L protein are as follows: amino acid residues 331 (isoleucine →
35 threonine), 1409 (alanine → threonine), 1624

- 34 -

(threonine → alanine), 1649 (arginine → methionine), 1717 (aspartic acid → alanine), 1936 (histidine → tyrosine), 2074 (glutamine → arginine) and 2114 (arginine → lysine). It is understood that the nucleotide changes responsible for these amino acid changes are not limited to those set forth in Table 4 of Example 1 below; all changes in nucleotides which result in codons which are translated into these amino acids are within the scope of this invention.

Human parainfluenza virus type 3 (HPIV-3) is another nonsegmented, negative-sense, single stranded enveloped RNA virus. HPIV-3 belongs to the Family Paramyxoviridae (see Table 1). The genome of HPIV-3 is 15,462 nucleotides long and encodes six non-overlapping protein-encoding genes (57). Five of the genes encode a single virion structural protein each, which are designated NP (corresponding to the N protein of MV), M, F, HN (hemagglutinin-neuraminidase) and L. The sixth mRNA encodes the P protein, and by an overlapping 5' proximal open reading frame (ORF) encodes the C protein, and by the RNA editing mechanism, also encodes the D protein.

Like MV, HPIV-3 consists of a 3'-nonprotein coding leader region of 55 nucleotides, but unlike measles (where it is 37 nucleotides), it has a 44 nucleotide long 5'-trailer region. The polymerase transcribes the genome in a linear, sequential, start-stop manner which is guided by transcription signals in the RNA template.

Attempts to develop a live attenuated HPIV-3 vaccine by passaging the wild-type virus JS strain through cell culture at sub-optimal temperature has produced promising results (7,57). Several "cold passage" (cp) mutants were isolated for evaluation from different passage levels of the JS strain. One such

- 35 -

mutant resulted from 45 serial passages and was designated cp45.

This virus exhibited three interesting properties: (1) cold adaptation (ca): the ability to replicate efficiently at the suboptimal temperature of 20°C; (2) temperature sensitivity (ts): inability to replicate *in vitro* at temperatures greater than or equal to 39°C; and (3) small plaque morphology. This mutant appeared to be a promising vaccine candidate because: (a) its ca, ts and small plaque phenotype is stable after passage in cell culture; (b) its replication is restricted in both the upper and lower respiratory tract of hamsters; and (c) it induced significant protection in hamsters against subsequent challenge with wild-type HPIV-3 (58,59).

Evaluation of this strain in the rhesus monkey showed the attenuation mutations in cp45 to be a combination of ts and non-ts mutations (60). Subsequent evaluation in chimpanzees indicated that cp45 appeared to be satisfactorily attenuated while still able to induce a high level of protection against wild-type virus challenge (61). Later preliminary clinical evaluation of cp45 in seronegative human infants and small children suggested that this candidate vaccine strain is suitably infectious and attenuated, as well as being moderately immunogenic (61).

The cp45 strain has been grown in both fetal rhesus lung (FRhL) and Vero cells as follows: The PIV-3 cp45 virus grown in FRhL cells was prepared by inoculating confluent FRhL cell monolayers in tissue culture flasks at an MOI 0.1-1.0. The infected cell cultures were fed with EMEM medium and incubated at 32°C. About seven days later, when maximal cytopathic effects (syncytia) were observed, the virus was

- 36 -

harvested by subjecting the cultures to one freeze-thaw cycle, pooling the fluids and then storing the virus at -70 °C.

5 The PIV-3 cp45 virus grown in Vero cells was prepared by inoculating with virus a bioreactor culture of confluent monolayers of Vero cells on microcarrier beads which was continuously stirred. The infected bioreactor culture was maintained at 30°C. The virus was harvested 4-5 days later when syncytial CPE was
10 observed. The culture fluid containing the virus was stored at -70 °C.

The nucleotide sequences (in positive strand, antigenomic, message sense) of the HPIV-3 JS wild-type strain (89) and the cp45 vaccine strain grown in FRhL
15 and Vero cells, as well as the deduced amino acid sequences of the RNA polymerase (L protein) of these HPIV-3 viruses, are set forth as follows with reference to the appropriate SEQ ID NOS. contained herein:

20	<u>Virus</u>	<u>Nucleotide Sequence</u>	<u>L Protein Sequence</u>
	<u>Wild-Type</u>		
	JS	SEQ ID NO:17	SEQ ID NO:18
	<u>Vaccine</u>		
25	FRhL cp45	SEQ ID NO:19	SEQ ID NO:20
	Vero cp45	SEQ ID NO:21	SEQ ID NO:22

Each PIV-3 virus genome listed above is
15,462 nucleotides in length. Translation of the L
30 gene starts with the codon at nucleotides 8646-8648; the translation stop codon is at nucleotides 15345-15347. The translated L protein is 2,233 amino acids long.

As detailed in Example 2 and Table 6 therein
35 below, based upon the differences between the wild-type

- 37 -

JS strain and the FRhL-grown cp 45 mutant vaccine strain, the key attenuating mutations for the HPIV-3 3' genomic promoter region are nucleotide 23 (T → C), nucleotide 24 (C → T), nucleotide 28 (G → T) and
5 nucleotide 45 (T → A) (in antigenomic, message sense). As also detailed in Example 2 and Table 6 therein below, key attenuating sites for the L protein of HPIV-3 include the following: amino acid residues 942 (tyrosine → histidine), 992 (leucine → phenylalanine)
10 and 1558 (threonine → isoleucine).

In addition, the Vero-grown cp45 mutant vaccine strain contains an additional mutation resulting from a coding change in the L gene at amino acid residue 1292 (leucine → phenylalanine).

15 It is understood that the nucleotide changes responsible for these amino acid changes are not limited to those set forth in Example 2 below; all changes in nucleotides which result in codons which are translated into these amino acids are within the scope
20 of this invention.

Human respiratory syncytial virus (RSV) is yet another nonsegmented, negative-sense, single stranded enveloped RNA virus. RSV belongs to the Subfamily Pneumovirinae and the genus *Pneumovirus* (see
25 Table 1).

Two major subgroups of human RSV, designated A and B, have been identified based on reactivities of the F and G surface glycoproteins with monoclonal antibodies (62). More recently, the A and B lineages
30 of RSV strains have been confirmed by sequence analysis (63,64). Bovine, ovine, and caprine strains of this virus have also been isolated. The host specificity of the virus is most clearly associated with the G attachment protein, which is highly divergent between

- 38 -

the human and the bovine/ovine strains (65,66), and may be influenced, at least in part, by receptor binding.

RSV is the primary cause of serious viral pneumonia and bronchiolitis in infants and young children. Serious disease, i.e., lower respiratory tract disease (LRD), is most prevalent in infants less than six months of age. It most commonly occurs in the nonimmune infant's first exposure to RSV. RSV additionally is associated with asthma and hyperreactive airways and it is a significant cause of mortality in "high risk" children with bronchopulmonary dysplasia and congenital heart disease (CHD). It is also one of the common viral respiratory infections predisposing to otitis media in children. In adults, RSV generally presents as uncomplicated upper respiratory illness; however, in the elderly it rivals influenza as a predisposing factor in the development of serious LRD, particularly bacterial bronchitis and pneumonia. Disease is always confined to the respiratory tract, except in the severely immunocompromised, where dissemination to other organs can occur. Virus is spread to others by fomites contaminated with virus-containing respiratory secretions, and infection initiates through the nasal, oral, or conjunctival mucosa.

RSV disease is seasonal and virus is usually isolated only in the winter months, e.g., from November to April in northern latitudes. The virus is ubiquitous, and over 90% of children have been infected at least once by 2 years of age. Multiple strains cocirculate. There is no direct evidence of antigenic drift (such as that seen with influenza A viruses), but sequence studies demonstrating accumulation of amino acid changes in the hypervariable regions of the G

- 39 -

protein and SH proteins suggest that immune pressure may drive virus evolution.

In mouse and cotton rat models, both the F and G proteins of RSV elicit neutralizing antibodies and immunization with these proteins alone provides
5 longterm protection against reinfection (67,68).

In humans, complete immunity to RSV does not develop and reinfections occur throughout life (69,70); however, there is evidence that immune factors will
10 protect against severe disease. A decrease in severity of disease is associated with two or more prior infections and there is evidence that children infected with one of the two major RSV subgroups may be somewhat protected against reinfection with the homologous
15 subgroup (71), observations which suggest that a live attenuated virus vaccine may provide protection sufficient to prevent serious morbidity and mortality. Infection with RSV elicits both antibody and cell mediated immunity. Serum neutralizing antibody to the
20 F and G proteins has been associated, in some studies, with protection from LRD, although reduction in upper respiratory disease (URD) has not been demonstrated. High levels of serum antibody in infants is associated with protection against LRD, and administration of
25 intravenous immunoglobulin with high RSV neutralizing antibody titers has been shown to protect against severe disease in high risk children (70,72,73). The role of local immunity, and nasal antibody in particular, is being investigated.

The RSV virion consists of a
30 ribonucleoprotein core contained within a lipoprotein envelope. The virions of pneumoviruses are similar in size and shape to those of all other paramyxoviruses. When visualized by negative staining and electron
35 microscopy, virions are irregular in shape and range in

- 40 -

diameter from 150-300 nm (74). The nucleocapsid of this virus is a symmetrical helix similar to that of other paramyxoviruses, except that the helical diameter is 12-15 nm rather than 18nm. The envelope consists of a lipid bilayer that is derived from the host membrane and contains virally coded transmembrane surface glycoproteins. The viral glycoproteins mediate attachment and penetration and are organized separately into virion spikes. All members of paramyxovirus subfamily have hemagglutinating activity, but this function is not a defining feature for pneumoviruses, being absent in RSV but present in PVM (75).

Neuraminidase activity is present in members of the genera Paramyxovirus, Rubulavirus, and is absent in Morbillivirus and Pneumovirus of mice (PVM) (75).

RSV possesses two subgroups, designated A and B. The wild-type RSV (strain 2B) genome is a single strand of negative-sense RNA of 15,218 nucleotides (SEQ ID NO:23) that are transcribed into ten major subgenomic mRNAs. Each of the ten mRNAs encodes a major polypeptide chain: Three are transmembrane surface proteins (G, F and SH); three are the proteins associated with genomic RNA to form the viral nucleocapsid (N, P and L); two are nonstructural proteins (NS1 and NS2) which accumulate in the infected cells but are also present in the virion in trace amounts and may play a role in regulating transcription and replication; one is the nonglycosylated virion matrix protein (M); and the last is M2, another nonglycosylated protein recently shown to be an RSV-specified transcription elongation factor (see Figure 3). These ten viral proteins account for nearly all of the viral coding capacity.

The viral genome is encapsidated with the major nucleocapsid protein (N), and is associated with

- 41 -

the phosphoprotein (P), and the large (L) polymerase protein. These three proteins have been shown to be necessary and sufficient for directing RNA replication of cDNA encoded RSV minigenomes (76). Further studies have shown that for transcription to proceed with full processing, the M2 protein (ORF 1) is required (74). When the M2 protein is missing, truncated transcripts predominate, and rescue of the full length genome does not occur (74).

Both the M (matrix protein) and the M2 proteins are internal virion-associated proteins that are not present in the nucleocapsid structure. By analogy with other nonsegmented negative-stranded RNA viruses, the M protein is thought to render the nucleocapsid transcriptionally inactive before packaging and to mediate its association with the viral envelope. The NS1 and NS2 proteins have only been detected in very small amounts in purified virions, and at this time are considered non-structural. Their functions are uncertain, though they may be regulators of transcription and replication. Three transmembrane surface glycoproteins are present in virions: G, F, and SH. G and F (fusion) are envelope glycoproteins that are known to mediate attachment and penetration of the virus into the host cell. In addition, these glycoproteins represent major independent immunogens (77). The function of the SH protein is unknown, although a recent report has implicated its involvement in the fusion function of the virus (78).

The genomes of two wild-type RSV subgroup B strains (2B and 18537) have now been sequenced in their entirety (see SEQ ID NOS:23 and 25, discussed below). Genomic RNA is neither capped nor polyadenylated (79). In both the virion and intracellularly, genomic RNA is tightly associated with the N protein.

- 42 -

The 3' end of the genomic RNA consists of a 44-nucleotide extragenic leader region that is presumed to contain the major viral promoter (Fig. 3). The 3' genomic promoter region is followed by ten viral genes in the order 3'-NS1-NS2-N-P-M-SH-G-F-M2-L-5' (Fig. 3). The L gene is followed by a 145-149 nucleotide extragenic trailer region (see Figure 3). Each gene begins with a conserved nine-nucleotide gene start signal 3'-GGGGCAAAAU (except for the ten-nucleotide gene start signal of the L gene, which is 3'-GGGACAAAAU; differences underlined). For each gene, transcription begins at the first nucleotide of the signal. Each gene terminates with a semi-conserved 12-14 nucleotide gene end (3'-A G U/G U/A ANNN U/A A_{3,5}) (where N can be any of the four bases) that directs transcription termination and polyadenylation (Fig. 3). The first nine genes are non-overlapping and are separated by intergenic regions that range in size from 3 to 56 nucleotides for RSV B strains (Fig. 3). The intergenic regions do not contain any conserved motifs or any obvious features of secondary structure and have been shown to have no influence on the preceding and succeeding gene expression in a minireplicon system (Fig. 3). The last two RSV genes overlap by 68 nucleotides (Fig. 3). The gene-start signal of the L gene is located inside of, rather than after, the M2 gene. This 68 nucleotide overlap sequence encodes the last 68 nucleotides of the M2 mRNA (exclusive of the Poly-A tail), as well as the first 68 nucleotides of the L mRNA.

Ten different species of subgenomic polyadenylated mRNAs and a number of polycistronic polyadenylated read-through transcripts are the products of genomic transcription (74).
Transcriptional mapping studies using UV light mediated

- 43 -

genomic inactivation showed that RSV genes are transcribed in their 3' to 5' order from a single promoter near the 3' end (80). Thus, RSV synthesis appears to follow the single entry, sequential transcription model proposed for all Mononegavirales (16,81). According to this model, the polymerase (L) contacts genomic RNA in the nucleocapsid form at the 3' genomic promoter region and begins transcription at the first nucleotide. RSV mRNAs are co-linear copies of the genes, with no evidence of mRNA editing or splicing.

Sequence analysis of intracellular RSV mRNAs showed that synthesis of each transcript begins at the first nucleotide of the gene start signal (74). The 5' end of the mRNAs are capped with the structure m7G(5')ppp(5')Gp (where the underlined G is the first template nucleotide of the mRNA) and the mRNAs are polyadenylated at their 3' ends (82). Both of these modifications are thought to be made co-transcriptionally by the viral polymerase. Three regions of the RSV 3' genomic promoter have been found to be important as cis acting elements (83). These regions are the first ten nucleotides (presumably acting as a promoter), nucleotides 21-25, and the gene start signal located at nucleotides 45-53 (83). Unlike other Paramyxovirinae, such as measles, Sendai and PIV-3, the remainder of the leader and non-coding region of NS1 gene of RSV was found to be highly tolerant of insertions, deletions and substitutions (83).

Additionally, by saturation mutagenesis (wherein each base is replaced independently by each of the other three bases and compared for translation and replication efficiencies) within the first 12 nucleotides of the 3' genomic promoter region, a U-tract located at nucleotides 6-10 was shown to be

- 44 -

highly inhibitory to substitutions (83). In contrast, the first five nucleotides were relatively tolerant of a number of substitutions and two of them at position four were up-regulatory mutations, resulting in a four-
5 to 20-fold increase in RSV-CAT RNA replication and transcription. Using a bi-cistronic minireplicon system, gene-start and gene-end motifs were shown to be signals for mRNA synthesis and appear to be self contained and largely independent of the nature of
10 adjoining sequence (84).

The L gene start signal lies 68 nucleotides upstream of the M2 gene-end signal, resulting in gene overlap (Fig. 3) (74). The presence of the M2 gene-end signal within the L gene results in a high frequency of
15 premature termination of L gene transcripts. Full length L mRNA is much less abundant and is made when the polymerase fails to recognize the M2 gene-end motif. This results in much lower transcription of L mRNA. The gene overlap seems incompatible with a model
20 of linear sequential transcription. It is not known whether the polymerase that exits the M2 gene jumps backward to the L gene-start signal or whether there is a second, internal promoter for L gene transcription (74). It is also possible that the L gene is
25 accessible by a small fraction of polymerases that fail to start transcription at the M2 gene-start signal and slide down the M2 gene to the L gene-start signal.

The relative abundance of each RSV mRNA decreases with the distance of its gene from the
30 promoter, presumably due to polymerase fall-off during sequential transcription (80). Gene overlap is a second mechanism that reduces the synthesis of full length L mRNA. Also, certain mRNAs have features that might reduce the efficiency of translation. The
35 initiation codon for SH mRNA is in a suboptimal Kozak

- 45 -

sequence context, while the G ORF begins at the second methionyl codon in the mRNA.

RSV RNA replication is thought (74) to follow the model proposed from studies with vesicular stomatitis virus and Sendai virus (16,81). This involves a switch from the stop-start mode of mRNA synthesis to an antiterminator read-through mode. This results in synthesis of positive sense replication-intermediate (RI) RNA that is an exact complementary copy of genomic RNA. This serves in turn as the template for the synthesis of progeny genomes. The mechanism involved in the switch to the antiterminator mode is proposed to involve cotranscriptional encapsidation of the nascent RNA by N protein (16,81). RNA replication in RSV like other nonsegmented negative-strand RNA viruses is dependent on ongoing protein synthesis (85). Predicted RI RNA has been detected for the standard virus as well as RSV-CAT minigenome (74,85). RI RNA was 10-20 fold less abundant intracellularly than was the progeny genome both for the standard and the minigenome system. The nucleotide sequences (in positive strand, antigenomic, message sense) of various wild-type, vaccine and revertant RSV strains, as well as the deduced amino acid sequences of the RNA polymerase (L protein) of these RSV viruses, are set forth as follows with reference to the appropriate SEQ ID NOS. contained herein:

- 46 -

<u>Virus</u>	<u>Nucleotide Sequence</u>	<u>L Protein Sequence</u>
--------------	----------------------------	---------------------------

Wild-Type

2B	SEQ ID NO:23	SEQ ID NO:24
18537	SEQ ID NO:25	SEQ ID NO:26

Vaccine

2B33F	SEQ ID NO:27	SEQ ID NO:28
2B20L	SEQ ID NO:29	SEQ ID NO:30

Revertant

2B33F TS(+)	SEQ ID NO:31	SEQ ID NO:32
2B20L TS(+)	SEQ ID NO:33	SEQ ID NO:34

Each RSV virus genome encodes an L protein that is 2,166 amino acids long. Genome length and other nucleotide information is as follows:

<u>Virus</u>	<u>Genome</u>		
<u>Wild-Type</u>	<u>Length</u>	<u>L Start Codon</u>	<u>L Stop Codon</u>

2B	15218	8502-8504	15000-15002
18537	15229	8509-8511	15007-15009

Vaccine

2B33F	15219	8503-8505	15001-15003
2B20L	15219	8503-8505	15001-15003

Revertant

2B33F TS(+)	15219	8503-8505	15001-15003
2B20L TS(+)	15219	8503-8505	15001-15003

As detailed in Example 3 (especially Tables 7 and 8) below, the key attenuating mutations for the RSV subgroup B 3' genomic promoter region are nucleotide 4 (C → G), and the insertion of an additional A in the stretch of A's at nucleotides 6-11 (in antigenomic

- 47 -

message sense). As also detailed in Example 3 below, the key potentially attenuating sites for the L protein of RSV are as follows: amino acid residues 353 (arginine → lysine), 451 (lysine → arginine), 1229 (aspartic acid → asparagine), 2029 (threonine → isoleucine) and 2050 (asparagine → aspartic acid). It is understood that the nucleotide changes responsible for these amino acid changes are not limited to those set forth in Example 3 below; all changes in nucleotides which result in codons which are translated into these amino acids are within the scope of this invention.

The attenuated viruses of this invention exhibit a substantial reduction of virulence compared to wild-type viruses which infect human and animal hosts. The extent of attenuation is such that symptoms of infection will not arise in most immunized individuals, but the virus will retain sufficient replication competence to be infectious in and elicit the desired immune response profile in the vaccinee.

The attenuated viruses of this invention may be used to formulate a vaccine. To do so, the attenuated virus is adjusted to an appropriate concentration and formulated with any suitable vaccine adjuvant, diluent or carrier. Physiologically acceptable media may be used as carriers. These include, but are not limited to: an appropriate isotonic medium, phosphate buffered saline and the like. Suitable adjuvants include, but are not limited to MPL™ (3-O-deacylated monophosphoryl lipid A; RIBI ImmunoChem Research, Inc., Hamilton, MT) and IL-12 (Genetics Institute, Cambridge, MA).

In one embodiment of this invention, the formulation including the attenuated virus is intended for use as a vaccine. The attenuated virus may be mixed

- 48 -

with cryoprotective additives or stabilizers such as proteins (e.g., albumin, gelatin), sugars (e.g., sucrose, lactose, sorbitol), amino acids (e.g., sodium glutamate), saline, or other protective agents. This mixture is maintained in a liquid state, or is then
5 dessicated or lyophilized for transport and storage and mixed with water immediately prior to administration.

Formulations comprising the attenuated viruses of this invention are useful to immunize a human or animal subject to induce protection against
10 infection by the wild-type counterpart of the attenuated virus. Thus, this invention further provides a method of immunizing a subject to induce protection against infection by an RNA virus of the
15 Order Mononegavirales by administering to the subject an effective immunizing amount of a vaccine formulation incorporating an attenuated version of that virus as described hereinabove.

A sufficient amount of the vaccine in an appropriate number of doses must be administered to the
20 subject to elicit an immune response. Persons skilled in the art will readily be able to determine such amounts and dosages. Administration may be by any conventional effective form, such as intranasally,
25 parenterally, orally, or topically applied to any mucosal surface such as intranasal, oral, eye, vaginal or rectal surface, such as by an aerosol spray. The preferred means of administration is by intranasal administration.

In another embodiment of this invention, an isolated nucleic acid molecule having the complete viral nucleotide sequence of either the wild-type
30 viruses or vaccine viruses described herein is used to generate oligonucleotide probes (from either positive strand antigenomic message sense or negative strand
35

- 49 -

complementary genomic sense) and to express peptides (from positive strand antigenomic message sense only), which are used to detect the presence of those wild-type virus and/or vaccine strains in samples of body fluids and tissues. The nucleotide sequences are used to design highly specific and sensitive diagnostic tests to detect the presence of the virus in a sample.

Polymerase chain reaction (PCR) primers are synthesized with sequences based on the viral wild-type or vaccine sequences described herein. The test sample is subjected to reverse transcription of RNA, followed by PCR amplification of selected cDNA regions corresponding to the nucleotide sequence described herein which have nucleotides which are distinct for a defined strain of virus. Amplified PCR products are identified on gels and their specificity confirmed by hybridization with specific nucleotide probes.

ELISA tests are used to detect the presence of antigens of the wild-type or vaccine viral strains. Peptides are designed and selected to contain one or more distinct residues based on the wild-type or vaccine sequences described herein. These peptides are then coupled to a hapten (e.g., keyhole limpet hemocyanin (KLH) and used to immunize animals (e.g., rabbits) for the production of monospecific polyclonal antibody. A selection of these polyclonal antibodies, or a combination of polyclonal and monoclonal antibodies can then be used in a "capture ELISA" to detect antigens produced by those viruses.

Samples of the Moraten measles virus vaccine strain were deposited by Applicants with the American Type Culture Collection, 12301 Parklawn Drive, Rockville, Maryland 20852, U.S.A., under the provisions of the Budapest Treaty for the Deposit of Microorganisms for the Purposes of Patent Procedures

- 50 -

5 ("Budapest Treaty") and have been assigned ATCC
accession number VR2587. Samples of the HPIV-3 virus
Vero-grown cp45 vaccine strain were deposited by
Applicants with the American Type Culture Collection,
12301 Parklawn Drive, Rockville, Maryland 20852,
U.S.A., under the provisions of the Budapest Treaty and
have been assigned ATCC accession number VR2588.
Samples of the 2B wild-type RSV virus were deposited by
Applicants with the American Type Culture Collection,
10 12301 Parklawn Drive, Rockville, Maryland 20852,
U.S.A., under the provisions of the Budapest Treaty and
have been assigned ATCC accession number VR2586.

Given these three deposited strains and the
sequence information for these and other strains
15 provided herein, one can use site-directed mutagenesis
and rescue techniques described above to introduce
mutations (or restore a wild-type genotype) of all the
strains described herein, as well as taking these
strains and making additional mutations from the panel
20 of mutations set forth in Tables 3, 4 and 6-8 below.

In order that this invention may be better
understood, the following examples are set forth. The
examples are for the purpose of illustration only and
are not to be construed as limiting the scope of the
25 invention.

Examples

Standard molecular biology techniques are
30 utilized according to the protocols described in
Sambrook et al. (86).

- 51 -

Example 1Measles

5 Moraten MV vaccine virus was grown once,
directly from the Attenuvax™ vaccine vial (Lot #0716B),
the Schwarz vaccine virus was grown once (Lot
96G04/M179 G41D), while the Zagreb and Rubeovax™
vaccine viruses were each grown twice in the Vero cells
before RNAs were made for sequence analysis. MV
10 wildtype isolate Montefiore (56) was passed 5-6 times
in Vero cells before extraction of RNA materials and
similarly, MV wildtype isolates 1977, 1983 (14) were
grown 5-7 times before extracting materials for
analysis. Edmonston wild-type isolate received from
15 Dr. J. Beeler (CBER) (see Fig. 1) was the original
Edmonston isolate already passaged seven times in human
kidney cells and three times in Vero cells before
receipt and further passaged once in Vero cells before
using for sequence analysis.

20 RNA was prepared by infecting Vero cells at a
multiplicity of infection (m.o.i.) of 0.1 to 1.0 and
allowed to reach maximum cytopathology before being
harvested. Total RNA from measles virus-infected cells
was extracted using Trizol™ reagent (Gibco-BRL).

25 The total RNA isolated from Vero cell passage
material was amplified by the Reverse Transcriptase-PCR
(Perkin-Elmer/Cetus) procedure using measles (Edmonston
B strain (19)) specific primer pairs spanning the 3'
and 5' promoter regions and the L gene of the viral
30 genome. Table 2 presents these primer sequences. The
primers of SEQ ID NOS:35-54, 74, 77 and 78 are in
antigenomic message sense. The primers of SEQ ID
NOS:55-73, 75, 76 and 79 are in genomic negative-sense.

- 52 -

Table 2
Primers for PCR and Sequencing MV L Genes
and Genomic Termini

5	9047 CATATCACTCACTCTGGGATGGAG ₉₀₇₀	(SEQ ID NO:35)
	9371 TCAGAACATCAAGCACCGCC ₉₃₉₀	(SEQ ID NO:36)
	9741 ACAGTCAAGACTGAGATGAG ₉₇₆₀	(SEQ ID NO:37)
	10001 AAGAGTCAGATACATGTGGA ₁₀₀₂₀	(SEQ ID NO:38)
	10351 ACATGAATCAGCCTAAAGTC ₁₀₃₇₀	(SEQ ID NO:39)
10	10674 CCGAAAGAGTTCCTGCGTTACGACC ₁₀₆₉₈	(SEQ ID NO:40)
	11083 CAGTCCACACAAGTACCAGG ₁₁₁₀₂	(SEQ ID NO:41)
	11461 GTCAGAAGCTGTGGACCATC ₁₁₄₈₀	(SEQ ID NO:42)
	11841 AATATTGCTACAACAATGGC ₁₁₈₆₀	(SEQ ID NO:43)
	12196 ACTCTTCATTCTAGACTGG ₁₂₂₁₅	(SEQ ID NO:44)
15	12542 GTCCAATTATGACTATGAAC ₁₂₅₆₁	(SEQ ID NO:45)
	12891 AGAACAGACATGAAGCTTGC ₁₂₉₁₀	(SEQ ID NO:46)
	13232 CCAACAAGGAATGCTTCTAG ₁₃₂₅₁	(SEQ ID NO:47)
	13551 ACAGCACTATCTATGATTGACCTGG ₁₃₅₇₅	(SEQ ID NO:48)
	13930 GCAACATGGTTTACACATGC ₁₃₉₄₉	(SEQ ID NO:49)
20	14280 AGATTGAGAGTTGATCCAGG ₁₄₂₉₉	(SEQ ID NO:50)
	14629 AGGAGATACTTAACTAAGC ₁₄₆₄₈	(SEQ ID NO:51)
	14981 TAAGCTTATGCCTTTTCAGCG ₁₅₀₀₀	(SEQ ID NO:52)
	15337 TTAACGGACCTAAGCTGTGC ₁₅₃₅₆	(SEQ ID NO:53)
	15671 GAAACAGATTATTATGACGG ₁₅₆₉₀	(SEQ ID NO:54)
25	9290 CGGGCTATCTAGGTGAACTTCAGG ₉₂₆₇	(SEQ ID NO:55)
	9500 ATTTGGATATGGAATATGAG ₉₄₈₁	(SEQ ID NO:56)
	9840 ACTCAACTGAACTACCAGTG ₉₈₂₁	(SEQ ID NO:57)
	10181 AAGAACATCATGTATTTTCAG ₁₀₁₆₂	(SEQ ID NO:58)
30	10549 TTATCAACGCACTGCTCATG ₁₀₅₃₀	(SEQ ID NO:59)
	10919 ATTTTCAGCAATCACTTGGCATGCC ₁₀₈₉₅	(SEQ ID NO:60)
	11280 GCCTCTGTGCAAACAAGCTG ₁₁₂₆₁	(SEQ ID NO:61)
	11638 TCTCTAGTTACTCTAGCAGC ₁₁₆₁₉	(SEQ ID NO:62)
	12010 AGGTCGTTGTTTGTGAGGAG ₁₁₉₉₁	(SEQ ID NO:63)
35	12361 TCGTCCTCTTCTTTACTGTC ₁₂₃₄₂	(SEQ ID NO:64)

- 53 -

12689 CCGTCCTCGAGCTAGCCTCG₁₂₆₇₀ (SEQ ID NO:65)
 13052 CTCCTCCAGGCTCACATTGG₁₃₀₃₃ (SEQ ID NO:66)
 13420 GGGTTGGTACATAGCTCTGC₁₃₄₀₁ (SEQ ID NO:67)
 13767 CACCCATCTGATATTTCCCTGATGG₁₃₇₄₃ (SEQ ID NO:68)
 5 14099 TGGTTGACAGTACAAATCTG₁₄₀₈₀ (SEQ ID NO:69)
 14460 CTGAAATGGGAAGATTGTGC₁₄₄₄₁ (SEQ ID NO:70)
 14820 AGCAATCTACACTGCCTACC₁₄₈₀₁ (SEQ ID NO:71)
 15180 TCACAGATGATTCAATTATC₁₅₁₆₁ (SEQ ID NO:72)
 15530 GATCCTAGATATAAGTTCTC₁₅₅₁₁ (SEQ ID NO:73)
 10
 1 ACCAAACAAAGTTGGGTAAGG₂₁ (SEQ ID NO:74)
 GGGGGATCC₁₀₀ATCCCTAATCCTGCTCTTGTCCC₇₈ (SEQ ID NO:75)
 200 GATTCCCTCTGATGGCTCCAC₁₈₁ (SEQ ID NO:76)
 15721 TAACAGTCAAGGAGACCAAAG₁₅₇₄₁ (SEQ ID NO:77)
 15 GGAAGCTT₁₅₈₀₁AACCCCTAATCCTGCCCTAGGTGG₁₅₈₂₃ (SEQ ID NO:78)
 15894 ACCAGACAAAGCTGGGAATAGA₁₅₈₇₃ (SEQ ID NO:79)

Overlapping PCR fragments of the complete
 viral genome were directly sequenced without cloning to
 20 achieve the consensus sequence, by the dideoxy
 terminator cycle sequencing method using both strands
 (ABI PRISM 377 sequencer and ABI PRISM sequencing Kit).
 To determine the sequence at the absolute termini, a
 ligation procedure described previously was used (55).

25 To test this hypothesis, the nucleotide
 sequences were determined for the non-protein coding
 regulatory regions and the L gene of the progenitor
 Edmonston wild-type MV isolate, for the available
 vaccine strains derived from this isolate, as well as
 30 for other wild-type strains. Nucleotide (in
 antigenomic, message sense) and amino acid differences
 were then compared and aligned as set forth in Tables
 3-5 (differences are in italics):

- 54 -

Table 3
Differences in MV 3' Genomic Promoter Region
Nucleotide Sequence

<u>Virus</u>	Nucleotide number:			
	<u>26</u>	<u>42</u>	<u>50</u>	<u>96</u>
Edmonston w-t	A	A	G	G
Vaccines:				
Rubeovax™	T	C	G	G
Moraten	T	C	G	G
Schwarz	T	C	G	G
Zagreb	T	T	G	A
AIK-C	T	C	G	G
Wild-Types:				
1977	A	A	A	G
1983	A	A	A	G
Montefiore	A	A	A	G

- 55 -

Table 4
Differences in MV L Nucleotides and Amino Acids
Between Edmonston Wild-Type and Vaccine Strains

	<u>331</u>	<u>1409</u>	<u>1624</u>	<u>1649</u>	<u>1717</u>	<u>1887</u>	<u>1936</u>	<u>2074</u>	<u>2114</u>
Edmonston w-t	ATT	GCA	ACC	AGG	GAT	AAC	CAT	CAA	AGA
Mutation	ACT	ACA	GCC	ATG	GCT	GAC	TAT	CGA	AAA
Edmonston w-t	I	A	T	R	D	N	H	Q	R
Rubeovax™ vac.	I	A	T	M	A	D	H	Q	R
Moraten vac.	T	A	T	M	A	D	H	Q	K
Schwarz vac.	T	A	T	M	A	D	H	Q	K
Zagreb vac.	I	T	T	R	A	N	H	Q	R
AIK-C vac.	I	T	A	R	A	N	Y	R	R

- 56 -

Table 5
Differences in MV L Nucleotides and Amino Acids
Between Wild-Type Strains

	<u>81</u>	<u>122</u>	<u>149</u>	<u>252</u>	<u>331</u>	<u>441</u>	<u>447</u>	<u>500</u>	<u>513</u>	<u>570</u>	<u>613</u>
Edmonston w-t	GCC	GAT	GTT	ACA	ATT	AAA	AAA	GAT	GTG	AAA	TAC
Mutation	ACC	AAT	ATT	GCA	GTT	AGA	AGA	AAT	ATG	AAT	CAC
Edmonston w-t	A	D	V	T	I	K	K	D	V	K	Y
1977 w-t	A	N	V	T	V	K	K	D	M	K	Y
1983 w-t	T	D	I	T	I	K	K	N	M	N	H
Montefiore w-t	A	D	I	A	I	R	R	D	M	K	Y
	<u>618</u>	<u>621</u>	<u>623</u>	<u>626</u>	<u>628</u>	<u>632</u>	<u>636</u>	<u>637</u>	<u>641</u>	<u>645</u>	<u>650</u>
Edmonston w-t	GTC	AGT	AGG	AGA	GCA	ATA	CAA	GTA	GAC	GAT	ATG
Mutation	GCC	AAT	AAG	AAA	GAA	GTA	CAT	ATA	AAT	AAT	ATA
Edmonston w-t	V	S	R	R	A	I	Q	V	D	D	M
1977 w-t	A	N	R	R	A	I	Q	I	D	N	M
1983 w-t	V	S	K	R	A	I	H	V	D	D	M
Montefiore w-t	V	S	R	K	E	V	H	V	N	D	I

- 57 -

Table 5 (continued)
Differences in MV L Nucleotides and Amino Acids
Between Wild-Type Strains

	<u>652</u>	<u>720</u>	<u>723</u>	<u>794</u>	<u>914</u>	<u>970</u>	<u>1044</u>	<u>1294</u>	<u>1569</u>	<u>1705</u>	<u>1745</u>
Edmonston w-t	GCT	ATC	TAT	CGG	CGG	GCC	GGA	AGC	GTT	ATC	AAT
Mutation	ACC	GTC	TGC	TGG	CAG	TCA	AGA	ACC	ATT	GTC	AGT
Edmonston w-t	A	I	Y	R	R	A	G	S	V	I	N
1977 w-t	A	I	C	W	Q	A	G	S	V	I	N
1983 w-t	A	V	C	R	R	S	G	T	I	I	N
Montefiore w-t	T	V	C	R	R	A	R	S	V	V	S

	<u>1860</u>	<u>1865</u>	<u>1936</u>	<u>2007</u>	<u>2013</u>	<u>2017</u>	<u>2030</u>	<u>2096</u>	<u>2119</u>	<u>2165</u>
Edmonston w-t	GTA	TTC	CAT	GAC	GAT	ACT	AAT	ATA	AAG	GTC
Mutation	ATA	TAC	TAT	GCC	GGT	ATT	AGT	GTA	CGG	ATC
Edmonston w-t	V	F	H	D	D	T	N	I	K	V
1977 w-t	V	Y	H	D	D	T	N	I	K	V
1983 w-t	V	F	Y	D	G	I	N	I	R	I
Montefiore w-t	I	F	H	G	D	I	S	V	R	V

- 58 -

Example 2PIV-3

5 A comparison of sequences (in antigenomic
message sense) of the parental wild-type JS strain of
PIV-3 virus and the FRhL-grown and Vero-grown forms of
the cp45 mutant are set forth in Table 6. Where a
codon change does not result in an amino acid change,
Table 6 states "none", followed by the name of the
10 unchanged amino acid.

Table 6
Sequence Comparison of Vero- and FRhL-grown cp45 & JS strains

Gene Region	Nucleotide Position	JS	FRhL cp45	Vero cp45	Codon Change	Amino Acid Change (number in L)
3' leader	23	T	C	C		
	24	C	T	T		
	28	G	T	T		
	45	T	A	A		
	62	A	T	T		
NP UTR	397	T	C	C		
NP coding	1275	T	G	G	GTC → GCC	Val → Ala
P coding	2080	T	C	C	TCT → GCT	Ser → Ala
M coding	4347	C	A	A	AAT → AAC	none/Asn
F coding	5536	C	T	T	CCC → ACC	Pro → Thr
	6329	A	G	G	AAC → AAT	none/Asn
	6419	G	A	A	ATA → GTA	Ile → Val
HN coding	6847	T	C	C	GCA → ACA	Ala → Thr
	7956	T	C	C	GGT → GGC	none/Gly
	9323	T	C	C	GTT → GCT	Val → Ala
L coding	9971	A	G	G	TAT → TAC	none/Tyr (226)
	11469	T	C	C	GAA → GAG	none/Glu (442)
	11621	G	T	T	TAC → CAC	Tyr → His (942)
	12521	A	A	T*	TTG → TTT	Leu → Phe (992)
	12581	C	T	T	TTA → TTT	Leu → Phe (1292)
	13318	C	T	T	TTC → TTT	none/Phe (1312)
					ACT → ATT	Thr → Ile (1558)
# mutations		20	21	21		

- 60 -

Sequence analysis of the parental wild-type JS strain of PIV-3 virus and the FRhL-grown cp45 mutant showed that the latter contained 20 nucleotide changes. Four changes were in the noncoding 3'-leader region at nucleotide positions 23 (T → C), 24 (C → T), 28 (G → T) and 45 (T → A) (in antigenomic, message sense). When considered in the genomic, negative sense, the change at position 28 from the smaller pyrimidine ("C") to the larger purine ("A") may change the size of the region flanked by the conserved regions of the 3' genomic promoter region, resulting in an altered spatial presentation of the cis-acting signals to the polymerase.

Nine changes were coding changes in the NP, M, F, HN and L genes. The other seven changes were non-coding or silent changes in the NP, P, F, HN and L genes or the NP untranslated region (UTR). The cp45 mutant has been demonstrated to have poor transcription activity at non-permissive temperatures due to its *ts* phenotype (87). This *ts* phenotype has now been mapped to the viral L gene (88). Because the cp45 virus has been shown to function normally with regard to mutations in the HN and F glycoproteins (87), this supports the implication that mutations in the 3'-leader and L gene contributed to the attenuating phenotype of this virus.

Thus, the four 3' leader specific changes in FRhL-grown cp45 and the three coding changes in the L gene at amino acid positions 942 (Tyr → His), 992 (Leu → Phe) and 1558 (Thr → Ile) contributed significantly to the attenuation phenotype of the candidate cp45 vaccine strain.

Furthermore, the Vero-grown cp45 mutant vaccine strain contains an additional mutation resulting from a coding change in the L gene (marked

- 61 -

with an asterisk in Table 6) at amino acid residue 1292 (leucine → phenylalanine).

The first two amino acid changes in the L protein (at positions 942 and 992) map to one of the highly conserved areas among all Paramyxovirus L genes. The fourth amino acid change (at position 1558) maps to the area joining two conserved blocks corresponding to the change at amino acid 1717 in the MV vaccine strains.

The published literature (89) sets forth only 18 changes between the antigenomic message sense sequences of the JS and FRhL-grown cp45 strains. Sixteen of these changes were found by applicants.

The published literature did not report four changes found by applicants: in the 3' leader at nucleotide 45 (T → A), in the NP UTR at nucleotide 62 (A → T), or the changes in amino acids in the NP protein resulting from the changes at nucleotide 397 (T → C), leading to the amino acid change (Val → Ala) and nucleotide 1275 (T → G), leading to the amino acid change (Ser → Ala) (nucleotide changes in antigenomic, message sense). Nor did the published literature report the additional potentially attenuating mutation in the L protein found by applicants in the Vero-grown cp45 strain resulting from the change at nucleotide 12521 (A → T), leading to the change in amino acid 1292 (Leu → Phe).

- 62 -

Example 3
RSV Subgroup B

5 The temperature-sensitive (*ts*) phenotype is
strongly associated with attenuation *in vivo*; in
addition, some non-*ts* mutations may also be
attenuating. Identification of *ts* and non-*ts*
attenuating mutations was achieved by sequence analysis
and evaluation of *ts*, cold-adapted (*ca*), and *in vivo*
10 growth phenotypes of RSV mutants and revertants.

 The genomes of the following five RSV 2B
strains have now been completely sequenced: 2B parent,
2B33F, one revertant designated 2B33F TS(+), 2B20L and
one revertant designated 2B20L TS(+). The 2B33F and
15 2B20L strains are *ts* and *ca* and are described in U.S.
Serial No. 08/059,444 (90), which is hereby
incorporated by reference. After identifying regions
where mutations in 2B33F and 2B20L are located, nine
additional isolates of 2B33F "revertants" obtained
20 following *in vitro* passaging at 39°C and *in vivo*
passaging in African Green Monkeys or chimpanzees, and
nine additional isolates of 2B20L "revertants" obtained
following *in vitro* passaging at 39°C have been
sequenced in those regions. The *ts*, *ca*, and
25 attenuation phenotypes of many of these revertants have
now been characterized and assessed. Correlations
between phenotype *ts*, vaccine attenuation and sequence
changes have been identified.

 A summary of results is presented in Tables
30 7-12.

- 63 -

Table 7
Sequence comparison between RSV 2B and 2B33F strains

Gene/ region	Nucl. pos.†	Nucleotide changes			Amino acid changes
	3' end of vRNA	RSV 2B	RSV 2B33F	RSV 2B33F TS(+), 5a revertant	
Genomic Promoter	4 6	C -	G extra A	G extra A	non-coding non-coding
M	4175 4199	T T	C C	C C	non-coding non-coding
SH	4329 4409 4420 4442 4454 4484 4497 4505 4525 4526 4542 4561 4575 4598	T T T T T T T T T T T T T T	C C C C C C C C C C C C C C	C C C C C C C C C C C C C C	Phe-Leu (10) none Ile (36) Ile-Thr (40) none His (47) none Cys (51) none Tyr (61) Stop-Gln (66) none Ser (68) Ile-Thr (75) Ile-Thr (75) Stop-Gln (81) Leu-Pro (87) Trp-Arg (92) none Thr (99)
L	9559 9853* 12186 14587 15071	G A G C A	A G A T G	A A A T G	Arg-Lys (353) Lys-Arg (451)* Asp-Asn (1229) Thr-Ile (2029) non-coding

† For 2B33F and 2B33F TS(+), nucl. pos. numbers are one larger than for 2B for M, SH & L genes

* At pos. 9853, the Lys-Arg change has reverted back to Lys in the 2B33F TS(+) strain

- 64 -

Table 8
Sequence comparison between RSV 2B and 2B20L strains

Gene/ region	Nucl. pos.†	Nucleotide changes			Amino acid changes
		RSV 2B	RSV 2B20L	RSV 2B20L TS(+), R1 revertant	
Genomic Promoter	4 6	C -	G extra A	G extra A	non-coding* non-coding*
L	8963 13347 14587 14649 14650	C A C A A	T A T G A	T G T G T	none Thr (154) Asn-Asp (1616) Thr-Ile(2029)* Asn-Asp (2050) Asn-Asp-Val (2050)**

† For 2B20L and 2B20L TS(+), nucl. pos. numbers are one larger than for 2B for L gene

* Mutation is common in 2B33F and 2B20L strains

** At pos. 14650, the mutation suppresses the ts phenotype in 2B20L TS(+) revertant

Table 9
RSV 2B, *ts* and Revertant Strains

Sample	Source	In Vitro Phenotype		In Vivo Growth*				
		<i>ts</i>	<i>cs</i>	Cotton Rat		AGM		
		39/32°C EOP plaque morph	20/32°C Yield	Nasal turbinate	Lungs	Nasal Wash	Bronchial Lavage	
RSV 2B	Wild-type Parent Strain	0.7 (WT)	0.0001	5.5 ^a 3.9 ^b (4/4)	5.8 ^a 5.2 ^b (4/4)	5.8 ^a (4/4)	4.7 ^a (4/4)	
RSV 2B33F	<i>cs</i> , <i>ts</i> mutant isolated from 2B cold-passaged x 33	0.00007 (sp/int/wt)	0.04	≤1.6 ^a ≤1.9 ^b (1/4)	≤1.5 ^a ≤1.2 ^b (0/4)	3.0 ^a (4/4)	<0.9 ^a (0/4)	
RSV 2B33F - 5a TS(+)	2B33F spinner passage, plaque picked at 39°C	0.5 (WT)	0.03	≤1.7 ^a (1/4)	3.5 ^a (4/4)	4.2 ^a (4/4)	4.0 ^a (4/4)	
RSV 2B33F - 4a TS(+)	2B33F spinner passage, plaque picked at 39°C	0.7 (WT)	0.01	≤1.7 ^a (3/4)	3.8 ^a (4/4)	ND	ND	
RSV 2B33F - 3b TS(+)	2B33F spinner passage, plaque picked at 39°C	0.5 (WT)	0.04	≤2.5 ^a (3/4)	2.9 ^a (4/4)	ND	ND	
AGM PP2	2B33F-infected AGM #A2,d7 nasal wash plaque picked at 32°C	0.3 (sp,int)	0.00002	≤2.0 ^b (1/4)	1.6 ^b (4/4)	ND	ND	

Table 9 (continued)
RSV 2B, ts and Revertant Strains

Sample	Source	In Vitro Phenotype		In Vivo Growth*			
		ts	ca	Cotton Rat			
		39/32°C EOP plaque morph	20/32°C Yield	Nasal turbينات	Lungs	Nasal Wash	Bronchial Lavage
AGM pp4	2B33F-infected AGM #A2,d7 nasal wash plaque picked at 32°C	0.1 (sp,int)	0.008	<1.6 ^b (0/4)	1.2 ^b (4/4)	ND	ND
AGM pp6	2B33F-infected AGM #A4,d12 nasal wash plaque picked at 32°C	0.000004 (wt)	≤0.00005	≤1.5 ^b (1/4)	<1.1 ^b (0/4)	ND	ND
AGM pp7	2B33F-infected AGM #A4,d12 nasal wash plaque picked at 32°C	0.000004 (sp/int/wt)	0.007	≤1.4 ^b (1/4)	<1.0 ^b (0/4)	ND	ND
Chimp pp1A	2B33F-infected Chimp #1552, d4 tracheal lavage plaque picked at 32°C	0.5 (WT)	ND	ND	ND	ND	ND
Chimp pp3A	2B33F-infected Chimp #1560, d6 tracheal lavage plaque picked at 32°C	0.7 (WT)	ND	2.4 ^c (4/4)	≤3.0 ^c (3/4)	ND	ND
Chimp pp5A	2B33F-infected Chimp #1563, d10 nasal swab plaque picked at 32°C	0.7 (WT)	ND	≤2.3 ^c (3/4)	3.0 ^c (4/4)	ND	ND

Table 9 (continued)
RSV 2B, ts and Revertant Strains

Sample	Source	In Vitro Phenotype			In Vivo Growth*			
		ts	ca	20/32°C Yield	Cotton Rat	AGM		
		39/32°C GOP plaque morph			Nasal turbinate	Lungs	Nasal Wash	Bronchial Lavage
RSV 2B20L	ca, ts mutant isolated from 2B cold-passaged x 20	0.0002 (int/wt)	0.02		<1.9 ^d (0/4)	<1.3 ^d (0/4)	<0.7 ^e (0/2)	<0.7 ^e (0/2)
RSV 2B20L R1 TS(+)	2B20L spinner passage, plaque picked at 39°C	0.6 (WT)	ND		2.3 ^c (4/4)	3.5 ^c (4/4)	ND	ND
RSV 2B20L R2 TS(+)	2B20L spinner passage, plaque picked at 39°C	0.6 (WT)	ND		≤2.5 ^c (3/4)	2.7 ^c (4/4)	ND	ND
RSV 2B20L R9 TS(+)	2B20L spinner passage, plaque picked at 39°C	0.8 (WT)	ND		≤2.2 ^c (3/4)	4.0 ^c (4/4)	ND	ND
RSV 2B20L R10 TS(+)	2B20L spinner passage, plaque picked at 39°C	0.7 (WT)	ND		2.6 ^c (4/4)	3.2 ^c (4/4)	ND	ND

* In Vivo growth measured in log₁₀ mean virus titer (# infected/# total)

ND = not done

WT = wild-type

sp = small plaque size

int = intermediate plaque size

^a Dose = 10^{6.7} PFU IN

^b Dose = 10^{5.6} PFU IN

^c Dose = 10^{6.3} PFU IN

^d Dose = 10^{5.9} PFU IN

^e Dose = 10^{6.6} PFU IN

^f Dose = 10^{6.0} PFU IN

- 68 -

Table 10
2B33F Revertants

	<i>ts</i> (+) <i>In vitro</i>			AGM				Chimp		
	5a	4a	3b	pp2	pp4	pp6	pp7	1A	3A	5A
base no.†										
<u>M</u>										
4176,4200	S	S	S	S	S	S	S	S	S	S
<u>SH</u>										
14 bases*	S	S	S	S	S	S	S	S	S	S
<u>L</u>										
9560	S	S	S	S	S	S	S	S	S	S
9854	2B	2B	2B	2B	S	S	S	ND	2B	2B
12187	S	S	S	S	S	S	S	S	S	S
14588	S	S	S	S	S	S	S	ND	S	S
15072	S	S	S	S	S	S	S	S	S	S
Phenotype										
<i>ts</i>	2B	2B	2B	r	r	S	S	2B	2B	2B
<i>ca</i>	S	S	S	2B	S	2B	S	ND	ND	ND
Attenuated	r	r	r	(r)	(r)	S	S	ND	r	r

† These 2B33F revertant base nos. are one larger than for 2B for M, SH and L genes

* bases 4330,4410,4421,4443,4455,4485,4498,4506,4526,4527,4543, 4562,4576,4599

S = same base as 2B33F

2B = reversion to 2B base or complete reversion in phenotype

r = moderate reversion in phenotype

(r) = slight reversion in phenotype

ND = not done

- 69 -

Table 11
2B20L Revertants

	TS(+) In vitro Isolates									
base no.†	R1	R2	R3A	R4A	R5A	R6A	R7A	R8A	R9A	R10A
<u>L</u>										
8964	S	S	S	S	S	S	S	S	S	S
13348	C*	S	ND	S	S	ND	S	S	S	S
14588	S	S	S	S	S	S	S	S	S	S
14650	S	S	2B	S	2B	2B	S	S	2B	2B
14651	A*	A*	S	A*	S	S	A*	A*	S	S
Phenotype										
ts	2B	2B	ND	ND	ND	ND	ND	ND	2B	2B
Attenuated	r	r	ND	ND	ND	ND	ND	ND	r	r

† These 2B20L revertant base nos. are one larger than for 2B for L genes

S = same base as 2B20L

2B = reversion to 2B base

r = moderate reversion in phenotype

* = base change, different from 2B or 2B20L

ND = not done

- 70 -

Table 12
RSV 2B, *ts* and Revertant Strains: Phenotype Summary

Virus Isolate	Source	In Vitro Phenotype		In Vivo Attenuation	
		<i>ts</i>	<i>ca</i>	Cotton Rat	AGM
RSV 2B	Wild-type Parent Strain	-	-	-	-
RSV 2B33F	<i>ca</i> , <i>ts</i> mutant isolated from 2B, cold-passaged x 33	++++	++	++++	+++
RSV 2B33F - 5a TS(+)	2B33F spinner passage plaque picked at 39°C	-	++	++	+
RSV 2B33F - 4a TS(+)	2B33F spinner passage plaque picked at 39°C	-	++	++	ND
RSV 2B33F - 3b TS(+)	2B33F spinner passage plaque picked at 39°C	-	++	++	ND
AGM pp2	2B33F-infected AGM A2, d7 nasal wash plaque picked at 32°C	+	-	+++	ND
AGM pp4	2B33F-infected AGM A2, d7 nasal wash plaque picked at 32°C	+	++	+++	ND
AGM pp6	2B33F-infected AGM A4, d12 nasal wash plaque picked at 32°C	++++	-	++++	ND
AGM pp7	2B33F-infected AGM A4, d12 nasal wash plaque picked at 32°C	++++	++	++++	ND
Chimp pp1A	2B33F-infected chimp #1552, d4 tracheal lavage, plaque picked at 32°C	-	ND	ND	ND
Chimp pp3A	2B33F-infected chimp #1560, d6 tracheal lavage, plaque picked at 32°C	-	ND	++	ND
Chimp pp5A	2B33F-infected chimp #1563, d10 tracheal lavage, plaque picked at 32°C	-	ND	++	ND

- 71 -

Table 12 (continued)
RSV 2B, *ts* and Revertant Strains: Phenotype Summary

Virus Isolate	Source	In Vitro Phenotype		In Vivo Attenuation	
		<i>ts</i>	<i>ca</i>	Cotton Rat	AGM
RSV 2B20L	<i>ca</i> , <i>ts</i> mutant isolated from 2B, cold-passaged x 20	++++	++	++++	++++
RSV 2B20L R1 TS(+)	2B20L spinner passage plaque picked at 39°C	-	ND	++	ND
RSV 2B20L R2 TS(+)	2B20L spinner passage plaque picked at 39°C	-	ND	++	ND
RSV 2B20L R9 TS(+)	2B20L spinner passage plaque picked at 39°C	-	ND	++	ND
RSV 2B20L R10 TS(+)	2B20L spinner passage plaque picked at 39°C	-	ND	++	ND

ND = not done

- = wild-type phenotype, i.e., not temperature sensitive, not cold adapted, not attenuated

+ to ++++ = increasing levels of temperature sensitivity, cold-adaptation or attenuation

- 72 -

Several significant observations can be drawn from these data:

5 a. As shown in Tables 7 (for 2B33F) and 8 (for 2B20L), there are relatively few sequence changes identified in the two mutant strains: RSV 2B33F differs from parental RSV 2B by two changes at the 3' genomic promoter region, two changes at the non-coding 5'-end of the M gene, and four coding changes plus one
10 non-coding (poly(A) motif) change in the RNA dependent RNA polymerase coding L gene. In addition, 14 changes mapped to the SH gene alone. RSV 2B20L differs from its RSV 2B parent only at seven nucleotide positions, of which three are common with 2B33F virus, including
15 two changes at the 3' genomic promoter and one coding change in the L gene. Two additional unique changes of 2B20L virus mapped to the coding region of the L gene. Potentially attenuating mutations at the non-coding 3' genomic promoter region and the RNA dependent RNA
20 polymerase gene have been identified.

b. Two *ts* mutations can be identified in the L gene of the attenuated virus strains 2B33F and 2B20L:

25 (i) In 2B33F, a mutation at nucleotide position 9853 (A → G) leading to a coding change in L protein at amino acid 451 (Lys → Arg) is clearly associated with the *ts* and attenuation phenotypes. Reversion at this site alone in the 2B33F TS(+) 5a strain is
30 responsible for complete restoration of growth at 39°C (Table 9) and partial reversion in attenuation in animals. This association with the *ts* and attenuation phenotypes was also supported by partial sequence analyses of six additional "full TS revertants"
35 (designated 4a, 3b, pp2, 3A, 5a, 5A) isolated from cell

- 73 -

5 culture and from chimps, in which only the nucleotide
9853 mutation reverted (Tables 10-12) (note that one
AGM (African Green Monkey) isolate which reverted at
9853 only partially reverted in *ts* phenotype). This
amino acid 451 mutation (Lys → Arg) is amenable to
stabilization in cDNA infectious clone constructs, by
inserting a second mutation to stabilize the codon,
thereby lessening the likelihood that it will revert
back to Lys.

10 (ii) In 2B20L, a mutation at base 14,649 (A → G)
leading to a coding change in the L protein (amino acid
position 2,050, Asn → Asp) appears to be associated
with the *ts* and attenuation phenotypes. This aspartic
15 acid at the amino acid 2050 invariably reverts back
(Asp → Asn) in TS(+) revertants or changes to a
different amino acid (Asp → Val) by nucleotide
substitution at position 14,650 (A → T) (Tables 8,
11). The above observation is based on complete
20 sequence analysis on the TS(+) revertant R1 and partial
sequence of several additional TS(+) revertants (R2,
R4A, R7A, R8A) at selected regions (Table 11). An
additional mutation is seen in the R1 revertant at
nucleotide position 13,347 (amino acid 1616, Asn →
25 Asp) associated with the above reversion. However, the
effect of this mutation on the *ts* phenotype is not
known; the L gene of other revertants has not been
sequenced completely.

30 c. Three base changes are common to 2B33F and
2B20L strains of virus:

(i) A change at position 14,587 (C → T) with a
corresponding change (Thr → Ile) at amino acid 2029 is

- 74 -

present in both 2B33F and 2B20L (Tables 7,8). This nucleotide "T" substitution was found to be present in 10% of the population of the progenitor RSV2B strain and may have been preferred during the attenuation process. No wildtype base "C" was found in the 2B33F and 2B20L virus.

(ii) Two mutations are seen in the 2B33F and 2B20L 3' genomic promoter region: nucleotide 4 (C → G) and the insertion of an extra A in the stretch of A's at positions 6-11 (in antigenomic, message sense). When the sequences of selected TS(+) revertants were analyzed, these mutations were seen to have been retained in the 2B33F TS(+)5a (Table 7) and the 2B20L TS(+)R1 (Table 8) revertants. These non-coding, cis-acting mutations remained associated with partial viral attenuation.

Expression using the minireplicon RSV-CAT system for the analysis of these cis-acting changes has shown the 3' genomic promoter nucleotide 4 (C → G) change to be an upregulation of transcription/replication in this *in vitro* system when the 2B progenitor virus or either of the 2B33F or 2B33F TS(+) provided helper L gene functions (the N, P and M2 genes are identical in these viruses).

Complementation analysis of the 2B33F 3' genomic promoter and the helper functions provided by the progenitor RSV2B virus or the 2B33F and 2B33F TS(+) viruses by this RSV-CAT minireplicon system has also been conducted. All three viruses supported both the 2B and 2B33F 3' genomic promoter mediated transcription/replication functions. However, the 2B33F and 2B33F TS(+) viruses preferred their 2B33F 3' genomic promoters. This analysis clearly shows co-evolution of 3' genomic promoter changes during the

- 75 -

vaccine attenuation process, along with the RNA dependent RNA polymerase gene. Reversion of *ts* phenotype in the 2B33F mutant 5a by reversion of the single L protein amino acid 451 (Arg → Lys) by sequence analysis was clearly demonstrated by support of transcription/replication functions of RSV-CAT minireplicon at 37°C. The 2B33F virus did not provide helper functions to the RSV-CAT minireplicon (with 2B or 2B33F 3' genomic promoters) at 37°C.

d. A biased hypermutation of SH seen in 2B33F is present in all 2B33F revertants, regardless of phenotype, and is not seen in 2B20L, which is *ts*, *ca*, and attenuated. Thus, there are no data at this time that associate this mutation with any biological phenotype.

Another wild-type RSV designated 18537 was also sequenced and compared to the sequence of the wild-type RSV 2B strain. With one exception, at all the critical residues described above, the two wild-type strains were identical. For 2B, the codon ACA at nucleotides 14586-14588 encodes a Thr at amino acid 2029 of the L protein, while for 18537, the codon ATT at nucleotides 14593-14595 encodes an Ile at amino acid 2029 (the L gene start codon is at nucleotides 8509-8511 in 18537, compared to 8502-8504 in 2B).

Example 4

PCR Assay to Detect Measles Virus

A 21 year old patient was admitted to a hospital with a three week history of progressive non-productive cough, shortness of breath, and fever. His symptoms failed to improve following treatment with clarithromycin for seven days or after a similar course

- 76 -

of treatment with atovaquone. Concomitant complaints of right upper quadrant abdominal pain proved recalcitrant to omeprazole and antacids. Relevant past medical history included Factor VIII deficiency and HIV infection diagnosed 3-4 years prior to this hospital admission. One year earlier, he had received a booster immunization of measles-mumps-rubella (MMR) vaccine as required for college enrollment.

Bronchoalveolar lavage and transbronchial biopsies performed two days after admission to the hospital demonstrated reactive hyperplasia and alveolar lining cell desquamation with minimal chronic inflammation. No microorganisms were revealed by Gram, methenamine silver, or PAS stains. CT scans of the chest showed multiple, ill-defined, confluent nodules at the left lung base. Despite administration of empiric antimicrobials for opportunistic bacterial, mycobacterial, and fungal pathogens commonly responsible for pulmonary complications of advanced HIV disease, the patient became and remained febrile to 39°C. A left-sided pleural effusion developed; diagnostic thoracentesis showed it to be exudative but otherwise non-diagnostic. Bronchoalveolar lavage performed three weeks later only demonstrated alveolar histiocytes, some of which were hemosiderin laden, a few lymphocytes, and neutrophils. FITE, AFB, and methanamine silver stains again were negative.

Two weeks thereafter, a wedge resection of the left lung was performed through CT-guided minithoracotomy. Multiple tissue sections revealed nodular areas of acute and chronic inflammation with regions of necrosis and fibrosis. Numerous multinuclated giant cells were present, some of which contained both intracytoplasmic and intranuclear inclusions suggestive of measles virus giant cell

- 77 -

pneumonia. Special stains for bacteria, fungi, *P. carinii*, and acid fast organisms again gave negative results. Electron microscopic examination of sections of this lung biopsy revealed particles morphologically
5 consistent with paramyxoviruses such as measles virus. Serum anti-measles IgM titers determined by a solid phase hemadsorbant assay were negative, as was a subsequent IgM capture immunoassay.

Two weeks later, Rhesus monkey kidney (RMK)
10 tissue culture cells inoculated with the patient's lung biopsy material revealed cytopathic changes characteristic of measles virus infection. Confirmation was obtained using an immunofluorescence assay with monoclonal antibodies directed to measles
15 virus. Based upon this diagnosis, oral ribavirin 1000mg B.I.D. was given for 14 days. Unfortunately, the patient progressively deteriorated, eventually dying two months later.

In order to ascertain the nature of the
20 measles virus present in the patient, reverse transcription and PCR amplification of virus obtained from infected tissues were performed, followed by sequence analysis. The measles virus isolated from Rhesus monkey kidney cells inoculated with tissue from
25 this patient's lung biopsy was propagated by two serial passages in the continuous Vero (monkey kidney) tissue culture cell line. Total infected cell RNA was extracted at the second Vero cell passage using TRIzol reagent (Life Technologies, Grand Island, NY) according
30 to the manufacturer's protocol. Total RNA was similarly extracted from the patient's lung biopsy material. The measles virus vaccine strain (Moraten) currently used in the United States as a component of the trivalent MMR vaccines, was obtained in its
35 univalent form (Attenuvax™, Merck, Sharpe, & Dohme).

- 78 -

This virus was passaged once in Vero cells and total vaccine infected cellular RNA then was extracted as described above.

Each of these RNA preparations was reverse
5 transcribed (RT) to cDNA using random hexameric primers
and Maloney murine leukemia virus reverse transcriptase
(Perkin-Elmer/Cetus RT-PCR kit reagents, Perkin-Elmer-
Cetus, Branchburg, NJ). The cDNA then was amplified by
10 PCR using measles virus-specific oligodeoxynucleotide
primer pairs whose design was based on the Edmonston
measles virus sequence described above. These PCR
products comprised a set of overlapping DNA fragments
spanning the entire 15,894 nucleotide long measles
15 genome. A consensus genomic sequence was established
by direct analysis of each PCR product, without
cloning, using the dideoxy terminator cycle-sequencing
method established by the manufacturer (ABI PRISM 377
sequencer and ABI PRISM DNA sequencing kit; Perkin-
20 Elmer/Cetus, Foster City, CA). Both strands of the
PCR-amplified DNA products were analyzed to eliminate
possible sequencing ambiguities.

The nucleotide sequences of selected regions
of the measles virus genomes present in the patient's
viral isolate, as well as in the diseased lung tissue,
25 were compared with that of the Moraten vaccine virus,
as well as with the nucleotide sequences of other
measles virus wild-type and vaccine strains. This
sequence analysis revealed identity to the Moraten
vaccine strain rather than demonstrating relatedness to
30 past or currently circulating wild-type viruses or
other measles vaccine strains.

- 79 -

Example 5ELISA to Detect RSV

5 An ELISA test is used to detect the presence
of RSV. Peptides are designed and selected based on
homologies to the RSV sequences described herein to be
specific for all subgroup B strains, or for individual
wild-type, vaccine or revertant RSV subgroup B strains
described herein. These peptides are then coupled to
10 KLH and used to immunize rabbits for the production of
monospecific polyclonal antibody. A selection of these
polyclonal antibodies, or a combination of polyclonal
and monoclonal antibodies is then used in a "capture
ELISA" to detect the presence of an RSV antigen.

- 80 -

Bibliography

1. Kapikian, A.Z., et al., Am. J. Epidemiol., 89, 405-421 (1969).
2. Chin, J., et al., Am. J. Epidemiol., 89, 449-463 (1969).
3. Fulginiti, V.A., et al., Am. J. Epidemiol., 89, 435-448 (1969).
4. Prince, G.A., et al., J. Virology, 57, 721-728 (1986).
5. Kim, H.W., et al., Pediatrics, 52, 56-63 (1973).
6. Hodes, D.S., et al., Proc. Soc. Exp. Biol. Med., 145, 1158-1164 (1974).
7. Belshe, R.B., and Hissom, F.K., J. Med. Virol., 10, 235-242 (1982).
8. Black, F.L., et al., Am. J. Epidemiol., 124, 442-452 (1986).
9. Lennon, J.L., and Black, F.L., J. Pediatrics, 108, 671-676 (1986).
10. Pabst, H.F., et al., Pediatr. Infect. Dis. J., 11, 525-529 (1992).
11. Centers for Disease Control, MMWR, 40, 369-372 (1991).
12. Centers for Disease Control, MMWR, 41:S6, 1-12 (1992).
13. King, G.E., et al., Pediatr. Infect. Dis. J., 10, 883-887 (1991).
14. Rota, J.S., et al., Virology, 188, 135-142 (1992).
15. Rota, J.S., et al., Virus Res., 31, 317-330 (1994).
16. Lamb, R.A., and Kolakosky, D., pages 1177-1204 of Volume 1, Fields Virology, B.N. Fields, et al., Eds. (3rd ed., Raven Press, 1996).

- 81 -

17. Sidhu, M.S., et al., Virology, 193, 50-65 (1993).
18. Garcin, D., et al., EMBO J., 14, 6087-6094 (1995).
19. Radecke, F., et al., EMBO J., 14, 5773-5783 (1995).
20. Collins, P.L., et al., Proc. Natl. Acad. Sci., USA, 92, 11563-11567 (1995).
21. Published European Patent Application No. 702,085.
22. Published International Application No. WO 96/10400.
23. Baron, M.D., and Barrett, T., J. Virology, 71, 1265-1271 (1997).
24. Published International Application No. WO 97/06270.
25. U.S. Provisional Patent Application No. 60/047575.
26. Published International Application No. WO 97/12032.
27. Kato, A., et al., Genes to Cells, 1, 569-579 (1996).
28. Sidhu, M.S., et al., Virology, 208, 800-807 (1995).
29. Shaffer, M.F., et al., J. Immunol., 41, 241-256 (1941).
30. Enders, J.F., et al., N. Engl. J. Med., 263, 153-159 (1960).
31. Enders, J.F., and Peebles, M.E., Proc. Soc. Exp. Biol. Med., 86, 227-286 (1954).
32. Schwarz, A.J.F., Am. J. Dis. Child., 103, 216-219 (1962).
33. Griffin, D.E., and Bellini, W.J., pages 1267-1312 of Volume 1, Fields Virology, B.N. Fields, et al., Eds. (3rd ed., Raven Press, 1996).

- 82 -

34. Birrer, M.J., et al., Virology, 108, 381-390 (1981).
35. Birrer, M.J., et al., Nature, 293, 67-69 (1981).
36. Norby, E., et al., pages 481-507, in The Paramyxoviruses, D. Kingsbury, Ed. (Plenum Press, 1991).
37. Peebles, M.E., pages 427-456, in The Paramyxoviruses, D. Kingsbury, Ed. (Plenum Press, 1991).
38. Egelman, E.H., et al., J. Virol., 63, 2233-2243 (1989).
39. Udem, S.A., et al., J. Virol. Methods, 8, 123-136 (1984).
40. Udem, S.A., and Cook, K.A., J. Virol., 49, 57-65 (1984).
41. Moyer, S.A., and Horikami, S.M., pages 249-274, in The Paramyxoviruses, D. Kingsbury, Ed. (Plenum Press, 1991).
42. Blumberg, B., et al., pages 235-247, in The Paramyxoviruses, D. Kingsbury, Ed. (Plenum Press, 1991).
43. Berrett, T., et al., pages 83-102, in The Paramyxoviruses, D. Kingsbury, Ed. (Plenum Press, 1991).
44. Tordo, N., et al., Sem. in Virology, 3, 341-357 (1992).
45. Cattaneo, R., et al., EMBO J., 6, 681-688 (1987).
46. Crowley, J.C., et al., Virology, 164, 498-506 (1988).
47. Banerjee, A.K., and Barik, S., et al., Virology, 188, 417-428 (1992).
48. Castaneda, S.J., and Wong, T.C., J. Virol., 63, 2977-2986 (1989).

49. Chan, J., et al., pages 221-231, in Genetics and Pathogenicity of Negative Stranded Viruses, B.W.J. Mahy and D. Kolakofsky, Eds. (Elsevier Biomedical Press, 1989).
50. Blumberg, B., et al., Cell, 23, 837-845 (1981).
51. Blumberg, B., et al., Cell, 32, 559-567 (1983).
52. Kolakofsky, D., and Blumberg, B.M., pages 203-213, in Virus Persistence, B.M.J. Mahy, et al., Eds. (Cambridge University Press, 1982).
53. Castaneda, S.J., and Wong, T.C., J. Virol., 64, 222-230 (1990).
54. Curran, J.A., and Kolakofsky, D., Virology, 182, 168-176 (1991).
55. Sidhu, M.S., et al., Virology, 193, 66-72 (1993).
56. Sidhu, M.S., et al., Virology, 202, 631-641 (1994).
57. Collins, P.L., et al., pages 1205-1241 of Volume 1, Fields Virology, B.N. Fields, et al., Eds. (3rd ed., Raven Press, 1996).
58. Crookshanks, F.K., and Belshe, R.B., J. Med. Virol., 13, 243-249 (1984).
59. Crookshanks-Newman, F.K., and Belshe, R.B., J. Med. Virol., 18, 131-137 (1986).
60. Hall, S.L., et al., Virus Res., 22, 173-184 (1992).
61. Karron, R.A., et al., J. Inf. Dis., 172, 1445-1450 (1995).
62. Anderson, L.J., et al., J. Infect. Dis., 151, 626-633 (1985).
63. Collins, P.L., pages 103-162 of The Paramyxoviruses, D.W. Kingsbury, Ed. (Plenum Press, NY and London, 1991).

- 84 -

64. Sullender, W.M., J. Virology, 65, 5425-5434 (1991).
65. Lerch, R.A., et al., J. Virology, 64, 5559-5569 (1990).
66. Mallipeddi, S.K., and Samal, S.K., J. Gen Virol., 74, 2787-2791 (1993).
67. Johnson, P.R., et al., J. Virology, 61, 3163-3166 (1987).
68. Stott, E.J., et al., J. Virology, 61, 3855-3861 (1987).
69. Henderson, F.W., et al., N. Engl. J. Med., 300, 530-534 (1979).
70. Hall, S.L., et al., J. Infect. Dis., 163, 693-698 (1991).
71. Mufson, M.A., et al., J. Gen. Virol., 66, 2111-2124 (1985).
72. Glezen, W.P., et al., Am. J. Dis. Child., 140, 543-546 (1986).
73. Hemming, V.G., et al., Clin. Microbiol. Res., 8, 22-33 (1995).
74. Collins, P. L. et. al., pages 1313-1351 of volume 1, Fields Virology, B. N. Fields, et al., Eds. (3rd ed., Raven Press, 1996).
75. Ling, R., and Pringle, C.R., J. Gen. Virol., 70, 1427-1440 (1989).
76. Yu, Q., et al., J. Virology, 69, 2412-2419 (1995).
77. McIntosh, K., and Chanock, R.M., pages 1045-1072 of Virology, B.N. Fields, et al., Eds. (2nd ed., Raven Press, 1990).
78. Heminway, B.R., et al., page 167 of Abstracts of the IX International Congress of Virology, P17-2, (1993).
79. Mink, M.A., et al., Virology, 185, 615-624 (1991).

- 85 -

80. Dickens, L.E., et al., J. Virology., 52, 364-369 (1990).
81. Wagner, R.R., and Rose, J.K., pages 1121-1135 of volume 1, Fields Virology, B.N. Fields, et al., Eds. (3rd ed., Raven Press, 1996).
82. Barik, S., J. Gen. Virol., 74, 485-490 (1993).
83. Collins, P.L., et al., pages 259-264 of Vaccines 93: modern approaches to new vaccines including prevention of AIDS, F. Brown et al., Eds. (Cold Spring Harbor Laboratory Press, NY, 1993).
84. Kuo, L., et al., J. Virology., 70, 6892-6901 (1996).
85. Huang, Y.T., and Wertz, G.W., J. Virology, 43, 150-157 (1982).
86. Sambrook, J., et al., Molecular Cloning: A Laboratory Manual, 2nd ed., Cold Spring Harbor Laboratory Press, Cold Spring Harbor, N.Y. (1989).
87. Ray, R., et al., J. Virol., 69, 1959-1963 (1995).
88. Ray, R., et al., J. Virol., 70, 580-584 (1996).
89. Stokes, A., et al., Virus Research, 30, 43-52 (1993).
90. U.S. Patent Application No. 08/059,444.

- 86 -

SEQUENCE LISTING

(1) GENERAL INFORMATION:

- (i) APPLICANT: Udem, Stephen A.
Sidhu, Mohinderjit S.
Tatem, Joanne M.
Murphy, Brian R.
Randolph, Valerie B.
- (ii) TITLE OF INVENTION: 3' Genomic Promoter Region and
Polymerase Gene Mutations Responsible for Attenuation in
Viruses of the Order Designated Mononegavirales
- (iii) NUMBER OF SEQUENCES: 79
- (iv) CORRESPONDENCE ADDRESS:
 - (A) ADDRESSEE: American Home Products Corporation
 - (B) STREET: One Campus Drive
 - (C) CITY: Parsippany
 - (D) STATE: New Jersey
 - (E) COUNTRY: United States
 - (F) ZIP: 07054
- (v) COMPUTER READABLE FORM:
 - (A) MEDIUM TYPE: Floppy disk
 - (B) COMPUTER: IBM PC compatible
 - (C) OPERATING SYSTEM: PC-DOS/MS-DOS
 - (D) SOFTWARE: PatentIn Release #1.0, Version #1.30
- (vi) CURRENT APPLICATION DATA:
 - (A) APPLICATION NUMBER: US
 - (B) FILING DATE:
 - (C) CLASSIFICATION:
- (viii) ATTORNEY/AGENT INFORMATION:
 - (A) NAME: Gordon, Alan M.
 - (B) REGISTRATION NUMBER: 30,637
 - (C) REFERENCE/DOCKET NUMBER: 33,294 PCT
- (ix) TELECOMMUNICATION INFORMATION:
 - (A) TELEPHONE: 973/683-2157
 - (B) TELEFAX: 973/683-4117

(2) INFORMATION FOR SEQ ID NO:1:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 15894 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single

- 87 -

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: RNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:1:

ACCAAACAAA GTTGGGTAAG GATAGATCAA TCAATGATCA TATTCTAGTG CACTTAGGAT	60
TCAAGATCCT ATTATCAGGG ACAAGAGCAG GATTAGGGAT ATCCGAGATG GCCACACTTT	120
TAAGGAGCTT AGCATTGTTT AAAAGAAACA AGGACAAACC ACCCATTACA TCAGGATCCG	180
GTGGAGCCAT CAGAGGAATC AAACACATTA TTATAGTACC AATCCCTGGA GATTCTCTCA	240
TTACCACTCG ATCCAGACTT CTGGACCGGT TGGTCAGGTT AATTGGAAAC CCGGATGTGA	300
GCGGGCCCAA ACTAACAGGG GCACTAATAG GTATATTATC CTTATTGTG GAGTCTCCAG	360
GTCAATTGAT TCAGAGGATC ACCGATGACC CTGACGTTAG CATAAGGCTG TTAGAGGTTG	420
TCCAGAGTGA CCAGTCACAA TCTGGCCTTA CCTTCGCATC AAGAGGTACC AACATGGAGG	480
ATGAGGCGGA CCAATACTTT TCACATGATG ATCCAATTAG TAGTGATCAA TCCAGGTTCTG	540
GATGGTTCTGA GAACAAGGAA ATCTCAGATA TTGAAGTGCA AGACCCTGAG GGATTCAACA	600
TGATTCTGGG TACCATCTA GCCCAAATTT GGGTCTTGCT CGCAAAGGCG GTTACGGCCC	660
CAGACACGGC AGCTGATTCG GAGCTAAGAA GGTGGATAAA GTACACCCAA CAAAGAAGGG	720
TAGTTGGTGA ATTTAGATTG GAGAGAAAAT GGTGGATGT GGTGAGGAAC AGGATTGCCG	780
AGGACCTCTC CTTACGCCGA TTCATGGTCG CTCTAATCCT GGATATCAAG AGAACACCCG	840
GAAACAAACC CAGGATTGCT GAAATGATAT GTGACATTGA TACATATATC GTAGAGGCAG	900
GATTAGCCAG TTTATCCTG ACTATTAAGT TTGGGATAGA AACTATGTAT CTGCTCTTG	960
GACTGCATGA ATTTGCTGGT GAGTTATCCA CACTTGAGTC CTTGATGAAC CTTTACCAGC	1020
AAATGGGGGA AACTGCACCC TACATGGTAA TCCTGGAGAA CTCAATTCAG AACAAGTTCA	1080
GTGCAGGATC ATACCCTCTG CTCTGGAGCT ATGCCATGGG AGTAGGAGTG GAACTTGAAA	1140
ACTCCATGGG AGGTTTGAAC TTTGGCCGAT CTTACTTTGA TCCAGCATAT TTAGATTAG	1200
GGCAAGAGAT GGTAAGGAGG TCAGCTGGAA AGGTCAGTTC CACATTGGCA TCTGAACTCG	1260
GTATCACTGC CGAGGATGCA AGGCTTGTTT CAGAGATTGC AATGCATACT ACTGAGGACA	1320

- 88 -

AGATCAGTAG AGCGGTTGGA CCCAGACAAG CCCAAGTATC ATTTCTACAC GGTGATCAAA	1380
GTGAGAATGA GCTACCGAGA TTGGGGGGCA AGGAAGATAG GAGGGTCAAA CAGAGTCGAG	1440
GAGAAGCCAG GGAGAGCTAC AGAGAAACCG GGCCCAGCAG AGCAAGTGAT GCGAGAGCTG	1500
CCCATCTTCC AACCGGCACA CCCCTAGACA TTGACACTGC ATCGGAGTCC AGCCAAGATC	1560
CGCAGGACAG TCGAAGGTCA GCTGACGCCC TGCTTAGGCT GCAAGCCATG GCAGGAATCT	1620
CGGAAGAACA AGGCTCAGAC ACGGACACCC CTATAGTGTA CAATGACAGA AATCTTCTAG	1680
ACTAGGTGCG AGAGGCCGAG GACCAGAACA ACATCCGCCT ACCCTCCATC ATTGTTATAA	1740
AAAACCTTAGG AACCAGGTCC ACACAGCCGC CAGCCCATCA ACCATCCACT CCCACGATTG	1800
GAGCCGATGG CAGAAGAGCA GGCACGCCAT GTCAAAAACG GACTGGAATG CATCCGGGCT	1860
CTCAAGGCCG AGCCCATCGG CTCACTGGCC ATCGAGGAAG CTATGGCAGC ATGGTCAGAA	1920
ATATCAGACA ACCCAGGACA GGAGCGAGCC ACCTGCAGGG AAGAGAAGGC AGGCAGTTCG	1980
GGTCTCAGCA AACCATGCCT CTCAGCAATT GGATCAACTG AAGGCGGTGC ACCTCGCATC	2040
CGCGGCCAGG GACCTGGAGA GAGCGATGAC GACGCTGAAA CTTTGGGAAT CCCCCAAGA	2100
AATCTCCAGG CATCAAGCAC TGGGTTACAG TGTTATTATG TTTATGATCA CAGCGGTGAA	2160
GCGGTTAAGG GAATCCAAGA TGCTGACTCT ATCATGGTTC AATCAGGCCT TGATGGTGAT	2220
AGCACCCCTCT CAGGAGGAGA CAATGAATCT GAAAACAGCG ATGTGGATAT TGGCGAACCT	2280
GATACCGAGG GATATGCTAT CACTGACCGG GGATCTGCTC CCATCTCTAT GGGGTTCAGG	2340
GCTTCTGATG TTGAACTGC AGAAGGAGGG GAGATCCACG AGCTCCTGAG ACTCCAATCC	2400
AGAGGCAACA ACTTTCCGAA GCTTGGGAAA ACTCTCAATG TTCCTCCGCC CCCGGACCCC	2460
GGTAGGGCCA GCACTTCCGA GACACCCATT AAAAAGGGCA CAGACGCGAG ATTAGCCTCA	2520
TTTGGAACGG AGATCGCGTC TTTATTGACA GGTGGTGCAA CCAATGTGC TCGAAAGTCA	2580
CCCTCGGAAC CATCAGGGCC AGGTGCACCT GCGGGGAATG TCCCCGAGTG TGTGAGCAAT	2640
GCCGCACTGA TACAGGAGTG GACACCCGAA TCTGGTACCA CAATCTCCCC GAGATCCCAG	2700
AATAATGAAG AAGGGGGAGA CTATTATGAT GATGAGCTGT TCTCTGATGT CCAAGATATT	2760
AAAACAGCCT TGGCCAAAAT ACACGAGGAT AATCAGAAGA TAATCTCCAA GCTAGAATCA	2820
CTGCTGTTAT TGAAGGGAGA AGTTGAGTCA ATTAAGAAGC AGATCAACAG GCAAAATATC	2880

- 89 -

AGCATATCCA CCCTGGAAGG ACACCTCTCA AGCATCATGA TCGCCATTCC TGGACTTGGG	2940
AAGGATCCCA ACGACCCAC TGCAGATGTC GAAATCAATC CCGACTTGAA ACCCATCATA	3000
GGCAGAGATT CAGGCCGAGC ACTGGCCGAA GTTCTCAAGA AACCCGTTGC CAGCCGACAA	3060
CTCCAAGGAA TGACAAATGG ACGGACCAGT TCCAGAGGAC AGCTGCTGAA GGAATTTTCAG	3120
CTAAAGCCGA TCGGGAAAAA GATGAGCTCA GCCGTCGGGT TTGTTCTCTGA CACCGGCCCT	3180
GCATCACGCA GTGTAATCCG CTCCATTATA AAATCCAGCC GGCTAGAGGA GGATCGGAAG	3240
CGTTACCTGA TGACTCTCCT TGATGATATC AAAGGAGCCA ATGATCTTGC CAAGTTCCAC	3300
CAGATGCTGA TGAAGATAAT AATGAAGTAG CTACAGCTCA ACTTACCTGC CAACCCCATG	3360
CCAGTCGACC CAACTAGTAC AACCTAAATC CATTATAAAA AACTTAGGAG CAAAGTGATT	3420
GCCTCCCAAG TTCCACAATG ACAGAGATCT ACGACTTCGA CAAGTCGGCA TGGGACATCA	3480
AAGGGTCGAT CGCTCCGATA CAACCCACCA CCTACAGTGA TGGCAGGCTG GTGCCCCAGG	3540
TCAGAGTCAT AGATCCTGGT CTAGGCGACA GGAAGGATGA ATGCTTTATG TACATGTTTC	3600
TGCTGGGGGT TGTGAGGGC AGCGATCCCC TAGGGCCTCC AATCGGGCGA GCATTTGGGT	3660
CCCTGCCCTT AGGTGTTGGC AGATCCACAG CAAAGCCCGA AGAACTCCTC AAAGAGGCCA	3720
CTGAGCTTGA CATAGTTGTT AGACGTACAG CAGGGCTCAA TGAAAACTG GTGTTCTACA	3780
ACAACACCCC ACTAACTCTC CTCACACCTT GGAGAAAGGT CCTAACACA GGGAGTGTCT	3840
TCAACGCAAA CCAAGTGTGC AATGCGGTTA ATCTGATACC GCTCGATACC CCGCAGAGGT	3900
TCCGTGTTGT TTATATGAGC ATCACCCGTC TTTCGGATAA CGGGTATTAC ACCGTTCTTA	3960
GAAGAATGCT GGAATTCAGA TCGGTCAATG CAGTGGCCTT CAACCTGCTG GTGACCCTTA	4020
GGATTGACAA GGCGATAGGC CCTGGGAAGA TCATCGACAA TACAGAGCAA CTTCTGAGG	4080
CAACATTTAT GGTCCACATC GGGAACTTCA GGAGAAAGAA GAGTGAAGTC TACTCTGCCG	4140
ATTATTGCAA AATGAAAATC GAAAAGATGG GCCTGGTTTT TGCATTGGT GGGATAGGGG	4200
GCACCAGTCT TCACATTAGA AGCACAGGCA AGATGAGCAA GACTCTCCAT GCACAACTCG	4260
GGTTCAAGAA GACCTTATGT TACCCGCTGA TGGATATCAA TGAAGACCTT AATCGATTAC	4320
TCTGGAGGAG CAGATGCAAG ATAGTAAGAA TCCAGGCAGT TTTGCAGCCA TCAGTTCCTC	4380
AAGAATTCCG CATTTACGAC GACGTGATCA TAAATGATGA CCAAGGACTA TTCAAAGTTC	4440

- 90 -

TGTAGACCGT	AGTGCCCAGC	AATGCCCCGAA	AACGACCCCC	CTCACAATGA	CAGCCAGAAG	4500
GCCCCGACAA	AAAAGCCCCC	TCCGAAAGAC	TCCACGGACC	AAGCGAGAGG	CCAGCCAGCA	4560
GCCGACGGCA	AGCGCGAACA	CCAGGCGGCC	CCAGCACAGA	ACAGCCCTGA	CACAAGGCCA	4620
CCACCAGCCA	CCCCAATCTG	CATCCTCCTC	GTGGGACCCC	CGAGGACCAA	CCCCCAAGGC	4680
TGCCCCCGAT	CCAAACCACC	AACCGCATCC	CCACCACCCC	CGGGAAAGAA	ACCCCCAGCA	4740
ATTGGAAGGC	CCCTCCCCCT	CTTCCTCAAC	ACAAGAACTC	CACAACCGAA	CCGCACAAGC	4800
GACCGAGGTG	ACCCAACCGC	AGGCATCCGA	CTCCCTAGAC	AGATCCTCTC	TCCCCGGCAA	4860
ACTAAACAAA	ACTTAGGGCC	AAGGAACATA	CACACCCAAC	AGAACCCAGA	CCCCGGCCCA	4920
CGGCGCCGCG	CCCCCAACCC	CCGACAACCA	GAGGGAGCCC	CCAACCAATC	CCGCCGGTTC	4980
CCCCGGTGCC	CACAGGCAGG	GACACCAACC	CCCGAACAGA	CCCAGCACCC	AACCATCGAC	5040
AATCCAAGAC	GGGGGGGGCC	CCCCAAAAAA	AGGCCCCAG	GGGCCGACAG	CCAGCACC GC	5100
GAGGAAGCCC	ACCCACCCCA	CACACGACCA	CGGCAACCAA	ACCAGAACCC	AGACCACCCT	5160
GGGCCACCAG	CTCCCAGACT	CGGCCATCAC	CCCGCAGAAA	GGAAAGGCCA	CAACCCGCGC	5220
ACCCAGCCCC	CGATCCGGCG	GGGAGCCACC	CAACCCGAAC	CAGCACCCAA	GAGCGATCCC	5280
CGAAGGACCC	CCGAACCGCA	AAGGACATCA	GTATCCCACA	GCCTCTCCAA	GTCCCCCGGT	5340
CTCCTCCTTT	TCTCGAAGGG	ACCAAAAGAT	CAATCCACCA	CACCCGACGA	CACTCAACTC	5400
CCCACCCCTA	AAGGAGACAC	CGGGAATCCC	AGAATCAAGA	CTCATCCAAT	GTCCATCATG	5460
GGTCTCAAGG	TGAACGTCTC	TGCCATATTC	ATGGCAGTAC	TGTTAACTCT	CCAGACACCC	5520
ACCGGTCAAA	TCCATTGGGG	CAATCTCTCT	AAGATAGGGG	TGGTAGGAAT	AGGAAGTGCA	5580
AGCTACAAAG	TTATGACTCG	TTCCAGCCAT	CAATCATTAG	TCATAAAATT	AATGCCCAAT	5640
ATAACTCTCC	TCAATAACTG	CACGAGGGTA	GAGATTGCAG	AATACAGGAG	ACTACTGAGA	5700
ACAGTTTTGG	AACCAATTAG	AGATGCACTT	AATGCAATGA	CCCAGAATAT	AAGACCGGTT	5760
CAGAGTGTAG	CTTCAAGTAG	GAGACACAAG	AGATTTGCGG	GAGTAGTCCT	GGCAGGTGCG	5820
GCCCTAGGCG	TTGCCACAGC	TGCTCAGATA	ACAGCCGGCA	TTGCACTTCA	CCAGTCCATG	5880
CTGAACTCTC	AAGCCATCGA	CAATCTGAGA	GCGAGCCTGG	AAACTACTAA	TCAGGCAATT	5940
GAGGCAATCA	GACAAGCAGG	GCAGGAGATG	ATATTGGCTG	TTCAGGGTGT	CCAAGACTAC	6000

- 91 -

ATCAATAATG AGCTGATACC GTCTATGAAC CAACTATCTT GTGATTTAAT CGGCCAGAAG 6060
CTCGGGCTCA AATTGCTCAG ATACTATACA GAAATCCTGT CATTATTTGG CCCCAGCTTA 6120
CGGGACCCCA TATCTGCGGA GATATCTATC CAGGCTTTGA GCTATGCGCT TGGAGGAGAC 6180
ATCAATAAGG TGTTAGAAAA GCTCGGATAC AGTGGAGGTG ATTTACTGGG CATCTTAGAG 6240
AGCAGAGGAA TAAAGGCCCG GATAACTCAC GTCGACACAG AGTCCTACTT CATTGTCCTC 6300
AGTATAGCCT ATCCGACGCT GTCCGAGATT AAGGGGGTGA TTGTCCACCG GCTAGAGGGG 6360
GTCTCGTACA ACATAGGCTC TCAAGAGTGG TATACCACTG TGCCCAAGTA TGTTCGAACC 6420
CAAGGGTACC TTATCTCGAA TTTTGATGAG TCATCGTGTA CTTTCATGCC AGAGGGGACT 6480
GTGTGCAGCC AAAATGCCTT GTACCCGATG AGTCCTCTGC TCCAAGAATG CCTCCGGGGG 6540
TCCACCAAGT CCTGTGCTCG TACACTCGTA TCCGGGTCTT TTGGGAACCG GTTCATTTTA 6600
TCACAAGGGA ACCTAATAGC CAATTGTGCA TCAATCCTTT GCAAGTGTTA CACAACAGGA 6660
ACGATCATT AATCAAGACCC TGACAAGATC CTAACATACA TTGCTGCCGA TCACTGCCCC 6720
GTAGTCGAGG TGAACGGCGT GACCATCCAA GTCGGGAGCA GGAGGTATCC AGACGCTGTG 6780
TACTTGACCA GAATTGACCT CGGTCCCTCC ATATCATTGG AGAGGTTGGA CGTAGGGACA 6840
AATCTGGGGA ATGCAATTGC TAAGTTGGAG GATGCCAAGG AATTGTTGGA GTCATCGGAC 6900
CAGATATTGA GGAGTATGAA AGGTTTATCG AGCACTAGCA TAGTCTACAT CCTGATTGCA 6960
GTGTGTCTTG GAGGGTTGAT AGGGATCCCC GCTTTAATAT GTTGCTGCAG GGGGCGTTGT 7020
AACAAAAAGG GAGAACAAGT TGGTATGTCA AGACCAGGCC TAAAGCCTGA TCTTACGGGA 7080
ACATCAAAAT CCTATGTAAG GTCGCTCTGA TCCTCTACAA CTCTTGAAAC ACAAAATGTCC 7140
CACAAGTCTC CTCTTCGTCA TCAAGCAACC ACCGCACCCA GCATCAAGCC CACCTGAAAT 7200
TATCTCCGGC TTCCCTCTGG CCGAACAATA TCGGTAGTTA ATTAAACTT AGGGTGCAAG 7260
ATCATCCACA ATGTCACCAC AACGAGACCG GATAAATGCC TTCTACAAAG ATAACCCCCA 7320
TCCCAAGGGA AGTAGGATAG TCATTAACAG AGAACATCTT ATGATTGATA GACCTTATGT 7380
TTTGCTGGCT GTTCTGTTTG TCATGTCTCT GAGCTTGATC GGGTTGCTAG CCATTGCAGG 7440
CATTAGACTT CATCGGGCAG CCATCTACAC CGCAGAGATC CATAAAAGCC TCAGCACCAA 7500
TCTAGATGTA ACTAACTCAA TCGAGCATCA GGTCAAGGAC GTGCTGACAC CACTCTTCAA 7560

- 92 -

AATCATCGGT	GATGAAGTGG	GCCTGAGGAC	ACCTCAGAGA	TTCAGTGACC	TAGTGAAATT	7620
CATCTCTGAC	AAGATTAAAT	TCCTTAATCC	GGATAGGGAG	TACGACTTCA	GAGATCTCAC	7680
TTGGTGATC	AACCCGCCAG	AGAGAATCAA	ATTGGATTAT	GATCAATACT	GTGCAGATGT	7740
GGCTGCTGAA	GAGCTCATGA	ATGCATTGGT	GAAGTCAACT	CTACTGGAGA	CCAGAACAAC	7800
CAATCAGTTC	CTAGCTGTCT	CAAAGGGAAA	CTGCTCAGGG	CCCACTACAA	TCAGAGGTCA	7860
ATTCTCAAAC	ATGTCGCTGT	CCCTGTTAGA	CTTGATTATTA	AGTCGAGGTT	ACAATGTGTC	7920
ATCTATAGTC	ACTATGACAT	CCCAGGGAAT	GTATGGGGGA	ACTTACCTAG	TGGAAAAGCC	7980
TAATCTGAGC	AGCAAAAGGT	CAGAGTTGTC	ACAAGTGAAG	ATGTACCGAG	TGTTTGAAGT	8040
AGGTGTTATC	AGAAATCCGG	GTTTGGGGGC	TCCGGTGTTT	CATATGACAA	ACTATCTTGA	8100
GCAACCAGTC	AGTAATGATC	TCAGCAACTG	TATGGTGGCT	TTGGGGGAGC	TCAAAGTTCG	8160
AGCCCTTTGT	CACGGGGAAG	ATTCTATCAC	AATCCCTAT	CAGGGATCAG	GGAAAGGTGT	8220
CAGCTTCCAG	CTCGTCAAGC	TAGGTGTCTG	GAAATCCCCA	ACCGACATGC	AATCCTGGGT	8280
CCCCTTATCA	ACGGATGATC	CAGTGATAGA	CAGGCTTTAC	CTCTCATCTC	ACAGAGGTGT	8340
TATCGCTGAC	AATCAAGCAA	AATGGGCTGT	CCCGACAACA	CGAACAGATG	ACAAGTTGCG	8400
AATGGAGACA	TGCTTCCAAC	AGGCGTGTA	GGGTAAATC	CAAGCACTCT	GCGAGAATCC	8460
CGAGTGGGCA	CCATTGAAGG	ATAACAGGAT	TCCTTCATAC	GGGGTCTTGT	CTGTTGATCT	8520
GAGTCTGACA	GTTGAGCTTA	AAATCAAAAT	TGCTTCGGGA	TTCGGGCCAT	TGATCACACA	8580
CGGTTCAAGG	ATGGACCTAT	ACAAATCCAA	CCACAACAAT	GTGTATTGGC	TGACTATCCC	8640
GCCAATGAAG	AACCTAGCCT	TAGGTGTAAT	CAACACATTG	GAGTGGATAC	CGAGATTCAA	8700
GGTTAGTCCC	AACCTCTTCA	CTGTCCCAAT	TAAGGAAGCA	GGCGAAGACT	GCCATGCCCC	8760
AACATACCTA	CCTGCGGAGG	TGGATGGTGA	TGTCAAATC	AGTTCCAATC	TGGTGATTCT	8820
ACCTGGTCAA	GATCTCCAAT	ATGTTTTGGC	AACCTACGAT	ACTTCCAGGG	TTGAACATGC	8880
TGTGGTTTAT	TACGTTTACA	GCCCAGGCCG	CTCATTTTCT	TACTTTTATC	CTTTTAGGTT	8940
GCCTATAAAG	GGGGTCCCCA	TCGAATTACA	AGTGAATGTC	TTCACATGGG	ACCAAAAACT	9000
CTGGTGCCGT	CACCTTCTGT	TGCTTGCGGA	CTCAGAATCT	GGTGGACATA	TCACTCACTC	9060
TGGGATGGTG	GGCATGGGAG	TCAGCTGCAC	AGTCACCCGG	GAAGATGGAA	CCAATCGCAG	9120

- 93 -

ATAGGGCTGC TAGTGAACCA ATCACATGAT GTCACCCAGA CATCAGGCAT ACCCACTAGT	9180
GTGAAATAGA CATCAGAATT AAGAAAAACG TAGGGTCCAA GTGGTTCCCC GTTATGGACT	9240
CGCTATCTGT CAACCAGATC TTATACCCTG AAGTTCACCT AGATAGCCCG ATAGTTACCA	9300
ATAAGATAGT AGCCATCCTG GAGTATGCTC GAGTCCCTCA CGCTTACAGC CTGGAGGACC	9360
CTACACTGTG TCAGAACATC AAGCACC GCC TAAAAACGG ATTTTCCAAC CAAATGATTA	9420
TAAACAATGT GGAAGTTGGG AATGTCATCA AGTCCAAGCT TAGGAGTTAT CCGGCCCCACT	9480
CTCATATTCC ATATCCAAAT TGTAATCAGG ATTTATTTAA CATAGAAGAC AAAGAGTCAA	9540
CGAGGAAGAT CCGTGAATC CTCAAAAAGG GGAATTCGCT GTACTCCAAA GTCAGTGATA	9600
AGGTTTTCCA ATGCTTAAGG GACACTAACT CACGGCTTGG CCTAGGCTCC GAATTGAGGG	9660
AGGACATCAA GGAGAAAGTT ATTAAGTTGG GAGTTTACAT GCACAGCTCC CAGTGGTTTG	9720
AGCCCTTTCT GTTTTGTTTT ACAGTCAAGA CTGAGATGAG GTCAGTGATT AAATCACAAA	9780
CCCATACTTG CCATAGGAGG AGACACACAC CTGTATTCTT CACTGGTAGT TCAAGTGAGT	9840
TGCTAATCTC TCGTGACCTT GTTGCTATAA TCAGTAAAGA GTCTCAACAT GTATATTACC	9900
TGACATTTGA ACTGGTTTTG ATGTATTGTG ATGTCATAGA GGGGAGGTTA ATGACAGAGA	9960
CCGCTATGAC TATTGATGCT AGGTATACAG AGCTTCTAGG AAGAGTCAGA TACATGTGGA	10020
AACTGATAGA TGGTTTCTTC CCTGCACTCG GGAATCCAAC TTATCAAATT GTAGCCATGC	10080
TGGAGCCTCT TCACTTGCT TACCTGCAGC TGAGGGATAT AACAGTAGAA CTCAGAGGTG	10140
CTTTCCTTAA CCACTGCTTT ACTGAAATAC ATGATGTTCT TGACCAAAAC GGGTTTTCTG	10200
ATGAAGGTAC TTATCATGAG TTAATTGAAG CTCTAGATTA CATTTTCATA ACTGATGACA	10260
TACATCTGAC AGGGGAGATT TTCTCATTTT TCAGAAGTTT CGGCCACCCC AGACTTGAAG	10320
CAGTAACGGC TGCTGAAAAT GTTAGGAAAT ACATGAATCA GCCTAAAGTC ATTGTGTATG	10380
AGACTCTGAT GAAAGGTCAT GCCATATTTT GTGGAATCAT AATCAACGGC TATCGTGACA	10440
GGCACGGAGG CAGTTGGCCA CCGCTGACCC TCCCCCTGCA TGCTGCAGAC ACAATCCGGA	10500
ATGCTCAAGC TTCAGGTGAA GGGTTAACAC ATGAGCAGTG CGTTGATAAC TGGAATCTT	10560
TTGCTGGAGT GAAATTTGGC TGCTTTATGC CTCTTAGCCT GGATAGTGAT CTGACAATGT	10620
ACCTAAAGGA CAAGGCACTT GCTGCTCTCC AAAGGGAATG GGATTCAGTT TACCCGAAAG	10680

- 94 -

AGTTCCTGCG TTACGACCCT CCCAAGGGAA CCGGGTCACG GAGGCTTGTA GATGTTTTCC 10740
TTAATGATTC GAGCTTTGAC CCATATGATG TGATAATGTA TGTGTAAAGT GGAGCTTACC 10800
TCCATGACCC TGAGTTCAAC CTGTCTTACA GCCTGAAAGA AAAGGAGATC AAGGAAACAG 10860
GTAGACTTTT TGCTAAAATG ACTTACAAA TGAGGGCATG CCAAGTGATT GCTGAAAATC 10920
TAATCTCAAA CGGGATTGGC AAATATTTTA AGGACAATGG GATGGCCAAG GATGAGCACG 10980
ATTTGACTAA GGCACCTCCAC ACTCTAGCTG TCTCAGGAGT CCCCAGAGAT CTCAGAGAAA 11040
GTCACAGGGG GGGGCCAGTC TTA AAAACCT ACTCCCGAAG CCCAGTCCAC ACAAGTACCA 11100
GGAACGTGAG AGCAGCAAAA GGGTTTATAG GGTTCCTCA AGTAATTCGG CAGGACCAAG 11160
ACACTGATCA TCCGGAGAAT ATGGAAGCTT ACGAGACAGT CAGTGCATTT ATCAGGACTG 11220
ATCTCAAGAA GTACTGCCTT AATTGGAGAT ATGAGACCAT CAGCTTGTTT GCACAGAGGC 11280
TAAATGAGAT TTACGGATTG CCTCATTTT TCCAGTGGCT GCATAAGAGG CTGAGACCT 11340
CTGTCCTGTA TGTAAGTGAC CCTCATTGCC CCCCCGACCT TGACGCCCCAT ATCCCGTTAT 11400
ATAAAGTCCC CAATGATCAA ATCTTCATTA AGTACCCTAT GGGAGGTATA GAAGGGTATT 11460
GTCAGAAGCT GTGGACCATC AGCACCATT CATTATCTATA CCTGGCTGCT TATGAGAGCG 11520
GAGTAAGGAT TGCTTCGTTA GTGCAAGGGG ACAATCAGAC CATAGCCGTA ACAAAAAGGG 11580
TACCCAGCAC ATGGCCCTAC AACCTTAAGA AACGGGAAGC TGCTAGAGTA ACTAGAGATT 11640
ACTTTGTAAT TCTTAGGCAA AGGCTACATG ATATTGGCCA TCACCTCAAG GCAAATGAGA 11700
CAATTGTTTC ATCACATTTT TTTGTCTATT CAAAAGGAAT ATATTATGAT GGGCTACTTG 11760
TGTCCCAATC ACTCAAGAGC ATCGCAAGAT GTGTATTCTG GTCAGAGACT ATAGTTGATG 11820
AAACAAGGGC AGCATGCAGT AATATTGCTA CAACAATGGC TAAAAGCATC GAGAGAGGTT 11880
ATGACCGTTA CCTTG CATAT TCCCTGAACG TCCTAAAAGT GATACAGCAA ATTCTGATCT 11940
CTCTTGCTT CACAATCAAT TCAACCATGA CCCGGGATGT AGTCATACCC CTCCTCACAA 12000
ACAACGACCT CTTAATAAGG ATGGCACTGT TGCCCGCTCC TATTGGGGGG ATGAATTATC 12060
TGAATATGAG CAGGCTGTTT GTCAGAAACA TCGGTGATCC AGTAACATCA TCAATTGCTG 12120
ATCTCAAGAG AATGATTCTC GCCTCACTAA TGCCTGAAGA GACCCTCCAT CAAGTAATGA 12180
CACACAACC GGGGGACTCT TCATTCCTAG ACTGGGCTAG CGACCCTTAC TCAGCAAATC 12240

- 95 -

TTGTATGTGT CCAGAGCATC ACTAGACTCC TCAAGAACAT AACTGCAAGG TTTGTCCTGA 12300
TCCATAGTCC AAACCCAATG TTAAAAGGAT TATTCCATGA TGACAGTAAA GAAGAGGACG 12360
AGGGACTGGC GGCATTCTC ATGGACAGGC ATATTATAGT ACCTAGGGCA GCTCATGAAA 12420
TCCTGGATCA TAGTGTCACA GGGGCAAGAG AGTCTATTGC AGGCATGCTG GATACCACAA 12480
AAGGCCTGAT TCGAGCCAGC ATGAGGAAGG GGGGGTTAAC CTCTCGAGTG ATAACCAGAT 12540
TGTCCAATTA TGA CTATGAA CAATTCAGAG CAGGGATGGT GCTATTGACA GGAAGAAAGA 12600
GAAATGTCCT CATTGACAAA GAGTCATGTT CAGTGCAGCT GGCAGAGAGCT CTAAGAAGCC 12660
ATATGTGGGC GAGGCTAGCT CGAGGACGGC CTATTTACGG CCTTGAGGTC CCTGATGTAC 12720
TAGAATCTAT GCGAGGCCAC CTTATTCGGC GTCATGAGAC ATGTGTCATC TGCAGAGTGTG 12780
GATCAGTCAA CTACGGATGG TTTTGTGCC CCTCGGGTTG CCAACTGGAT GATATTGACA 12840
AGGAAACATC ATCCTTGAGA GTCCCATATA TTGGTTCTAC CACTGATGAG AGAACAGACA 12900
TGAAGCTTGC CTTGTAAGA GCCCAAGTC GATCCTTGGC ATCTGCTGTT AGAATAGCAA 12960
CAGTGTA CTGAGGCTTAC GGTGATGATG ATAGCTCTTG GAACGAAGCC TGGTTGTTGG 13020
CTAGGCAAAG GGCCAATGTG AGCCTGGAGG AGCTAAGGGT GATCACTCCC ATCTCAACTT 13080
CGACTAATTT AGCGCATAGG TTGAGGGATC GTAGCACTCA AGTGAAATAC TCAGGTACAT 13140
CCCTTGTCGG AGTGGCGAGG TATACCACAA TCTCCAACGA CAATCTCTCA TTTGTCATAT 13200
CAGATAAGAA GGTGATACT AACTTTATAT ACCAACAAGG AATGCTTCTA GGGTTGGGTG 13260
TTTTAGAAAC ATTGTTTCGA CTCGAGAAAG ATACCGGATC ATCTAACACG GTATTACATC 13320
TTCACGTCGA AACAGATTGT TGCCTGATCC CGATGATAGA TCATCCCAGG ATACCCAGCT 13380
CCCGCAAGCT AGAGCTGAGG GCAGAGCTAT GTACCAACCC ATTGATATAT GATAATGCAC 13440
CTTTAATTGA CAGAGATGCA ACAAGGCTAT ACACCCAGAG CCATAGGAGG CACCTTGTGG 13500
AATTTGTTAC ATGGTCCACA CCCCAACTAT ATCACATTTT AGCTAAGTCC ACAGCACTAT 13560
CTATGATTGA CCTGGTAACA AAATTTGAGA AGGACCATAT GAATGAAATT TCAGCTCTCA 13620
TAGGGGATGA CGATATCAAT AGTTTCATAA CTGAGTTTCT GCTCATAGAG CCAAGATTAT 13680
TCACTATCTA CTTGGGCCAG TGTGCGGCCA TCAATTGGGC ATTTGATGTA CATTATCATA 13740
GACCATCAGG GAAATATCAG ATGGGTGAGC TGTGTGCATC GTTCCTTTCT AGAATGAGCA 13800

- 96 -

AAGGAGTGTT TAAGGTGCTT GTCAATGCTC TAAGCCACCC AAAGATCTAC AAGAAATTCT	13860
GGCATTGTGG TATTATAGAG CCTATCCATG GTCCTTCACT TGATGCTCAA AACTTGACACA	13920
CAACTGTGTG CAACATGGTT TACACATGCT ATATGACCTA CCTCGACCTG TTGTTGAATG	13980
AAGAGTTAGA AGAGTTCACA TTTCTCTTGT GTGAAAGCGA CGAGGATGTA GTACCGGACA	14040
GATTCGACAA CATCCAGGCA AAACACTTAT GTGTTCTGGC AGATTTGTAC TGTCAACCAG	14100
GGACCTGCCC ACCAATTCGA GGTCTAAGAC CGGTAGAGAA ATGTGCAGTT CTAACCGACC	14160
ATATCAAGGC AGAGGCTAGG TTATCTCCAG CAGGATCTTC GTGGAACATA AATCCAATTA	14220
TTGTAGACCA TTAICTATGC TCTCTGACTT ATCTCCGGCG AGGATCGATC AAACAGATAA	14280
GATTGAGAGT TGATCCAGGA TTCATTTTCG ACGCCCTCGC TGAGGTAAAT GTCAGTCAGC	14340
CAAAGATCGG CAGCAACAAC ATCTCAAATA TGAGCATCAA GGATTTGAGA CCCCCACACG	14400
ATGATGTTGC AAAATTGCTC AAAGATATCA ACACAAGCAA GCACAATCTT CCCATTTGAG	14460
GGGGCAATCT CGCCAATTAT GAAATCCATG CTTTCCGCAG AATCGGGTTG AACTCATCTG	14520
CTTGCTACAA AGCTGTTGAG ATATCAACAT TAATTAGGAG ATGCCTTGAG CCAGGGGAAG	14580
ACGGCTTGTT CTTGGGTGAG GGATCGGGTT CTATGTTGAT CACTTATAAG GAGATACTTA	14640
AACTAAACAA GTGCTTCTAT AATAGTGGGG TTTCCGCCAA TTCTAGATCT GGTCAAAGGG	14700
AATTAGCACC CTATCCCTCC GAAGTTGGCC TTGTCGAACA CAGAATGGGA GTAGGTAATA	14760
TTGTCAAAGT GCTCTTTAAC GGGAGGCCCC AAGTCACGTG GGTAGGCAGT GTAGATTGCT	14820
TCAATTTGAT AGTTAGTAAT ATCCCTACCT CTAGTGTGGG GTTTATCCAT TCAGATATAG	14880
AGACCTTGCC TAACAAAGAT ACTATAGAGA AGCTAGAGGA ATTGGCAGCC ATCTTATCGA	14940
TGGCTCTGCT CCTGGGCAAA ATAGGATCAA TACTGGTGAT TAAGCTTATG CCTTTGAGCG	15000
GGGATTTTGT TCAGGGATTT ATAAGTTATG TAGGGTCTCA TTATAGAGAA GTGAACCTTG	15060
TATACCCTAG ATACAGCAAC TTCATATCTA CTGAATCTTA TTTGGTTATG ACAGATCTCA	15120
AGGCTAACCG GCTAATGAAT CCTGAAAAGA TTAAGCAGCA GATAATTGAA TCATCTGTGA	15180
GGACTTCACC TGGACTTATA GGTACATCC TATCCATTAA GCAACTAAGC TGCATACAAG	15240
CAATTGTGGG AGACGCAGTT AGTAGAGGTG ATATCAATCC TACTCTGAAA AAACCTTACAC	15300
CTATAGAGCA GGTGCTGATC AATTGCGGGT TGGCAATTAA CGGACCTAAG CTGTGCAAAG	15360

- 97 -

AATTGATCCA CCATGATGTT GCCTCAGGGC AAGATGGATT GCTTAATTCT ATACTCATCC 15420
 TCTACAGGGA GTTGGCAAGA TTCAAAGACA ACCAAAGAAG TCAACAAGGG ATGTTCCACG 15480
 CTTACCCCGT ATTGGTAAGT AGCAGGCAAC GAGAACTTAT ATCTAGGATC ACCCGCAAAT 15540
 TTTGGGGGCA CATTCTTCTT TACTCCGGGA ACAGAAAGTT GATAAATAAG TTTATCCAGA 15600
 ATCTCAAGTC CGGCTATCTG ATACTAGACT TACACCAGAA TATCTTCGTT AAGAATCTAT 15660
 CCAAGTCAGA GAAACAGATT ATTATGACGG GGGGTTTGAA ACGTGAGTGG GTTTTAAAGG 15720
 TAACAGTCAA GGAGACCAAA GAATGGTATA AGTTAGTCGG ATACAGTGCC CTGATTAAGG 15780
 ACTAATTGGT TGAACCTCCG AACCCTAATC CTGCCCTAGG TGGTTAGGCA TTATTTGCAA 15840
 TATATTAAAG AAAACTTTGA AAATACGAAG TTTCTATTCC CAGCTTTGTC TGGT 15894

(2) INFORMATION FOR SEQ ID NO:2:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 2183 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:

Met Asp Ser Leu Ser Val Asn Gln Ile Leu Tyr Pro Glu Val His Leu
 1 5 10 15
 Asp Ser Pro Ile Val Thr Asn Lys Ile Val Ala Ile Leu Glu Tyr Ala
 20 25 30
 Arg Val Pro His Ala Tyr Ser Leu Glu Asp Pro Thr Leu Cys Gln Asn
 35 40 45
 Ile Lys His Arg Leu Lys Asn Gly Phe Ser Asn Gln Met Ile Ile Asn
 50 55 60
 Asn Val Glu Val Gly Asn Val Ile Lys Ser Lys Leu Arg Ser Tyr Pro
 65 70 75 80
 Ala His Ser His Ile Pro Tyr Pro Asn Cys Asn Gln Asp Leu Phe Asn
 85 90 95

- 98 -

Ile Glu Asp Lys Glu Ser Thr Arg Lys Ile Arg Glu Leu Leu Lys Lys
 100 105 110
 Gly Asn Ser Leu Tyr Ser Lys Val Ser Asp Lys Val Phe Gln Cys Leu
 115 120 125
 Arg Asp Thr Asn Ser Arg Leu Gly Leu Gly Ser Glu Leu Arg Glu Asp
 130 135 140
 Ile Lys Glu Lys Val Ile Asn Leu Gly Val Tyr Met His Ser Ser Gln
 145 150 155 160
 Trp Phe Glu Pro Phe Leu Phe Trp Phe Thr Val Lys Thr Glu Met Arg
 165 170 175
 Ser Val Ile Lys Ser Gln Thr His Thr Cys His Arg Arg Arg His Thr
 180 185 190
 Pro Val Phe Phe Thr Gly Ser Ser Val Glu Leu Leu Ile Ser Arg Asp
 195 200 205
 Leu Val Ala Ile Ile Ser Lys Glu Ser Gln His Val Tyr Tyr Leu Thr
 210 215 220
 Phe Glu Leu Val Leu Met Tyr Cys Asp Val Ile Glu Gly Arg Leu Met
 225 230 235 240
 Thr Glu Thr Ala Met Thr Ile Asp Ala Arg Tyr Thr Glu Leu Leu Gly
 245 250 255
 Arg Val Arg Tyr Met Trp Lys Leu Ile Asp Gly Phe Phe Pro Ala Leu
 260 265 270
 Gly Asn Pro Thr Tyr Gln Ile Val Ala Met Leu Glu Pro Leu Ser Leu
 275 280 285
 Ala Tyr Leu Gln Leu Arg Asp Ile Thr Val Glu Leu Arg Gly Ala Phe
 290 295 300
 Leu Asn His Cys Phe Thr Glu Ile His Asp Val Leu Asp Gln Asn Gly
 305 310 315 320
 Phe Ser Asp Glu Gly Thr Tyr His Glu Leu Ile Glu Ala Leu Asp Tyr
 325 330 335
 Ile Phe Ile Thr Asp Asp Ile His Leu Thr Gly Glu Ile Phe Ser Phe
 340 345 350
 Phe Arg Ser Phe Gly His Pro Arg Leu Glu Ala Val Thr Ala Ala Glu
 355 360 365
 Asn Val Arg Lys Tyr Met Asn Gln Pro Lys Val Ile Val Tyr Glu Thr

- 99 -

370	375	380
Leu Met Lys Gly His Ala Ile Phe Cys Gly Ile Ile Ile Asn Gly Tyr		
385	390	395 400
Arg Asp Arg His Gly Gly Ser Trp Pro Pro Leu Thr Leu Pro Leu His		
	405	410 415
Ala Ala Asp Thr Ile Arg Asn Ala Gln Ala Ser Gly Glu Gly Leu Thr		
	420	425 430
His Glu Gln Cys Val Asp Asn Trp Lys Ser Phe Ala Gly Val Lys Phe		
	435	440 445
Gly Cys Phe Met Pro Leu Ser Leu Asp Ser Asp Leu Thr Met Tyr Leu		
	450	455 460
Lys Asp Lys Ala Leu Ala Ala Leu Gln Arg Glu Trp Asp Ser Val Tyr		
	465	470 475 480
Pro Lys Glu Phe Leu Arg Tyr Asp Pro Pro Lys Gly Thr Gly Ser Arg		
	485	490 495
Arg Leu Val Asp Val Phe Leu Asn Asp Ser Ser Phe Asp Pro Tyr Asp		
	500	505 510
Val Ile Met Tyr Val Val Ser Gly Ala Tyr Leu His Asp Pro Glu Phe		
	515	520 525
Asn Leu Ser Tyr Ser Leu Lys Glu Lys Glu Ile Lys Glu Thr Gly Arg		
	530	535 540
Leu Phe Ala Lys Met Thr Tyr Lys Met Arg Ala Cys Gln Val Ile Ala		
	545	550 555 560
Glu Asn Leu Ile Ser Asn Gly Ile Gly Lys Tyr Phe Lys Asp Asn Gly		
	565	570 575
Met Ala Lys Asp Glu His Asp Leu Thr Lys Ala Leu His Thr Leu Ala		
	580	585 590
Val Ser Gly Val Pro Lys Asp Leu Lys Glu Ser His Arg Gly Gly Pro		
	595	600 605
Val Leu Lys Thr Tyr Ser Arg Ser Pro Val His Thr Ser Thr Arg Asn		
	610	615 620
Val Arg Ala Ala Lys Gly Phe Ile Gly Phe Pro Gln Val Ile Arg Gln		
	625	630 635 640
Asp Gln Asp Thr Asp His Pro Glu Asn Met Glu Ala Tyr Glu Thr Val		
	645	650 655

- 100 -

Ser Ala Phe Ile Thr Thr Asp Leu Lys Lys Tyr Cys Leu Asn Trp Arg
 660 665 670
 Tyr Glu Thr Ile Ser Leu Phe Ala Gln Arg Leu Asn Glu Ile Tyr Gly
 675 680 685
 Leu Pro Ser Phe Phe Gln Trp Leu His Lys Arg Leu Glu Thr Ser Val
 690 695 700
 Leu Tyr Val Ser Asp Pro His Cys Pro Pro Asp Leu Asp Ala His Ile
 705 710 715 720
 Pro Leu Tyr Lys Val Pro Asn Asp Gln Ile Phe Ile Lys Tyr Pro Met
 725 730 735
 Gly Gly Ile Glu Gly Tyr Cys Gln Lys Leu Trp Thr Ile Ser Thr Ile
 740 745 750
 Pro Tyr Leu Tyr Leu Ala Ala Tyr Glu Ser Gly Val Arg Ile Ala Ser
 755 760 765
 Leu Val Gln Gly Asp Asn Gln Thr Ile Ala Val Thr Lys Arg Val Pro
 770 775 780
 Ser Thr Trp Pro Tyr Asn Leu Lys Lys Arg Glu Ala Ala Arg Val Thr
 785 790 795 800
 Arg Asp Tyr Phe Val Ile Leu Arg Gln Arg Leu His Asp Ile Gly His
 805 810 815
 His Leu Lys Ala Asn Glu Thr Ile Val Ser Ser His Phe Phe Val Tyr
 820 825 830
 Ser Lys Gly Ile Tyr Tyr Asp Gly Leu Leu Val Ser Gln Ser Leu Lys
 835 840 845
 Ser Ile Ala Arg Cys Val Phe Trp Ser Glu Thr Ile Val Asp Glu Thr
 850 855 860
 Arg Ala Ala Cys Ser Asn Ile Ala Thr Thr Met Ala Lys Ser Ile Glu
 865 870 875 880
 Arg Gly Tyr Asp Arg Tyr Leu Ala Tyr Ser Leu Asn Val Leu Lys Val
 885 890 895
 Ile Gln Gln Ile Leu Ile Ser Leu Gly Phe Thr Ile Asn Ser Thr Met
 900 905 910
 Thr Arg Asp Val Val Ile Pro Leu Leu Thr Asn Asn Asp Leu Leu Ile
 915 920 925

- 101 -

Arg Met Ala Leu Leu Pro Ala Pro Ile Gly Gly Met Asn Tyr Leu Asn
 930 935 940

Met Ser Arg Leu Phe Val Arg Asn Ile Gly Asp Pro Val Thr Ser Ser
 945 950 955 960

Ile Ala Asp Leu Lys Arg Met Ile Leu Ala Ser Leu Met Pro Glu Glu
 965 970 975

Thr Leu His Gln Val Met Thr Gln Gln Pro Gly Asp Ser Ser Phe Leu
 980 985 990

Asp Trp Ala Ser Asp Pro Tyr Ser Ala Asn Leu Val Cys Val Gln Ser
 995 1000 1005

Ile Thr Arg Leu Leu Lys Asn Ile Thr Ala Arg Phe Val Leu Ile His
 1010 1015 1020

Ser Pro Asn Pro Met Leu Lys Gly Leu Phe His Asp Asp Ser Lys Glu
 1025 1030 1035 1040

Glu Asp Glu Gly Leu Ala Ala Phe Leu Met Asp Arg His Ile Ile Val
 1045 1050 1055

Pro Arg Ala Ala His Glu Ile Leu Asp His Ser Val Thr Gly Ala Arg
 1060 1065 1070

Glu Ser Ile Ala Gly Met Leu Asp Thr Thr Lys Gly Leu Ile Arg Ala
 1075 1080 1085

Ser Met Arg Lys Gly Gly Leu Thr Ser Arg Val Ile Thr Arg Leu Ser
 1090 1095 1100

Asn Tyr Asp Tyr Glu Gln Phe Arg Ala Gly Met Val Leu Leu Thr Gly
 1105 1110 1115 1120

Arg Lys Arg Asn Val Leu Ile Asp Lys Glu Ser Cys Ser Val Gln Leu
 1125 1130 1135

Ala Arg Ala Leu Arg Ser His Met Trp Ala Arg Leu Ala Arg Gly Arg
 1140 1145 1150

Pro Ile Tyr Gly Leu Glu Val Pro Asp Val Leu Glu Ser Met Arg Gly
 1155 1160 1165

His Leu Ile Arg Arg His Glu Thr Cys Val Ile Cys Glu Cys Gly Ser
 1170 1175 1180

Val Asn Tyr Gly Trp Phe Phe Val Pro Ser Gly Cys Gln Leu Asp Asp
 1185 1190 1195 1200

Ile Asp Lys Glu Thr Ser Ser Leu Arg Val Pro Tyr Ile Gly Ser Thr

- 102 -

1205	1210	1215
Thr Asp Glu Arg Thr Asp Met Lys Leu Ala Phe Val Arg Ala Pro Ser 1220	1225	1230
Arg Ser Leu Arg Ser Ala Val Arg Ile Ala Thr Val Tyr Ser Trp Ala 1235	1240	1245
Tyr Gly Asp Asp Asp Ser Ser Trp Asn Glu Ala Trp Leu Leu Ala Arg 1250	1255	1260
Gln Arg Ala Asn Val Ser Leu Glu Glu Leu Arg Val Ile Thr Pro Ile 1265	1270	1275 1280
Ser Thr Ser Thr Asn Leu Ala His Arg Leu Arg Asp Arg Ser Thr Gln 1285	1290	1295
Val Lys Tyr Ser Gly Thr Ser Leu Val Arg Val Ala Arg Tyr Thr Thr 1300	1305	1310
Ile Ser Asn Asp Asn Leu Ser Phe Val Ile Ser Asp Lys Lys Val Asp 1315	1320	1325
Thr Asn Phe Ile Tyr Gln Gln Gly Met Leu Leu Gly Leu Gly Val Leu 1330	1335	1340
Glu Thr Leu Phe Arg Leu Glu Lys Asp Thr Gly Ser Ser Asn Thr Val 1345	1350	1355 1360
Leu His Leu His Val Glu Thr Asp Cys Cys Val Ile Pro Met Ile Asp 1365	1370	1375
His Pro Arg Ile Pro Ser Ser Arg Lys Leu Glu Leu Arg Ala Glu Leu 1380	1385	1390
Cys Thr Asn Pro Leu Ile Tyr Asp Asn Ala Pro Leu Ile Asp Arg Asp 1395	1400	1405
Ala Thr Arg Leu Tyr Thr Gln Ser His Arg Arg His Leu Val Glu Phe 1410	1415	1420
Val Thr Trp Ser Thr Pro Gln Leu Tyr His Ile Leu Ala Lys Ser Thr 1425	1430	1435 1440
Ala Leu Ser Met Ile Asp Leu Val Thr Lys Phe Glu Lys Asp His Met 1445	1450	1455
Asn Glu Ile Ser Ala Leu Ile Gly Asp Asp Asp Ile Asn Ser Phe Ile 1460	1465	1470
Thr Glu Phe Leu Leu Ile Glu Pro Arg Leu Phe Thr Ile Tyr Leu Gly 1475	1480	1485

- 103 -

Gln Cys Ala Ala Ile Asn Trp Ala Phe Asp Val His Tyr His Arg Pro
 1490 1495 1500
 Ser Gly Lys Tyr Gln Met Gly Glu Leu Leu Ser Ser Phe Leu Ser Arg
 1505 1510 1515 1520
 Met Ser Lys Gly Val Phe Lys Val Leu Val Asn Ala Leu Ser His Pro
 1525 1530 1535
 Lys Ile Tyr Lys Lys Phe Trp His Cys Gly Ile Ile Glu Pro Ile His
 1540 1545 1550
 Gly Pro Ser Leu Asp Ala Gln Asn Leu His Thr Thr Val Cys Asn Met
 1555 1560 1565
 Val Tyr Thr Cys Tyr Met Thr Tyr Leu Asp Leu Leu Leu Asn Glu Glu
 1570 1575 1580
 Leu Glu Glu Phe Thr Phe Leu Leu Cys Glu Ser Asp Glu Asp Val Val
 1585 1590 1595 1600
 Pro Asp Arg Phe Asp Asn Ile Gln Ala Lys His Leu Cys Val Leu Ala
 1605 1610 1615
 Asp Leu Tyr Cys Gln Pro Gly Thr Cys Pro Pro Ile Arg Gly Leu Arg
 1620 1625 1630
 Pro Val Glu Lys Cys Ala Val Leu Thr Asp His Ile Lys Ala Glu Ala
 1635 1640 1645
 Arg Leu Ser Pro Ala Gly Ser Ser Trp Asn Ile Asn Pro Ile Ile Val
 1650 1655 1660
 Asp His Tyr Ser Cys Ser Leu Thr Tyr Leu Arg Arg Gly Ser Ile Lys
 1665 1670 1675 1680
 Gln Ile Arg Leu Arg Val Asp Pro Gly Phe Ile Phe Asp Ala Leu Ala
 1685 1690 1695
 Glu Val Asn Val Ser Gln Pro Lys Ile Gly Ser Asn Asn Ile Ser Asn
 1700 1705 1710
 Met Ser Ile Lys Asp Phe Arg Pro Pro His Asp Asp Val Ala Lys Leu
 1715 1720 1725
 Leu Lys Asp Ile Asn Thr Ser Lys His Asn Leu Pro Ile Ser Gly Gly
 1730 1735 1740
 Asn Leu Ala Asn Tyr Glu Ile His Ala Phe Arg Arg Ile Gly Leu Asn
 1745 1750 1755 1760

- 104 -

Ser Ser Ala Cys Tyr Lys Ala Val Glu Ile Ser Thr Leu Ile Arg Arg
 1765 1770 1775
 Cys Leu Glu Pro Gly Glu Asp Gly Leu Phe Leu Gly Glu Gly Ser Gly
 1780 1785 1790
 Ser Met Leu Ile Thr Tyr Lys Glu Ile Leu Lys Leu Asn Lys Cys Phe
 1795 1800 1805
 Tyr Asn Ser Gly Val Ser Ala Asn Ser Arg Ser Gly Gln Arg Glu Leu
 1810 1815 1820
 Ala Pro Tyr Pro Ser Glu Val Gly Leu Val Glu His Arg Met Gly Val
 1825 1830 1835 1840
 Gly Asn Ile Val Lys Val Leu Phe Asn Gly Arg Pro Glu Val Thr Trp
 1845 1850 1855
 Val Gly Ser Val Asp Cys Phe Asn Phe Ile Val Ser Asn Ile Pro Thr
 1860 1865 1870
 Ser Ser Val Gly Phe Ile His Ser Asp Ile Glu Thr Leu Pro Asn Lys
 1875 1880 1885
 Asp Thr Ile Glu Lys Leu Glu Glu Leu Ala Ala Ile Leu Ser Met Ala
 1890 1895 1900
 Leu Leu Leu Gly Lys Ile Gly Ser Ile Leu Val Ile Lys Leu Met Pro
 1905 1910 1915 1920
 Phe Ser Gly Asp Phe Val Gln Gly Phe Ile Ser Tyr Val Gly Ser His
 1925 1930 1935
 Tyr Arg Glu Val Asn Leu Val Tyr Pro Arg Tyr Ser Asn Phe Ile Ser
 1940 1945 1950
 Thr Glu Ser Tyr Leu Val Met Thr Asp Leu Lys Ala Asn Arg Leu Met
 1955 1960 1965
 Asn Pro Glu Lys Ile Lys Gln Gln Ile Ile Glu Ser Ser Val Arg Thr
 1970 1975 1980
 Ser Pro Gly Leu Ile Gly His Ile Leu Ser Ile Lys Gln Leu Ser Cys
 1985 1990 1995 2000
 Ile Gln Ala Ile Val Gly Asp Ala Val Ser Arg Gly Asp Ile Asn Pro
 2005 2010 2015
 Thr Leu Lys Lys Leu Thr Pro Ile Glu Gln Val Leu Ile Asn Cys Gly
 2020 2025 2030
 Leu Ala Ile Asn Gly Pro Lys Leu Cys Lys Glu Leu Ile His His Asp

- 105 -

2035	2040	2045
Val Ala Ser Gly Gln Asp Gly Leu Leu Asn Ser Ile Leu Ile Leu Tyr 2050	2055	2060
Arg Glu Leu Ala Arg Phe Lys Asp Asn Gln Arg Ser Gln Gln Gly Met 2065	2070	2075 2080
Phe His Ala Tyr Pro Val Leu Val Ser Ser Arg Gln Arg Glu Leu Ile 2085	2090	2095
Ser Arg Ile Thr Arg Lys Phe Trp Gly His Ile Leu Leu Tyr Ser Gly 2100	2105	2110
Asn Arg Lys Leu Ile Asn Lys Phe Ile Gln Asn Leu Lys Ser Gly Tyr 2115	2120	2125
Leu Ile Leu Asp Leu His Gln Asn Ile Phe Val Lys Asn Leu Ser Lys 2130	2135	2140
Ser Glu Lys Gln Ile Ile Met Thr Gly Gly Leu Lys Arg Glu Trp Val 2145	2150	2155 2160
Phe Lys Val Thr Val Lys Glu Thr Lys Glu Trp Tyr Lys Leu Val Gly 2165	2170	2175
Tyr Ser Ala Leu Ile Lys Asp 2180		

(2) INFORMATION FOR SEQ ID NO:3:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 15894 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:3:

ACCAAACAAA GTTGGGTAAG GATAGATCAA TCAATGATCA TATTCTAGTA CACTTAGGAT	60
TCAAGATCCT ATTATCAGGG ACAAGAGCAG GATTAGGGAT ATCCGAGATG GCCACACTTC	120
TAAGGAGCTT AGCATTGTTC AAAAGAAACA AGGACAAACC ACCCATTACA TCAGGATCCG	180
GTGGAGCCAT CAGAGGAATC AAACACATTA TTATAGTACC AATCCCGGGA GATTCCTCAA	240

- 106 -

TTACCACTCG ATCTAGACTT CTGGACCGGT TGGTCAGGTT AATTGGAAAC CCGGATGTGA	300
GCGGGCCCCAA ACTAACAGGG GCACTAATAG GTATATTATC CTTATTTGTG GAGTCTCCAG	360
GTCAATTGAT TCAGAGGATC ACCGATGACC CTGACGTTAG CATAAGGCTG TTAGAGGTTG	420
TCCAGAGTGA CCAGTCACAA TCTGGCCTTA CCTTCGCATC AAGAGGTACC AACATGGAGG	480
ATGAGGCGGA CCAATATTTT TCACATGATG ATCCAAGTAG TAGTGATCAA TCCAGGTTCTG	540
GATGGTTCTGA GAACAAGGAA ATCTCAGATA TTGAAGTGCA AGACCCTGAG GGATTCAACA	600
TGATTCTGGG TACCATCCTA GCTCAAATTT GGGTCTTGCT CGCAAAGGCG GTTACGGCCC	660
CAGACACGGC AGCTGATTCTG GAGCTAAGAA GGTGGATAAA GTACACCCAA CAAAGAAGGG	720
TAGTTGGTGA ATTTAGATTG GAGAGAAAAT GGTGGATGT GGTGAGGAAC AGGATTGCCG	780
AGGACCTCTC CTTACGCCGA TTCATGGTCG CTCTAATCCT GGATATCAAG AGAACACCCG	840
GGAACAAACC CAGGATTGCT GAAATGATAT GTGACATTGA TACATATATC GTAGAGGCAG	900
GATTAGCCAG TTTTATCCTG ACTATTAAGT TTGGGATAGA AACTATGTAT CCTGCTCTTG	960
GA CTGCATGA ATTTGCTGGT GAGTTATCCA CACTTGAGTC CTTGATGAAT CTTTACCAGC	1020
AAATGGGGGA AACTGCACCA TACATGGTAA TCCTGGAGAA CTCAATTCAG AACAAGTTCA	1080
GTGCAGGATC ATACCCTCTG CTCTGGAGCT ATGCCATGGG AGTAGGAGTG GAACTTGAAA	1140
ACTCCATGGG AGGTTTGAAC TTTGGCCGAT CTTACTTCGA TCCAGCATAT TTCAGACTAG	1200
GGCAAGAGAT GGTGAGGAGG TCAGCTGGAA AGGTCAGTTC CACATTGGCA TCTGAACTCG	1260
GTATCACTGC CGAAGATGCA AGGCTTGTTT CAGAGATCGC AATGCATACT ACAGAGGACA	1320
GGATCAGTAG AGCGGTTGGA CCCAGACAAT CCCAAGTGTC ATTCCTACAC GGTGATCAAA	1380
ATGAAAATGA GCTACCGAGA TGGGGGGGTA AGGAAGATAT GAGGGTCAAA CAGAGTCGGG	1440
GAGAAGCCAG AGAGAGCTAC AGAGAAACCA GGCCCAGCAG AGCAAGTGAC GCGAGAGCTA	1500
CCCATCCTCC AACCACACA CCCTTAGACA TTGACACTGC ATCGGAGTCC AGCCAAGATC	1560
CGCAGGACAG TCGAAGGTCA GCTGACGCCC TGCTCAGGCT GCAAGCCATG GCAGGAATCT	1620
CGGAAGAACA AGGCTCAGAC ACGGACACCC CTAGAGTGTA CAATGACAGA GATCTTCTAG	1680
ACTAGGTGCA AGAGGCCGAG GACCAGAACA ACATCCGCCT ACCCTCCATC ATTGTTATAA	1740
AAAACCTTAGG AACCAGGTCC ACACAGCCGC CAGCCCACCA ACCATCCACT CCCACGATTG	1800

- 107 -

GGGCCGATGG CAGAAGAGCA GGCACGCCAT GTCAAAAACG GACTGGAATG CATCCGGGCT	1860
CTCAAGGCCG AGCCCATCGG CTCACTGGCC ATCGAGGAAG CTATGGCAGC ATGGTCAGAA	1920
ATATCAGACA ACCCAGGACA GGAGCGAGCC GCCTGCAAGG AAGAGAAGGC AAGCAGTCCG	1980
GGTCTCAGCA AACCATGCCT CTCAGCAATT GGATCAACTG AAGGCGGTGC ACCTCGCATC	2040
CGCGGTCAGG GATCTGGAGA GAGCGATGAC GACGCTGAAA CTTTGGGAAT CCCCTCAGGA	2100
AATCTCCAGG CATCAAGCAC TGGGTTACAG TGTTATTATG TTTATGATCA CAGCGGTGAA	2160
GCGGTTAAGG GAATCCAAGA TGCTGACTCT ATCATGGTTC AATCAGGCCT TGATGGTGAT	2220
AGCACCCCTCT CAGGAGGAGA CAATGAATCT GAAAACAGCG ATGTGGATAT TGGCGAACCT	2280
GATACCGAGG GATATGCTAT CACTGACCGG GGATCTGCTC CCATCTCTAT GGGGTTCCAGG	2340
GCTTCTGATG TTGAAACTGC AGAAGGAGGG GAGATCCACG AGCTCCTGAG ACTCCAATCC	2400
AGAGGCAACA ACTTTCCAAA GCTTAGGAAA ACTCTCAATG TTCCCCCGCC CCCGGACCCT	2460
GGTAGGGCCA GCACTTCCGA GACACCCATT AAAAAGGGCA CAGACGCGAG ATTAGCCTCA	2520
TTTGGAACGG AGATCGCGTC TTTATTGACA GGTGGTGCAA CCCAATGTGC TCGAAAGTCA	2580
CCCTCGGAAC CATCAGGGCC AGGTGCACCT GCGGGGAATG TCCCCGAGTG TGTGAGCAAT	2640
GCCGTA CTGA TACAGGAGTG GACACCCGAA TCTGGTACCA CAATCTCCCC GAGATCCCAG	2700
AATAATGAAG AAGGGGGAGA TTATTATGAT GATGAGCTGT TCTCTGATGT CCAAGATATT	2760
AAAACAGCCT TGGCCAAAAT ACACGAGGAT AATCAGAAGA TAATCACCAA GCTAGAATCA	2820
CTGCTGTTAT TGAAGGGGGA AGTTGAGTCA ATCAAGAAGC AGATCAACAG GCAAAATATC	2880
AGCATATCCA CCTTGGAAGG ACACCTCTCA AGCATCATGA TCGCCATTCC TGGACTTGGG	2940
AAGGATCCCA ACGACCCAC TGCAGATGTC GAAATCAATC CCGACTTGAA ACCCATCATA	3000
GGCAGAGATT CAGGCCGAGC ACTGGCTGAA GTTCTCAAGA AACCCGTTGC CAGCCGACAA	3060
ATCCAAGGAA TGACAAATGG ACGGACCAGT TCCAGAGGAC AGCTGCTGAA GGAATTTTCAG	3120
CTAAAGCCGA TCGGGAAAAA GATGAGCTCA GCCGTCGGGT TTGTTCCGGA CACCGGCCCT	3180
GCATCAGCA GTGTAATCCG CTCCATTATA AAATCCAGCC GGCTAGAGGA GGATCGGAAG	3240
CGTTACCTGA TGA CTCTCCT TGATGACATC AAAGGAGCCA ACGATCTTGC CAAGTTCCAC	3300
CAGATGCTGA TGAAGATAAT AATGAAGTAG CTACAGCTCA ACTTACCTGC CAACCCCATG	3360

- 108 -

CCAGTCGACC TAGCTAATAC AACCTAAATC CATTATAAAA AACTTAGGAG CAAAGTGATT	3420
GCCTCCCAAG TTCCACAATG ACAGAGATCT ACGACTTCGA CAAGTCGGCA TGGGACATCA	3480
AAGGGTCGAT CGCTCCGATA CAACCCACCA CCTACAGTGA TGGCAGGCTG GTGCCCCAGG	3540
TCAGAGTCAT AGATCCTGGT CTAGGCGACA GAAAAGATGA ATGTTTTATG TACATGTTTC	3600
TGCTGGGGGT TGTGAGGAC AGCGATCTCC TAGGGCCTCC AATCGGGCGA GCATTGGGT	3660
CTCTGCCCTT AGGTGTTGGC AGATCCACAG CAAAACCCGA AGAACTCCTC AAAGAGGCCA	3720
CTGAGCTTGA CATAGTTGTT AGACGTACAG CAGGGCTCAA TGAAAACTG GTGTTCTACA	3780
ACAACACCCC ACTAACTCTC CTCATACCTT GGAGAAAGGT CCTAACAACA GGGAGTGTCT	3840
TCAACGCAAA CCAAGTGTGC AATGCGGTTA ATCTGATACC GCTGGATACC CCGCAGAGGT	3900
TCCGTGTTGT TTATATGAGC ATCACCCGTC TTTCAGATAA CGGGTATTAC ACCGTTCTTA	3960
GAAGAATGCT GGAATTCAGA TCGGTCAATG CAGTGGCCTT CAACCTGCTG GTGACCCTTA	4020
GGATTGACAA GGCATTGGC CATGGGAAGA TCATCGACAA TGCAGAGCAA CTTCCTGAGG	4080
CAACATTTAT GGTCCACATC GGGAACTTCA GGAGAAAGAA AAGTGAAGTC TACTCTGCCG	4140
ATTATTGCAA AATGAAAATC GAAAAGATGG GCCTGGTTTT TGCCTTGGT GGGATAGGGG	4200
GCACCAGTCT TCACATTAGA AGCACAGGCA AAATGAGCAA GACTCTCCAT GCACAACTCG	4260
GGTCAAGAA GACCCTATGT TACCCACTGA TGGATATCAA TGAAGACCTT AATCGATTAC	4320
TCTGGAGGAG CAGATGCAAG ATAGTAAGAA TCCAGGCAGT TTTGCAGCCA TCAGTTCCCTC	4380
AAGAATTCCG CATTTACGAC GACGTTATCA TAAATGATGA CCAAGGATTA TTCAAAGTTC	4440
TGTAGACCGT AGTGCCAGC AATGCCCGAA GACGACCCTC CTCACAATGA CAGCCAGAAG	4500
GCCCGGAAAA AAAGGCCCCC TCCGAAAGAC TCCACAGACC AAATGAGAGG CCAGCCAGCA	4560
GCTGACGGCA AGCACGAACA CCAGGCGGCC CCAGCACAGA ACAGCCCTGA CATAAGGCCA	4620
CCACCAGCCA TCCCAATCTG CATCCTCCTC GTAGGACCCC CGAGGACCAA CCCCCAAGGT	4680
TGCCCCCAC CCAAACCACC AACC GCATCC CTACCACCCC CGGGAAAGAA ACCCCCAGCA	4740
ACTGGAAGAG CCCTTCCCCT TTCCCTCAAC ACAAGAACTC CACAACCGAA CCACACAAGC	4800
GACCGAGGTG ACCCAACCGC AGGCACCCGA CTCCCTAGAC AGATCCTCTC CCCCTGGCAA	4860
ACTAAACAAA ACTTAGGGCC AAGGAACATA CACACCCAAC AGAACCAGCA CCCC GGCCCA	4920

- 109 -

CGGCGCCGCG	CCCCAACCC	CCGACAACCA	GAGGGAGCCC	CCAACCAATC	CCGCCGGCTC	4980
CCCCGGTGCC	CACAGGCAGG	CACACCAACC	CCCGAACAGA	CCCAGCACCC	AGCCATCGAC	5040
AATCCAAGAC	GGGGGGGCCC	CCCCAAAAA	AGGCCCCCAG	GGGCCGACAG	CCAGCACCGC	5100
GAGGAAGCCC	ACCCACCCCA	CACACGACCA	CGACAACCAA	ACCAGAACCC	AGACCACCCT	5160
GGGCCACCAG	TTCCCAGACT	CGGCCATCAC	CCCGCAGAAA	GGAAAGGCCA	CAACCTGCGC	5220
ACCCAGCCC	CGATCCGGCG	GGCAGCCACC	CAACCCTAAC	CAGCACCCAA	GAGCGATCCC	5280
CGAAGGACCC	CCGAACCGCA	AAGGACATCA	GTATCCCACA	GCCTCTCCAA	GTCCCCCGGT	5340
CTCTTCCTCT	TCTCGAAGGG	ACTAAAAGAT	CAATCCACCA	CATCCGACGA	CACTCAACTC	5400
CCCGTCCCTA	AAGGAGACAC	CGGGAATCCC	GGAATTAAGA	CTCATCCAAT	GTCCATCATG	5460
GGTCTCAAGG	TGAACGTCTC	TGCCATATTC	ATGGCAGTAC	TGTTAACTCT	CCAAACACCC	5520
ACCGGTCAAA	TCCATTGGGG	CAATCTCTCT	AAGATAGGGG	TGGTAGGAAT	AGGAAGTGCA	5580
AGCTACAAAG	TTATGACTCG	TTCCAGCCAT	CAATCATTAG	TCATAAAATT	AATGCCCAAT	5640
ATAACTCTCC	TCAATAACTG	CACGAGGGTA	GAGATTGCAG	AATACAGGAG	ACTACTGAGA	5700
ACAGTTTGG	AACCAATTAG	AGATGCACTT	AATGCAATGA	CCCAGAATAT	AAGACCGTTT	5760
CAGAGTGTAG	CTTCAAGTAG	GAGACACAAG	AGATTTGCAG	GAGTAGTCCT	GGCAGGTGCG	5820
GCCCTAGGCG	TTGCCACAGC	TGCTCAGATA	ACAGCCGGCA	TTGCACTTCA	CCAGTCCATG	5880
CTGAACTCTC	AAGCCATCGA	CAATCTGAGG	GCAAGTCTGG	AAACTACTAA	TCAGGCAATT	5940
GAGGCAATCA	GACAAGCAGG	GCAGGAGATG	ATATTGGCTG	TTCAGGGTGT	CCAAGACTAC	6000
ATCAATAATG	AGCTGATACC	GTCTATGAAC	CAACTATCTT	GTGATTTAAT	CGGCCAGAAG	6060
CTCGGGCTCA	AATTGCTCAG	ATACTATACA	GAAATCCTGT	CATTATTTGG	CCCTAGCTTA	6120
CGGGACCCCA	TATCTGCGGA	GATATCTATC	CAGGCTTTGA	GCTATGCGCT	CGGAGGAGAT	6180
ATCAATAAGG	TGTTAGAAAA	GCTCGGATAT	AGTGGAGGTG	ATTTACTGGG	CATCTTAGAG	6240
AGCAGAGGAA	TAAAGGCCCC	GATAACTCAC	GTCGACACAG	AGTCCTACTT	CATTGTCTCT	6300
AGTATAGCCT	ACCCGACGCT	GTCCGAGATC	AAGGGGGTGA	TTGTCCACCG	GCTAGAGGGG	6360
GTCTCGTACA	ACATAGGCTC	TCAAGAGTGG	TATACGACTG	TGCCCAAGTA	TGTTGCAACC	6420
CAAGGGTACC	TTATCTCGAA	TTTGATGAG	TCATCGTGTA	CTTTCATGCC	AGAGGGGACT	6480

- 110 -

GTGTGCAGCC	AAAATGCCTT	GTACCCGATG	AGTCCTCTGC	TCCAAGAATG	CCTCCGGGGG	6540
TCCACCAAGT	CCTGTGCTCG	TACACTCGTA	TCTGGGTCTT	TTGGGAACCG	GTTCAATTTG	6600
TCACAAGGGA	ACCTAATAGC	CAATTGTGCA	TCAATCCTTT	GCAAGTGTTA	CACAACAGGA	6660
ACGATCATTA	ATCAAGACCC	TGACAAGATC	CTAACATACA	TTGCTGCCGA	TCACTGCCCC	6720
GTAGTCGAGG	TGAACGGCGT	GACCATCCAA	GTCTGGGAGCA	GGAGGTATCC	AGACGCTGTG	6780
TACTTGACCA	GAATTGACCT	CGGTCTCTCC	ATATCATTGG	AGAGGTTGGA	CGTAGGGACA	6840
AATCTGGGGA	ATGCAATTGC	TAAGTTGGAG	GATGCCAAGG	AATTGTTGGA	GTCATCGGAC	6900
CAGATATTGA	GGAGTATGAA	AGGTTTGTCT	AGCACTAGCA	TAGTCTACAT	CCTGATTGCA	6960
GTGTGTCTTG	GAGGGTTGAT	AGGGATCCCC	GCTTTAATAT	GTTGCTGCAG	GGGGCGTTGT	7020
AACAAAAAGG	GAGAACAAGT	TGGTATGTCA	AGACCAGGCC	TAAAGCCTGA	TCTTACAGGA	7080
ACATCGAAAT	CCTATGTAAG	GTCTGCTCTGA	TCCTCTACAA	CTCTTGGAAC	ACAAATGTCC	7140
CACAAGTCTC	CTCTTCGTCA	TCAAGCAACC	ACCGCATCCA	GCATCAAGCC	CACCTGAAAT	7200
TATCTCCGGC	TCCCCTTTGG	CCGAACAATA	TCGGTAGTTA	ATTAAACTT	AGGGTGCAAG	7260
ATCATCCACA	ATGTCACCAC	AACGAGACCG	GATAAATGCC	TTCTACAAAG	ATAACCCCCA	7320
TCCCAAGGGA	AGTAGGATAG	TTATCAACAG	AGAACACCTT	ATGATTGATA	GACCTTATGT	7380
TTTGCTGGCT	GTTCTGTTCG	TCATGTTTCT	GAGCTTGATC	GGGTTGCTAG	CAATTGCAGG	7440
CATTAGACTT	CATCGGGCAG	CCATCTACAC	CGCAGAGATC	CATAAAAGCC	TCAGCACCAA	7500
TCTAGATGTA	ACTAACTCAA	TTGAGCATCA	GGTCAAGGAC	GTGCTGACAC	CACTCTTCAA	7560
AATCATCGGT	GATGAAGTGG	GCCTGAGGAC	ACCTCAGAGA	TTCCTGACC	TAGTGAAATT	7620
CATCTCTGAC	AAGATTAAAT	TCCTTAACCC	GGATAGGGAG	TACGACTTCA	GAGATCTCAC	7680
TTGGTGTATC	AACCCGCCAG	AGAGAATCAA	ATTGGATTAT	GATCAATACT	GTGCAGATGT	7740
GGCTGCTGAA	GAGCTCATGA	ATGCATTGGT	GAACTCAACT	CTACTGGAGA	CCAGAACAAC	7800
CAATCAGTTC	CTAGCTGTCT	CAAAGGGAAA	CTGCTCAGGG	CCCACTACAA	TCAGAGGTCA	7860
ATTCTCAAAC	ATGTCGCTGT	CCCTGTTGGA	CTTGTAATTA	AGTCGAGGTT	ACAATGTGTC	7920
ATCTATAGTC	ACTATGACAT	CCCAGGGGAAT	GTACGGGGGA	ACTTACCTAG	TGGAAAAGCC	7980
TAATCTGAGC	AGCAAAGGGT	CAGAGTTGTC	ACAACTGAGC	ATGTACCGAG	TGTTTGAAGT	8040

- 111 -

AGGTGTTATC AGAAATCCGG GTTTGGGGGC TCCGGTGTTC CATATGACAA ACTATTTTGA	8100
GCAACCAGTC AGTAATGATC TCAGCAACTG TATGGTGGCT TTGGGGGAGC TCAAACCTCGC	8160
AGCCCTTTGT CACGGGGGAG ATTCTATCAC AATTCCTAT CAGGGATCAG GGAAAGGTGT	8220
CAGCTTTCAG CTCGTCAAGC TAGGTGTCTG GAAATCCCCA ACCGACATGC AATCCTGGGT	8280
CCCCTTCTCA ACGGATGACC CAGTGATAGA CAGGCTTTAC CTCTCATCTC ACAGAGGTGT	8340
TATCGCTGAC AATCAAGCAA AATGGGCTAT CCCGACAACA AGAACAGATG ACAAGTTGCG	8400
AATGGAGACA TGCTTCCAGC AGGCGTGTA GGGTAAATC CAAGCACTCT GCGAGAATCC	8460
CGAGTGGGCA CCATTGAAGG ATAACAGGAT TCCTTCATAC GGAGTCTTGT CTGTTGATCT	8520
GAGTCTAACA GTTGAGCTTA AAATCAAAAT TGCTTCGGGA TTCGGGCCAT TGATCACACA	8580
CGGTTCAGGG ATGGACCTAT ACAAGTCCAA CCACAACAAT GAGTATTGGC TGAATATCCC	8640
GCCAATGAAG AACCTAGCCC TAGGTGTAAT CAACACATTG GAGTGGATAC CGAGATTCAA	8700
GGTTAGTCCC AACCTCTTCA CTGTCCCAAT TAAGGAAGCA GGCGAAGACT GCCATGCCCC	8760
AACATACCTA CCTGCGGAGG TGGATGGTGA TGTCAAATC AGTTCCAATC TGGTGATCCT	8820
ACCTGGTCAA GATCTCCAAT ATGTTTTGGC AACCTACGAT ACTTCCAGGG TTGAACATGC	8880
TGTGGTTTAT TACGTTTACA GCCCAAGCCG CTCATTTTCT TACTTTTATC CTTTTAGGTT	8940
GCCTATAAAG GGGATCCCCA TCGAATTACA AGTGGAATGC TTCACATGGG ACCAAAACT	9000
CTGGTGCCGT CACTTCTGTG TGCTTGCGGA CTCAGAATCT GGTGGACATA TCACTCACTC	9060
TGGGATGGTG GGCATGGGAG TCAGCTGCAC AGTCACCCGG GAAGATGGAA CCAATAGCAG	9120
ATAGGGCTGC CAGTGAACCA ATCACATGAT GTCACCCAGA CATCAGGCAT ACCCACTAGT	9180
GTGAAATAGA CATCAGAATT AAGAAAAACG TAGGGTCCAA GTGGTTCCCC GTTATGGACT	9240
CGCTATCTGT CAACCAGATC TTATACCCCG AAGTTCACCT AGATAGCCCG ATAGTTACCA	9300
ACAAGATAGT AGCCATCCTG GAGTATGCTC GAGTCCCTCA CGCTTACAGC CTGGAGGACC	9360
CTACACTGTG TCAGAACATC AAGCACCGCC TAAAAACGG ATTTTCCAAC CAAATGATTA	9420
TAAACAATGT GGAAGTTGGG AATGTCATCA AGTCCAAGCT TAGGAGTTAT CCGGCCCACT	9480
CTCATATTCC ATATCCAAC TGTAATCAGG ATTTATTTAA CATAGAAGAC AAGAGTCAA	9540
CGAGGAAGAT CCGTGAATC CTCAAAAAGG GAAATTCGCT GTACTCTAAA GTCAGTAATA	9600

- 112 -

AGGTTTTCCA ATGCTTGAGG GACACTAATT CACGGCTTGG TCTAGGCTCC GAATTGAGGG	9660
AGGACATCAA GGAGAAAGTT ATTAAGTTGG GAGTTTACAT GCACAGCTCC CAATGGTTTG	9720
AGCCCTTTCT GTTTTGGTTT ACAGTCAAGA CTGAGATGAG GTCAGTGATT AAATCACAAA	9780
CCCATACTTG CCATAGGAGG AGACACACAC CTGTATTCTT CACTGGTAGT TCAGTTGAGT	9840
TGCTAATCTC TCGTGACCTT GTTGCTATAA TCAGTAAAGA GTCTCAACAT GTATATTACC	9900
TAACATTTGA GCTGGTTTTG ATGTATTGTG ATGTCATAGA GGGGAGGTTA ATGACAGAGA	9960
CTGCTATGAC CATTGATGCT AGATATACAG AGCTTCTAGG AAGAGTCAGA TACATGTGGA	10020
AATTGATAGA TGGTTTCTTC CCTGCACTCG GGAATCCAAC TTATCAAATT GTAGCCATGC	10080
TGGAGCCTCT TTCACTTGCT TACCTGCAGC TGAGGGATAT AACGGTAGAA CTCAGAGGTG	10140
CTTTCCTTAA CCACTGCTTT ACTGAAATAC ATGATGTTCT TGACCAAAAC GGGTTTTCTG	10200
ATGAAGGTAC TTATCACGAG TTAGTTGAAG CTCTAGATTA CATTTTCATA ACTGATGACA	10260
TACACCTGAC AGGGGAGATT TTCTCATTTT TCAGAAGTTT CGGCCACCCC AGACTTGAAG	10320
CAGTAACGGC TGCTGAAAAT GTTAGGAAAT ACATGAATCA GCCTAAAGTC ATTGTGTATG	10380
AGACTCTGAT GAAAGGTCAT GCCATATTTT GTGGAATCAT AATCAACGGC TATCGTGACA	10440
GGCACGGAGG CAGTTGGCCA CCGCTGACCC TCCCCCTGCA TGCTGCAGAC ACAATCCGGA	10500
ATGCTCAAGC CTCAGGTGAA GGATTAACAC ATGAGCAGTG CGTTGATAAC TGGAAATCTT	10560
TTGCTGGAGT GAAATTTGGC TGCTTCATGC CTCTTAGCCT GGATAGTGAT CTGACAATGT	10620
ACCTAAAGGA CAAGGCACTT GCTGCTCTCC AAAGGGAATG GGATTCAAGT TACCCGAAAG	10680
AGTTCCTGCG TTACGACCCC CCAAGGGGAA CCGGGTCACG GAGGCTTGTGAT GATGTTTTCC	10740
TTAATGATTC GAGCTTTGAC CCATATGATA TGATAATGTA TGTGTAAGT GGAGCTTACC	10800
TCCATGACCC TGAGTTCAAC CTGTCTTACA GCCTGAAAGA AAAGGAGATC AAGGAAACAG	10860
GTAGACTTTT TGCTAAAATG ACTTACAAA TGAGGGCATG CCAAGTGATT GCTGAAAATC	10920
TAATCTCAA CGGGATTGGC AAATATTTTA AGGACAAATG GATGGCCAAG GATGAGCAGC	10980
ATTTGACTAA GGCCTCCAC ACTCTGGCTG TCTCAGGAGT CCCTAAAGAT CTCAAAGAAA	11040
GTCACAGAGG GGGGCCAGTC CTA AAAACCT ACTCCGAAG CCCAGCCCAC ACAAATACCA	11100
GGAACGTGAG GGCAGCAAAA GGGTTTATAG GGTTCCTCA GATAATTCGG CAGGACCAAG	11160

- 113 -

ACACTAATCA TCCGGAGAAT ATGGAAGCTT ACGAGACAGT CAGTGCATTT ATCACAACCTG 11220
ATCTCAAGAA GTACTGCCTT AATTGGAGAT ATGAGACCAT CAGCTTGTTT GCACAGAGGC 11280
TAAATGAGAT TTACGGATTA CCCTCATTTT TTCAGTGGCT GCATAAGAGG CTGAGACCT 11340
CTGTCTGTGA TGTAAGTGAC CCTCATTGCC CCCCCGACCT TGACGCCCAT ATCCCCTTAT 11400
GCAAAGTCCC CAATGACCAA ATCTTCATTA AGTACCCTAT GGGAGGTATA GAAGGGTATT 11460
GTCAGAAGCT GTGGACCATC AGCACCATTG CCTATTTATA CCTGGCTGCT TATGAGAGCG 11520
GAGTAAGGAT TGCTTCATTA GTGCAAGGGG ACAATCAGAC CATAGCTGTA ACAAAAAGGG 11580
TACCCAGCAC ATGGCCTTAC AACCTTAAGA AATGGGAAGC TGCTAGAGTA ACTAGAGATT 11640
ACTTTGTAAT TCTTAGGCAA AGGCTACATG ACATTGGCCA TCACCTCAAG GCAAATGAGA 11700
CAATTGTTTC ATCACATTTT TTTGTTTATT CAAAAGGAAT ATATTATGAT GGGCTACTTG 11760
TGTCCCAATC ACTCAAGAGC ATCGCAAGAT GTGTATTCTG GTCAGAGACT ATAGTTGATG 11820
AAACAAGGGC AGCATGCAGT AATATTGCTA CAACAATGGC TAAAAGCATC GAGAGAGGTT 11880
ATGACCGTTA CCTTGCATAT TCCCTGAACG TCCTAAAAGT GATACAGCAG ATTCTGATCT 11940
CTCTTGGCTT CACAATCAAT TCAACCATGA CCCAGGATGT AGTCATACCC CTCCTCACAA 12000
ACAACGACCT CTTAATAAGG ATGGCACTGT TGCCCGCTCC TATTGGGGGG ATGAATTATC 12060
TGAATATGAG CAGGCTGTTT GTCAGAAACA TCGGTGATCC AGTAACATCA TCAATTGCTG 12120
ATCTCAAGAG AATGATTCTC GCATCACTGA TGCCTGAAGA GACCCTCCAT CAAGTAATGA 12180
CACAGCAACC GGGGGACTCT TCATTCTAG ACTGGGCTAG CGACCCTTAC TCAGCAAATC 12240
TTGTATGTGT CCAGAGCATC ACTAGACTCC TCAAGAACAT AACTGCAAGG TTTGTCCTAA 12300
TCCACAGTCC AAACCCAATG TTAAAGGGAT TATTCCATGA TGACAGTAAA GAAGAGGACG 12360
AGGGACTGGC AGCATTCTC ATGGACAGGC ATATTATAGT ACCTAGGGCA GCTCATGAAA 12420
TCCTGGATCA TAGTGTCA CA GGGGCAAGAG AGTCTATTGC AGGCATGCTA GATACCACAA 12480
AAGGCCTGAT TCGAGCCAGC ATGAGGAAGG GGGGGTTAAC CTCTCGAGTG ATAACCAGAT 12540
TGTCCAATTA TGA CTATGAA CAATTCAGAG CAGGGATGGT GCTATTAACA GGAAGAAAGA 12600
GAAATGTCCT CATTGACAAA GAGTCATGTT CAGTGCAGCT GCGGAGAGCC CTAAGAAGCC 12660
ATATGTGGGC GAGGCTAGCT CGAGGACGGC CTATTTACGG CCTTGAGGTC CCTGATGTAC 12720

- 114 -

TAGAATCTAT	GCGAGGCCAC	CTTATTCGGC	GTCATGAGAC	ATGTGTCATC	TGCGAGTGTG	12780
GATCAGTCAA	CTACGGATGG	TTTTTTGTCC	CCTCGGGTTG	CCAACTGGAT	GATATTGACA	12840
AGGAAACATC	ATCCTTGAGA	GTCCCATATA	TTGGTTCTAC	CACTGATGAG	AGAACAGACA	12900
TGAAGCTTGC	CTTCGTAAGA	GCCCCAAGTC	GATCCTTGCG	ATCTGCTGTT	AGAATAGCAA	12960
CAGTGTACTC	ATGGGCTTAC	GGTGATGATG	ATAGCTCTTG	GAACGAAGCC	TGGTTGTTGG	13020
CAAGGCAAAG	GGCTAATGTG	AGCCTGGAGG	AGCTAAGGGT	GATCACTCCC	ATCTCAACTT	13080
CGACTAATTT	AGCACATAGG	TTGAGGGATC	GTAGCACTCA	AGTGAAATAC	TCAGGTACAT	13140
CCCTTGTCGG	AGTGCCAAGG	TATACCACAA	TCTCCAACGA	CAATCTCTCA	TTTGTCATAT	13200
CAGATAAGAA	GGTTGATACT	AACTTTATAT	ACCAACAAGG	AATGCTCCTA	GGGTTGGGCG	13260
TTTTAGAAAC	ATTGTTTCGA	CTCGAGAAAG	ATACCGGATC	ATCTAACACG	GTATTACATC	13320
TTCACGTCGA	AACAGATTGT	TGCGTGATCC	CAATGATAGA	TCATCCCAGG	ATACCCAGCT	13380
CTCGCAAGCT	AGAGCTGAGG	GCAGAGCTGT	GTACCAACCC	ATTGATATAT	GATAATGCAC	13440
CTTTAATTGA	CAGAGATGCA	ACAAGGCTAT	ACACCCAGAG	CCATAGGAGG	CACCTTGTAG	13500
AATTTGTTAC	ATGGTCCACA	CCCCAACTAT	ATCACATTCT	AGCTAAGTCC	ACAGCACTAT	13560
CTATGATTGA	CCTGGTAACA	AAATTTGAGA	AGGACCATAT	GAATGAAATT	TCAGCTCTCA	13620
TAGGGGATGA	CGATATCAAT	AGTTTCATAA	CTGAGTTTCT	GCTTATAGAG	CCAAGATTAT	13680
TCATATCTA	CTTGGGCCAG	TGTGCGGCCA	TCAATTGGGC	ATTTGATGTA	CATTATCATA	13740
GACCATCAGG	GAAATATCAG	ATGGGTGAGC	TGTTGTCATC	GTTCTTTTCT	AGAATGAGCA	13800
AAGGAGTGTT	TAAGGTGCTT	GTCAATGCTC	TAAGCCACCC	AAAGATCTAC	AAGAAATTCT	13860
GGCACTGTGG	TATTATAGAG	CCTATCCATG	GTCCTTCACT	TGATGCTCAA	AACTTGCACA	13920
CAACTGTGTG	CAACATGGTT	TACACATGCT	ATATGACCTA	CCTCGACCTG	TTGTTGAATG	13980
AAGAGTTAGA	AGAGTTTACA	TTTCTTTTGT	GTGAAAGTGA	CGAGGATGTA	GTACCGGACA	14040
GATTCGACAA	CATCCAGGCA	AAACACTTGT	GTGTTCTGGC	AGATTTGTAC	TGTCAACCAG	14100
GGACCTGCCC	ACCAATTCGA	GGTCTAAGAC	CGGTAGAGAA	ATGTGCAGTT	CTAACCGACC	14160
ATATCAAGGC	GGAGGCTAGG	TTATCTCCAG	CAGGATCTTC	GTGGAACATA	AATCCAATTA	14220
TTGTAGACCA	TTACTCATGC	TCTCTGACTT	ATCTTCGGCG	AGGATCGATC	AAACAGATAA	14280

- 115 -

GATTGAGAGT TGATCCAGGA TTCATTTTCG ACGCCCTCGC TGAGGTAAAT GTCAGTCAGC 14340
CAAAGATCGG CAGCAACAAC ATCTCAAATA TGAGCATCAA GGATTTTCTG CCCCCACACG 14400
ATGATGTTGC AAAATTGCTC AAAGATATCA ATACAAGCAA GCACAATCTT CCCATTTCTG 14460
GGGGCAATCT CGCCAATTAT GAAATCCATG CTTTCCGCAG AATCGGGTTG AACTCATCTG 14520
CTTGCTACAA AGCTGTTGAG ATATCAACAT TAATTAGGAG ATGCCTTGAG CCAGGGGAAG 14580
ACGGCTTATT CTTGGGTGAG GGATCGGGTT CTATGTTGAT CACTTATAAG GAGATACTTA 14640
AACTAAACAA GTGCTTCTAT AATAGTGGGG TCTCTGCCAA TTCTAGATCT GGTCAAAGGG 14700
AATTAGCACC CTATCCCTCC GAAGTTGGCC TTGTGGAACA CAGAATGGGA GTAGGTAATA 14760
TTGTCAAGGT GCTCTTTAAC GGGAGGCCCG AAGTCACATG GGTAGGCAGT GTAGATTGCT 14820
TCAATTACAT AGTTAGTAAT ATCCCTACCT CTAGTGTGGG GTTTATCCAT TCAGATATAG 14880
AGACCTTACC TAACAAAGAT ACTATAGAGA AGCTAGAGGA ATTGGCAGCC ATCTTATCGA 14940
TGGCTCTGCT CCTGGGCAAA ATAGGATCAA TACTGGTGAT TAAGCTTATG CCTTTCAGCG 15000
GGGATTTTGT TCAGGGATTT ATAAGTTATG TAGGGTCTCA TTATAGAGAA GTGAACCTTG 15060
TATACCCAG ATACAGCAAC TTCATATCTA CTGAATCTTA TTTGGTTATG ACAGATCTCA 15120
AGGCTAACCG GCTAATGAAT CCTGAAAAGA TTAAGCAGCA GATAATTGAA TCATCTGTGC 15180
GGACTTCACC TGGACTTATA GGTACATCC TATCCATTAA GCAACTAAGC TGCATACAAG 15240
CAATTGTGGG AGACGCAGTT AGTAGAGGTG ATATCAATCC TACTCTGAAA AACTTACAC 15300
CTATAGAGCA GGTGCTGATC AATTGCGGGT TGGCAATTAA CGGACCTAAA CTGTGCAAAG 15360
AATTGATCCA CCATGATGTT GCCTCAGGGC AAGATGGATT GCTTAATTCT ATACTCATCC 15420
TCTACAGGGA GTTGGCAAGA TTCAAGGACA ACCAAAGAAG TCAACAAGGG ATGTTCCACG 15480
CTTACCCCGT ATTGGTAAGT AGCAGGCAAC GAGAACTTAT ATCTAGAATC ACTCGCAAAT 15540
TTTGGGGGCA CATTCTTCTT TACTCCGGGA ACAGAAAGTT GATAAATAAG TTTATCCAGA 15600
ATCTCAAGTC CGGTTATCTG ATACTAGACT TACACCAGAA TATCTTCGTT AAGAATCTAT 15660
CCAAGTCAGA GAAACAGATT ATTATGACGG GGGGTTTGAA ACGTGAGTGG GTTTTTAAGG 15720
TAACAGTCAA GGAGACCAAG GAATGGTATA AGTTAGTCGG ATACAGTGCC CTGATTAAGG 15780
ACTAATTGGT TGAACCTCCG AACCTAATC CTGCCCCAGG TGGTTAGGCA TTATTTGTAA 15840

- 116 -

TATATTAAAG AAAACTTTGA AAATACGAAG TTTCTATTCC CAGCTTTGTC TGGT

15894

(2) INFORMATION FOR SEQ ID NO:4:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 2183 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:4:

```

Met Asp Ser Leu Ser Val Asn Gln Ile Leu Tyr Pro Glu Val His Leu
1           5           10           15

Asp Ser Pro Ile Val Thr Asn Lys Ile Val Ala Ile Leu Glu Tyr Ala
20           25           30

Arg Val Pro His Ala Tyr Ser Leu Glu Asp Pro Thr Leu Cys Gln Asn
35           40           45

Ile Lys His Arg Leu Lys Asn Gly Phe Ser Asn Gln Met Ile Ile Asn
50           55           60

Asn Val Glu Val Gly Asn Val Ile Lys Ser Lys Leu Arg Ser Tyr Pro
65           70           75           80

Ala His Ser His Ile Pro Tyr Pro Asn Cys Asn Gln Asp Leu Phe Asn
85           90           95

Ile Glu Asp Lys Glu Ser Thr Arg Lys Ile Arg Glu Leu Leu Lys Lys
100          105          110

Gly Asn Ser Leu Tyr Ser Lys Val Ser Asn Lys Val Phe Gln Cys Leu
115          120          125

Arg Asp Thr Asn Ser Arg Leu Gly Leu Gly Ser Glu Leu Arg Glu Asp
130          135          140

Ile Lys Glu Lys Val Ile Asn Leu Gly Val Tyr Met His Ser Ser Gln
145          150          155          160

Trp Phe Glu Pro Phe Leu Phe Trp Phe Thr Val Lys Thr Glu Met Arg
165          170          175

Ser Val Ile Lys Ser Gln Thr His Thr Cys His Arg Arg Arg His Thr
180          185          190

```

- 117 -

Pro Val Phe Phe Thr Gly Ser Ser Val Glu Leu Leu Ile Ser Arg Asp
 195 200 205
 Leu Val Ala Ile Ile Ser Lys Glu Ser Gln His Val Tyr Tyr Leu Thr
 210 215 220
 Phe Glu Leu Val Leu Met Tyr Cys Asp Val Ile Glu Gly Arg Leu Met
 225 230 235 240
 Thr Glu Thr Ala Met Thr Ile Asp Ala Arg Tyr Thr Glu Leu Leu Gly
 245 250 255
 Arg Val Arg Tyr Met Trp Lys Leu Ile Asp Gly Phe Phe Pro Ala Leu
 260 265 270
 Gly Asn Pro Thr Tyr Gln Ile Val Ala Met Leu Glu Pro Leu Ser Leu
 275 280 285
 Ala Tyr Leu Gln Leu Arg Asp Ile Thr Val Glu Leu Arg Gly Ala Phe
 290 295 300
 Leu Asn His Cys Phe Thr Glu Ile His Asp Val Leu Asp Gln Asn Gly
 305 310 315 320
 Phe Ser Asp Glu Gly Thr Tyr His Glu Leu Val Glu Ala Leu Asp Tyr
 325 330 335
 Ile Phe Ile Thr Asp Asp Ile His Leu Thr Gly Glu Ile Phe Ser Phe
 340 345 350
 Phe Arg Ser Phe Gly His Pro Arg Leu Glu Ala Val Thr Ala Ala Glu
 355 360 365
 Asn Val Arg Lys Tyr Met Asn Gln Pro Lys Val Ile Val Tyr Glu Thr
 370 375 380
 Leu Met Lys Gly His Ala Ile Phe Cys Gly Ile Ile Ile Asn Gly Tyr
 385 390 395 400
 Arg Asp Arg His Gly Gly Ser Trp Pro Pro Leu Thr Leu Pro Leu His
 405 410 415
 Ala Ala Asp Thr Ile Arg Asn Ala Gln Ala Ser Gly Glu Gly Leu Thr
 420 425 430
 His Glu Gln Cys Val Asp Asn Trp Lys Ser Phe Ala Gly Val Lys Phe
 435 440 445
 Gly Cys Phe Met Pro Leu Ser Leu Asp Ser Asp Leu Thr Met Tyr Leu
 450 455 460

- 118 -

Lys Asp Lys Ala Leu Ala Ala Leu Gln Arg Glu Trp Asp Ser Val Tyr
 465 470 475 480
 Pro Lys Glu Phe Leu Arg Tyr Asp Pro Pro Lys Gly Thr Gly Ser Arg
 485 490 495
 Arg Leu Val Asp Val Phe Leu Asn Asp Ser Ser Phe Asp Pro Tyr Asp
 500 505 510
 Met Ile Met Tyr Val Val Ser Gly Ala Tyr Leu His Asp Pro Glu Phe
 515 520 525
 Asn Leu Ser Tyr Ser Leu Lys Glu Lys Glu Ile Lys Glu Thr Gly Arg
 530 535 540
 Leu Phe Ala Lys Met Thr Tyr Lys Met Arg Ala Cys Gln Val Ile Ala
 545 550 555 560
 Glu Asn Leu Ile Ser Asn Gly Ile Gly Lys Tyr Phe Lys Asp Asn Gly
 565 570 575
 Met Ala Lys Asp Glu His Asp Leu Thr Lys Ala Leu His Thr Leu Ala
 580 585 590
 Val Ser Gly Val Pro Lys Asp Leu Lys Glu Ser His Arg Gly Gly Pro
 595 600 605
 Val Leu Lys Thr Tyr Ser Arg Ser Pro Ala His Thr Asn Thr Arg Asn
 610 615 620
 Val Arg Ala Ala Lys Gly Phe Ile Gly Phe Pro Gln Ile Ile Arg Gln
 625 630 635 640
 Asp Gln Asp Thr Asn His Pro Glu Asn Met Glu Ala Tyr Glu Thr Val
 645 650 655
 Ser Ala Phe Ile Thr Thr Asp Leu Lys Lys Tyr Cys Leu Asn Trp Arg
 660 665 670
 Tyr Glu Thr Ile Ser Leu Phe Ala Gln Arg Leu Asn Glu Ile Tyr Gly
 675 680 685
 Leu Pro Ser Phe Phe Gln Trp Leu His Lys Arg Leu Glu Thr Ser Val
 690 695 700
 Leu Tyr Val Ser Asp Pro His Cys Pro Pro Asp Leu Asp Ala His Ile
 705 710 715 720
 Pro Leu Cys Lys Val Pro Asn Asp Gln Ile Phe Ile Lys Tyr Pro Met
 725 730 735
 Gly Gly Ile Glu Gly Tyr Cys Gln Lys Leu Trp Thr Ile Ser Thr Ile

- 119 -

740	745	750
Pro Tyr Leu Tyr Leu Ala Ala Tyr Glu Ser Gly Val Arg Ile Ala Ser		
755	760	765
Leu Val Gln Gly Asp Asn Gln Thr Ile Ala Val Thr Lys Arg Val Pro		
770	775	780
Ser Thr Trp Pro Tyr Asn Leu Lys Lys Trp Glu Ala Ala Arg Val Thr		
785	790	795 800
Arg Asp Tyr Phe Val Ile Leu Arg Gln Arg Leu His Asp Ile Gly His		
805	810	815
His Leu Lys Ala Asn Glu Thr Ile Val Ser Ser His Phe Phe Val Tyr		
820	825	830
Ser Lys Gly Ile Tyr Tyr Asp Gly Leu Leu Val Ser Gln Ser Leu Lys		
835	840	845
Ser Ile Ala Arg Cys Val Phe Trp Ser Glu Thr Ile Val Asp Glu Thr		
850	855	860
Arg Ala Ala Cys Ser Asn Ile Ala Thr Thr Met Ala Lys Ser Ile Glu		
865	870	875 880
Arg Gly Tyr Asp Arg Tyr Leu Ala Tyr Ser Leu Asn Val Leu Lys Val		
885	890	895
Ile Gln Gln Ile Leu Ile Ser Leu Gly Phe Thr Ile Asn Ser Thr Met		
900	905	910
Thr Gln Asp Val Val Ile Pro Leu Leu Thr Asn Asn Asp Leu Leu Ile		
915	920	925
Arg Met Ala Leu Leu Pro Ala Pro Ile Gly Gly Met Asn Tyr Leu Asn		
930	935	940
Met Ser Arg Leu Phe Val Arg Asn Ile Gly Asp Pro Val Thr Ser Ser		
945	950	955 960
Ile Ala Asp Leu Lys Arg Met Ile Leu Ala Ser Leu Met Pro Glu Glu		
965	970	975
Thr Leu His Gln Val Met Thr Gln Gln Pro Gly Asp Ser Ser Phe Leu		
980	985	990
Asp Trp Ala Ser Asp Pro Tyr Ser Ala Asn Leu Val Cys Val Gln Ser		
995	1000	1005
Ile Thr Arg Leu Leu Lys Asn Ile Thr Ala Arg Phe Val Leu Ile His		
1010	1015	1020

- 120 -

Ser Pro Asn Pro Met Leu Lys Gly Leu Phe His Asp Asp Ser Lys Glu
 1025 1030 1035 1040

Glu Asp Glu Gly Leu Ala Ala Phe Leu Met Asp Arg His Ile Ile Val
 1045 1050 1055

Pro Arg Ala Ala His Glu Ile Leu Asp His Ser Val Thr Gly Ala Arg
 1060 1065 1070

Glu Ser Ile Ala Gly Met Leu Asp Thr Thr Lys Gly Leu Ile Arg Ala
 1075 1080 1085

Ser Met Arg Lys Gly Gly Leu Thr Ser Arg Val Ile Thr Arg Leu Ser
 1090 1095 1100

Asn Tyr Asp Tyr Glu Gln Phe Arg Ala Gly Met Val Leu Leu Thr Gly
 1105 1110 1115 1120

Arg Lys Arg Asn Val Leu Ile Asp Lys Glu Ser Cys Ser Val Gln Leu
 1125 1130 1135

Ala Arg Ala Leu Arg Ser His Met Trp Ala Arg Leu Ala Arg Gly Arg
 1140 1145 1150

Pro Ile Tyr Gly Leu Glu Val Pro Asp Val Leu Glu Ser Met Arg Gly
 1155 1160 1165

His Leu Ile Arg Arg His Glu Thr Cys Val Ile Cys Glu Cys Gly Ser
 1170 1175 1180

Val Asn Tyr Gly Trp Phe Phe Val Pro Ser Gly Cys Gln Leu Asp Asp
 1185 1190 1195 1200

Ile Asp Lys Glu Thr Ser Ser Leu Arg Val Pro Tyr Ile Gly Ser Thr
 1205 1210 1215

Thr Asp Glu Arg Thr Asp Met Lys Leu Ala Phe Val Arg Ala Pro Ser
 1220 1225 1230

Arg Ser Leu Arg Ser Ala Val Arg Ile Ala Thr Val Tyr Ser Trp Ala
 1235 1240 1245

Tyr Gly Asp Asp Asp Ser Ser Trp Asn Glu Ala Trp Leu Leu Ala Arg
 1250 1255 1260

Gln Arg Ala Asn Val Ser Leu Glu Glu Leu Arg Val Ile Thr Pro Ile
 1265 1270 1275 1280

Ser Thr Ser Thr Asn Leu Ala His Arg Leu Arg Asp Arg Ser Thr Gln
 1285 1290 1295

- 121 -

Val Lys Tyr Ser Gly Thr Ser Leu Val Arg Val Ala Arg Tyr Thr Thr
 1300 1305 1310
 Ile Ser Asn Asp Asn Leu Ser Phe Val Ile Ser Asp Lys Lys Val Asp
 1315 1320 1325
 Thr Asn Phe Ile Tyr Gln Gln Gly Met Leu Leu Gly Leu Gly Val Leu
 1330 1335 1340
 Glu Thr Leu Phe Arg Leu Glu Lys Asp Thr Gly Ser Ser Asn Thr Val
 1345 1350 1355 1360
 Leu His Leu His Val Glu Thr Asp Cys Cys Val Ile Pro Met Ile Asp
 1365 1370 1375
 His Pro Arg Ile Pro Ser Ser Arg Lys Leu Glu Leu Arg Ala Glu Leu
 1380 1385 1390
 Cys Thr Asn Pro Leu Ile Tyr Asp Asn Ala Pro Leu Ile Asp Arg Asp
 1395 1400 1405
 Ala Thr Arg Leu Tyr Thr Gln Ser His Arg Arg His Leu Val Glu Phe
 1410 1415 1420
 Val Thr Trp Ser Thr Pro Gln Leu Tyr His Ile Leu Ala Lys Ser Thr
 1425 1430 1435 1440
 Ala Leu Ser Met Ile Asp Leu Val Thr Lys Phe Glu Lys Asp His Met
 1445 1450 1455
 Asn Glu Ile Ser Ala Leu Ile Gly Asp Asp Asp Ile Asn Ser Phe Ile
 1460 1465 1470
 Thr Glu Phe Leu Leu Ile Glu Pro Arg Leu Phe Thr Ile Tyr Leu Gly
 1475 1480 1485
 Gln Cys Ala Ala Ile Asn Trp Ala Phe Asp Val His Tyr His Arg Pro
 1490 1495 1500
 Ser Gly Lys Tyr Gln Met Gly Glu Leu Leu Ser Ser Phe Leu Ser Arg
 1505 1510 1515 1520
 Met Ser Lys Gly Val Phe Lys Val Leu Val Asn Ala Leu Ser His Pro
 1525 1530 1535
 Lys Ile Tyr Lys Lys Phe Trp His Cys Gly Ile Ile Glu Pro Ile His
 1540 1545 1550
 Gly Pro Ser Leu Asp Ala Gln Asn Leu His Thr Thr Val Cys Asn Met
 1555 1560 1565
 Val Tyr Thr Cys Tyr Met Thr Tyr Leu Asp Leu Leu Leu Asn Glu Glu

- 122 -

1570	1575	1580
Leu Glu Glu Phe Thr Phe Leu Leu Cys Glu Ser Asp Glu Asp Val Val		
1585	1590	1595 1600
Pro Asp Arg Phe Asp Asn Ile Gln Ala Lys His Leu Cys Val Leu Ala		
	1605	1610 1615
Asp Leu Tyr Cys Gln Pro Gly Thr Cys Pro Pro Ile Arg Gly Leu Arg		
	1620	1625 1630
Pro Val Glu Lys Cys Ala Val Leu Thr Asp His Ile Lys Ala Glu Ala		
	1635	1640 1645
Arg Leu Ser Pro Ala Gly Ser Ser Trp Asn Ile Asn Pro Ile Ile Val		
	1650	1655 1660
Asp His Tyr Ser Cys Ser Leu Thr Tyr Leu Arg Arg Gly Ser Ile Lys		
	1665	1670 1675 1680
Gln Ile Arg Leu Arg Val Asp Pro Gly Phe Ile Phe Asp Ala Leu Ala		
	1685	1690 1695
Glu Val Asn Val Ser Gln Pro Lys Ile Gly Ser Asn Asn Ile Ser Asn		
	1700	1705 1710
Met Ser Ile Lys Asp Phe Arg Pro Pro His Asp Asp Val Ala Lys Leu		
	1715	1720 1725
Leu Lys Asp Ile Asn Thr Ser Lys His Asn Leu Pro Ile Ser Gly Gly		
	1730	1735 1740
Asn Leu Ala Asn Tyr Glu Ile His Ala Phe Arg Arg Ile Gly Leu Asn		
	1745	1750 1755 1760
Ser Ser Ala Cys Tyr Lys Ala Val Glu Ile Ser Thr Leu Ile Arg Arg		
	1765	1770 1775
Cys Leu Glu Pro Gly Glu Asp Gly Leu Phe Leu Gly Glu Gly Ser Gly		
	1780	1785 1790
Ser Met Leu Ile Thr Tyr Lys Glu Ile Leu Lys Leu Asn Lys Cys Phe		
	1795	1800 1805
Tyr Asn Ser Gly Val Ser Ala Asn Ser Arg Ser Gly Gln Arg Glu Leu		
	1810	1815 1820
Ala Pro Tyr Pro Ser Glu Val Gly Leu Val Glu His Arg Met Gly Val		
	1825	1830 1835 1840
Gly Asn Ile Val Lys Val Leu Phe Asn Gly Arg Pro Glu Val Thr Trp		
	1845	1850 1855

- 123 -

Val Gly Ser Val Asp Cys Phe Asn Tyr Ile Val Ser Asn Ile Pro Thr
 1860 1865 1870
 Ser Ser Val Gly Phe Ile His Ser Asp Ile Glu Thr Leu Pro Asn Lys
 1875 1880 1885
 Asp Thr Ile Glu Lys Leu Glu Glu Leu Ala Ala Ile Leu Ser Met Ala
 1890 1895 1900
 Leu Leu Leu Gly Lys Ile Gly Ser Ile Leu Val Ile Lys Leu Met Pro
 1905 1910 1915 1920
 Phe Ser Gly Asp Phe Val Gln Gly Phe Ile Ser Tyr Val Gly Ser His
 1925 1930 1935
 Tyr Arg Glu Val Asn Leu Val Tyr Pro Arg Tyr Ser Asn Phe Ile Ser
 1940 1945 1950
 Thr Glu Ser Tyr Leu Val Met Thr Asp Leu Lys Ala Asn Arg Leu Met
 1955 1960 1965
 Asn Pro Glu Lys Ile Lys Gln Gln Ile Ile Glu Ser Ser Val Arg Thr
 1970 1975 1980
 Ser Pro Gly Leu Ile Gly His Ile Leu Ser Ile Lys Gln Leu Ser Cys
 1985 1990 1995 2000
 Ile Gln Ala Ile Val Gly Asp Ala Val Ser Arg Gly Asp Ile Asn Pro
 2005 2010 2015
 Thr Leu Lys Lys Leu Thr Pro Ile Glu Gln Val Leu Ile Asn Cys Gly
 2020 2025 2030
 Leu Ala Ile Asn Gly Pro Lys Leu Cys Lys Glu Leu Ile His His Asp
 2035 2040 2045
 Val Ala Ser Gly Gln Asp Gly Leu Leu Asn Ser Ile Leu Ile Leu Tyr
 2050 2055 2060
 Arg Glu Leu Ala Arg Phe Lys Asp Asn Gln Arg Ser Gln Gln Gly Met
 2065 2070 2075 2080
 Phe His Ala Tyr Pro Val Leu Val Ser Ser Arg Gln Arg Glu Leu Ile
 2085 2090 2095
 Ser Arg Ile Thr Arg Lys Phe Trp Gly His Ile Leu Leu Tyr Ser Gly
 2100 2105 2110
 Asn Arg Lys Leu Ile Asn Lys Phe Ile Gln Asn Leu Lys Ser Gly Tyr
 2115 2120 2125

- 124 -

Leu Ile Leu Asp Leu His Gln Asn Ile Phe Val Lys Asn Leu Ser Lys
 2130 2135 2140
 Ser Glu Lys Gln Ile Ile Met Thr Gly Gly Leu Lys Arg Glu Trp Val
 2145 2150 2155 2160
 Phe Lys Val Thr Val Lys Glu Thr Lys Glu Trp Tyr Lys Leu Val Gly
 2165 2170 2175
 Tyr Ser Ala Leu Ile Lys Asp
 2180

(2) INFORMATION FOR SEQ ID NO:5:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 15894 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:5:

ACCAAACAAA GTTGGGTAAG GATAGATCAA TCAATGATCA TATTCTAGTA CACTTAGGAT	60
TCAAGATCCT ATTATCAGGG ACAAGAGCAG GATTAGGGAT ATCCGAGATG GCCACACTTT	120
TAAGGAGCTT AGCATTGTTC AAAAGAAACA AGGACAAACC ACCCATTACA TCAGGATCCG	180
GTGGAGCCAT CAGAGGAATC AAACACATTA TTATAGTACC AATCCCTGGA GATTCCTCAA	240
TTACCACTCG ATCCAGACTA CTGGACCGGT TGGTCAGGTT AATTGGAAAC CCGGATGTGA	300
GCGGGCCCAA ACTAACAGGG GCACTAATAG GTATATTATC CTTGTTTGTG GAGTCTCCAG	360
GTCAATTGAT TCAGAGGATC ACCGATGACC CTGACGTTAG CATCAGGCTG TTAGAGGTTG	420
TCCAGAGTGA CCAGTCACAA TCTGGCCTTA CCTTCGCATC AAGAGGTACC AACATGGAGG	480
ATGAGGCGGA CCAATACTTT TCACATGATG ATCCAAGTAG TAGTGATCAA TCCAGGTCCG	540
GATGGTTCGA GAACAAGGAA ATCTCAGATA TTGAAGTGCA AGACCCTGAG GGATTCAACA	600
TGATTCTGGG TACCATTCTA GCCCAAATTT GGGTCTTGCT CGCGAAGGCG GTTACGGCCC	660
CAGACACGGC AGCTGATTCG GAGCTAAGAA GGTGGATAAA GTACACCCAA CAAAGAAGGG	720
TAGTTGGTGA ATTCAGATTG GAGAGAAAAT GGTGGATGT GGTGAGGAAC AGGATTGCCG	780

- 125 -

AGGACCTCTC CTTACGCCGA TTCATGGTCG CTCTAATCCT GGATATCAAG AGGACACCCG	840
GGAACAAACC AAGGATTGCT GAAATGATAT GTGACATTGA TACATATATC GTAGAGGCAG	900
GATTAGCCAG TTTTATCCTA ACTATTAAGT TTGGGATAGA AACTATGTAT CCTGCTCTTG	960
GACTGCATGA ATTTGCTGGT GAGTTATCCA CACTTGAGTC CTTGATGAAT CTTTACCAGC	1020
AAATGGGAGA AACTGCACCC TACATGGTAA TCCTGGAGAA CTCAATTCAG AACAAATTCA	1080
GTGCAGGATC ATACCCCTG CTCTGGAGCT ATGCCATGGG AGTAGGGGTG GAACCTGAAA	1140
ACTCCATGGG AGGTTTGAAC TTTGGTCGAT CTTACTTTGA TCCAGCATAT TTTAGATTAG	1200
GGCAAGAGAT GGTGAGGAGG TCAGCTGGGA AAGTCAGTTC CACATTAGCA TCTGAACTCG	1260
GTATCACTGC TGAGGATGCA AGGCTTGTTT CAGAGATTGC AATGCACACT ACTGAGGACA	1320
GGACCAGTAG AGCGGTTGGA CCCAGACAAG CCCAAGTGTC ATTTCTACAC GGTGATCAAA	1380
GTGAGAATGA GCTACCAGGA TTGGGGGGCA AGGAAGATAG GAGGGTCAAA CAGAGTCGGG	1440
GAGAAGCCAG GGAGAGCTAC AGAGAAACCG GGTCTAGCAG AGCAAGCGAT GCGAGAGCTG	1500
CCCATCTTCC AACCAGCGCA CCCCTAGACA TTGACACTGC ATCGGAGTCA GGCCAAGATC	1560
CGCAGGACAG TCGACGGTCA GCTGACGCCC TGCTCAGGCT GCAAGCCATG GCAGGAATCT	1620
TGGAAGAACA AGGCTCAGAC ACGGACACCC CTAGGGTGTA CAATGACAGA GATCTTCTAG	1680
ACTAGGTGCG AGAGGCCGAG GACCAGAACA ACATCCGCCT ACCCTCCATC ATTGTTATAA	1740
AAAACCTTAGG AACCAGGTCC ACACAGCCGC CAGCCAACCA ACCATCCACT CCTACGACTG	1800
GGGCCGATGG CAGAAGAGCA GGCACGCCAT GTCAAAAACG GACTGGAATG CATCCGGGCT	1860
CTCAAGGCCG AGCCCATCGG CTCCTGGCC GTCGAGGAAG CCATGGCAGC ATGGTCACAA	1920
ATATCAGACA ACCCAGGACA GGACCGAACC ACCCGCAAGG AAGAGGAGGC AGGCAGTTCTG	1980
GGTCTCAGCA AACCATGCCT CTCAGCAATT GGATCAACTG AAGGCAGTGC ACCTCGCATC	2040
TGCGGTCAGG GATCTGGAGA GAGCGATGAC AACGCTGAAA CTTTGGGAAT CCCCTCAAGA	2100
AATCTCCAGG CATCAAGCAC TGGGTTACAG TGTTATCATG TTTATGATCA CAGCGGTGAA	2160
GCGGTTAAGG GAATCCAAGA TGCTGACTCT ATCATGGTTC AATCAGGCCT TGATGGTGAT	2220
AGCACCTCT CAGGAGGAGA CGATGAATCT GAAAACAGCG ATGTGGATAT TGGCGAACCT	2280
GATACCGAGG GATATGCTAT CACTGACCGG GGATCTGCTC CCATCTCTAT GGGGTCAGG	2340

- 126 -

GCTTCTGATG TTGAAACTGC AGAAGGAGGG GAGATCCACG AGCTCCTGAG ACTCCAATCT	2400
AGAGGCAACA ACTTCCCGAA GCTTGGGAAA ACTCTCAATG TTCCTCCGCC CCCGAACCCC	2460
GGTAGGGCCA GCACTTCCGA GACACCCATT AAAAAGGGGA CAGACGCGAG ATTAGCCTCA	2520
TTTGAGCGG AGATCGCGTC TTTATTGACA GGTGGTGCAA CCCAATGTGC TCGAAAGTCA	2580
CCCTCGGAAC CATCAGGGCC AGGTGCACCT GTGGGGAATG TCCCCGAGTG TGTGAGCAAT	2640
GCCGCACTGA TACAGGAGTG GACACCCGAA TCTGGTACCA CAATCTCCCC GAGATCCCAG	2700
AATAATGAAG AAGGGGGAGA TTATTATGAT GATGAGCTGT TCTCCGATGT CCAAGACATC	2760
AAAACAGCCT TGGCCAAAAT ACACGAGGAT AATCAGAAGA TAATCTCCAA GCTAGAATCA	2820
CTGCTGTTAT TGAAGGGAGA AGTTGAGTCA ATTAAAAAGC AGATCAACAG GCAAAATATC	2880
AGCATATCCA CCCTGGAAGG ACACCTCTCA AGCATCATGA TCGCCATTCC TGGACTTGGG	2940
AAGGATCCCA ACGACCCAC TGCAGATGTC GAACTCAATC CCGACCTGAA ACCCATCATA	3000
GGCAGAGATT CAGGCCGAGC ACTGGCCGAA GTTCTCAAGA AACCCTTGC CAGCCGACAA	3060
CTCCAAGGAA TGACAAATGG ACGGACCAGT TCCAGAGGAC AGCTGCTGAA GGAATTTCAA	3120
CTAAAGCCGA TCGGGAAAAA GATGAGCTCA GCCGTGCGGT TTGTTCTTGA CACCGGCCCC	3180
GCATCACGCA GTGTAATCCG CTCCATTATA AAATCCAGCC GGCTAGAGGA GGATCGGAAG	3240
CGTTACCTGA TGAATCTCCT TGATGATATC AAAGGAGCCA ACGATCTTGC CAAGTTCCAC	3300
CAGATGCTGA TGAAGATAAT AATGAAGTAG CTACAGCTCA ACTTACCTGC CAACCTCATG	3360
CCAATCGACC TAATTAGTAC AGCCTAAATC CATTATAAAA AACTTAGGAG CAAAGTGATT	3420
GCCTCCCAAG TTCCACAATG ACAGAGATCT ACGACTTCGA CAAGTCGGCA TGGGACATCA	3480
AAGGGTCGAT CGCTCCGATA CAACCTACCA CCTACAGTGA TGGCAGGCTG GTGCCCCAGG	3540
TCAGAGTCAT AGATCCTGGT CTAGGCGACA GGAAGGATGA ATGCTTTACG TACATGTTTC	3600
TGCTGGGGGT TGTGAGGAC AGCGATCCCC TAGGGCCTCC AATCGGGCGA GCATTTGGGT	3660
CCCTGCCCTT AGGTGTTGGT AGATCCACAG CAAAACCCGA AGAACTCCTC AAAGAGGCCA	3720
CTGAGCTTGA CATAGTCGTT AGACGTACAG CAGGGCTCAA TGAAAAACTG GTGTTCTACA	3780
ACAACACCCC ACTAACTCTC CTCACACCTT GGAGAAAGGT CCTAACAACA GGGAGTGTCT	3840
TCAACGCAAA CCAAGTGTGC AATGCGGTTA ATCTGATACC GCTGGATACC CCGCAGAGGT	3900

- 127 -

TCCGTGTTGT	TTATATGAGC	ATCACCCGTC	TTTCGGATAA	CGGGTATTAC	ACCGTTCCTA	3960
GAAGAATGCT	AGAATTCAGA	TCGGTCAATG	CAGTGGCTTT	CAACCTGCTG	GTGACCCTTA	4020
GGATTGACAA	AGCGATTGGC	CCTGGGAAGA	TCATCGATAA	TGCAGAGCAA	CTTCCTGAGG	4080
CAACATTTAT	GGTCCACATC	GGGAACCTCA	GGAGAAAGAA	GAGTGAAGTC	TACTCTGCTG	4140
ATTATTGCAA	AATGAAAATC	GAAAAGATGG	GCCTGGTTTT	TGCACTTGGT	GGGATAGGGG	4200
GCACCAGTCT	TCACATTAGA	AGCACAGGCA	AAATGAGCAA	GACTCTCCAT	GCACAACTCG	4260
GGTTCAAAAA	GACCTTATGT	TACCCACTGA	TGGATATCAA	TGAAGACCTT	AATCGATTAC	4320
TCTGGAGGAG	CAGATGCAAG	ATAGTAAGAA	TCCAGGCAGT	TTTGCAGCCA	TCAGTTCCCC	4380
AAGAATTCCG	CATTTACGAC	GACGTGATCA	TAAATGATGA	CCAAGGACTA	TTCAAAGTTC	4440
TGTAGACCGT	AGTGCCCGAG	AATACCCGAA	AACGACCCCC	CTCATAATGA	CAGCCAGAAG	4500
GCCCGGACAA	AAAAGCCCCC	TCCAAAAGAC	TCCACGGACC	AAGTGAGAGG	CCAGCCAGCA	4560
GCTGACGGCA	AGCGTGAACA	CCAGGCGGCC	TGGGCACAGA	ACAGCCCCGA	CACAAGGCAA	4620
CCACCAGCCA	TCCCAATCTG	CGTCCTCCTC	GTGGGACCCC	CGAGGACCAA	CCCCCAAGGT	4680
CGCCCCCGAC	CCAGACCACC	AACCGCATCC	CCACAGCCCC	CGGGAAAGAG	ACCCCCAGCA	4740
ACTGGAAGGC	CCCTCCCCCT	TTCCCTCAAC	GCAAGAACTC	CACAACCGAA	CCGCACAAGC	4800
GATCGAGGTG	ACCCAACCGC	AGGCATCCGA	CTCCCTAGAC	AGATCCTCTC	CCCCCGGCAA	4860
ACTAAACAAA	ACTTAGGGCC	AAGGAACATA	CACACCCGAC	AGAACCCAGA	CCCCGGCCCCA	4920
CGGCGCCGCG	CCCCCACCTC	CCGACAACCA	GAGGGAGCCC	CCAACCAATC	CCGCCGGCTC	4980
CCCCGGTGCC	CACAGGCAGG	CACACCAACC	CTCGAACAGA	CCCAGCACCC	AGCCATCGAC	5040
AATTCAAGAC	GGGGGGCCCC	CCCCAAAAAA	AGGCCCCCAG	GGGCCGACAG	CCAGCACCGC	5100
GAGGAAGCCC	ACCCACCCCA	CACACGACCA	CAGGAACCGA	ACCAGAATCC	AGACCACCCT	5160
GGGCCACCAG	TTCCAGACT	CGGCCATCAC	CCCGCAGAAA	GGAAAGGCCA	CAACCCGCGC	5220
ACCCCTGCCC	TGATCCGGTG	GGCGGCCACC	CAACCCGAAC	CAGCACCCAA	GAGCGATCCC	5280
CGAAGGGCCC	CCGAACCGCA	AAAGACATCA	GTATCCCACA	GCCTCTCCAA	GTCCCCCGGT	5340
CTCCCCCTCT	TCTCGAAGGG	ACCAAAAGAT	CAATCCACCA	CACCCGACGA	CACTCAATTC	5400
CCCACCCCTA	AAGGAGACAC	CGGGAATCCC	AGAATCAAGA	CTCATCCAAT	GTCCATCATG	5460

- 128 -

GGTCTCAAGG TGAACGTCTC TGCCATATTC ATGGCAGTAC TGTAACTCT CCAAACACCC	5520
ACCGGTCAAA TCCATTGGGG CAATCTCTCT AAGATAGGGG TGGTAGGGAT AGGAAGTGCA	5580
AGCTACAAAG TTATGACTCG TTCCAGCCAT CAATCATTAG TCATAAAATT AATGCCCAAT	5640
ATAACTCTCC TCAATAACTG CACGAGGGTA GAGATTGCAG AATACAGGAG ACTACTGAGA	5700
ACAGTTTTGG AACCAATTAG AGATGCACTT AATGCAATGA CCCAGAATAT AAGACCGGTT	5760
CAGAGTGTAG CTTCAAGTAG GAGACACAAG AGATTTGCTG GAGTTGTCCT GGCGGGTGCG	5820
GCCCTAGGCG TTGCCACAGC TGCTCAGATA ACAGCCGGCA TTGCACTTCA CCAGTCCATG	5880
TTGAACTCTC AAGCCATCGA CAATCTGAGA GCGAGCCTGG AAATACTAA TCAGGCAATT	5940
GAGGCAATCA GACAAGCAGG GCAGGAGATG ATATTGGCTG TTCAGGGTGT CCAAGACTAC	6000
ATCAATAATG AGCTGATACC GTCTATGAAC CAACTATCTT GTGATTTAAT CGGCCAGAAG	6060
CTAGGGCTCA AATTGCTCAG ATACTATACA GAAATCCTGT CACTATTTGG CCCCAGCTTA	6120
CGGGACCCCA TATCTGCGGA GATATCTATC CAGGCTTTGA GCTATGCGCT TGGAGGAGAT	6180
ATCAATAAGG TGTTAGAAA GCTCGGATAC AGTGGAGGTG ATTTACTGGG CATCTTAGAG	6240
AGCAGAGGAA TAAAGGCCCG GATAACTCAC GTCGACACAG AGTCCTACTT CATTGTACTC	6300
AGTATAGCCT ATCCGACGCT GTCCGAGATT AAGGGGGTGA TTGTCCACCG GCTAGAAGGG	6360
GTCTCGTACA ACATAGGCTC TCAAGAGTGG TATACCACTG TGCCCAAGTA TGTTGCAACC	6420
CAAGGGTACC TTATCTCGAA TTTTGATGAG TCATCGTGTA CTTTCATGCC AGAGGGGACT	6480
GTGTGCAGCC AAAATGCCTT GTACCCGATG AGTCCTCTGC TCCAAGAATG CCTCCGGGGG	6540
TCCACCAAGT CCTGTGCTCG TACACTTGTA TCCGGGTCTT TTGGGAACCG GTTCATTTTA	6600
TCACAAGGGA ATCTAATAGC CAATTGTGCA TCAATCCTTT GCAAGTGTTA CACAACAGGA	6660
ACGATCATT AATCAGGACCC TGACAAGATC CTAACATACA TTGCTGCCGA TCACTGCCCC	6720
GTGGTCGAGG TGAACGGCGT GACCATCCAA GTCGGGAGCA GGCGGTATCC GGACGCTGTG	6780
TACTTGACCA GAATTGACCT CGGTCCTCCC ATATCATTGG AGAGGTTGGA CGTAGGGACA	6840
AATCTGGGGA ATGCAATTGC TAAGTTGGAG GATGCCAAGG AATTGTTGGA GTCATCGGAC	6900
CAGATATTGA GGAGTATGAA AGGTTTATCG AGCACTAGCA TAGTTTACAT CCTGATTGCA	6960
GTGTGTCTTG GAGGGTTGAT AGGGATCCCC GCTTTAATAT GTTGCTGCAG GGGGCGTTGT	7020

- 129 -

AACAAAAGG GAGAACAAGT TGGTATGTCA AGACCAGGCC TAAAGCCTGA TCTTACAGGA	7080
ACATCAAAAT CCTATGTAAG GTCGCTCTGA TCCTCTACAA CTCTTGAAAC ACAAAATGTCC	7140
CACAAGTCTC CTCTTCGTCA TCAAGCAACC ACCGCATCCA GCATCGAGCC CACCTGAAAT	7200
TGTCTCCGGA TTCCCTCTGG CCGAACAATA TCGGTAGTTA ATTAAACTT AGGGTGCAAG	7260
ATCATCCACA ATGTCACCAC AACGAGACCG GATAAATGCC TTCTACAAAG ACAACCCCCA	7320
TCCTAGGGGA AGTAGGATAG TTATTAACAG AGAACATCTT ATGATTGATA GACCTTATGT	7380
TTTGCTGSGT GTTCTATTCTG TCATGTTTCT GAGCTTGATC GGGTTGCTAG CCATTGCAGG	7440
CATAAGACTT CATCGGGCAG CCATCTACAC CGCAGAGATC CATAAAAGCC TCAGCACCAA	7500
TCTAGATGTA ACTAACTCAA TCGAGCATCA GGTCAAGGAC GTGCTGACAC CACTCTTCAA	7560
GATCATCGGT GATGAAGTGG GCCTGAGGAC ACCTCAGAGA TTCACCGACC TAGTGAAATT	7620
CATCTCTGAC AAGATTAAAT TCCTTAATCC GGATAGGGAG TACGACTTCA GAGATCTCAC	7680
TTGGTGTATC AACCCGCCAG AGAGAATCAA ATTGGATTAT GATCAATACT GTGCAGATGT	7740
GGCTGCTGAA GAACTCATGA ATGCATTGGT GAACTCAACT CTACTGGAGG CCAGGGTAAC	7800
CAATCAGTTC CTAGCTGTCT CAAAGGGAAA CTGCTCAGGG CCCACTACAA TCAGAGGTCA	7860
ATTCTCAAAC ATGTCGCTGT CCCTGTTGGA CTTGTATTTA AATCGAGGTT ACAATGTGTC	7920
ATCTATAGTC ACTATGACAT CCCAGGGAAT GTACGGGGGA ACTTACCTAG TGGAAAAGCC	7980
TAATCTGAGC AGTAAAGGGT CAGAGTTGTC ACAACTGAGC ATGCACCGAG TGTGTAAGT	8040
AGGTGTTATC AGAAATCCGG GTTTGGGGGC TCCGGTGTTT CATATGACAA ACTATTTTGA	8100
GCAACCAGTC AGTAATGATT TCAGCAACTG CATGGTGGCT TTGGGGGAGC TCAAATTCGC	8160
AGCCCTTTGT CACAGGGAAG ATTCTATCAC AATCCCTAT CAGGGATCAG GGAAAGGTGT	8220
CAGCTTCCAG CTCGTCAAGC TAGGTGTCTG GAAATCCCCA ACCGACATGC AATCCTGGGT	8280
CCCCCTATCA ACGGATGATC CAGTGATAGA CAGGCTCTAC CTCTCATCTC ACAGAGGCGT	8340
TATCGCTGAC AATCAAGCAA AATGGGCTGT CCCGACAACA CGGACAGATG ACAAGTTGCG	8400
AATGGAGACA TGCTTCCAGC AGGCGTGTA GGTAAATC CAAGCACTCT GCGAGAATCC	8460
CGAGTGGGCA CCATTGAAGG ATAACAGGAT TCCTTCATAC GGGGTCTTGT CTGTTAATCT	8520
GAGTCTGACA GTTGAGCTTA AAATCAAAAT TGCTTCAGGA TTCGGGCCAT TGATCACACA	8580

- 130 -

CGGTTTCAGGG ATGGACCTAT ACAAATCCAA CCACAACAAT GTGTATTGGC TGA CTATCCC	8640
GCCAATGAAG AACCTAGCCT TAGGTGTAAT CAACACATTG GAGTGGATAC CGAGATTCAA	8700
GGTTAGTCCC TACCTCTTCA CTGTTCCAAT TAAGGAAGCA GGCAGGAGT GCCATGCCCC	8760
AACATACCTA CCTGCGGAGG TGGATGGTGA TGTCAAATC AGTTCCAATC TGGTGATTCT	8820
ACCTGGTCAA GATCTCCAAT ATGTTTTGGC AACCTATGAT ACTTCCAGAG TTGAACATGC	8880
TGTGGTTTAT TACGTTTACA GCCCAAGCCG CTCATTTTCT TACTTTTATC CTTTTAGGTT	8940
GCCTATAAGG GGGGTCCCCA TCGAATTACA AGTGAATGC TTCACATGGG ACCAAAACT	9000
CTGGTGCCGT CACTTCTGTG TGCTTGCGGA CTCAGAATCT GGTGGATATA TCACTCACTC	9060
TGGGATGGTG GGCATGGGAG TCAGCTGCAC AGTCACTCGG GAAGATGGAA CCAACCGCAG	9120
ATAGGGCTGC CAGTGAACCA ATCACATGAT GTCACCCAGA CATCAGGCAT ACCCACTAGT	9180
GTGAAATAGA CATCAGAATT AAGAAAAACG TAGGGTCCAA GTGGTTCCCC GTTATGGACT	9240
CGCTATCTGT CAACCAGATC TTATACCCTG AAGTTCACCT AGATAGCCCG ATAGTTACCA	9300
ATAAGATAGT AGCTATCCTG GAGTATGCTC GAGTCCCTCA CGCATAACAGC CTGGAGGACC	9360
CTACACTGTG TCAGAACATC AAGCACCGCC TAAAAACGG ATTTTCCAAC CAAATGATTA	9420
TAAACAATGT GGAAGTTGGG AATGTCATCA AGTCCAAGCT TAGGAGTTAT CCGACCCACT	9480
CTCATATTCC ATATCCAAAT TGTAATCAGG ATTTATTTAA CATAGAAGAC AAAGAGTCAA	9540
CAAGGAAGAT CCGTGAGCTC CTCAAAAAGG GAAATTCGCT GTACTCCAAA GTCAGTGATA	9600
AGGTTTTCCA ATGCCTGAGG GACACTAACT CACGGCTTGG CCTAGGCTCC GAATTGAGGG	9660
AGGACATCAA GGAGAAAATT ATTAACCTGG GAGTTTACAT GCACAGCTCC CAATGGTTTG	9720
AGCCCTTTCT GTTTTGGTTT ACAGTCAAGA CTGAGATGAG GTCAGTGATT AAATCACAAA	9780
CCCATACTTG CCATAGGAGG AGACACACAC CAGTATTCTT CACTGGTAGT TCAGTTGAGT	9840
TGCTAATCTC TCGTGACCTT GTTGCTATAA TCAGTAAAGA GTCTCAACAT GTATATTACC	9900
TGACGTTTGA ACTGGTCTTG ATGTATTGTG ATGTCATAGA GGGGAGGTTA ATGACAGAGA	9960
CCGCTATGAC CATTGATGCT AGGTATACAG AGCTTCTAGG AAGAGTCAGA TACATGTGGA	10020
AACTGATAGA TGGTTTCTTC CCTGCACTCG GGAATCCAAC TTACCAAATT GTAGCCATGC	10080
TGGAGCCTCT TTCCTTGCT TACCTGCAGC TGAGGGATAT AACAGTAGAA CTCAGAGGTG	10140

- 131 -

CTTTCCTTAA	CCACTGCTTT	ACTGAAATAC	ATGATGTTCT	TGACCAAAAC	GGGTTTTCTG	10200
ATGAAGGTAC	TTATCATGAG	TTAATTGAAG	CCCTAGATTA	CATTTTCATA	ACTGATGACA	10260
TACATCTGAC	AGGGGAGATT	TTCTCATTTT	TCAGAAGTTT	CGGCCACCCC	AGACTTGAAG	10320
CAGTAACGGC	TGCTGAAAAT	GTTAGGAAAT	ACATGAATCA	GCCTAAAGTC	ATTGTGTATG	10380
AGACTCTGAT	GAAAGGTCAT	GCCATATTCT	GTGGAATCAT	AATCAACGGC	TATCGTGACA	10440
GGCACGGAGG	CAGTTGGCCA	CCCCTGACCC	TCCCCCTGCA	TGCTGCAGAC	ACAATCCGGA	10500
ATGCTCAAGC	TTCAGGTGAA	GGGTTAACAC	ATGAGCAGTG	CGTTGATAAC	TGGAAATCTT	10560
TTGCTGGAGT	GAAATTTGGC	TGCTTTATGC	CTCTTAGCCT	GGATAGTGAT	CTGACAATGT	10620
ACCTAAAGGA	CAAGGCACTT	GCTGCTCTCC	AAAGGGAATG	GGATTCAGTT	TACCCGAAAG	10680
AGTTCCTGCG	TTACGACCCT	CCCAAAGGAA	CTGGGTCACG	GAGGCTTGTA	AATGTTTTCC	10740
TTAATGATTG	GAGCTTTGAC	CCATATGACA	TGATAATGTA	TGTTGTAAGT	GGAGCTTACC	10800
TCCATGACCC	TGAGTTCAAC	CTGTCTTACA	GCCTGAAAGA	AAAGGAGATC	AAGGAAACAG	10860
GTAGACTTTT	TGCTAAAATG	ACTTACAAAA	TGAGGGCATG	CCAAGTGATT	GCTGAAAATC	10920
TAATCTCAAA	CGGGATTGGC	AATTATTTTA	AGGACAATGG	GATGGCCAAG	GACGAGCACG	10980
ATTTGACTAA	GGCACTCCAC	ACTCTAGCTG	TCTCAGGAGT	CCCCAAAGAT	CTCAAAGAAA	11040
GTCACAGGGG	GGGGCCAGTC	TTAAAAACCC	ACTCCCGAAG	CCCAGTCCAC	ACAAGTACCA	11100
AGAACGTGAG	AGCAGCAAAA	GGGTTTATAG	GATTCCCTCA	TGTAATTCCG	CAGGACCAAG	11160
ACACTGATCA	TCCGGAGAAT	ATGGAGGCTT	ACGAGACAGT	CAGTGCATTT	ATCACGACTG	11220
ATCTCAAGAA	GTA CTGCCTT	AATTGGAGAT	ATGAGACCAT	CAGCTTATTT	GCACAAAGGC	11280
TAAATGAGAT	TTACGGATTA	CCCTCATTTT	TCCAGTGGCT	GCATAAGAGG	CTTGAAACCT	11340
CTGTCTCTTA	TGTAAGTGAC	CCTCATTGCC	CCCCTGACCT	TGACGCCCAT	GTCCC GTTAT	11400
GCAAAGTCCC	CAATGACCAA	ATCTTCATTA	AGTACCCTAT	GGGAGGTATA	GAAGGGTATT	11460
GTCAGAAGCT	GTGGACCATC	AGCACCATTC	CCTATTTATA	CCTGGCTGCT	TATGAGAGCG	11520
GAGTAAGGAT	TGCTTCGTTA	GTGCAAGGGG	ACAATCAGAC	CATAGCCGTA	ACAAAAAGGG	11580
TACCCAGCAC	ATGGCCTTAC	AACCTTAAGA	AACGGGAAGC	TGCTAGAGTA	ACTAGAGATT	11640
ACTTTGTAAT	TCTTAGGCAA	AGGCTACATG	ACATAGGCCA	TCACCTCAAG	GCAAATGAGA	11700

- 132 -

CAATTGTCTC ATCACATTTT TTTGTCTATT CAAAAGGAAT ATATTATGAT GGGCTACTTG 11760
TGTCCTCAATC ACTCAAGAGC ATCGCAAGAT GTGTATTCTG GTCAGAGACT ATAGTTGATG 11820
AAACAAGGGC AGCATGCAGT AATATTGCTA CAACAATGGC TAAAAGCATC GAGAGAGGTT 11880
ATGACCGTTA CCTTGCAAT TCCCTGAACG TCCTAAAAGT GATACAGCAA ATCCTGATCT 11940
CTCTTGCGTT CACAATCAAT TCAACCATGA CCCGGGATGT AGTCATACCC CTCCTCACAA 12000
ACAACGATCT CTTAATAAGG ATGGCACTGT TGCCCGCTCC TATCGGGGGG ATGAATTATC 12060
TGAATATGAG CAGGCTGTTT GTCAGAAACA TCGGTGATCC AGTAACATCA TCAATTGCTG 12120
ATCTCAAGAG AATGATTCTC TCATCACTAA TGCCTGAAGA GACCCCTTCAT CAAGTAATGA 12180
CACAAACAAC GGGGGACTCT TCATTCTAG ACTGGGCTAG CGACCCCTTAC TCAGCAAATC 12240
TTGTATGCGT CCAGAGCATC ACTAGACTCC TCAAGAACAT AACTGCAAGG TTTGTCCTGA 12300
TCCATAGTCC AAACCCAATG TTAAAAGGGT TATTCCATGA TGACAGTAAA GAAGAGGACG 12360
AGGGACTGGC GGCATTCTC ATGGACAGGC ATATTATAGT ACCTAGGGCA GCTCATGAAA 12420
TCCTGGATCA TAGTGTACA GGGGCAAGAG AGTCTATTGC AGGCATGCTA GATACCACAA 12480
AAGGCCTGAT TCGAGCCAGC ATGAGGAAGG GGGGGTTAAC CTCTCGAGTG ATAACCAGAT 12540
TGTCCAATTA TGACTATGAA CAATTTAGAG CAGGGATGGT GCTATTGACA GGAAGAAAGA 12600
GAAATGTCCT CATTGACAAA GAGTCATGTT CAGTGCAGCT GGCTAGAGCC CTAAGAAGCC 12660
ATATGTGGGC AAGGCTAGCT CGAGGACGGC CTATTACGG CCTTGAGGTC CCTGATGTAC 12720
TAGAATCTAT GCGAGGCCAC CTTATTCGGC GCCATGAGAC ATGTGTCATC TGCGAGTGTG 12780
GATCAGTCAA CTACGGATGG TTTTGTGTC CCTCGGGTTG CCAACTGGAT GATATTGACA 12840
AGGAAACATC ATCCTTGAGA GTCCCATATA TTGGTTCTAC CACTGATGAG AGAACAGACA 12900
TGAAGCTTGC CTTGTAAGA GCCCAAGTC GATCCTTGCG ATCTGCTGTT AGAATAGCAA 12960
CAGTGTAATC ATGGGCTTAT GGTGATGATG ATAGCTCTTG GAACGAAGCC TGGTTGTTGG 13020
CAAGGCAAAG GGCCAATGTG AGCCTGGAGG AGCTAAGGGT GATCACTCCC ATCTCAACTT 13080
CGACTAATTT AGCGCATAGG TTGAGGGATC GTACCACTCA AGTGAAATAC TCAGGTACAT 13140
CCCTTGTCGG AGTGGCAAGG TATACCACAA TCTCCAACGA CAATCTCTCA TTTGTCATAT 13200
CAGATAAGAA GGTGATACT AACTTTATAT ACCAACAGGG AATGCTTCTA GGGTTGGGTG 13260

- 133 -

TTT TAGAAAC ATTGTTTCGA CTCGAGAAAG ATACCGGATC ATCTAACACG GTATTACATC 13320
TTCACGTCGA AACAGATTGT TGC GTGATCC CGATGATAGA TCATCCCAGG ATACCCAGCT 13380
CCCGCAAGCT AGAGCTTAGG GCAGAGCTAT GTACCAACCC ATTGATATAT GATAATGCAC 13440
CTTTAATTGA CAGAGATGCA ACAAGGCTAT ACACCCAGAG CCATAGGAGG CACCTTGTGG 13500
AATTTGTTAC ATGGTCCACA CCCCAACTAT ATCACATTTT AGCTAAGTCC ACAGCACTAT 13560
CTATGATTGA CCTGGTAACA AAATTTGAGA AGGACCATAT GAATGAAATT TCAGCTCTCA 13620
TAGGGGATGA CGATATCAAT AGTTTCATAA CTGAGTTTCT GCTTATAGAG CCAAGATTAT 13680
TCACTATCTA CTTGGGCCAG TGTGCAGCCA TCAATTGGGC ATTTGATGTA CATTATCATA 13740
GACCATCAGG GAAATATCAG ATGGGTGAGC TGTGTCTTTC GTTCCTTTCT AGAATGAGCA 13800
AAGGAGTGTT TAAGGTGCTT GTCAATGCTC TAAGCCACCC AAAGATCTAC AAGAAATTCT 13860
GGCATTGTGG TATTATAGAG CCTATCCATG GTCCTTCACT TGATGCTCAA AACTTACACA 13920
CAACTGTGTG CAACATGATT TACACATGCT ATATGACCTA CCTCGACCTG TTGTTGAATG 13980
AAGAGTTAGA AGAGTTCACA TTTCTTCTGT GTGAAAGCGA CGAGGATGTA GTACCGGACA 14040
GATTCGACAA TATCCAGGCA AAACACTTGT GTGTTCTAGC AGATTTGTAC TGTCAACCAG 14100
GGACCTGCCC ACCAATTCGA GGTCTACGAC CTGTAGAGAA ATGTGCAGTT CTAACCGATC 14160
ATATCAAGGC AGAGGCTAGG TTATCTCCAG CAGGGTCTTC GTGGAACATA AATCCAATTA 14220
TTGTAGACCA TTA CTGATG TCTCTGACTT ATCTCCGGCG AGGATCGATC AAACAGATAA 14280
GATTGAGAGT TGATCCAGGA TTCATTTTTG ACGCCCTCGC TGAGGTAAAT GTCAGTCAGC 14340
CAAAGATCGG CAGCAACAAC ATCTCAAATA TGAGCATCAA GGATTTGAGA CCTCCACACG 14400
ATGATGTTGC AAAATTGCTC AAAGATATCA ACACAAGCAA GCACAATCTT CCCATTTTCAG 14460
GGGGTAATCT CGCCAATTAT GAAATCCACG CTTTCCGCAG AATCGGGTTA AACTCATCCG 14520
CTTGCTACAA AGCTGTTGAG ATATCAACAT TAATTAGGAG ATGCCTTGAG CCAGGGGAAG 14580
ACGGCTTGTT CTTGGGTGAG GGGTCGGGTT CTATGTTGAT CACTTATAAG GAGATACTAA 14640
AACTAAACAA GTGCTTCTAT AATAGTGGGG TTTCCGCCAA TTCTAGATCT GGTCAAAGGG 14700
AATTAGCACC CTATCCCTCC GAAGTTGGTC TTGTCGAACA CAGAATGGGA GTAGGTAATA 14760
TTGTCAAAGT GCTCTTTAAC GGGAGGCCCG AAGTCACGTG GGTAGGCAGT GTAGATTGCT 14820

- 134 -

TCAATTTTCAT AGTCAGTAAT ATCCCTACCT CTAGTGTGGG GTTTATCCAT TCAGATATAG 14880
AGACCTTACC TAACAAAGAT ACTATAGAGA AGCTAGAGGA ATTAGCAGCC ATCTTATCGA 14940
TGGCTCTGCT CTTGGCAA ATAGGATCAA TACTGGTGAT TAAGCTTATG CCTTTCAGCG 15000
GGGATTTTGT TCAGGGATT ATAAGTTATG TAGGGTCTTA TTATAGAGAA GTGAACCTTG 15060
TCTACCCTAG ATACAGCAAC TTCATATCTA CTGAATCTTA TTTAGTCATG ACAGATCTCA 15120
AAGCTAACCG GCTAATGAAT CCTGAAAAGA TTAAGCAGCA GATAATTGAA TCATCTGTGC 15180
GGACTTCACC TGGACTTATA GGTACATCC TATCCATTAA GCAACTAAGC TGCATACAAG 15240
CAATTGTGGG AGACGCAGTT AGTAGAGGTG GTATCAACCC TATTCTGAAG AAACCTTACAC 15300
CTATAGAGCA GGTGCTGATC AATTGCGGGT TGGCAATTAA CGGACCTAAA CTGTGCAAAG 15360
AATTGATCCA CCATGATGTT GCCTCAGGGC AAGATGGATT GCTTAACTCT ATACTCATCC 15420
TCTACAGGGA GTTGGCAAGA TTCAAAGACA ACCAAAGAAG TCAACAAGGG ATGTTCCATG 15480
CTTACCCCGT ATTGGTAAGT AGCAGGCAAC GAGAACTTAT ATCTAGGATC ACCCGCAAAT 15540
TTTGGGGGCA TATTCTTCTT TACTCCGGGA ACAGAAAGTT GATAAATCGG TTTATCCAGA 15600
ATCTCAAGTC CGGTTACCTG ATACTAGACT TACACCAGAA TATCTTCGTT AAGAATCTAT 15660
CTAAGTCAGA GAAACAGATT ATTATGACGG GGGGTTTAAA ACGTGAGTGG GTTTTAAAGG 15720
TAACAATCAA GGAGACCAAA GAATGGTATA AGTTAGTCGG ATACAGTGCC CTGATTAAGG 15780
ATTAATTGGT TGGACTCCGG GACCCTAATC CTGCCCTAGG TAGTTAGGCA TTATTTGCAA 15840
TATATTAAAG AAACTTTGA AAATACGAAG TTTCTATTCC CAGCTTTGTC TGGT 15894

(2) INFORMATION FOR SEQ ID NO:6:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 2183 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:6:

- 135 -

Met Asp Ser Leu Ser Val Asn Gln Ile Leu Tyr Pro Glu Val His Leu
 1 5 10 15
 Asp Ser Pro Ile Val Thr Asn Lys Ile Val Ala Ile Leu Glu Tyr Ala
 20 25 30
 Arg Val Pro His Ala Tyr Ser Leu Glu Asp Pro Thr Leu Cys Gln Asn
 35 40 45
 Ile Lys His Arg Leu Lys Asn Gly Phe Ser Asn Gln Met Ile Ile Asn
 50 55 60
 Asn Val Glu Val Gly Asn Val Ile Lys Ser Lys Leu Arg Ser Tyr Pro
 65 70 75 80
 Thr His Ser His Ile Pro Tyr Pro Asn Cys Asn Gln Asp Leu Phe Asn
 85 90 95
 Ile Glu Asp Lys Glu Ser Thr Arg Lys Ile Arg Glu Leu Leu Lys Lys
 100 105 110
 Gly Asn Ser Leu Tyr Ser Lys Val Ser Asp Lys Val Phe Gln Cys Leu
 115 120 125
 Arg Asp Thr Asn Ser Arg Leu Gly Leu Gly Ser Glu Leu Arg Glu Asp
 130 135 140
 Ile Lys Glu Lys Ile Ile Asn Leu Gly Val Tyr Met His Ser Ser Gln
 145 150 155 160
 Trp Phe Glu Pro Phe Leu Phe Trp Phe Thr Val Lys Thr Glu Met Arg
 165 170 175
 Ser Val Ile Lys Ser Gln Thr His Thr Cys His Arg Arg Arg His Thr
 180 185 190
 Pro Val Phe Phe Thr Gly Ser Ser Val Glu Leu Leu Ile Ser Arg Asp
 195 200 205
 Leu Val Ala Ile Ile Ser Lys Glu Ser Gln His Val Tyr Tyr Leu Thr
 210 215 220
 Phe Glu Leu Val Leu Met Tyr Cys Asp Val Ile Glu Gly Arg Leu Met
 225 230 235 240
 Thr Glu Thr Ala Met Thr Ile Asp Ala Arg Tyr Thr Glu Leu Leu Gly
 245 250 255
 Arg Val Arg Tyr Met Trp Lys Leu Ile Asp Gly Phe Phe Pro Ala Leu
 260 265 270
 Gly Asn Pro Thr Tyr Gln Ile Val Ala Met Leu Glu Pro Leu Ser Leu

- 136 -

275	280	285
Ala Tyr Leu Gln Leu Arg Asp Ile Thr Val Glu Leu Arg Gly Ala Phe 290	295	300
Leu Asn His Cys Phe Thr Glu Ile His Asp Val Leu Asp Gln Asn Gly 305	310	315 320
Phe Ser Asp Glu Gly Thr Tyr His Glu Leu Ile Glu Ala Leu Asp Tyr 325	330	335
Ile Phe Ile Thr Asp Asp Ile His Leu Thr Gly Glu Ile Phe Ser Phe 340	345	350
Phe Arg Ser Phe Gly His Pro Arg Leu Glu Ala Val Thr Ala Ala Glu 355	360	365
Asn Val Arg Lys Tyr Met Asn Gln Pro Lys Val Ile Val Tyr Glu Thr 370	375	380
Leu Met Lys Gly His Ala Ile Phe Cys Gly Ile Ile Ile Asn Gly Tyr 385	390	395 400
Arg Asp Arg His Gly Gly Ser Trp Pro Pro Leu Thr Leu Pro Leu His 405	410	415
Ala Ala Asp Thr Ile Arg Asn Ala Gln Ala Ser Gly Glu Gly Leu Thr 420	425	430
His Glu Gln Cys Val Asp Asn Trp Lys Ser Phe Ala Gly Val Lys Phe 435	440	445
Gly Cys Phe Met Pro Leu Ser Leu Asp Ser Asp Leu Thr Met Tyr Leu 450	455	460
Lys Asp Lys Ala Leu Ala Ala Leu Gln Arg Glu Trp Asp Ser Val Tyr 465	470	475 480
Pro Lys Glu Phe Leu Arg Tyr Asp Pro Pro Lys Gly Thr Gly Ser Arg 485	490	495
Arg Leu Val Asn Val Phe Leu Asn Asp Ser Ser Phe Asp Pro Tyr Asp 500	505	510
Met Ile Met Tyr Val Val Ser Gly Ala Tyr Leu His Asp Pro Glu Phe 515	520	525
Asn Leu Ser Tyr Ser Leu Lys Glu Lys Glu Ile Lys Glu Thr Gly Arg 530	535	540
Leu Phe Ala Lys Met Thr Tyr Lys Met Arg Ala Cys Gln Val Ile Ala 545	550	555 560

- 137 -

Glu Asn Leu Ile Ser Asn Gly Ile Gly Asn Tyr Phe Lys Asp Asn Gly
 565 570 575
 Met Ala Lys Asp Glu His Asp Leu Thr Lys Ala Leu His Thr Leu Ala
 580 585 590
 Val Ser Gly Val Pro Lys Asp Leu Lys Glu Ser His Arg Gly Gly Pro
 595 600 605
 Val Leu Lys Thr His Ser Arg Ser Pro Val His Thr Ser Thr Lys Asn
 610 615 620
 Val Arg Ala Ala Lys Gly Phe Ile Gly Phe Pro His Val Ile Arg Gln
 625 630 635 640
 Asp Gln Asp Thr Asp His Pro Glu Asn Met Glu Ala Tyr Glu Thr Val
 645 650 655
 Ser Ala Phe Ile Thr Thr Asp Leu Lys Lys Tyr Cys Leu Asn Trp Arg
 660 665 670
 Tyr Glu Thr Ile Ser Leu Phe Ala Gln Arg Leu Asn Glu Ile Tyr Gly
 675 680 685
 Leu Pro Ser Phe Phe Gln Trp Leu His Lys Arg Leu Glu Thr Ser Val
 690 695 700
 Leu Tyr Val Ser Asp Pro His Cys Pro Pro Asp Leu Asp Ala His Val
 705 710 715 720
 Pro Leu Cys Lys Val Pro Asn Asp Gln Ile Phe Ile Lys Tyr Pro Met
 725 730 735
 Gly Gly Ile Glu Gly Tyr Cys Gln Lys Leu Trp Thr Ile Ser Thr Ile
 740 745 750
 Pro Tyr Leu Tyr Leu Ala Ala Tyr Glu Ser Gly Val Arg Ile Ala Ser
 755 760 765
 Leu Val Gln Gly Asp Asn Gln Thr Ile Ala Val Thr Lys Arg Val Pro
 770 775 780
 Ser Thr Trp Pro Tyr Asn Leu Lys Lys Arg Glu Ala Ala Arg Val Thr
 785 790 795 800
 Arg Asp Tyr Phe Val Ile Leu Arg Gln Arg Leu His Asp Ile Gly His
 805 810 815
 His Leu Lys Ala Asn Glu Thr Ile Val Ser Ser His Phe Phe Val Tyr
 820 825 830

- 138 -

Ser Lys Gly Ile Tyr Tyr Asp Gly Leu Leu Val Ser Gln Ser Leu Lys
 835 840 845
 Ser Ile Ala Arg Cys Val Phe Trp Ser Glu Thr Ile Val Asp Glu Thr
 850 855 860
 Arg Ala Ala Cys Ser Asn Ile Ala Thr Thr Met Ala Lys Ser Ile Glu
 865 870 875 880
 Arg Gly Tyr Asp Arg Tyr Leu Ala Tyr Ser Leu Asn Val Leu Lys Val
 885 890 895
 Ile Gln Gln Ile Leu Ile Ser Leu Gly Phe Thr Ile Asn Ser Thr Met
 900 905 910
 Thr Arg Asp Val Val Ile Pro Leu Leu Thr Asn Asn Asp Leu Leu Ile
 915 920 925
 Arg Met Ala Leu Leu Pro Ala Pro Ile Gly Gly Met Asn Tyr Leu Asn
 930 935 940
 Met Ser Arg Leu Phe Val Arg Asn Ile Gly Asp Pro Val Thr Ser Ser
 945 950 955 960
 Ile Ala Asp Leu Lys Arg Met Ile Leu Ser Ser Leu Met Pro Glu Glu
 965 970 975
 Thr Leu His Gln Val Met Thr Gln Gln Pro Gly Asp Ser Ser Phe Leu
 980 985 990
 Asp Trp Ala Ser Asp Pro Tyr Ser Ala Asn Leu Val Cys Val Gln Ser
 995 1000 1005
 Ile Thr Arg Leu Leu Lys Asn Ile Thr Ala Arg Phe Val Leu Ile His
 1010 1015 1020
 Ser Pro Asn Pro Met Leu Lys Gly Leu Phe His Asp Asp Ser Lys Glu
 1025 1030 1035 1040
 Glu Asp Glu Gly Leu Ala Ala Phe Leu Met Asp Arg His Ile Ile Val
 1045 1050 1055
 Pro Arg Ala Ala His Glu Ile Leu Asp His Ser Val Thr Gly Ala Arg
 1060 1065 1070
 Glu Ser Ile Ala Gly Met Leu Asp Thr Thr Lys Gly Leu Ile Arg Ala
 1075 1080 1085
 Ser Met Arg Lys Gly Gly Leu Thr Ser Arg Val Ile Thr Arg Leu Ser
 1090 1095 1100
 Asn Tyr Asp Tyr Glu Gln Phe Arg Ala Gly Met Val Leu Leu Thr Gly

- 139 -

1105	1110	1115	1120
Arg Lys Arg Asn Val Leu Ile Asp Lys Glu Ser Cys Ser Val Gln Leu			
1125		1130	1135
Ala Arg Ala Leu Arg Ser His Met Trp Ala Arg Leu Ala Arg Gly Arg			
1140	1145		1150
Pro Ile Tyr Gly Leu Glu Val Pro Asp Val Leu Glu Ser Met Arg Gly			
1155	1160		1165
His Leu Ile Arg Arg His Glu Thr Cys Val Ile Cys Glu Cys Gly Ser			
1170	1175		1180
Val Asn Tyr Gly Trp Phe Phe Val Pro Ser Gly Cys Gln Leu Asp Asp			
1185	1190	1195	1200
Ile Asp Lys Glu Thr Ser Ser Leu Arg Val Pro Tyr Ile Gly Ser Thr			
1205	1210		1215
Thr Asp Glu Arg Thr Asp Met Lys Leu Ala Phe Val Arg Ala Pro Ser			
1220	1225		1230
Arg Ser Leu Arg Ser Ala Val Arg Ile Ala Thr Val Tyr Ser Trp Ala			
1235	1240		1245
Tyr Gly Asp Asp Asp Ser Ser Trp Asn Glu Ala Trp Leu Leu Ala Arg			
1250	1255		1260
Gln Arg Ala Asn Val Ser Leu Glu Glu Leu Arg Val Ile Thr Pro Ile			
1265	1270	1275	1280
Ser Thr Ser Thr Asn Leu Ala His Arg Leu Arg Asp Arg Thr Thr Gln			
1285	1290		1295
Val Lys Tyr Ser Gly Thr Ser Leu Val Arg Val Ala Arg Tyr Thr Thr			
1300	1305		1310
Ile Ser Asn Asp Asn Leu Ser Phe Val Ile Ser Asp Lys Lys Val Asp			
1315	1320		1325
Thr Asn Phe Ile Tyr Gln Gln Gly Met Leu Leu Gly Leu Gly Val Leu			
1330	1335		1340
Glu Thr Leu Phe Arg Leu Glu Lys Asp Thr Gly Ser Ser Asn Thr Val			
1345	1350	1355	1360
Leu His Leu His Val Glu Thr Asp Cys Cys Val Ile Pro Met Ile Asp			
1365	1370		1375
His Pro Arg Ile Pro Ser Ser Arg Lys Leu Glu Leu Arg Ala Glu Leu			
1380	1385		1390

- 140 -

Cys Thr Asn Pro Leu Ile Tyr Asp Asn Ala Pro Leu Ile Asp Arg Asp
 1395 1400 1405
 Ala Thr Arg Leu Tyr Thr Gln Ser His Arg Arg His Leu Val Glu Phe
 1410 1415 1420
 Val Thr Trp Ser Thr Pro Gln Leu Tyr His Ile Leu Ala Lys Ser Thr
 1425 1430 1435 1440
 Ala Leu Ser Met Ile Asp Leu Val Thr Lys Phe Glu Lys Asp His Met
 1445 1450 1455
 Asn Glu Ile Ser Ala Leu Ile Gly Asp Asp Asp Ile Asn Ser Phe Ile
 1460 1465 1470
 Thr Glu Phe Leu Leu Ile Glu Pro Arg Leu Phe Thr Ile Tyr Leu Gly
 1475 1480 1485
 Gln Cys Ala Ala Ile Asn Trp Ala Phe Asp Val His Tyr His Arg Pro
 1490 1495 1500
 Ser Gly Lys Tyr Gln Met Gly Glu Leu Leu Ser Ser Phe Leu Ser Arg
 1505 1510 1515 1520
 Met Ser Lys Gly Val Phe Lys Val Leu Val Asn Ala Leu Ser His Pro
 1525 1530 1535
 Lys Ile Tyr Lys Lys Phe Trp His Cys Gly Ile Ile Glu Pro Ile His
 1540 1545 1550
 Gly Pro Ser Leu Asp Ala Gln Asn Leu His Thr Thr Val Cys Asn Met
 1555 1560 1565
 Ile Tyr Thr Cys Tyr Met Thr Tyr Leu Asp Leu Leu Leu Asn Glu Glu
 1570 1575 1580
 Leu Glu Glu Phe Thr Phe Leu Leu Cys Glu Ser Asp Glu Asp Val Val
 1585 1590 1595 1600
 Pro Asp Arg Phe Asp Asn Ile Gln Ala Lys His Leu Cys Val Leu Ala
 1605 1610 1615
 Asp Leu Tyr Cys Gln Pro Gly Thr Cys Pro Pro Ile Arg Gly Leu Arg
 1620 1625 1630
 Pro Val Glu Lys Cys Ala Val Leu Thr Asp His Ile Lys Ala Glu Ala
 1635 1640 1645
 Arg Leu Ser Pro Ala Gly Ser Ser Trp Asn Ile Asn Pro Ile Ile Val
 1650 1655 1660

- 141 -

Asp His Tyr Ser Cys Ser Leu Thr Tyr Leu Arg Arg Gly Ser Ile Lys
 1665 1670 1675 1680
 Gln Ile Arg Leu Arg Val Asp Pro Gly Phe Ile Phe Asp Ala Leu Ala
 1685 1690 1695
 Glu Val Asn Val Ser Gln Pro Lys Ile Gly Ser Asn Asn Ile Ser Asn
 1700 1705 1710
 Met Ser Ile Lys Asp Phe Arg Pro Pro His Asp Asp Val Ala Lys Leu
 1715 1720 1725
 Leu Lys Asp Ile Asn Thr Ser Lys His Asn Leu Pro Ile Ser Gly Gly
 1730 1735 1740
 Asn Leu Ala Asn Tyr Glu Ile His Ala Phe Arg Arg Ile Gly Leu Asn
 1745 1750 1755 1760
 Ser Ser Ala Cys Tyr Lys Ala Val Glu Ile Ser Thr Leu Ile Arg Arg
 1765 1770 1775
 Cys Leu Glu Pro Gly Glu Asp Gly Leu Phe Leu Gly Glu Gly Ser Gly
 1780 1785 1790
 Ser Met Leu Ile Thr Tyr Lys Glu Ile Leu Lys Leu Asn Lys Cys Phe
 1795 1800 1805
 Tyr Asn Ser Gly Val Ser Ala Asn Ser Arg Ser Gly Gln Arg Glu Leu
 1810 1815 1820
 Ala Pro Tyr Pro Ser Glu Val Gly Leu Val Glu His Arg Met Gly Val
 1825 1830 1835 1840
 Gly Asn Ile Val Lys Val Leu Phe Asn Gly Arg Pro Glu Val Thr Trp
 1845 1850 1855
 Val Gly Ser Val Asp Cys Phe Asn Phe Ile Val Ser Asn Ile Pro Thr
 1860 1865 1870
 Ser Ser Val Gly Phe Ile His Ser Asp Ile Glu Thr Leu Pro Asn Lys
 1875 1880 1885
 Asp Thr Ile Glu Lys Leu Glu Glu Leu Ala Ala Ile Leu Ser Met Ala
 1890 1895 1900
 Leu Leu Leu Gly Lys Ile Gly Ser Ile Leu Val Ile Lys Leu Met Pro
 1905 1910 1915 1920
 Phe Ser Gly Asp Phe Val Gln Gly Phe Ile Ser Tyr Val Gly Ser Tyr
 1925 1930 1935
 Tyr Arg Glu Val Asn Leu Val Tyr Pro Arg Tyr Ser Asn Phe Ile Ser

- 142 -

1940	1945	1950
Thr Glu Ser Tyr Leu Val Met 1955	Thr Asp Leu Lys Ala 1960	Asn Arg Leu Met 1965
Asn Pro Glu Lys Ile Lys Gln Gln Ile Ile Glu Ser Ser Val Arg Thr 1970		1980
Ser Pro Gly Leu Ile Gly His Ile Leu Ser Ile Lys Gln Leu Ser Cys 1985	1990	1995 2000
Ile Gln Ala Ile Val Gly Asp Ala Val Ser Arg Gly Gly Ile Asn Pro 2005	2010	2015
Ile Leu Lys Lys Leu Thr Pro Ile Glu Gln Val Leu Ile Asn Cys Gly 2020	2025	2030
Leu Ala Ile Asn Gly Pro Lys Leu Cys Lys Glu Leu Ile His His Asp 2035	2040	2045
Val Ala Ser Gly Gln Asp Gly Leu Leu Asn Ser Ile Leu Ile Leu Tyr 2050	2055	2060
Arg Glu Leu Ala Arg Phe Lys Asp Asn Gln Arg Ser Gln Gln Gly Met 2065	2070	2075 2080
Phe His Ala Tyr Pro Val Leu Val Ser Ser Arg Gln Arg Glu Leu Ile 2085	2090	2095
Ser Arg Ile Thr Arg Lys Phe Trp Gly His Ile Leu Leu Tyr Ser Gly 2100	2105	2110
Asn Arg Lys Leu Ile Asn Arg Phe Ile Gln Asn Leu Lys Ser Gly Tyr 2115	2120	2125
Leu Ile Leu Asp Leu His Gln Asn Ile Phe Val Lys Asn Leu Ser Lys 2130	2135	2140
Ser Glu Lys Gln Ile Ile Met Thr Gly Gly Leu Lys Arg Glu Trp Val 2145	2150	2155 2160
Phe Lys Val Thr Ile Lys Glu Thr Lys Glu Trp Tyr Lys Leu Val Gly 2165	2170	2175
Tyr Ser Ala Leu Ile Lys Asp 2180		

(2) INFORMATION FOR SEQ ID NO:7:

(1) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 15894 base pairs
- (B) TYPE: nucleic acid

- 143 -

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: RNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:7:

ACCAAACAAA GTTGGGTAAG GATAGATCAA TCAATGATCA TATTCTAGTA CACTTAGGAT	60
TCAAGATCCT ATTATCAGGG ACAAGAGCAG GATTAGGGAT ATCCGAGATG GCCACACTTT	120
TGAGGAGCTT AGCATTGTTT AAAAGAAACA AGGACAAACC ACCCATTACA TCAGGATCCG	180
GTGGAGCCAT CAGAGGAATC AAACACATTA TTATAGTACC AATTCCTGGA GATTCCTCAA	240
TTACCACTCG ATCCAGACTA CTGGACCGGT TGGTCAGGTT AATTGGAAAC CCGGATGTGA	300
GCGGGCCCAA ACTAACAGGG GCACTAATAG GTATATTATC CTTATTTGTG GAGTCTCCAG	360
GTCAATTGAT TCAGAGGATC ACCGATGACC CTGACGTTAG CATCAGGCTG TTAGAGGTTG	420
TTCAGAGTGA CCAGTCACAA TCTGGCCTTA CCTTCGCATC AAGAGGTACC AACATGGAGG	480
ATGAGGCGGA CCAATACTTT TCACATGATG ATCCAAGCAG TAGTGATCAA TCCAGGTCCG	540
GATGGTTCGA GAACAAGGAA ATCTCAGATA TTGAAGTGCA AGATCCTGAG GGATTCAACA	600
TGATTCTGGG TACCATTCTA GCCCAGATCT GGGTCTTGCT CGCAAAGGCG GTTACGGCCC	660
CAGACACGGC AGCTGATTCG GAGCTAAGAA GGTGGATAAA GTACACCCAA CAAAGAAGGG	720
TAGTTGGTGA ATTTAGATTG GAGAGAAAAT GGTGGATGT GGTGAGGAAC AGGATTGCCG	780
AGGACCTCTC TTTACGCCGA TTCATGGTGG CTCTAATCCT GGATATCAAG AGGACACCCG	840
GGAACAAACC TAGGATTGCT GAAATGATAT GTGACATTGA TACATATATC GTAGAGGCAG	900
GATTAGCCAG TTTTATCTTG ACTATTAAGT TTGGGATAGA AACTATGTAT CCTGCTCTTG	960
GACTGCATGA ATTTGCTGGT GAGTTATCCA CACTTGAGTC CTTGATGAAT CTTTACCAGC	1020
AAATGGGAGA AACTGCACCC TACATGGTAA TCCTAGAGAA CTCAATTCAG AACAAGTTCA	1080
GCGCAGGATC ATACCCTCTG CTCTGGAGCT ATGCCATGGG AGTAGGAGTG GAACTTGAAA	1140
ACTCCATGGG AGGTTTGAAC TTTGGTCGAT CTTACTTTGA TCCAGCATAT TTTAGATTAG	1200
GGCAAGAGAT GGTGAGGAGG TCAGCTGGAA AGGTCAGTTC CACATTGGCA TCCGAACTCG	1260

- 144 -

GTATCACTGC	CGAGGATGCA	AGGCTTGTTT	CAGAGATTGC	AATGCATACT	ACTGAGGACA	1320
GGATCAGTAG	AGCGGTCGGA	CCCAGACAAG	CCCAAGTATC	ATTTCTACAC	GGTGATCAAA	1380
GTGAGAATGA	GCTACCAGGA	TTGGGGGGCA	AGGAAGACAG	GAGGGTCAAA	CAGAGTCGGG	1440
GAGAAGCCAG	GGAGAGCTAC	AGAGAAACCG	AGTCCAGCAG	AGCAAGTGAT	GCGAGAGCTG	1500
CCCATCCTCC	AACCAGCATG	CCCCTAGACA	TTGACACTGC	ATCGGAGTCA	GGCCAAGATC	1560
CGCAGGACAG	TCGAAGGTCA	GCTGACGCTC	TGCTCAGGCT	GCAAGCCATG	GCAGGAATCT	1620
TGGAAGAACA	AGGCTCAGAC	ACGGACACCC	CTAGGGTATA	CAATGACAGA	GATCTTCTAG	1680
ATTAGGTGCG	AGAGGCCGAG	GACCAGAACA	ACATCCGCCT	ACCCTCCATC	ATTGTTATAA	1740
AAAACCTTAGG	AACCAGGTCC	ACACAGCCGC	CAGCCAACCA	ACCATCCACT	CCCACGACTG	1800
GAGCCGATGG	CAGAAGAGCA	GGCACGCCAT	GTCAAAAACG	GACTGGAATG	CATCCGGGCT	1860
CTCAAGGCCG	AGCCCATCGG	CTCACTGGCC	GTCGAGGAAG	CCATGGCAGC	ATGGTCAGAA	1920
ATATCAGACA	ATCCAGGACA	GGACCGAGCC	GCCTGCAAGG	AAGAGGAGGC	AGGCAGTTCG	1980
GGTCTCAGCA	AACCATGCTT	CTCAGCAATT	GGATCAACTG	AAGGCGGTGC	ACCTCGCATC	2040
CGCGGTCAGG	GATCTGGAGA	AAGCGATGAC	GACGCTGAAA	CTTTGGGAAT	CCCCTCAAGA	2100
AATCTCCAGG	CATCAAGCAC	TGGGTTACAG	TGTTATCATG	TTTATGATCA	CAGCGGTGAA	2160
GCGGTTAAGG	GAATCCAAGA	TGCTGACTCT	ATCATGGTTC	AATCAGGCCT	TGATGGTGAT	2220
AGCACCCTCT	CAGGAGGAGA	CGATGAATCT	GAAAACAGCG	ATGTGGATAT	TGGCGAACCT	2280
GATACCGAGG	GATATGCTAT	CACTGACCGG	GGATCTGCTC	CCATCTCTAT	GGGGTTCAGG	2340
GCTTCTGATG	TTGAAACTGC	AGAAGGAGGG	GAGATCCACG	AGCTCCTGAA	ACTCCAATCC	2400
AGAGGCAACA	ACTTTCCGAA	GCTTGGGAAA	ACTCTCAATG	TTCCTCCGCC	CCCGAACCCC	2460
AGTAGGGCCA	GCACTTCCGA	GACACCCATT	AAAAAGGGGA	CAGACGCGAG	ATTGGCCTCA	2520
TTTGGAACGG	AGATCGCGTC	TTTATTGACA	GGTGGTGCAA	CCCAATGTGC	TCGAAAGTCA	2580
CCCTCGGAAC	CGTCAGGGCC	AGATGCACCT	GCGGGGAATG	TCCCCGAGTG	TGTGAGCAAT	2640
GCCGCACTGA	TACAGGAGTG	GACACCCGAA	TCTGGTACCA	CAATCTCCCC	GAGATCCCAG	2700
AATAATGAAG	AAGGGGGAGA	CTATTATGAT	GATGAGCTGT	TCTCCGATGT	CCAAGACATC	2760
AAAACAGCCT	TGGCCAAAAT	ACACGAGGAT	AATCAGAAGA	TAATCTCCAA	GCTAGAATCA	2820

- 145 -

TTGCTGTTAT TGAAGGGAGA AGTTGAGTCA ATTAAGAAGC AGATCAACAG GCAAAATATC 2880
AGCATATCCA CCCTGGAAGG ACACCTCTCA AGCATCATGA TTGCCATTCC TGGACTTGGG 2940
AAGGATCCCA ACGACCCAC TGCAGATGTC GAACTCAATC CCGACCTGAA ACCCATCATA 3000
GGCAGAGATT CAGGCCGAGC ACTGGCCGAA GTTCTCAAGA AGCCCGTTGC CAGCCGACAA 3060
CTCCAGGGAA TGAATAATGG ACGGACCAGT TCCAGAGGAC AGCTGCTGAA GGAATTTCAA 3120
CTAAAGCCGA TCGGGAAAAA GGTGAGCTCA GCCGTCGGGT TTGTCCCTGA CACCGGCCCT 3180
GCATCACGCA GTGTAATCCG CTCCATTATA AAATCCAGCC GGCTAGAGGA GGATCGGAAG 3240
CGTTACCTGT TGAATCTCCT TGATGATATC AAAGGAGCCA ACGATCTTGC CAAGTTCCAC 3300
CAGATGCTGA TGAAGATAAT AATGAAGTAG CTACAGCTCA ACTTACCTGC CAACCCCATG 3360
CCAGTCGACC TAATTAGTAC AACCTAAATC CATTATAAAA AACTTAGGAG CAAAGTGATT 3420
GCCTCCTAAG TTCCACAATG ACAGAGATCT ACGACTTCGA CAAGTCGGCA TGGGACATCA 3480
AAGGGTCGAT CGCTCCGATA CAACCTACCA CCTACAGTGA TGGCAGGCTG GTGCCCCAGG 3540
TCAGAGTCAT AGATCCTGGT CTAGGTGATA GGAAGGATGA ATGCTTTATG TACATGTTTC 3600
TGCTGGGGGT TGTTGAGGAC AGAGATCCCC TAGGGCCTCC AATCGGGCGA GCATTCGGGT 3660
CCCTGCCCTT AGGTGTTGGT AGATCCACAG CAAAACCCGA GGAACCTCTC AAAGAGGCCA 3720
CTGAGCTTGA CATAGTTGTT AGACGTACAG CAGGGCTCAA TGAAAACTG GTGTTCTACA 3780
ACAACACCCC ACTAACCCTC CTCACACCTT GGAGAAAGGT CCTAACAACA GGGAGTGCTT 3840
TCAATGCAAA CCAAGTGTGC AATGCGGTTA ATCTAATACC GCTGGACACC CCGCAGAGGT 3900
TCCGTGTTGT TTATATGAGC ATCACCCTGC TTTCGGATAA CGGGTATTAC ACCGTTCCCA 3960
GAAGAATGCT GGAATTCAGA TCGGTCAATG CAGTGGCCTT CAACCTGCTA GTGACCCTCA 4020
GGATTGACAA GGCATTGGC CCTGGGAAGA TCATCGACAA TGCAGAGCAA CTTCTGAGG 4080
CAACATTTAT GGTCCACATC GGGAACTTCA GGAGAAAGAA GAGTGAAGTC TACTCTGCCG 4140
ATTATTGCAA AATGAAAATC GAAAAGATGG GCCTGGTTTT TGCATTGGT GGGATAGGGG 4200
GCACCACTCT TCACATTAGA AGCACAGGCA AAATGAGCAA GACTCTCCAT GCACAACTCG 4260
GGTTCAAGAA GACCTTATGT TACCACTGA TGGATATCAA TGAAGACCTT AATCGGTTAC 4320
TCTGGAGGAG CAGATGCAAG ATAGTAAGAA TCCAGGCAGT TTTGCAGCCA TCAGTTCCTC 4380

- 146 -

AAGAATTCCG	CATTACGAC	GACGTGATCA	TAAATGATGA	CCAAGGACTA	TTCAAAGTTC	4440
TGTAGACCGT	AGTGCCCGAGC	AATACCCGAA	AACGACCCCC	CTCATAATGA	CAGCCAGAAG	4500
GCCCGGACAA	AAAAGCCCCC	TCCAAAAGAC	TTCACGGACC	AAGCGAGAGG	CCAGCCAGCA	4560
GCCGACAGCA	AGTGTGGACA	CCAGGCGGCC	CAAGCACAGA	ACAGCCCCGA	CACAAGGCCA	4620
CCACCAGCCA	TCCCAATCCG	CGTCCTCCTC	GTAGGACCCC	CGAGGACCAA	CCCCCAAGGT	4680
CGCTCCGGAC	ACAGACCACC	AGCCGCATCC	CCACAGCCCT	CGGGAAAGGA	ACCCCCAGCA	4740
ACTGGAAGGC	CCCTTCCCCC	CTCCCCAAC	GCAAGAAGCC	CACAACCGAA	CCGCACAAGC	4800
GACCGAGGTG	ACCCAACCGC	AGGCATCCGA	CTCCCTAGAC	AGACCCTCCC	TCCCCGGCAT	4860
ACTAAACAAA	ACTTAGGGCC	AAGGAACACA	CACACCCGAC	AGAACCCAGA	CCCCGGCCCC	4920
CGGCACCGCG	CCCCACCCC	CCGAAAACCA	GAGGGAGCCC	CCAACCAATC	CCGCCGCCCC	4980
CCCCGGTGCC	CACAGGTAGG	CACACCAACC	CCCGAACAGA	CCCAGCACCC	AGCCACCGAC	5040
AATCCAAGAC	GGGGGGCCCC	CCCCAAAAA	AGGCCCCCAG	GGGCCGACAG	CCAGCATCGC	5100
GAGGAAGCCC	ACCCACCCCA	CACACGACCA	CGGCAACCAA	ACCAGAGCCC	AGACCACCCT	5160
GGGCCACCAG	CTCCAGACT	CGGCCATCAC	CCCGAAAAA	GGAAAGGCCA	CAACCCGCGC	5220
ACCCAGGCC	CGATCCGGCG	GGAAGCCACC	CAACCCGAAC	CAGCACCCAA	GAGCGATCCC	5280
TGGGGGACCC	CCAAACCGCA	AAAGACATCA	GTATCCCACC	GCCTCTCAA	GTCCCCCGGT	5340
CTCCTCCTCT	TCTCGAAGGG	ACCAAAAGAT	CAATCCACCA	CATCCGACGA	CACTCAATTC	5400
CCCACCCCTA	AAGGAGACAC	CGGGAATCCC	AGAATCAAGA	CTCATCCAAT	GTCCATCATG	5460
GGTCTCAAGG	TGAATGTCTT	TGCCATATTG	ATGGCAGTAC	TGTTAACTCT	CCAAACACCC	5520
ACCGGTCAAA	TCCATTGGGG	CAATCTCTCT	AAGATAGGGG	TGGTAGGGAT	AGGAAGTGCA	5580
AGCTACAAAG	TTATGACTCG	TTCCAGCCAT	CAATCATTGG	TCATAAAATT	AATGCCCAAT	5640
ATAACTCTCC	TCAATAACTG	CACGAGGGTA	GAAATTGCAG	AATACAGGAG	ACTACTGAGA	5700
ACAGTTTTTG	AACCAATTAG	AGATGCACTT	AATGCAATGA	CCCAGAATAT	AAGACCGGTT	5760
CAGAGTGTAG	CTTCAAGTAG	GAGACACAAG	AGATTTGCGG	GAGTTGTCCT	GGCAGGTGCG	5820
GCCCTAGGCG	TTGCCACAGC	TGCTCAGATA	ACAGCCGGCA	TTGCACTTCA	CCAGTCCATG	5880
CTGAACCTCT	AAGCCATCGA	CAATCTGAGA	GCAAGCCTGG	AAACTACTAA	TCAGGCAATT	5940

- 147 -

GAGGCAATCA GGCAAGCAGG GCAGGAGATG ATATTGGCTG TTCAGGGTGT CCAAGACTAC	6000
ATCAATAATG AGCTGATACC GTCTATGAAC CAACTATCTT GTGATTTAAT CGGCCAGAAG	6060
CTAGGGCTCA AATTGCTCAG ATACTATACA GAAATCCTGT CATTATTTGG CCCAGCTTA	6120
CGGGACCCCA TATCTGCGGA GATATCCATC CAGGCTTTGA GCTATGCGCT TGGGGGAGAT	6180
ATCAATAAGG TATTAGAAAA GCTCGGATAC AGTGGAGGTG ATTTACTGGG CATCTTAGAG	6240
AGCAGAGGAA TAAAGGCCCG GATAACTCAC GTCGACACAG AGTCCTACTT CATTGTCTC	6300
AGTATAGCCT ATCCGACGCT GTCCGAGATT AAGGGGGTGA TTGTCCACCG GCTAGAGGGG	6360
GTCTCGTACA ATATAGGCTC TCAAGAGTGG TATACCACTG TGCCCAAGTA TGTTCGAACC	6420
CAAGGGTACC TTATCTCGAA TTTTGATGAG TCATCGTGTA CTTTCATGCC AGAGGGGACT	6480
GTGTGCAGCC AAAATGCCTT GTACCCGATG AGTCCTCTGC TCCAAGAATG CCTCCGGGGG	6540
TCCACCAAGT CCTGTGCTCG TACACTCGTA TCCGGGTCTT TTGGGAACCG GTTCATTTTA	6600
TCACAAGGGA ACCTAATAGC CAATTGTGCA TCAATCCTCT GCAAGTGTTA CACAACAGGA	6660
ACGATCATT AATCAAGACCC TGACAAGATC CTAACATACA TTGCTGCCGA TCACTGCCCCG	6720
GTGGTCGAGG TGAACGGTGT GACCATCCAA GTCGGGAGCA GGAGGTATCC GGACGCGGTG	6780
TACCTGCACA GAATTGACCT CGGTCCTCCC ATATCATTGG AGAAGTTGGA CGTAGGGACA	6840
AATCTGGGGA ATGCAATTGC TAAGCTGGAG GATGCCAAGG AATTGCTGGA GTCATCGGAC	6900
CAGATATTGA GGAGTATGAA AGGTTTATCG AGCACTAGCA TAGTTTACAT CCTGATTGCA	6960
GTGTGTCTTG GAGGGTTGAT AGGGATCCCC GCTTTAATAT GTTGCTGCAG GGGGCGTTGT	7020
AACAAAAAGG GGGAACAAAGT TGGTATGTCA AGACCAGGCC TAAAGCCTGA TCTTACAGGG	7080
ACATCAAAAT CCTATGTAAG GTCGCTCTGA TCCCCTACAA CTCTTGAAAC ACAGATTTCC	7140
CACAAGTCTC CTCTCCGTCA TCAAGCAACC ACCGCATCCA GCATCAAGGC CACCCGAAAT	7200
TGTCTCCGGC TTCCCTCTGG CCGAACGATA TCGGTAGTTA ATTAAACTT AGGGTGCAAG	7260
ATCATCCACA ATGTCAACCAC ACCGAGACCG AATAAATGCC TTCTACAAAG ACAACCCCCA	7320
TCCTAAGGGA AGTAGGATAG TTATTAACAG AGAACATCTT ATGATTGATA GACCTTATGT	7380
TTTGCTGGCT GTTCTATTCT TCATGTTTCT GAGCTTGATC GGGTTGCTAG CCATTGCAGG	7440
CATTAGACTC CATCGGGCAG CCATCTACAC CGCAGAGATC CATAAGAGCC TCAGCACCAA	7500

- 148 -

TCTAGATGTA ACTAACTCAA TCGAGCATCA GGTCAAGGAC GTGCTGACAC CACTCTTCAA	7560
GATCATCGGT GATGAAGTGG GCCTGAGGAC ACCTCAGAGA TTCACTGACC TAGTGAAATT	7620
CATCTCTGAC AAAATTAAAT TCCTTAATCC GGATAGGGAG TACGACTTCA GAGATCTCAC	7680
TTGGTGTATC AACCCGCCAG AGAGAATCAA ATTGGATTAT GATCAATACT GTGCAGATGT	7740
GGCTGCTGAA GAACTCATGA ATGCATTGGT GAACTCAACT CTACTGGAGG CCAGGGCAAC	7800
CAATCAGTTC CTAGCTGTCT CAAAGGGAAA CTGCTCAGGG CCCACTACAA TCAGAGGTCA	7860
ATTCTCAAAC ATGTCGCTGT CCCTGTTGGA CTTGTATTTA AGTCGAGGTT ACAATGTGTC	7920
ATCTATAGTC ACCATGACAT CCCAGGGAAT GTACGGGGGA ACTTACCTAG TGGGAAAGCC	7980
TAATCTGAGC AGTAAAGGGT CAGAGTTGTC ACAACTGAGC ATGCACCGAG TGTTTGAAGT	8040
AGGGGTTATC AGAAATCCGG GTTTGGGGGC TCCGGTGTTT CATATGACAA ACTATTTTGA	8100
GCAACCAGTC AGTAATGATT TCAGCAACTG CATGGTGGCT TTGGGGGAGC TCAGGTTTCGC	8160
AGCCCTCTGT CACAGGGAAG ATTCTGTCAC GGTTCCTTAT CAGGGGTCAG GGAAAGGTGT	8220
CAGCTTCCAG CTCGTCAAGC TAGGTGTCTG GAAATCCCCA ACCGACATGC AATCCTGGGT	8280
CCCCCTATCA ACGGATGATC CAGTGATAGA TAGGCTTTAC CTCTCATCTC ACAGAGGTGT	8340
TATCGCTGAC AATCAAGCAA AATGGGCTGT CCCGACAACA CGGACAGATG ACAAGTTGCG	8400
AATGGAGACA TGCTTCCAGC AGGCGTGTA GGGTAAAAAC CAAGCACTCT GCGAGAATCC	8460
CGAGTGGGCA CCATTGAAGG ATAACAGGAT TCCTTCATAC GGGGTCTTGT CTGTTAATCT	8520
GAGTCTGACA GTTGAGCTTA AAATCAAAAT TGCTTCAGGA TTCGGGCCAT TGATCACACA	8580
CGGTTTCAGG ATGGACCTAT ACAAACCAA CCACAACAAT GTGTATTGGC TGACTATCCC	8640
GCCAATGAAG AACCTAGCCT TAGGTGTAAT CAACACATTG GAGTGGATAC CGAGATTCAA	8700
GGTTAGTCCC AACCTCTTCA CTGTTCCAAT CAAGGAAGCA GGCGAGGACT GCCATGCCCC	8760
AACATACCTA CCTGCGGAGG TGGATGGTGA TGTCAAATC AGTTCCAATC TGGTAATTCT	8820
ACCTGGTCAG GATCTCCAAT ATGTTTGGC AACCTACGAT ACTTCCAGGG TTGAACATGC	8880
TGTGGTTTAT TATGTTTACA GCCCAGGCCG CTCATTITCT TACTTTTATC CTTTTAGGTT	8940
GCCTATAAAG GGGGTCCCAA TCGAATTACA AGTGGAAATGC TTCACATGGG ACCAAAAACT	9000
CTGGTGCCGT CACTTCTGTG TGCTTGCGGA TTCAGAATCT GGTGGACATA TCACTCACTC	9060

- 149 -

TGGGATGGTG	GGCATGGGAG	TCAGCTGCAC	AGTCACTCGG	GAAGATGGAA	CCAATCGCAG	9120
ATAGGGCTGC	CAGTGAACCG	ATCACATGAT	GTCACCTCAGA	CACCAGGCAT	ACCCACTAGT	9180
GTGAAATAGA	CATCAGAATT	AAGAAAAACG	TAGGGTCCAA	GTGGTTTCCC	GTCATGGACT	9240
CGCTATCTGT	CAACCAGATC	TTGTACCCTG	AAGTTCACCT	AGATAGCCCG	ATAGTTACCA	9300
ATAAGATAGT	AGCTATCCTG	GAGTATGCTC	GAGTCCCTCA	CGCTTACAGC	CTTGAGGACC	9360
CTACACTGTG	TCAGAACATC	AAGCACC GCC	TAAAAAACGG	ATTCTCCAAC	CAAATGATTA	9420
TAAACAATGT	GGAAGTTGGG	AATGTCATCA	AGTCCAAGCT	TAGGAGTTAT	CCGGCCCACT	9480
CTCATATTCC	ATATCCAAAT	TGTAATCAGG	ATTTATTTAA	CATAGAAGAC	AAAGAGTCAA	9540
CAAGGAAGAT	CCGTGAGCTC	CTAAAAAAGG	GAAATTCGCT	GTA CTCCAAA	GTCAGTGATA	9600
AGGTTTTCCA	ATGCCTGAGG	GACACTAACT	CACGGCTTGG	CCTAGGCTCC	GAATTGAGGG	9660
AGGACATCAA	GGAGAAAATT	ATTA ACTTGG	GAGTTTACAT	GCACAGCTCC	CAATGGTTTG	9720
AGCCCTTTCT	GTTTTGGTTT	ACAGTCAAGA	CTGAGATGAG	GTCAGTGATT	AAATCACAAA	9780
CCCATACTTG	CCATAGGAGG	AGACACACAC	CTGTATTCTT	CACTGGTAGT	TCAGTTGAGC	9840
TGTTAATCTC	TCGTGACCTT	GTTGCTATAA	TCAGTAAGGA	GTCTCAACAT	GTATATTACC	9900
TGACGTTTGA	ACTGGTTTTG	ATGTATTGTG	ATGTCATAGA	GGGGAGGTTA	ATGACAGAGA	9960
CCGCTATGAC	CATTGATGCT	AGGTATGCAG	AAC TTCTAGG	AAGAGTCAGA	TACATGTGGA	10020
AACTGATAGA	TGGTTTCTTC	CCTGCACTCG	GGAATCCAAC	TTATCAAATT	G TAGCTATGC	10080
TGGAGCCACT	T TCACTTGCT	TACCTGCAAC	TGAGGGACAT	AACAGTAGAA	CTCAGAGGTG	10140
CTTTCCTTAA	CCACTGCTTT	ACTGAAATAC	ATGATGTTCT	TGACCAAAAC	GGGTTTTCTG	10200
ATGAAGGTAC	TTATCATGAG	TTAATTGAAG	CCTTAGATTA	CATTTTCATA	ACTGATGACA	10260
TACATCTGAC	AGGGGAGATT	TTCTCATTTT	TCAGAAGTTT	CGGCCACCCC	AGACTTGAAG	10320
CAGTAACGGC	TGCTGAAAAT	GTCAGGAAAT	ACATGAATCA	GCCTAAAGTC	ATTGTGTATG	10380
AGACTCTGAT	GAAGGGTCAT	GCCATATTTT	GTGGAATCAT	AATCAACGGC	TATCGTGACA	10440
GGCACGGAGG	CAGTTGGCCA	CCCCTGACCC	TCCCCCTGCA	TGCTGCAGAC	ACAATCCGGA	10500
ATGCTCAAGC	TTCAGGTGAA	GGGTAAACAC	ATGAGCAGTG	CGTTGATAAC	TGGAGATCAT	10560
TTGCTGGAGT	GAGATTTGGC	TGTTTTATGC	CTCTTAGCCT	GGACAGTGAT	CTGACAAATGT	10620

- 150 -

ACCTAAAGGA CAAGGCACTT GCTGCTCTCC AAAGGGAATG GGATTTCAGTT TACCCGAAAAG	10680
AGTTCTCTGCG TTACGATCCT CCCAAGGGAA CCGGGTCACG GAGGCTTGTA GATGTTTTCC	10740
TTAATGATTC GAGCTTTGAC CCATATGATA TGATAATGTA TGTCGTAAGT GGAGCCTACC	10800
TCCATGACCC TGAGTTCAAT CTGTCTTACA GCCTGAAAGA AAAGGAGATC AAGGAAACAG	10860
GTAGACTTTT CGCTAAAATG ACTTACAAAA TGAGGGCATG CCAAGTGATC GCTGAAAATC	10920
TAATCTCAAA CGGGATTGGC AAGTATTTTA AGGACAATGG GATGGCCAAG GATGAGCACG	10980
ATTTGACTAA GGCACTCCAC ACTCTGGCTG TCTCAGGAGT CCCCAGAGAT CTCAAAGAAA	11040
GTCACAGGGG GGGGCCAGTC TTA AAAACCT ACTCCCGAAG CCCAGTCCAC ACAAGTACCA	11100
GGAACGTTAA AGCAGAAAAA GGGTTTGTAG GATTCCCTCA TGTAATTCGG CAGAATCAAG	11160
ACACTGATCA TCCGGAGAAT ATAGAAACCT ACGAGACAGT CAGCGCATTT ATCAGCACTG	11220
ATCTCAAGAA GTACTGCCTT AATTGGAGAT ATGAGACCAT CAGCTTATTT GCACAGAGGC	11280
TAAATGAGAT TTACGGATTA CCCTCATTTT TTCAGTGGCT GCATAAGAGG CTTGAAACCT	11340
CTGTCTCTA TGTAAGTGAT CCTCATTGCC CCCCCGACCT TGACGCCCAT GTCCCGTTAT	11400
GCAAAGTCCC CAATGACCAA ATCTTCATCA AGTACCCTAT GGGAGGTATA GAAGGGTATT	11460
GTCAGAAGCT GTGGACCATC AGCACCATTG CCTACTTATA CCTGGCTGCT TATGAGAGCG	11520
GGGTAAGGAT TGCCTCGTTA GTGCAAGGGG ACAATCAGAC CATAGCCGTA AAAAAAGGG	11580
TACCCAGCAC ATGGCCTTAC AACCTTAAGA AACGGGAAGC TGCTAGAGTA ACTAGAGATT	11640
ACTTTGTAAT TCTTAGGCAA AGGCTACATG ACATTGGCCA TCACCTCAAG GCAAATGAGA	11700
CAATTGTTTC ATCACATTTT TTTGTCTATT CAAAAGGAAT ATATTATGAT GGGCTACTTG	11760
TGTCCCAATC ACTCAAGAGC ATTGCAAGAT GTGTATTCTG GTCAGAGACT ATAGTTGATG	11820
AAACAAGGGC AGCATGCAGT AATATTGCTA CAACAATGGC TAAAAGCATC GAGAGAGGTT	11880
ATGACCGTTA TCTTGCAAT TCCCTGAACG TCCTAAAAGT GATACAGCAA ATTTTGATCT	11940
CTCTTGCTT CACAATCAAT TCAACCATGA CCCGAGATGT AGTCATACCC CTCCTCACAA	12000
ACAACGATCT CTTAATAAGG ATGGCACTGT TGCCCGCTCC TATTGGGGGG ATGAATTATC	12060
TGAACATGAG CAGGCTGTTT GTCAGAAACA TCGGTGATCC AGTAACATCA TCAATTGCTG	12120
ATCTCAAGAG AATGATTCTC GCATCACTAA TGCCTGAAGA GACCCTCCAT CAAGTAATGA	12180

- 151 -

CACAACAACC	GGGGGACTCT	TCATTCCTAG	ACTGGGCTAG	CGACCCTTAC	TCAGCAAATC	12240
TTGTATGCGT	CCAGAGCATC	ACTAGACTCC	TCAAGAACAT	AACTGCAAGG	TTTGTCTTAA	12300
TCCATAGTCC	AAACCCAATG	TTAAAAGGGT	TATTCCATGA	TGACAGTAAA	GAAGAGGACG	12360
AGAGACTGGC	GGCATTCTCT	ATGGACAGGC	ATATTATAGT	ACCTAGGGCA	GCTCATGAAA	12420
TCCTGGATCA	TAGTGTCACT	GGGGCAAGAG	AGTCTATTGC	AGGCATGCTA	GATACCACAA	12480
AAGGCCTGAT	TCGAGCCAGC	ATGAGGAAGG	GGGGGTAAAC	CTCTCGAGTG	ATAACCAGAT	12540
TGTCCAATTA	TGACTATGAA	CAATTTAGAG	CAGGGATGGT	GCTATTGACA	GGAAGAAAGA	12600
GAAATGTCCT	CATTGACAAA	GAGTCATGTT	CAGTGCAGCT	GGCTAGAGCC	CTAAGAAGCC	12660
ATATGTGGGC	AAGACTAGCT	CGAGGACGGC	CTATTACGG	CCTTGAGGTC	CCTGATGTAC	12720
TAGAATCTAT	GCGAGGCCAC	CTTATTCGGC	GTCATGAGAC	ATGTGTCATC	TGCGAGTGTG	12780
GATCAGTCAA	CTACGGATGG	TTTTTTGTCC	CCTCGGGTTG	CCAACTGGAT	GATATTGACA	12840
AGGAAACATC	ATCCTTGAGA	GTCCCATATA	TTGGTTCTAC	CACTGATGAG	AGAACAGACA	12900
TGAAGCTTGC	CTTCGTAAGA	GCCCCAAGTA	GATCCTTGCG	ATCTGCCGTT	AGAATAGCAA	12960
CAGTGTAATC	ATGGGCTTAC	GGTGATGATG	ATAGCTCTTG	GAACGAAGCC	TGGTTGTTGG	13020
CAAGGCAAAG	GGCCAATGTG	AGCCTGGAGG	AGCTAAGGGT	GATCACTCCC	ATCTCGACTT	13080
CGACTAATTT	AGCGCATAGG	TTGAGGGATC	GTAGCACTCA	AGTGAAATAC	TCAGGTACAT	13140
CCCTTGTCAG	AGTGGCAAGG	TATACCACAA	TCTCCAACGA	CAATCTCTCA	TTTGTCTAT	13200
CAGATAAGAA	AGTTGATACT	AACCTTTATAT	ACCAACAAGG	AATGCTTCTA	GGGTGGGGTG	13260
TTTAGAAAC	ATTGTTTCGA	CTCGAGAAAG	ATACTGGATC	ATCTAACACG	GTATTACATC	13320
TTCACGTCGA	AACAGATTGT	TGCGTGATCC	CGATGATAGA	TCATCCCAGG	ATACCCAGCT	13380
CCCGCAAGCT	AGAGCTGAGG	GCAGAGCTAT	GTACCAACCC	ATTGATATAT	GATAATGCAC	13440
CTTAATTGA	CAGAGATGCA	ACAAGGCTAT	ACACCCAGAG	CCATAGGAGG	CACCTTGTGG	13500
AATTTGTTAC	ATGGTCCACA	CCCCAACTAT	ATCACATTCT	AGCTAAGTCC	ACAGCACTAT	13560
CTATGATTGA	CCTGGTAACA	AAATTTGAGA	AGGACCATAT	GAATGAAATT	TCAGCTCTCA	13620
TAGGGGATGA	CGATATCAAT	AGTTTCATAA	CTGAGTTTCT	GCTTATAGAG	CCAAGATTAT	13680
TCACCATCTA	CTTGGGCCAG	TGTGCAGCCA	TCAATTGGGC	ATTTGATGTA	CATTATCATA	13740

- 152 -

GACCATCAGG GAAATATCAG ATGGGTGAGC TGTGTCTTC GTTCCTTTCT AGAATGAGCA 13800
AAGGAGTGTT TAAGGTGCTT GTCAATGCTC TAAGCCACCC AAAGATCTAC AAGAAATTCT 13860
GGCATTGTGG TATTATAGAG CCTATCCATG GTCCTTCACT TGATGCTCAA AACTTGACACA 13920
CAACTGTGTG CAACATGGTT TACACATGCT ATATGACCTA CCTTGACCTG TTGTTGAATG 13980
AAGAGTTAGA AGAGTTCACA TTTCTTTTGT GTGAAAGCGA TGAGGATGTA GTACCGGACA 14040
GATTTCGACAA CATCCAGGCA AAACACTTGT GTGTTCTGGC AGATTTGTAC TGTCAACCAG 14100
GGACCTGCCC ACCGATTGCA GGTCTAAGGC CGGTAGAGAA ATGTGCAGTT CTAACCGATC 14160
ATATCAAGGC AGAGGCTAGG TTATCTCCAG CAGGATCTTC GTGGAACATA AATCCAATTA 14220
TTGTAGACCA TTACTCATGC TCTCTGACTT ATCTCCGTCG AGGATCTATC AAACAGATAA 14280
GATTGAGAGT TGATCCAGGA TTCATTTTGT ATGCCCTCGC TGAGGTAAAT GTCAGTCAGC 14340
CAAAGGTCGG CAGCAACAAC ATCTCAAATA TGAGCATCAA GGATTTGAGA CCTCCACACG 14400
ATGATGTTGC AAAATTGCTC AAAGATATCA ACACAAGCAA GCACAATCTT CCCATTTGAG 14460
GGGGTAGTCT TGCCAATTAT GAAATCCATG CTTCCGCGAG AATCGGGTTA AACTCATCTG 14520
CTTGCTACAA AGCTGTTGAG ATATCAACAT TAATTAGGAG ATGCCTTGAG CCAGGGGAAG 14580
ACGGCTTGTT CTTGGGTGAG GGGTCGGGTT CTATGTTGAT CACTTATAAG GAGATACTAA 14640
AACTAAACAA GTGCTTCTAT AATAGTGGGG TTTCCGCCAA TTCTAGATCT GGTCAAAGGG 14700
AATTAGCACC CTATCCCTCC GAAGTTGGCC TTGTCGAACA CAGAATGGGA GTAGGTAATA 14760
TTGTCAAGGT GCTCTTTAAC GGGAGGCCCG AAGTCACGTG GGTAGGCAGT ATAGATTGCT 14820
TCAATTTGAT AGTCAGTAAT ATCCCTACCT CTAGTGTGGG ATTTATCCAT TCAGATATAG 14880
AGACCTTACC CAACAAAGAT ACTATAGAGA AGTTAGAGGA ATTGGCAGCC ATCTTATCGA 14940
TGGCTCTACT CCTTGGCAAA ATAGGATCAA TACTGGTGAT TAAGCTTATG CCTTTCAGCG 15000
GGGATTTTGT TCAGGGATTT ATAAGCTATG TAGGGTCTCA TTATAGAGAA GTGAACCTTG 15060
TCTACCCTAG GTACAGCAAC TTCATATCTA CTGAATCTTA TTTAGTTATG ACAGATCTCA 15120
AAGCTAACCG GCTAATGAAT CCTGAAAAGA TTAAGCAGCA GATAATTGAA TCATCTGTGC 15180
GGACTTCACC TGGACTTATA GGTACATCC TATCTATCAA GCAACTAAGC TGCATACAAG 15240
CAATTGTGGG AGGCGCAGTT AGTAGAGGTG ATATCAACCC TATTCTGAAA AAACCTACAC 15300

- 153 -

CTATAGAGCA GGTGCTGATC AGTTGCGGGT TGGCAATTAA CGGACCTAAG CTGTGCAAAG 15360
 AATTAATCCA CCATGATGTT GCCTCAGGGC AAGATGGATT GCTTAACTCT ATACTCATCC 15420
 TCTACAGGGA GTTGGCAAGA TTCAAAGACA ACCAAAGAAG TCAACAAGGG ATGTTCCACG 15480
 CTTACCCCGT ATTGGTAAGT AGTAGGCAAC GAGAACTTGT ATCTAGGATC ACTCGCAAAT 15540
 TTTGGGGGCA TATTCTTCTT TACTCCGGGA ACAGAAAGTT GATAAATCGG TTTATCCAGA 15600
 ATCTCAAGTC CGGTTATCTA ATACTAGACT TACACCAGAA TATCTTCGTT AAGAATCTAT 15660
 CCAAGTCAGA GAAACAGATT ATTATGACGG GGGGTTTAAA ACGTGAGTGG GTTTTTAAGG 15720
 TAACAGTCAA GGAGACCAA GAATGGTATA AGTTAGTCGG ATACAGCGCT CTGATTAAGG 15780
 ATTAATTGGT TGAAGTCCGG AACCCCTAATC CTACCCTAGG TAGTTAGGCA TTATTGCAA 15840
 TATATTAAAG AAAACTTTGA AAATACGAAG TTTCTATTCC CAGCTTTGTC TGGT 15894

(2) INFORMATION FOR SEQ ID NO:8:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 2183 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:8:

Met Asp Ser Leu Ser Val Asn Gln Ile Leu Tyr Pro Glu Val His Leu
 1 5 10 15
 Asp Ser Pro Ile Val Thr Asn Lys Ile Val Ala Ile Leu Glu Tyr Ala
 20 25 30
 Arg Val Pro His Ala Tyr Ser Leu Glu Asp Pro Thr Leu Cys Gln Asn
 35 40 45
 Ile Lys His Arg Leu Lys Asn Gly Phe Ser Asn Gln Met Ile Ile Asn
 50 55 60
 Asn Val Glu Val Gly Asn Val Ile Lys Ser Lys Leu Arg Ser Tyr Pro
 65 70 75 80
 Ala His Ser His Ile Pro Tyr Pro Asn Cys Asn Gln Asp Leu Phe Asn
 85 90 95

- 154 -

Ile	Glu	Asp	Lys	Glu	Ser	Thr	Arg	Lys	Ile	Arg	Glu	Leu	Leu	Lys	Lys	100	105	110	
Gly	Asn	Ser	Leu	Tyr	Ser	Lys	Val	Ser	Asp	Lys	Val	Phe	Gln	Cys	Leu	115	120	125	
Arg	Asp	Thr	Asn	Ser	Arg	Leu	Gly	Leu	Gly	Ser	Glu	Leu	Arg	Glu	Asp	130	135	140	
Ile	Lys	Glu	Lys	Ile	Ile	Asn	Leu	Gly	Val	Tyr	Met	His	Ser	Ser	Gln	145	150	155	160
Trp	Phe	Glu	Pro	Phe	Leu	Phe	Trp	Phe	Thr	Val	Lys	Thr	Glu	Met	Arg	165	170	175	
Ser	Val	Ile	Lys	Ser	Gln	Thr	His	Thr	Cys	His	Arg	Arg	Arg	His	Thr	180	185	190	
Pro	Val	Phe	Phe	Thr	Gly	Ser	Ser	Val	Glu	Leu	Leu	Ile	Ser	Arg	Asp	195	200	205	
Leu	Val	Ala	Ile	Ile	Ser	Lys	Glu	Ser	Gln	His	Val	Tyr	Tyr	Leu	Thr	210	215	220	
Phe	Glu	Leu	Val	Leu	Met	Tyr	Cys	Asp	Val	Ile	Glu	Gly	Arg	Leu	Met	225	230	235	240
Thr	Glu	Thr	Ala	Met	Thr	Ile	Asp	Ala	Arg	Tyr	Ala	Glu	Leu	Leu	Gly	245	250	255	
Arg	Val	Arg	Tyr	Met	Trp	Lys	Leu	Ile	Asp	Gly	Phe	Phe	Pro	Ala	Leu	260	265	270	
Gly	Asn	Pro	Thr	Tyr	Gln	Ile	Val	Ala	Met	Leu	Glu	Pro	Leu	Ser	Leu	275	280	285	
Ala	Tyr	Leu	Gln	Leu	Arg	Asp	Ile	Thr	Val	Glu	Leu	Arg	Gly	Ala	Phe	290	295	300	
Leu	Asn	His	Cys	Phe	Thr	Glu	Ile	His	Asp	Val	Leu	Asp	Gln	Asn	Gly	305	310	315	320
Phe	Ser	Asp	Glu	Gly	Thr	Tyr	His	Glu	Leu	Ile	Glu	Ala	Leu	Asp	Tyr	325	330	335	
Ile	Phe	Ile	Thr	Asp	Asp	Ile	His	Leu	Thr	Gly	Glu	Ile	Phe	Ser	Phe	340	345	350	
Phe	Arg	Ser	Phe	Gly	His	Pro	Arg	Leu	Glu	Ala	Val	Thr	Ala	Ala	Glu	355	360	365	

- 155 -

Asn Val Arg Lys Tyr Met Asn Gln Pro Lys Val Ile Val Tyr Glu Thr
 370 375 380
 Leu Met Lys Gly His Ala Ile Phe Cys Gly Ile Ile Ile Asn Gly Tyr
 385 390 395 400
 Arg Asp Arg His Gly Gly Ser Trp Pro Pro Leu Thr Leu Pro Leu His
 405 410 415
 Ala Ala Asp Thr Ile Arg Asn Ala Gln Ala Ser Gly Glu Gly Leu Thr
 420 425 430
 His Glu Gln Cys Val Asp Asn Trp Arg Ser Phe Ala Gly Val Arg Phe
 435 440 445
 Gly Cys Phe Met Pro Leu Ser Leu Asp Ser Asp Leu Thr Met Tyr Leu
 450 455 460
 Lys Asp Lys Ala Leu Ala Ala Leu Gln Arg Glu Trp Asp Ser Val Tyr
 465 470 475 480
 Pro Lys Glu Phe Leu Arg Tyr Asp Pro Pro Lys Gly Thr Gly Ser Arg
 485 490 495
 Arg Leu Val Asp Val Phe Leu Asn Asp Ser Ser Phe Asp Pro Tyr Asp
 500 505 510
 Met Ile Met Tyr Val Val Ser Gly Ala Tyr Leu His Asp Pro Glu Phe
 515 520 525
 Asn Leu Ser Tyr Ser Leu Lys Glu Lys Glu Ile Lys Glu Thr Gly Arg
 530 535 540
 Leu Phe Ala Lys Met Thr Tyr Lys Met Arg Ala Cys Gln Val Ile Ala
 545 550 555 560
 Glu Asn Leu Ile Ser Asn Gly Ile Gly Lys Tyr Phe Lys Asp Asn Gly
 565 570 575
 Met Ala Lys Asp Glu His Asp Leu Thr Lys Ala Leu His Thr Leu Ala
 580 585 590
 Val Ser Gly Val Pro Lys Asp Leu Lys Glu Ser His Arg Gly Gly Pro
 595 600 605
 Val Leu Lys Thr Tyr Ser Arg Ser Pro Val His Thr Ser Thr Arg Asn
 610 615 620
 Val Lys Ala Glu Lys Gly Phe Val Gly Phe Pro His Val Ile Arg Gln
 625 630 635 640
 Asn Gln Asp Thr Asp His Pro Glu Asn Ile Glu Thr Tyr Glu Thr Val

- 156 -

645	650	655
Ser Ala Phe Ile Thr Thr Asp Leu Lys Lys Tyr Cys Leu Asn Trp Arg		
660	665	670
Tyr Glu Thr Ile Ser Leu Phe Ala Gln Arg Leu Asn Glu Ile Tyr Gly		
675	680	685
Leu Pro Ser Phe Phe Gln Trp Leu His Lys Arg Leu Glu Thr Ser Val		
690	695	700
Leu Tyr Val Ser Asp Pro His Cys Pro Pro Asp Leu Asp Ala His Val		
705	710	715
Pro Leu Cys Lys Val Pro Asn Asp Gln Ile Phe Ile Lys Tyr Pro Met		
725	730	735
Gly Gly Ile Glu Gly Tyr Cys Gln Lys Leu Trp Thr Ile Ser Thr Ile		
740	745	750
Pro Tyr Leu Tyr Leu Ala Ala Tyr Glu Ser Gly Val Arg Ile Ala Ser		
755	760	765
Leu Val Gln Gly Asp Asn Gln Thr Ile Ala Val Thr Lys Arg Val Pro		
770	775	780
Ser Thr Trp Pro Tyr Asn Leu Lys Lys Arg Glu Ala Ala Arg Val Thr		
785	790	795
Arg Asp Tyr Phe Val Ile Leu Arg Gln Arg Leu His Asp Ile Gly His		
805	810	815
His Leu Lys Ala Asn Glu Thr Ile Val Ser Ser His Phe Phe Val Tyr		
820	825	830
Ser Lys Gly Ile Tyr Tyr Asp Gly Leu Leu Val Ser Gln Ser Leu Lys		
835	840	845
Ser Ile Ala Arg Cys Val Phe Trp Ser Glu Thr Ile Val Asp Glu Thr		
850	855	860
Arg Ala Ala Cys Ser Asn Ile Ala Thr Thr Met Ala Lys Ser Ile Glu		
865	870	875
Arg Gly Tyr Asp Arg Tyr Leu Ala Tyr Ser Leu Asn Val Leu Lys Val		
885	890	895
Ile Gln Gln Ile Leu Ile Ser Leu Gly Phe Thr Ile Asn Ser Thr Met		
900	905	910
Thr Arg Asp Val Val Ile Pro Leu Leu Thr Asn Asn Asp Leu Leu Ile		
915	920	925

- 157 -

Arg Met Ala Leu Leu Pro Ala Pro Ile Gly Gly Met Asn Tyr Leu Asn
 930 935 940

Met Ser Arg Leu Phe Val Arg Asn Ile Gly Asp Pro Val Thr Ser Ser
 945 950 955 960

Ile Ala Asp Leu Lys Arg Met Ile Leu Ala Ser Leu Met Pro Glu Glu
 965 970 975

Thr Leu His Gln Val Met Thr Gln Gln Pro Gly Asp Ser Ser Phe Leu
 980 985 990

Asp Trp Ala Ser Asp Pro Tyr Ser Ala Asn Leu Val Cys Val Gln Ser
 995 1000 1005

Ile Thr Arg Leu Leu Lys Asn Ile Thr Ala Arg Phe Val Leu Ile His
 1010 1015 1020

Ser Pro Asn Pro Met Leu Lys Gly Leu Phe His Asp Asp Ser Lys Glu
 1025 1030 1035 1040

Glu Asp Glu Arg Leu Ala Ala Phe Leu Met Asp Arg His Ile Ile Val
 1045 1050 1055

Pro Arg Ala Ala His Glu Ile Leu Asp His Ser Val Thr Gly Ala Arg
 1060 1065 1070

Glu Ser Ile Ala Gly Met Leu Asp Thr Thr Lys Gly Leu Ile Arg Ala
 1075 1080 1085

Ser Met Arg Lys Gly Gly Leu Thr Ser Arg Val Ile Thr Arg Leu Ser
 1090 1095 1100

Asn Tyr Asp Tyr Glu Gln Phe Arg Ala Gly Met Val Leu Leu Thr Gly
 1105 1110 1115 1120

Arg Lys Arg Asn Val Leu Ile Asp Lys Glu Ser Cys Ser Val Gln Leu
 1125 1130 1135

Ala Arg Ala Leu Arg Ser His Met Trp Ala Arg Leu Ala Arg Gly Arg
 1140 1145 1150

Pro Ile Tyr Gly Leu Glu Val Pro Asp Val Leu Glu Ser Met Arg Gly
 1155 1160 1165

His Leu Ile Arg Arg His Glu Thr Cys Val Ile Cys Glu Cys Gly Ser
 1170 1175 1180

Val Asn Tyr Gly Trp Phe Phe Val Pro Ser Gly Cys Gln Leu Asp Asp
 1185 1190 1195 1200

- 158 -

Ile Asp Lys Glu Thr Ser Ser Leu Arg Val Pro Tyr Ile Gly Ser Thr
 1205 1210 1215
 Thr Asp Glu Arg Thr Asp Met Lys Leu Ala Phe Val Arg Ala Pro Ser
 1220 1225 1230
 Arg Ser Leu Arg Ser Ala Val Arg Ile Ala Thr Val Tyr Ser Trp Ala
 1235 1240 1245
 Tyr Gly Asp Asp Asp Ser Ser Trp Asn Glu Ala Trp Leu Leu Ala Arg
 1250 1255 1260
 Gln Arg Ala Asn Val Ser Leu Glu Glu Leu Arg Val Ile Thr Pro Ile
 1265 1270 1275 1280
 Ser Thr Ser Thr Asn Leu Ala His Arg Leu Arg Asp Arg Ser Thr Gln
 1285 1290 1295
 Val Lys Tyr Ser Gly Thr Ser Leu Val Arg Val Ala Arg Tyr Thr Thr
 1300 1305 1310
 Ile Ser Asn Asp Asn Leu Ser Phe Val Ile Ser Asp Lys Lys Val Asp
 1315 1320 1325
 Thr Asn Phe Ile Tyr Gln Gln Gly Met Leu Leu Gly Leu Gly Val Leu
 1330 1335 1340
 Glu Thr Leu Phe Arg Leu Glu Lys Asp Thr Gly Ser Ser Asn Thr Val
 1345 1350 1355 1360
 Leu His Leu His Val Glu Thr Asp Cys Cys Val Ile Pro Met Ile Asp
 1365 1370 1375
 His Pro Arg Ile Pro Ser Ser Arg Lys Leu Glu Leu Arg Ala Glu Leu
 1380 1385 1390
 Cys Thr Asn Pro Leu Ile Tyr Asp Asn Ala Pro Leu Ile Asp Arg Asp
 1395 1400 1405
 Ala Thr Arg Leu Tyr Thr Gln Ser His Arg Arg His Leu Val Glu Phe
 1410 1415 1420
 Val Thr Trp Ser Thr Pro Gln Leu Tyr His Ile Leu Ala Lys Ser Thr
 1425 1430 1435 1440
 Ala Leu Ser Met Ile Asp Leu Val Thr Lys Phe Glu Lys Asp His Met
 1445 1450 1455
 Asn Glu Ile Ser Ala Leu Ile Gly Asp Asp Asp Ile Asn Ser Phe Ile
 1460 1465 1470
 Thr Glu Phe Leu Leu Ile Glu Pro Arg Leu Phe Thr Ile Tyr Leu Gly

- 159 -

1475	1480	1485
Gln Cys Ala Ala Ile Asn Trp Ala Phe Asp Val His Tyr His Arg Pro 1490	1495	1500
Ser Gly Lys Tyr Gln Met Gly Glu Leu Leu Ser Ser Phe Leu Ser Arg 1505	1510	1515 1520
Met Ser Lys Gly Val Phe Lys Val Leu Val Asn Ala Leu Ser His Pro 1525	1530	1535
Lys Ile Tyr Lys Lys Phe Trp His Cys Gly Ile Ile Glu Pro Ile His 1540	1545	1550
Gly Pro Ser Leu Asp Ala Gln Asn Leu His Thr Thr Val Cys Asn Met 1555	1560	1565
Val Tyr Thr Cys Tyr Met Thr Tyr Leu Asp Leu Leu Leu Asn Glu Glu 1570	1575	1580
Leu Glu Glu Phe Thr Phe Leu Leu Cys Glu Ser Asp Glu Asp Val Val 1585	1590	1595 1600
Pro Asp Arg Phe Asp Asn Ile Gln Ala Lys His Leu Cys Val Leu Ala 1605	1610	1615
Asp Leu Tyr Cys Gln Pro Gly Thr Cys Pro Pro Ile Arg Gly Leu Arg 1620	1625	1630
Pro Val Glu Lys Cys Ala Val Leu Thr Asp His Ile Lys Ala Glu Ala 1635	1640	1645
Arg Leu Ser Pro Ala Gly Ser Ser Trp Asn Ile Asn Pro Ile Ile Val 1650	1655	1660
Asp His Tyr Ser Cys Ser Leu Thr Tyr Leu Arg Arg Gly Ser Ile Lys 1665	1670	1675 1680
Gln Ile Arg Leu Arg Val Asp Pro Gly Phe Ile Phe Asp Ala Leu Ala 1685	1690	1695
Glu Val Asn Val Ser Gln Pro Lys Val Gly Ser Asn Asn Ile Ser Asn 1700	1705	1710
Met Ser Ile Lys Asp Phe Arg Pro Pro His Asp Asp Val Ala Lys Leu 1715	1720	1725
Leu Lys Asp Ile Asn Thr Ser Lys His Asn Leu Pro Ile Ser Gly Gly 1730	1735	1740
Ser Leu Ala Asn Tyr Glu Ile His Ala Phe Arg Arg Ile Gly Leu Asn 1745	1750	1755 1760

- 160 -

Ser Ser Ala Cys Tyr Lys Ala Val Glu Ile Ser Thr Leu Ile Arg Arg
 1765 1770 1775
 Cys Leu Glu Pro Gly Glu Asp Gly Leu Phe Leu Gly Glu Gly Ser Gly
 1780 1785 1790
 Ser Met Leu Ile Thr Tyr Lys Glu Ile Leu Lys Leu Asn Lys Cys Phe
 1795 1800 1805
 Tyr Asn Ser Gly Val Ser Ala Asn Ser Arg Ser Gly Gln Arg Glu Leu
 1810 1815 1820
 Ala Pro Tyr Pro Ser Glu Val Gly Leu Val Glu His Arg Met Gly Val
 1825 1830 1835 1840
 Gly Asn Ile Val Lys Val Leu Phe Asn Gly Arg Pro Glu Val Thr Trp
 1845 1850 1855
 Val Gly Ser Ile Asp Cys Phe Asn Phe Ile Val Ser Asn Ile Pro Thr
 1860 1865 1870
 Ser Ser Val Gly Phe Ile His Ser Asp Ile Glu Thr Leu Pro Asn Lys
 1875 1880 1885
 Asp Thr Ile Glu Lys Leu Glu Glu Leu Ala Ala Ile Leu Ser Met Ala
 1890 1895 1900
 Leu Leu Leu Gly Lys Ile Gly Ser Ile Leu Val Ile Lys Leu Met Pro
 1905 1910 1915 1920
 Phe Ser Gly Asp Phe Val Gln Gly Phe Ile Ser Tyr Val Gly Ser His
 1925 1930 1935
 Tyr Arg Glu Val Asn Leu Val Tyr Pro Arg Tyr Ser Asn Phe Ile Ser
 1940 1945 1950
 Thr Glu Ser Tyr Leu Val Met Thr Asp Leu Lys Ala Asn Arg Leu Met
 1955 1960 1965
 Asn Pro Glu Lys Ile Lys Gln Gln Ile Ile Glu Ser Ser Val Arg Thr
 1970 1975 1980
 Ser Pro Gly Leu Ile Gly His Ile Leu Ser Ile Lys Gln Leu Ser Cys
 1985 1990 1995 2000
 Ile Gln Ala Ile Val Gly Gly Ala Val Ser Arg Gly Asp Ile Asn Pro
 2005 2010 2015
 Ile Leu Lys Lys Leu Thr Pro Ile Glu Gln Val Leu Ile Ser Cys Gly
 2020 2025 2030

- 161 -

Leu Ala Ile Asn Gly Pro Lys Leu Cys Lys Glu Leu Ile His His Asp
 2035 2040 2045
 Val Ala Ser Gly Gln Asp Gly Leu Leu Asn Ser Ile Leu Ile Leu Tyr
 2050 2055 2060
 Arg Glu Leu Ala Arg Phe Lys Asp Asn Gln Arg Ser Gln Gln Gly Met
 2065 2070 2075 2080
 Phe His Ala Tyr Pro Val Leu Val Ser Ser Arg Gln Arg Glu Leu Val
 2085 2090 2095
 Ser Arg Ile Thr Arg Lys Phe Trp Gly His Ile Leu Leu Tyr Ser Gly
 2100 2105 2110
 Asn Arg Lys Leu Ile Asn Arg Phe Ile Gln Asn Leu Lys Ser Gly Tyr
 2115 2120 2125
 Leu Ile Leu Asp Leu His Gln Asn Ile Phe Val Lys Asn Leu Ser Lys
 2130 2135 2140
 Ser Glu Lys Gln Ile Ile Met Thr Gly Gly Leu Lys Arg Glu Trp Val
 2145 2150 2155 2160
 Phe Lys Val Thr Val Lys Glu Thr Lys Glu Trp Tyr Lys Leu Val Gly
 2165 2170 2175
 Tyr Ser Ala Leu Ile Lys Asp
 2180

(2) INFORMATION FOR SEQ ID NO:9:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 15894 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: RNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:9:

ACCAAACAAA GTTGGGTAAG GATAGTTCAA TCAATGATCA TCTTCTAGTG CACTTAGGAT	60
TCAAGATCCT ATTATCAGGG ACAAGAGCAG GATTAGGGAT ATCCGAGATG GCCACACTTT	120
TAAGGAGCTT AGCATTGTTT AAAAGAAACA AGGACAAACC ACCCATTACA TCAGGATCCG	180
GTGGAGCCAT CAGAGGAATC AAACACATTA TTATAGTACC AATCCCTGGA GATTCCTCAA	240

- 162 -

TTACCACTCG ATCCAGACTT CTGGACCGGT TGGTCAGGTT AATTGGAAAC CCGGATGTGA	300
GCGGGCCCCAA ACTAACAGGG GCACTAATAG GTATATTATC CTTATTTGTG GAGTCTCCAG	360
GTCAATTGAT TCAGAGGATC ACCGATGACC CTGACGTTAG CATAAGGCTG TTAGAGGTTG	420
TCCAGAGTGA CCAGTCACAA TCTGGCCTTA CCTTCGCATC AAGAGGTACC AACATGGAGG	480
ATGAGGCGGA CCAATACTTT TCACATGATG ATCCAATTAG TAGTGATCAA TCCAGGTTCTG	540
GATGGTTCTGA GAACAAGGAA ATCTCAGATA TTGAAGTGCA AGACCCTGAG GGATTCAACA	600
TGATTCTGGG TACCATCCTA GCCCAAATTT GGGTCTTGCT CGCAAAGGCG GTTACGGCCC	660
CAGACACGGC AGCTGATTCTG GAGCTAAGAA GGTGGATAAA GTACACCCAA CAAAGAAGGG	720
TGGTTGGTGA ATTTAGATTG GAGAGAAAAT GGTGGATGT GGTGAGGAAC AGGATTGCCG	780
AGGACCTCTC CTTACGCCGA TTCATGGTCG CTCTAATCCT GGATATCAAG AGAACACCCG	840
GAAACAAACC CAGGATTGCT GAAATGATAT GTGACATTGA TACATATATC GTAGAGGCAG	900
GATTAGCCAG TTTTATCCTG ACTATTAAGT TTGGGATAGA AACTATGTAT CCTGCTCTTG	960
GACTGCATGA ATTTGCTGGT GAGTTATCCA CACTTGAGTC CTTGATGAAC CTTTACCAGC	1020
AAATGGGGGA AACTGCACCC TACATGGTAA TCCTGGAGAA CTCAATTCAG AACAAAGTTCA	1080
GTGCAGGATC ATACCCTCTG CTCTGGAGCT ATGCCATGGG AGTAGGAGTG GAACTTGAAA	1140
ACTCCATGGG AGGTTTGAAC TTTGGCCGAT CTTACTTTGA TCCAGCATAT TTTAGATTAG	1200
GGCAAGAGAT GGTAAGGAGG TCAGCTGGAA AGGTCAGTTC CACATTGGCA TCTGAACTCG	1260
GTATCACTGC CGAGGATGCA AGGCTTGTTT CAGAGATTGC AATGCATACT ACTGAGGACA	1320
AGATCAGTAG AGCGGTTGGA CCCAGACAAG CCCAAGTATC ATTTCTACAC GGTGATCAAA	1380
GTGAGAATGA GCTACCGAGA TTGGGGGGCA AGGAAGATAG GAGGGTCAAA CAGAGTCGAG	1440
GAGAAGCCAG GGAGAGCTAC AGAGAAACCG GGCCAGCAG AGCAAGTGAT GCGAGAGCTG	1500
CCCATCTTCC AACC GG CACA CCCCTAGACA TTGACACTGC AACGGAGTCC AGCCAAGATC	1560
CGCAGGACAG TCGAAGGTCA GCTGACGCCC TGCTTAGGCT GCAAGCCATG GCAGGAATCT	1620
CGGAAGAACA AGGCTCAGAC ACGGACACCC CTATAGTGTA CAATGACAGA AATCTTCTAG	1680
ACTAGGTGCG AGAGGCCGAG GGCCAGAACA ACATCCGCCT ACCCTCCATC ATTGTTATAA	1740
AAAACCTTAGG AACCAGGTCC ACACAGCCGC CAGCCCATCA ACCATCCACT CCCACGATTG	1800

- 163 -

GAGCCAATGG	CAGAAGAGCA	GGCACGCCAT	GTCAAAAACG	GACTGGAATG	CATCCGGGCT	1860
CTCAAGGCCG	AGCCCATCGG	CTCACTGGCC	ATCGAGGAAG	CTATGGCAGC	ATGGTCAGAA	1920
ATATCAGACA	ACCCAGGACA	GGAGCGAGCC	ACCTGCAGGG	AAGAGAAGGC	AGGCAGTTCG	1980
GGTCTCAGCA	AACCATGCCT	CTCAGCAATT	GGATCAACTG	AAGGCGGTGC	ACCTCGCATC	2040
CGCGGTCAAG	GACCTGGAGA	GAGCGATGAC	GACGCTGAAA	CTTTGGGAAT	CCCCCAAGA	2100
AATCTCCAGG	CATCAAGCAC	TGGGTTACAG	TGTTATTACG	TTTATGATCA	CAGCGGTGAA	2160
GCGGTTAAGG	GAATCCAAGA	TGCTGACTCT	ATCATGGTTC	AATCAGGCCT	TGATGGTGAT	2220
AGCACCTCT	CAGGAGGAGA	CAATGAATCT	GAAAACAGCG	ATGTGGATAT	TGGCGAACCT	2280
GATACCGAGG	GATATGCTAT	CACTGACCGG	GGATCTGCTC	CCATCTCTAT	GGGGTTCAGG	2340
GCTTCTGATG	TTGAAACTGC	AGAAGGAGGG	GAGATCCACG	AGCTCCTGAG	ACTCCAATCC	2400
AGAGGCAACA	ACTTTCCGAA	GCTTGGGAAA	ACTCTCAATG	TTCCTCCGCC	CCCGGACCCC	2460
GGTAGGGCCA	GCACTTCCGG	GACACCCATT	AAAAAGGGCA	CAGACGCGAG	ATTAGCCTCA	2520
TTTGGAACGG	AGATCGCGTC	TTTATTGACA	GGTGGTGCAA	CCCAATGTGC	TCGAAAGTCA	2580
CCCTCGGAAC	CATCAGGGCC	AGGTGCACCT	GCGGGGAATG	TCCCCGAGTG	TGTGAGCAAT	2640
GCCGCACTGA	TACAGGAGTG	GACACCCGAA	TCTGGTACCA	CAATCTCCCC	GAGATCCCAG	2700
AATAATGAAG	AAGGGGGAGA	CTATTATGAT	GATGAGCTGT	TCTCTGATGT	CCAAGATATT	2760
AAAACAGCCT	TGGCCAAAAT	ACACGAGGAT	AATCAGAAGA	TAATCTCCAA	GCTAGAATCA	2820
CTGCTGTTAT	TGAAGGGAGA	AGTTGAGTCA	ATTAAGAAGC	AGATCAACAG	GCAAAATATC	2880
AGCATATCCA	CCCTGGAAGG	ACACCTCTCA	AGCATCATGA	TCGCCATTCC	TGGACTTGGG	2940
AAGGATCCCA	ACGACCCAC	TGCAGATGTC	GAAATCAATC	CCGACTTGAA	ACCCATCATA	3000
GGCAGAGATT	CAGGCCGAGC	ACTGGCCGAA	GTTCTCAAGA	AACCCGTTGC	CAGCCGACAA	3060
CTCCAAGGAA	TGACAAATGG	ACGGACCAGT	TCCAGAGGAC	AGCTGCTGAA	GGAATTTGAG	3120
CTAAAGCCGA	TCGGGAAAAA	GATGAGCTCA	GCCGTCGGGT	TTGTTCTGTA	CACCGGCCCT	3180
GCATCAGCA	GTGTAATCCG	CTCCATTATA	AAATCCAGCC	GGCTAGAGGA	GGATCGGAAG	3240
CGTTACCTGA	TGACTCTCCT	TGATGATATC	AAAGGAGCCA	ATGATCTTGC	CAAGTTCCAC	3300
CAGATGCTGA	TGAAGATAAT	AATGAAGTAG	CTACAGCTCA	ACTTACCTGC	CAACCCCATG	3360

- 164 -

CCAGTCGACC CAACTAGTAC AACCTAAATC CATTATAAAA AACTTAGGAG CAAAGTGATT	3420
GCCTCCCAAG TTCCACAATG ACAGAGACCT ACGACTTCGA CAAGTCGGCA TGGGACATCA	3480
AAGGGTCGAT CGCTCCGATA CAACCCACCA CCTACAGTGA TGGCAGGCTG GTGCCCCAGG	3540
TCAGAGTCAT AGATCCTGGT CTAGGCGACA GGAAGGATGA ATGCTTTATG TACATGTTTC	3600
TGCTGGGGGT TGTTGAGGAC AGCGATTCCC TAGGGCCTCC AATCGGGCGA GCATTGGGT	3660
CCCTGCCCTT AGGTGTTGGC AGATCCACAG CAAAGCCCGA AAAACTCCTC AAAGAGGCCA	3720
CTGAGCTTGA CATAGTTGTT AGACGTACAG CAGGGCTCAA TGAAAACTG GTGTTCTACA	3780
ACAACACCCC ACTAACTCTC CTCACACCTT GGAGAAAGGT CCTAACAACA GGGAGTGTCT	3840
TCAACGCAAA CCAAGTGTGC AATGCGGTTA ATCTGATACC GCTCGATACC CCGCAGAGGT	3900
TCCGTGTTGT TTATATGAGC ATCACCCGTC TTTCGGATAA CGGGTATTAC ACCGTTCCCTA	3960
GAAGAATGCT GGAATTCAGA TCGGTCAATG CAGTGGCCTT CAACCTGCTG GTGACCCTTA	4020
GGATTGACAA GGCATAGGC CCTGGGAAGA TCATCGACAA TACAGAGCAA CTTCTGAGG	4080
CAACATTTAT GGTCCACATC GGGAACTTCA GGAGAAAGAA GAGTGAAGTC TACTCTGCCG	4140
ATTATTGCAA AATGAAAATC GAAAAGATGG GCCTGGTTTT TGCCTTGGT GGGATAGGGG	4200
GCACCAGTCT TCACATTAGA AGCACAGGCA AAATGAGCAA GACTCTCCAT GCACAACTCG	4260
GGTTCAAGAA GACCTTATGT TACCCGCTGA TGGATATCAA TGAAGACCTT AATCGATTAC	4320
TCTGGAGGAG CAGATGCAAG ATAGTAAGAA TCCAGGCAGT TTTGCAGCCA TCAGTTCCTC	4380
AAGAATTCCG CATTTACGAC GACGTGATCA TAAATGATGA CCAAGGACTA TTCAAAGTTC	4440
TGTAGACCGT AGTGCCCGAGC AATGCCCCGAA AACGACCCCC CTCACAATGA CAGCCAGAAG	4500
GCCCCGACAA AAAAGCCCCC TCCGAAAGAC TCCACGGACC AAGCGAGAGG CCAGCCAGCA	4560
GCCGACGGCA AGCGCGAACA CCAGGCGGCC CCAGCACAGA ACAGCCCCGA CACAAGGCCA	4620
CCACCAGCCA CCCCATCTG CATCCTCCTC GTGGGACCCC CGAGGACCAA CCCCCAAGGC	4680
TGCCCCCGAT CCAAACCACC AACC GCATCC CCACCACCCC CGGGAAAGAA ACCCCCAGCA	4740
ATTGGAAGGC CCCTCCCCCT CTTCCTCAAC ACAAGAACTC CACAACCGAA CCGCACAAGC	4800
GACCGAGGTG ACCCAACCGC AGGCATCCGA CTCCCTAGAC AGATCCTCTC TCCCCGGCAA	4860
ACTAAACAAA ACTTAGGGCC AAGGAACATA CACACCCAAC AGAACCAGAA CCCCCGCCCA	4920

- 165 -

CGGCGCCGCG CCCCCAACCC CCGACAACCA GAGGGAGCCC CCAACCAATC CCGCCGGCTC 4980
CCCCGGTGCC CACAGGCAGG GACACCAACC CCCGAACAGA CCCAGCACCC AACCATCGAC 5040
AATCCAAGAC GGGGGGGCCC CCCCCAAAAA AGGCCCCCAG GGGCCGACAG CCAGCACCGC 5100
GAGGAAGCCC ACCCACCCEA CACACGACCA CGGCAACCAA ACCAGAACCC AGACCACCCT 5160
GGGCCACCAG CTCCCAGACT CGGCCATCAC CCCGCAGAAA GGAAAGGCCA CAACCCGCGC 5220
ACCCAGCCCC CGATCCGGCG GGGAGCCACC CAACCCGAAC CAGCACCCAA GAGCGATCCC 5280
CGAAGGACCC CCGAACCGCA AAGGACACCA GTATCCACA GCCTCTCCAA GTCCCCGGT 5340
CTCCTCCTCT TCTCGAAGGG ACCAAAAGAT CAATCCACCA CACCCGACGA CACTCAACTC 5400
CCCACCCCTA AAGGAGACAC CGGGAATCCC AGAATCAAGA CTCATCCAAT GTCCATCATG 5460
GGTCTCAAGG TGAACGTCTC TGCCATATTC ATGGCAGTAC TGTAACTCT CCAAACCCCC 5520
ACCGGTCAAA TCCATTGGGG CAATCTCTCT AAGATAGGGG TGTAGGAAT AGGAAGTGCA 5580
AGCTACAAAG TTATGACTCG TTCCAGCCAT CAATCATTAG TCATAAAATT AATGCCCAAT 5640
ATAACTCTCC TCAATAACTG CACGAGGGTA GAGATTGCAG AATACAGGAG ACTACTGAGA 5700
ACAGTTTTGG AACCAATTAG AGATGCACTT AATGCAATGA CCCAGAATAT AAGACCGGTT 5760
CAGAGTGTAG CTTCAAGTAG GAGACACAAG AGATTGCGG GAGTAGTCCT GGCAGGTGCG 5820
GCCCTAGGCG TTGCCACAGC TGCTCAGATA ACAGCCGGCA TTGCACTTCA CCAGTCCATG 5880
CTGAActCTC AAGCCATCGA CAATCTGAGA GCGAGCCTGG AACTACTAA TCAGGCAATT 5940
GAGGCAATCA GACAAGCAGG GCAGGAGATG ATATTGGCTG TTCAGGGTGT CCAAGACTAC 6000
ATCAATAATG AGCTGATACC GTCTATGAAC CAACTATCTT GTGATTTAAT CGGCCAGAAG 6060
CTCGGGCTCA AATTGCTCAG ATACTATACA GAAATCCTGT CATTATTTGG CCCCAGTTTA 6120
CGGGACCCCA TATCTGCGGA GATATCTATC CAGGCTTTGA GCTATGCGCT TGGAGGAGAC 6180
ATCAATAAGG TGTTAGAAAA GCTCGGATAC AGTGGAGGTG ATTTACTGGG CATCTTAGAG 6240
AGCGGAGGAA TAAAGGCCCG GATAACTCAC GTCGACACAG AGTCCTACTT CATTGTCCTC 6300
AGTATAGCCT ATCCGACGCT GTCCGAGATT AAGGGGGTGA TTGTCCACCG GCTAGAGGGG 6360
GTCTCGTACA ACATAGGCTC TCAAGAGTGG TATACCACTG TGCCCAAGTA TGTGCAACC 6420
CAAGGGTACC TTATCTCGAA TTTTGATGAG TCATCGTGTA CTTTCATGCC AGAGGGGACT 6480

- 166 -

GTGTGCAGCC AAAATGCCTT GTACCCGATG AGTCCTCTGC TCCAAGAATG CCTCCGGGGG	6540
TACACCAAGT CCTGTGCTCG TACACTCGTA TCCGGGTCTT TTGGGAACCG GTTCATTTTA	6600
TCACAAGGGA ACCTAATAGC CAATTGTGCA TCAATCCTTT GCAAGTGTTA CACAACAGGA	6660
ACGATCATT AATCAAGACCC TGACAAGATC CTAACATACA TTGCTGCCGA TCACTGCCCCG	6720
GTAGTCGAGG TGAACGGCGT GATCATCCAA GTCGGGAGCA GGAGGTATCC AGACGCTGTG	6780
TACTTGCACA GAATTGACCT CGGTCCTCCC ATATCATTGG AGAGGTTGGA CGTAGGGACA	6840
AATCTGGGGA ATGCAATTGC TAAGTTGGAG GATGCCAAGG AATTGTTGGA GTCATCGGAC	6900
CAGATATTGA GGAGTATGAA AGGTTTATCG AGCACTAGCA TAGTCTACAT CCTGATTGCA	6960
GTGTGTCTTG GAGGGTTGAT AGGGATCCCC GCTTTAATAT GTTGCTGCAG GGGGCGTTGT	7020
AACAAAAAGG GAGAACAAGT TGGTATGTCA AGACCAGGCC TAAAGCCTGA TCTTACGGGA	7080
ACATCAAAAT CCTATGTAAG GTCGCTCTGA TCCTCTACAA CTCTTGAAAC ACAAATGTCC	7140
CACAAGTCTC CTCTTCGTCA TCAAGCAACC ACCGCACCCA GCATCAAGCC CACCTGAAAT	7200
TATCTCCGGC TTCCCTCTGG CCGAACAATA TCGGTAGTTA ATTA AAACTT AGGGTGCAAG	7260
ATCATCCACA ATGTCACCAC AACGAGACCG GATAAATGCC TTCTACAAAG ATAACCCCCA	7320
TCCCAAGGGA AGTAGGATAG TCATTAACAG AGAACATCTT ATGATTGATA GACCTTATGT	7380
TTTGCTGGCT GTTCTGTTTG TCATGTTTCT GAGCTTGATC GGGTTGCTAG CCATTGCAGG	7440
CATTAGACTT CATCGGGCAG CCATCTACAC CGCAGAGATC CATAAAAGCC TCAGCACCAA	7500
TCTAGATGTA ACTAACTCAA TCGAGCATCA GGTCAAGGAC GTGCTGACAC CACTCTTCAA	7560
AATCATCGGT GATGAAGTGG GCCTGAGGAC ACCTCAGAGA TTCCTGACC TAGTGAAATT	7620
CATCTCTGAC AAGATTAAAT TCCTTAATCC GGATAGGGAG TACGACTTCA GAGATCTCAC	7680
TTGGTGTATC AACCCGCCAG AGAGAATCAA ATTGGATTAT GATCAATACT GTGCAGATGT	7740
GGCTGCTGAA GAGCTCATGA ATGCATTGGT GAACTCAACT CTACTGGAGA CCAGAACAAC	7800
CAATCAGTTC CTAGCTGTCT CAAAGGGAAA CTGCTCAGGG CCCACTACAA TCAGAGGTCA	7860
ATTCTCAAAC ATGTCGCTGT CCCTGTTAGA CTTGTATTTA GGTCGAGGTT ACAATGTGTC	7920
ATCTATAGTC ACTATGACAT CCCAGGGAAT GTATGGGGGA ACTTACCTAG TGGAAAAGCC	7980
TAATCTGAGC AGCAAAAGGT CAGAGTTGTC ACAA CTGAGC ATGTACCGAG TGTTTGAAGT	8040

- 167 -

AGGTGTTATC AGAAATCCGG GTTTGGGGGC TCCGGTGTTC CATATGACAA ACTATCTTGA	8100
GCAACCAGTC AGTAATGATC TCAGCAACTG TATGGTGGCT TTGGGGGAGC TCAAACCTCGC	8160
AGCCCTTTGT CACGGGGAAG ATTCTATCAC AATTCCCTAT CAGGGATCAG GGAAAGGTGT	8220
CAGCTTCCAG CTCGTCAAGC TAGGTGTCTG GAAATCCCCA ACCGACATGC AATCCTGGGT	8280
CCCCTTATCA ACGGATGATC CAGTGATAGA CAGGCTTTAC CTCTCATCTC ACAGAGGTGT	8340
TATCGCTGAC AATCAAGCAA AATGGGCTGT CCCGACAACA CGAACAGATG ACAAGTTGCG	8400
AATGGAGACA TGCTTCCAAC AGGCGTGTA GGGTAAATC CAAGCACTCT GCGAGAATCC	8460
CGAGTGGGCA CCATTGAAGG ATAACAGGAT TCCTTCATAC GGGGTCTTGT CTGTTGATCT	8520
GAGTCTGACA GTTGAGCTTA AAATCAAAAT TGCTTCGGGA TTCGGGCCAT TGATCACACA	8580
CGGTTCAAGG ATGGACCTAT ACAAATCCAA CCACAACAAT GTGTATTGGC TGAATATCCC	8640
GCCAATGAAG AACCTAGCCT TAGGTGTAAT CAACACATTG GAGTGGATAC CGAGATTCAA	8700
GGTTAGTCCC TACCTCTTCA CTGTCCCAAT TAAGGAAGCA GCGGAAGACT GCCATGCCCC	8760
AACATACCTA CCTGCGGAGG TGGATGGTGA TGTCAAATC AGTTCCAATC TGGTGATTCT	8820
ACCTGGTCAA GATCTCCAAT ATGTTTTGGC AACCTACGAT ACTTCCAGGG TTGAACATGC	8880
TGTGGTTTAT TACGTTTACA GCCCAAGCCG CTCATTTTCT TACTTTTATC CTTTTAGGTT	8940
GCCTATAAAG GGGGTCCCCA TCGAATTACA AGTGGAAATGC TTCACATGGG ACCAAAAACT	9000
CTGGTGCCGT CACTTCTGTG TGCTTGCGGA CTCAGAATCT GGTGGACATA TCACTCACTC	9060
TGGGATGGTG GGCATGGGAG TCAGCTGCAC AGTCACCCGG GAAGATGGAA CCAATCGCAG	9120
ATAGGGCTGC TAGTGAACCA ATCACATGAT GTCACCCAGA CATCAGGCAT ACCCACTAGT	9180
GTGAAATAGA CATCAGAATT AAGAAAAACG TAGGGTCCAA GTGGTTCCCC GTTATGGACT	9240
CGCTATCTGT CAACCAGATC TTATACCCTG AAGTTCACCT AGATAGCCCG ATAGTTACCA	9300
ATAAGATAGT AGCCATCCTG GAGTATGCTC GAGTCCCTCA CGCTTACAGC CTGGAGGACC	9360
CTACACTGTG TCAGAACATC AAGCACCGCC TAAAAACGG ATTTTCCAAC CAAATGATTA	9420
TAAACAATGT GGAAGTTGGG AATGTCATCA AGTCCAAGCT TAGGAGTTAT CCGGCCCACT	9480
CTCATATTCC ATATCCAAAT TGTAATCAGG ATTTATTTAA CATAGAAGAC AAAGAGTCAA	9540
CGAGGAAGAT CCGTGAATC CTCAAAAAGG GGAATTCGCT GTACTCCAAA GTCAGTGATA	9600

- 168 -

AGGTTTTCCA	ATGCTTAAGG	GACACTAACT	CACGGCTTGG	CCTAGGCTCC	GAATTGAGGG	9660
AGGACATCAA	GGAGAAAGTT	ATTAACTTGG	GAGTTTACAT	GCACAGCTCC	CAGTGGTTTG	9720
AGCCCTTTCT	GTTTTGGTTT	ACAGTCAAGA	CTGAGATGAG	GTCAGTGATT	AAATCACAAA	9780
CCCATACTTG	CCATAGGAGG	AGACACACAC	CTGTATTCTT	CACTGGTAGT	TCAGTTGAGT	9840
TGCTAATCTC	TCGTGACCTT	GTTGCTATAA	TCAGTAAAGA	GTCTCAACAT	GTATATTACC	9900
TGACATTTGA	ACTGGTTTTG	ATGTATTGTG	ATGTCATAGA	GGGGAGGTTA	ATGACAGAGA	9960
CCGCTATGAC	TATTGATGCT	AGGTATACAG	AGCTTCTAGG	AAGAGTCAGA	TACATGTGGA	10020
AACTGATAGA	TGGTTTCTTC	CCTGCACTCG	GGAATCCAAC	TTATCAAATT	GTAGCCATGC	10080
TGGAGCCTCT	TTCACTTGCT	TACCTGCAGC	TGAGGGATAT	AACAGTAGAA	CTCAGAGGTG	10140
CTTTCCTTAA	CCACTGCTTT	ACTGAAATAC	ATGATGTTCT	TGACCAAAAC	GGGTTTTCTG	10200
ATGAAGGTAC	TTATCATGAG	TTAATTGAAG	CTCTAGATTA	CATTTTCATA	ACTGATGACA	10260
TACATCTGAC	AGGGGAGATT	TTCTCATTTT	TCAGAAAGTT	CGGCCACCCC	AGACTTGAAG	10320
CAGTAACGGC	TGCTGAAAAT	GTTAGGAAAT	ACATGAATCA	GCCTAAAGTC	ATTGTGTATG	10380
AGACTCTGAT	GAAAGGTCAT	GCCATATTTT	GTGGAATCAT	AATCAACGGC	TATCGTGACA	10440
GGCACGGAGG	CAGTTGGCCA	CCGCTGACCC	TCCCCCTGCA	TGCTGCAGAC	ACAATCCGGA	10500
ATGCTCAAGC	TTCAGGTGAA	GGGTTAACAC	ATGAGCAGTG	CGTTGATAAC	TGGAAATCTT	10560
TTGCTGGAGT	GAAATTTGGC	TGCTTTATGC	CTCTTAGCCT	GGATAGTGAT	CTGACAATGT	10620
ACCTAAAGGA	CAAGGCACTT	GCTGCTCTCC	AAAGGGAATG	GGATTCAGTT	TACCCGAAAG	10680
AGTTCCTGCG	TTACGACCCT	CCCAAGGGAA	CCGGGTCACG	GAGGCTTGTA	GATGTTTTCC	10740
TTAATGATTC	GAGCTTTGAC	CCATATGATG	TGATAATGTA	TGTTGTAAGT	GGAGCTTACC	10800
TCCATGACCC	TGAGTTCAAC	CTGTCTTACA	GCCTGAAAGA	AAAGGAGATC	AAGGAAACAG	10860
GTAGACTTTT	TGCTAAAAATG	ACTTACAAAA	TGAGGGCATG	CCAAGTGATT	GCTGAAAATC	10920
TAATCTCAAA	CGGGATTGGC	AAATATTTTA	AGGACAATGG	GATGGCCAAG	GATGAGCACG	10980
ATTTGACTAA	GGCACTCCAC	ACTCTAGCTG	TCTCAGGAGT	CCCCAAAGAT	CTCAAAGAAA	11040
GTCACAGGGG	GGGGCCAGTC	TTAAAAACCT	ACTCCCGAAG	CCCAGTCCAC	ACAAGTACCA	11100
GGAACGTGAG	AGCAGCAAAA	GGGTTTATAG	GGTTCCCTCA	AGTAATTCGG	CAGGACCAAG	11160

- 169 -

ACACTGATCA TCCGGAGAAT ATGGAAGCTT ACGAGACAGT CAGTGCATTT ATCACGACTG 11220
ATCTCAAGAA GTACTGCCCTT AATTGGAGAT ATGAGACCAT CAGCTTGTTT GCACAGAGGC 11280
TAAATGAGAT TTACGGATTG CCTCATTTTT TCCAGTGGCT GCATAAGAGG CTTGAGACCT 11340
CTGTCCTGTA TGTAAGTGAC CCTCATTGCC CCCCCGACCT TGACGCCCCAT ATCCCGTTAT 11400
ATAAAGTCCC CAATGATCAA ATCTTCATTA AGTACCCTAT GGGAGGTATA GAAGGGTATT 11460
GTCAGAAGCT GTGGACCATC AGCACCATTG CCTATCTATA CCTGGCTGCT TATGAGAGCG 11520
GAGTAAGGAT TGCTTCGTTA GTGCAAGGGG ACAATCAGAC CATAGCCGTA AAAAAAGGG 11580
TACCAGCAC ATGGCCCTAC AACCTTAAGA AACGGGAAGC TGCTAGAGTA ACTAGAGATT 11640
ACTTTGTAAT TCTTAGGCAA AGGCTACATG ATATTGGCCA TCACCTCAAG GCAAATGAGA 11700
CAATTGTTTC ATCACATTTT TTTGTCTATT CAAAAGGAAT ATATTATGAT GGGCTACTTG 11760
TGTCCCAATC ACTCAAGAGC ATCGCAAGAT GTGTATTCTG GTCAGAGACT ATAGTTGATG 11820
AAACAAGGGC AGCATGCAGT AATATTGCTA CAACAATGGC TAAAAGCATC GAGAGAGGTT 11880
ATGACCGTTA CCTTGCATAT TCCCTGAACG TCCTAAAAGT GATACAGCAA ATTCTGATCT 11940
CTCTTGCTT CACAATCAAT TCAACCATGA CCCGGGATGT AGTCATACCC CTCCTCACA 12000
ACAACGACCT CTTAATAAGG ATGGCACTGT TGCCCGCTCC TATTGGGGGG ATGAATTATC 12060
TGAATATGAG CAGGCTGTTT GTCAGAAACA TCGGTGATCC AGTAACATCA TCAATTGCTG 12120
ATCTCAAGAG AATGATTCTC GCCTCACTAA TGCCTGAAGA GACCCTCCAT CAAGTAATGA 12180
CACAACAACC GGGGGACTCT TCATTCTAG ACTGGGCTAG CGACCCTTAC TCAGCAAATC 12240
TTGTATGTGT CCAGAGCATC ACTAGACTCC TCAAGAACAT AACTGCAAGG TTTGTCCTGA 12300
TCCATAGTCC AAACCCAATG TTAAAAGGAT TATTCCATGA TGACAGTAAA GAAGAGGACG 12360
AGGGACTGGC GGCATTCCTC ATGGACAGGC ATATTATAGT ACCTAGGGCA GCTCATGAAA 12420
TCCTGGATCA TAGTGTCA CA GGGGCAAGAG AGTCTATTGC AGGCATGCTG GATACCACAA 12480
AAGGCTTGAT TCGAGCCAGC ATGAGGAAGG GGGGGTTAAC CTCTCGAGTG ATAACCAGAT 12540
TGTCCAATTA TGAATATGAA CAATTCAGAG CAGGGATGGT GCTATTGACA GGAAGAAAGC 12600
GAAATGTCCT CATTGACAAA GAGTCATGTT CAGTGCAGCT GGCGAGAGCT CTAAGAAGCC 12660
ATATGTGGGC GAGGCTAGCT CGAGGACGGC CTATTACGG CCTTGAGGTC CCTGATGTAC 12720

- 170 -

TAGAATCTAT GCGAGGCCAC CTTATTCGGC GTCATGAGAC ATGTGTCATC TGCGAGTGTG 12780
GATCAGTCAA CTACGGATGG TTTTTTGTCC CCTCGGGTTG CCAACTGGAT GATATTGACA 12840
AGGAAACATC ATCCTTGAGA GTCCCATATA TTGGTTCTAC CACTGATGAG AGAACAGACA 12900
TGAAGCTTGC CTTCGTAAGA GCCCCAAGTC GATCCTTGCG ATCTGCTGTT AGAATAGCAA 12960
CAGTGTAATC ATGGGCTTAC GGTGATGATG ATAGCTCTTG GAACGAAGCC TGGTTGTTGG 13020
CTAGGCAAAG GGCCAATGTG AGCCTGGAGG AGCTAAGGGT GATCACTCCC ATCTCAACTT 13080
CGACTAATTT AGCGCATAGG TTGAGGGATC GTAGCACTCA AGTGAAATAC TCAGGTACAT 13140
CCCTTGTCGG AGTGGCGAGG TATACCACAA TCTCCAACGA CAATCTCTCA TTTGTCATAT 13200
CAGATAAGAA GGTGATACT AACTTTATAT ACCAACAAGG AATGCTTCTA GGGTTGGGTG 13260
TTTTAGAAAC ATTGTTTCGA CTCGAGAAAG ATACCGGATC ATCTAACACG GTATTACATC 13320
TTCACGTCGA AACAGATTGT TGCCTGATCC CGATGATAGA TCATCCCAGG ATACCCAGCT 13380
CCCCTAAGCT AGAGCTGAGG GCAGAGCTAT GTACCAACCC ATTGATATAT GATAATGCAC 13440
CTTTAATTGA CAGAGATGCA ACAAGGCTAT ACACCCAGAG CCATAGGAGG CACCTTGTGG 13500
AATTTGTTAC ATGGTCCACA CCCCAACTAT ATCACATTTT AGCTAAGTCC ACAGCACTAT 13560
CTATGATTGA CCTGGTAACA AAATTTGAGA AGGACCATAT GAATGAAATT TCAGCTCTCA 13620
TAGGGGATGA CGATATCAAT AGTTTCATAA CTGAGTTTCT GCTCATAGAG CCAAGATTAT 13680
TCACTATCTA CTTGGGCCAG TGTGCGGCCA TCAATTGGGC ATTTGATGTA CATTATCATA 13740
GACCATCAGG GAAATATCAG ATGGGTGAGC TGTTGTCATC GTTCCTTTCT AGAATGAGCA 13800
AAGGAGTGTT TAAGGTGCTT GTCAATGCTC TAAGCCACCC AAAGATCTAC AAGAAATTCT 13860
GGCATTGTGG TATTATAGAG CCTATCCATG GTCCTTCACT TGATGCTCAA AACTTGACAA 13920
CAACTGTGTG CAACATGGTT TACACATGCT ATATGACCTA CCTCGACCTG TTGTTGAATG 13980
AAGAGTTAGA AGAGTTCACA TTTCTCTTGT GTGAAAGCGA CGAGGATGTA GTACCGGACA 14040
GATTCGACAA CATCCAGGCA AAACACTTAT GTGTTCTGGC AGATTTGTAC TGTCAACCAG 14100
GGACCTGCCC ACCAATTCGA GGTCTAAGAC CGGTAGAGAA ATGTGCAGTT CTAACCGACC 14160
ATATCAAGGC AGAGGCTATG TTATCTCCAG CAGGATCTTC GTGGAACATA AATCCAATTA 14220
TTGTAGACCA TTAATCATGC TCTCTGACTT ATCTCCGGCG AGGATCGATC AAACAGATAA 14280

- 171 -

GATTGAGAGT TGATCCAGGA TTCATTTTCG ACGCCCTCGC TGAGGTAAAT GTCAGTCAGC 14340
CAAAGATCGG CAGCAACAAC ATCTCAAATA TGAGCATCAA GGCTTTCAGA CCCCCACACG 14400
ATGATGTTGC AAAATTGCTC AAAGATATCA ACACAAGCAA GCACAATCTT CCCATTTTCAG 14460
GGGGCAATCT CGCCAATTAT GAAATCCATG CTTTCCGCAG AATCGGGTTG AACTCATCTG 14520
CTTGCTACAA AGCTGTTGAG ATATCAACAT TAATTAGGAG ATGCCTTGAG CCAGGGGAGG 14580
ACGGCTTGTT CTTGGGTGAG GGATCGGGTT CTATGTTGAT CACTTATAAG GAGATACTTA 14640
AACTAAACAA GTGCTTCTAT AATAGTGGGG TTTCCGCCAA TTCTAGATCT GGTCAAAGGG 14700
AATTAGCACC CTATCCCTCC GAAGTTGGCC TTGTCGAACA CAGAATGGGA GTAGGTAATA 14760
TTGTCAAAGT GCTCTTTAAC GGGAGGCCCG AAGTCACGTG GGTAGGCAGT GTAGATTGCT 14820
TCAATTTTCA AGTTAGTAAT ATCCCTACCT CTAGTGTGGG GTTTATCCAT TCAGATATAG 14880
AGACCTTGCC TGACAAAGAT ACTATAGAGA AGCTAGAGGA ATTGGCAGCC ATCTTATCGA 14940
TGGCTCTGCT CCTGGGCAA ATAGGATCAA TACTGGTGAT TAAGCTTATG CCTTTCAGCG 15000
GGGATTTTGT TCAGGGATTT ATAAGTTATG TAGGGTCTCA TTATAGAGAA GTGAACCTTG 15060
TATACCCTAG ATACAGCAAC TTCATCTCTA CTGAATCTTA TTTGGTTATG ACAGATCTCA 15120
AGGCTAACCG GCTAATGAAT CCTGAAAAGA TTAAGCAGCA GATAATTGAA TCATCTGTGA 15180
GGACTTCACC TGGACTTATA GGTACATCC TATCCATTAA GCAACTAAGC TGCATACAAG 15240
CAATTGTGGG AGACGCAGTT AGTAGAGGTG ATATCAATCC TACTCTGAAA AAAGTTACAC 15300
CTATAGAGCA GGTGCTGATC AATTGCGGGT TGGCAATTAA CGGACCTAAG CTGTGCAAAG 15360
AATTGATCCA CCATGATGTT GCCTCAGGGC AAGATGGATT GCTTAATTCT ATACTCATCC 15420
TCTACAGGGA GTTGGCAAGA TTCAAAGACA ACCAAAGAAG TCAACAAGGG ATGTTCCACG 15480
CTTACCCCGT ATTGGTAAGT AGCAGGCAAC GAGAACTTAT ATCTAGGATC ACCCGCAAAT 15540
TCTGGGGGCA CATTCTTCTT TACTCCGGGA ACAGAAAGTT GATAAATAAG TTTATCCAGA 15600
ATCTCAAGTC CGGCTATCTG ATACTAGACT TACACCAGAA TATCTTCGTT AAGAATCTAT 15660
CCAAGTCAGA GAAACAGATT ATTATGACGG GGGGTTTGAA ACGTGAGTGG GTTTTAAAGG 15720
TAACAGTCAA GGAGACCAA GAATGGTATA AGTTAGTCGG ATACAGTGCC CTGATTAAGG 15780
ACTAATTGGT TGAAGTCCGG AACCTAATC CTGCCCTAGG TGGTTAGGCA TTATTTGCAA 15840

- 172 -

TATATTAAAG AAAACTTTGA AAATACGAAG TTTCTATTCC CAGCTTTGTC TGGT

15894

(2) INFORMATION FOR SEQ ID NO:10:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 2183 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:10:

```

Met Asp Ser Leu Ser Val Asn Gln Ile Leu Tyr Pro Glu Val His Leu
1           5           10           15

Asp Ser Pro Ile Val Thr Asn Lys Ile Val Ala Ile Leu Glu Tyr Ala
20           25           30

Arg Val Pro His Ala Tyr Ser Leu Glu Asp Pro Thr Leu Cys Gln Asn
35           40           45

Ile Lys His Arg Leu Lys Asn Gly Phe Ser Asn Gln Met Ile Ile Asn
50           55           60

Asn Val Glu Val Gly Asn Val Ile Lys Ser Lys Leu Arg Ser Tyr Pro
65           70           75           80

Ala His Ser His Ile Pro Tyr Pro Asn Cys Asn Gln Asp Leu Phe Asn
85           90           95

Ile Glu Asp Lys Glu Ser Thr Arg Lys Ile Arg Glu Leu Leu Lys Lys
100          105          110

Gly Asn Ser Leu Tyr Ser Lys Val Ser Asp Lys Val Phe Gln Cys Leu
115          120          125

Arg Asp Thr Asn Ser Arg Leu Gly Leu Gly Ser Glu Leu Arg Glu Asp
130          135          140

Ile Lys Glu Lys Val Ile Asn Leu Gly Val Tyr Met His Ser Ser Gln
145          150          155          160

Trp Phe Glu Pro Phe Leu Phe Trp Phe Thr Val Lys Thr Glu Met Arg
165          170          175

Ser Val Ile Lys Ser Gln Thr His Thr Cys His Arg Arg Arg His Thr

```

- 173 -

180	185	190
Pro Val Phe Phe Thr Gly Ser Ser Val Glu Leu Leu Ile Ser Arg Asp 195 200 205		
Leu Val Ala Ile Ile Ser Lys Glu Ser Gln His Val Tyr Tyr Leu Thr 210 215 220		
Phe Glu Leu Val Leu Met Tyr Cys Asp Val Ile Glu Gly Arg Leu Met 225 230 235 240		
Thr Glu Thr Ala Met Thr Ile Asp Ala Arg Tyr Thr Glu Leu Leu Gly 245 250 255		
Arg Val Arg Tyr Met Trp Lys Leu Ile Asp Gly Phe Phe Pro Ala Leu 260 265 270		
Gly Asn Pro Thr Tyr Gln Ile Val Ala Met Leu Glu Pro Leu Ser Leu 275 280 285		
Ala Tyr Leu Gln Leu Arg Asp Ile Thr Val Glu Leu Arg Gly Ala Phe 290 295 300		
Leu Asn His Cys Phe Thr Glu Ile His Asp Val Leu Asp Gln Asn Gly 305 310 315 320		
Phe Ser Asp Glu Gly Thr Tyr His Glu Leu Ile Glu Ala Leu Asp Tyr 325 330 335		
Ile Phe Ile Thr Asp Asp Ile His Leu Thr Gly Glu Ile Phe Ser Phe 340 345 350		
Phe Arg Ser Phe Gly His Pro Arg Leu Glu Ala Val Thr Ala Ala Glu 355 360 365		
Asn Val Arg Lys Tyr Met Asn Gln Pro Lys Val Ile Val Tyr Glu Thr 370 375 380		
Leu Met Lys Gly His Ala Ile Phe Cys Gly Ile Ile Ile Asn Gly Tyr 385 390 395 400		
Arg Asp Arg His Gly Gly Ser Trp Pro Pro Leu Thr Leu Pro Leu His 405 410 415		
Ala Ala Asp Thr Ile Arg Asn Ala Gln Ala Ser Gly Glu Gly Leu Thr 420 425 430		
His Glu Gln Cys Val Asp Asn Trp Lys Ser Phe Ala Gly Val Lys Phe 435 440 445		
Gly Cys Phe Met Pro Leu Ser Leu Asp Ser Asp Leu Thr Met Tyr Leu 450 455 460		

- 174 -

Lys Asp Lys Ala Leu Ala Ala Leu Gln Arg Glu Trp Asp Ser Val Tyr
 465 470 475 480
 Pro Lys Glu Phe Leu Arg Tyr Asp Pro Pro Lys Gly Thr Gly Ser Arg
 485 490 495
 Arg Leu Val Asp Val Phe Leu Asn Asp Ser Ser Phe Asp Pro Tyr Asp
 500 505 510
 Val Ile Met Tyr Val Val Ser Gly Ala Tyr Leu His Asp Pro Glu Phe
 515 520 525
 Asn Leu Ser Tyr Ser Leu Lys Glu Lys Glu Ile Lys Glu Thr Gly Arg
 530 535 540
 Leu Phe Ala Lys Met Thr Tyr Lys Met Arg Ala Cys Gln Val Ile Ala
 545 550 555 560
 Glu Asn Leu Ile Ser Asn Gly Ile Gly Lys Tyr Phe Lys Asp Asn Gly
 565 570 575
 Met Ala Lys Asp Glu His Asp Leu Thr Lys Ala Leu His Thr Leu Ala
 580 585 590
 Val Ser Gly Val Pro Lys Asp Leu Lys Glu Ser His Arg Gly Gly Pro
 595 600 605
 Val Leu Lys Thr Tyr Ser Arg Ser Pro Val His Thr Ser Thr Arg Asn
 610 615 620
 Val Arg Ala Ala Lys Gly Phe Ile Gly Phe Pro Gln Val Ile Arg Gln
 625 630 635 640
 Asp Gln Asp Thr Asp His Pro Glu Asn Met Glu Ala Tyr Glu Thr Val
 645 650 655
 Ser Ala Phe Ile Thr Thr Asp Leu Lys Lys Tyr Cys Leu Asn Trp Arg
 660 665 670
 Tyr Glu Thr Ile Ser Leu Phe Ala Gln Arg Leu Asn Glu Ile Tyr Gly
 675 680 685
 Leu Pro Ser Phe Phe Gln Trp Leu His Lys Arg Leu Glu Thr Ser Val
 690 695 700
 Leu Tyr Val Ser Asp Pro His Cys Pro Pro Asp Leu Asp Ala His Ile
 705 710 715 720
 Pro Leu Tyr Lys Val Pro Asn Asp Gln Ile Phe Ile Lys Tyr Pro Met
 725 730 735

- 175 -

Gly Gly Ile Glu Gly Tyr Cys Gln Lys Leu Trp Thr Ile Ser Thr Ile
740 745 750

Pro Tyr Leu Tyr Leu Ala Ala Tyr Glu Ser Gly Val Arg Ile Ala Ser
755 760 765

Leu Val Gln Gly Asp Asn Gln Thr Ile Ala Val Thr Lys Arg Val Pro
770 775 780

Ser Thr Trp Pro Tyr Asn Leu Lys Lys Arg Glu Ala Ala Arg Val Thr
785 790 795 800

Arg Asp Tyr Phe Val Ile Leu Arg Gln Arg Leu His Asp Ile Gly His
805 810 815

His Leu Lys Ala Asn Glu Thr Ile Val Ser Ser His Phe Phe Val Tyr
820 825 830

Ser Lys Gly Ile Tyr Tyr Asp Gly Leu Leu Val Ser Gln Ser Leu Lys
835 840 845

Ser Ile Ala Arg Cys Val Phe Trp Ser Glu Thr Ile Val Asp Glu Thr
850 855 860

Arg Ala Ala Cys Ser Asn Ile Ala Thr Thr Met Ala Lys Ser Ile Glu
865 870 875 880

Arg Gly Tyr Asp Arg Tyr Leu Ala Tyr Ser Leu Asn Val Leu Lys Val
885 890 895

Ile Gln Gln Ile Leu Ile Ser Leu Gly Phe Thr Ile Asn Ser Thr Met
900 905 910

Thr Arg Asp Val Val Ile Pro Leu Leu Thr Asn Asn Asp Leu Leu Ile
915 920 925

Arg Met Ala Leu Leu Pro Ala Pro Ile Gly Gly Met Asn Tyr Leu Asn
930 935 940

Met Ser Arg Leu Phe Val Arg Asn Ile Gly Asp Pro Val Thr Ser Ser
945 950 955 960

Ile Ala Asp Leu Lys Arg Met Ile Leu Ala Ser Leu Met Pro Glu Glu
965 970 975

Thr Leu His Gln Val Met Thr Gln Gln Pro Gly Asp Ser Ser Phe Leu
980 985 990

Asp Trp Ala Ser Asp Pro Tyr Ser Ala Asn Leu Val Cys Val Gln Ser
995 1000 1005

Ile Thr Arg Leu Leu Lys Asn Ile Thr Ala Arg Phe Val Leu Ile His

- 176 -

1010	1015	1020
Ser Pro Asn Pro Met Leu Lys Gly Leu Phe His Asp Asp Ser Lys Glu 1025	1030	1035 1040
Glu Asp Glu Gly Leu Ala Ala Phe Leu Met Asp Arg His Ile Ile Val 1045	1050	1055
Pro Arg Ala Ala His Glu Ile Leu Asp His Ser Val Thr Gly Ala Arg 1060	1065	1070
Glu Ser Ile Ala Gly Met Leu Asp Thr Thr Lys Gly Leu Ile Arg Ala 1075	1080	1085
Ser Met Arg Lys Gly Gly Leu Thr Ser Arg Val Ile Thr Arg Leu Ser 1090	1095	1100
Asn Tyr Asp Tyr Glu Gln Phe Arg Ala Gly Met Val Leu Leu Thr Gly 1105	1110	1115 1120
Arg Lys Arg Asn Val Leu Ile Asp Lys Glu Ser Cys Ser Val Gln Leu 1125	1130	1135
Ala Arg Ala Leu Arg Ser His Met Trp Ala Arg Leu Ala Arg Gly Arg 1140	1145	1150
Pro Ile Tyr Gly Leu Glu Val Pro Asp Val Leu Glu Ser Met Arg Gly 1155	1160	1165
His Leu Ile Arg Arg His Glu Thr Cys Val Ile Cys Glu Cys Gly Ser 1170	1175	1180
Val Asn Tyr Gly Trp Phe Phe Val Pro Ser Gly Cys Gln Leu Asp Asp 1185	1190	1195 1200
Ile Asp Lys Glu Thr Ser Ser Leu Arg Val Pro Tyr Ile Gly Ser Thr 1205	1210	1215
Thr Asp Glu Arg Thr Asp Met Lys Leu Ala Phe Val Arg Ala Pro Ser 1220	1225	1230
Arg Ser Leu Arg Ser Ala Val Arg Ile Ala Thr Val Tyr Ser Trp Ala 1235	1240	1245
Tyr Gly Asp Asp Asp Ser Ser Trp Asn Glu Ala Trp Leu Leu Ala Arg 1250	1255	1260
Gln Arg Ala Asn Val Ser Leu Glu Glu Leu Arg Val Ile Thr Pro Ile 1265	1270	1275 1280
Ser Thr Ser Thr Asn Leu Ala His Arg Leu Arg Asp Arg Ser Thr Gln 1285	1290	1295

- 177 -

Val Lys Tyr Ser Gly Thr Ser Leu Val Arg Val Ala Arg Tyr Thr Thr
 1300 1305 1310
 Ile Ser Asn Asp Asn Leu Ser Phe Val Ile Ser Asp Lys Lys Val Asp
 1315 1320 1325
 Thr Asn Phe Ile Tyr Gln Gln Gly Met Leu Leu Gly Leu Gly Val Leu
 1330 1335 1340
 Glu Thr Leu Phe Arg Leu Glu Lys Asp Thr Gly Ser Ser Asn Thr Val
 1345 1350 1355 1360
 Leu His Leu His Val Glu Thr Asp Cys Cys Val Ile Pro Met Ile Asp
 1365 1370 1375
 His Pro Arg Ile Pro Ser Ser Arg Lys Leu Glu Leu Arg Ala Glu Leu
 1380 1385 1390
 Cys Thr Asn Pro Leu Ile Tyr Asp Asn Ala Pro Leu Ile Asp Arg Asp
 1395 1400 1405
 Ala Thr Arg Leu Tyr Thr Gln Ser His Arg Arg His Leu Val Glu Phe
 1410 1415 1420
 Val Thr Trp Ser Thr Pro Gln Leu Tyr His Ile Leu Ala Lys Ser Thr
 1425 1430 1435 1440
 Ala Leu Ser Met Ile Asp Leu Val Thr Lys Phe Glu Lys Asp His Met
 1445 1450 1455
 Asn Glu Ile Ser Ala Leu Ile Gly Asp Asp Asp Ile Asn Ser Phe Ile
 1460 1465 1470
 Thr Glu Phe Leu Leu Ile Glu Pro Arg Leu Phe Thr Ile Tyr Leu Gly
 1475 1480 1485
 Gln Cys Ala Ala Ile Asn Trp Ala Phe Asp Val His Tyr His Arg Pro
 1490 1495 1500
 Ser Gly Lys Tyr Gln Met Gly Glu Leu Leu Ser Ser Phe Leu Ser Arg
 1505 1510 1515 1520
 Met Ser Lys Gly Val Phe Lys Val Leu Val Asn Ala Leu Ser His Pro
 1525 1530 1535
 Lys Ile Tyr Lys Lys Phe Trp His Cys Gly Ile Ile Glu Pro Ile His
 1540 1545 1550
 Gly Pro Ser Leu Asp Ala Gln Asn Leu His Thr Thr Val Cys Asn Met
 1555 1560 1565

- 178 -

Val Tyr Thr Cys Tyr Met Thr Tyr Leu Asp Leu Leu Leu Asn Glu Glu
 1570 1575 1580
 Leu Glu Glu Phe Thr Phe Leu Leu Cys Glu Ser Asp Glu Asp Val Val
 1585 1590 1595 1600
 Pro Asp Arg Phe Asp Asn Ile Gln Ala Lys His Leu Cys Val Leu Ala
 1605 1610 1615
 Asp Leu Tyr Cys Gln Pro Gly Thr Cys Pro Pro Ile Arg Gly Leu Arg
 1620 1625 1630
 Pro Val Glu Lys Cys Ala Val Leu Thr Asp His Ile Lys Ala Glu Ala
 1635 1640 1645
 Met Leu Ser Pro Ala Gly Ser Ser Trp Asn Ile Asn Pro Ile Ile Val
 1650 1655 1660
 Asp His Tyr Ser Cys Ser Leu Thr Tyr Leu Arg Arg Gly Ser Ile Lys
 1665 1670 1675 1680
 Gln Ile Arg Leu Arg Val Asp Pro Gly Phe Ile Phe Asp Ala Leu Ala
 1685 1690 1695
 Glu Val Asn Val Ser Gln Pro Lys Ile Gly Ser Asn Asn Ile Ser Asn
 1700 1705 1710
 Met Ser Ile Lys Ala Phe Arg Pro Pro His Asp Asp Val Ala Lys Leu
 1715 1720 1725
 Leu Lys Asp Ile Asn Thr Ser Lys His Asn Leu Pro Ile Ser Gly Gly
 1730 1735 1740
 Asn Leu Ala Asn Tyr Glu Ile His Ala Phe Arg Arg Ile Gly Leu Asn
 1745 1750 1755 1760
 Ser Ser Ala Cys Tyr Lys Ala Val Glu Ile Ser Thr Leu Ile Arg Arg
 1765 1770 1775
 Cys Leu Glu Pro Gly Glu Asp Gly Leu Phe Leu Gly Glu Gly Ser Gly
 1780 1785 1790
 Ser Met Leu Ile Thr Tyr Lys Glu Ile Leu Lys Leu Asn Lys Cys Phe
 1795 1800 1805
 Tyr Asn Ser Gly Val Ser Ala Asn Ser Arg Ser Gly Gln Arg Glu Leu
 1810 1815 1820
 Ala Pro Tyr Pro Ser Glu Val Gly Leu Val Glu His Arg Met Gly Val
 1825 1830 1835 1840
 Gly Asn Ile Val Lys Val Leu Phe Asn Gly Arg Pro Glu Val Thr Trp

- 179 -

1845	1850	1855
Val Gly Ser Val Asp Cys Phe Asn Phe Ile Val Ser Asn Ile Pro Thr 1860	1865	1870
Ser Ser Val Gly Phe Ile His Ser Asp Ile Glu Thr Leu Pro Asp Lys 1875	1880	1885
Asp Thr Ile Glu Lys Leu Glu Glu Leu Ala Ala Ile Leu Ser Met Ala 1890	1895	1900
Leu Leu Leu Gly Lys Ile Gly Ser Ile Leu Val Ile Lys Leu Met Pro 1905	1910	1915 1920
Phe Ser Gly Asp Phe Val Gln Gly Phe Ile Ser Tyr Val Gly Ser His 1925	1930	1935
Tyr Arg Glu Val Asn Leu Val Tyr Pro Arg Tyr Ser Asn Phe Ile Ser 1940	1945	1950
Thr Glu Ser Tyr Leu Val Met Thr Asp Leu Lys Ala Asn Arg Leu Met 1955	1960	1965
Asn Pro Glu Lys Ile Lys Gln Gln Ile Ile Glu Ser Ser Val Arg Thr 1970	1975	1980
Ser Pro Gly Leu Ile Gly His Ile Leu Ser Ile Lys Gln Leu Ser Cys 1985	1990	1995 2000
Ile Gln Ala Ile Val Gly Asp Ala Val Ser Arg Gly Asp Ile Asn Pro 2005	2010	2015
Thr Leu Lys Lys Leu Thr Pro Ile Glu Gln Val Leu Ile Asn Cys Gly 2020	2025	2030
Leu Ala Ile Asn Gly Pro Lys Leu Cys Lys Glu Leu Ile His His Asp 2035	2040	2045
Val Ala Ser Gly Gln Asp Gly Leu Leu Asn Ser Ile Leu Ile Leu Tyr 2050	2055	2060
Arg Glu Leu Ala Arg Phe Lys Asp Asn Gln Arg Ser Gln Gln Gly Met 2065	2070	2075 2080
Phe His Ala Tyr Pro Val Leu Val Ser Ser Arg Gln Arg Glu Leu Ile 2085	2090	2095
Ser Arg Ile Thr Arg Lys Phe Trp Gly His Ile Leu Leu Tyr Ser Gly 2100	2105	2110
Asn Arg Lys Leu Ile Asn Lys Phe Ile Gln Asn Leu Lys Ser Gly Tyr 2115	2120	2125

- 180 -

Leu Ile Leu Asp Leu His Gln Asn Ile Phe Val Lys Asn Leu Ser Lys
 2130 2135 2140
 Ser Glu Lys Gln Ile Ile Met Thr Gly Gly Leu Lys Arg Glu Trp Val
 2145 2150 2155 2160
 Phe Lys Val Thr Val Lys Glu Thr Lys Glu Trp Tyr Lys Leu Val Gly
 2165 2170 2175
 Tyr Ser Ala Leu Ile Lys Asp
 2180

(2) INFORMATION FOR SEQ ID NO:11:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 15894 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: RNA (genomic)

(x1) SEQUENCE DESCRIPTION: SEQ ID NO:11:

ACCAAACAAA GTTGGGTAAG GATAGTTCAA TCAATGATCA TCTTCTAGTG CACTTAGGAT 60
 TCAAGATCCT ATTATCAGGG ACAAGAGCAG GATTAGGGAT ATCCGAGATG GCCACACTTT 120
 TAAGGAGCTT AGCATTGTTT AAAAGAAACA AGGACAAACC ACCCATTACA TCAGGATCCG 180
 GTGGAGCCAT CAGAGGAATC AAACACATTA TTATAGTACC AATCCCTGGA GATTCCTCAA 240
 TTACCACTCG ATCCAGACTT CTGGACCGGT TGGTGAGGTT AATTGGAAAC CCGGATGTGA 300
 GCGGGCCCAA ACTAACAGGG GCACTAATAG GTATATTATC CTTATTTGTG GAGTCTCCAG 360
 GTCAATTGAT TCAGAGGATC ACCGATGACC CTGACGTTAG CATAAGGCTG TTAGAGGTTG 420
 TCCAGAGTGA CCAGTCACAA TCTGGCCTTA CCTTCGCATC AAGAGGTACC AACATGGAGG 480
 ATGAGGCGGA CCAATACTTT TCACATGATG ATCCAATTAG TAGTGATCAA TCCAGGTTCTG 540
 GATGGTTCTGG GAACAAGGAA ATCTCAGATA TTGAAGTGCA AGACCCTGAG GGATTCAACA 600
 TGATTCTGGG TACCATCCTA GCCCAAATTT GGGTCTTGCT CGCAAAGGCG GTTACGGCCC 660
 CAGACACGGC AGCTGATTCTG GAGCTAAGAA GGTGGATAAA GTACACCCAA CAAAGAAGGG 720

- 181 -

TAGTTGGTGA	ATTTAGATTG	GAGAGAAAAT	GGTTGGATGT	GGTGAGGAAC	AGGATTGCCG	780
AGGACCTCTC	CTTACGCCGA	TTCATGGTCG	CTCTAATCCT	GGATATCAAG	AGAACACCCG	840
GAAACAAACC	CAGGATTGCT	GAAATGATAT	GTGACATTGA	TACATATATC	GTAGAGGCAG	900
GATTAGCCAG	TTTTATCCTG	ACTATTAAGT	TTGGGATAGA	AACTATGTAT	CCTGCTCTTG	960
GACTGCATGA	ATTTGCTGGT	GAGTTATCCA	CACTTGAGTC	CTTGATGAAC	CTTTACCAGC	1020
AAATGGGGGA	AACTGCACCC	TACATGGTAA	TCCTGGAGAA	CTCAATTCAG	AACAAGTTCA	1080
GTGCAGGATC	ATACCCTCTG	CTCTGGAGCT	ATGCCATGGG	AGTAGGAGTG	GAACCTGAAA	1140
ACTCCATGGG	AGGTTTGAAC	TTTGGCCGAT	CTTACTTTGA	TCCAGCATAT	TTTAGATTAG	1200
GGCAAGAGAT	GGTAAGGAGG	TCAGCTGGAA	AGGTCAGTTC	CACATTGGCA	TCTGAACTCG	1260
GTATCACTGC	CGAGGATGCA	AGGCTTGTTT	CAGAGATTGC	AATGCATACT	ACTGAGGACA	1320
AGATCAGTAG	AGCGGTGGGA	CCCAGACAAG	CCCAAGTATC	ATTTCTACAC	GGTGATCAAA	1380
GTGAGAATGA	GCTACCGAGA	TTGGGGGGCA	AGGAAGATAG	GAGGGTCAAA	CAGAGTCGAG	1440
GAGAAGCCAG	GGAGAGCTAC	AGAGAAACCG	GGCCCAGCAG	AGCAAGTGAT	GCGAGAGCTG	1500
CCCATCTTCC	AACCGGCACA	CCCCTAGACA	TTGACACTGC	AACGGAGTCC	AGCCAAGATC	1560
CGCAGGACAG	TCGAAGGTCA	GCTGACGCCC	TGCTTAGGCT	GCAAGCCATG	GCAGGAATCT	1620
CGGAAGAACA	AGGCTCAGAC	ACGGACACCC	CTATAGTGTA	CAATGACAGA	AATCTTCTAG	1680
ACTAGGTGCG	AGAGGCCGAG	GGCCAGAACA	ACATCCGCCT	ACCATCCATC	ATTGTTATAA	1740
AAAACCTTAGG	AACCAGGTCC	ACACAGCCGC	CAGCCCATCA	ACCATCCACT	CCCACGATTG	1800
GAGCCAATGG	CAGAAGAGCA	GGCACGCCAT	GTCAAAAACG	GACTGGAATG	CATCCGGGCT	1860
CTCAAGGCCG	AGCCCATCGG	CTCACTGGCC	ATCGAGGAAG	CTATGGCAGC	ATGGTCAGAA	1920
ATATCAGACA	ACCCAGGACA	GGAGCGAGCC	ACCTGCAGGG	AAGAGAAGGC	AGGCAGTTCC	1980
GGTCTCAGCA	AACCATGCCT	CTCAGCAATT	GGATCAACTG	AAGGCGGTGC	ACCTCGCATC	2040
CGCGGTCAGG	GACCTGGAGA	GAGCGATGAC	GACGCTGAAA	CTTTGGGAAT	CCCCCAAGA	2100
AATCTCCAGG	CATCAAGCAC	TGGGTTACAG	TGTTATTACG	TTTATGATCA	CAGCGGTGAA	2160
GCGGTTAAGG	GAATCCAAGA	TGCTGACTCT	ATCATGGTTC	AATCAGGCCT	TGATGGTGAT	2220
AGCACCTCT	CAGGAGGAGA	CAATGAATCT	GAAAACAGCG	ATGTGGATAT	TGGCGAACCT	2280

- 182 -

GATACCGAGG GATATGCTAT CACTGACCGG GGATCTGCTC CCATCTCTAT GGGGTTTCAGG	2340
GCTTCTGATG TTGAAACTGC AGAAGGAGGG GAGATCCACG AGCTCCTGAG ACTCCAATCC	2400
AGAGGCAACA ACTTTCGAA GCTTGGGAAA ACTCTCAATG TTCCTCCGCC CCCGGACCCC	2460
GGTAGGGCCA GCACTTCCGG GACACCCATT AAAAAGGGCA CAGACGCGAG ATTAGCCTCA	2520
TTTGGAACGG AGATCGCGTC TTTATTGACA GGTGGTGCAA CCAATGTGC TCGAAAGTCA	2580
CCCTCGGAAC CATCAGGGCC AGGTGCACCT GCGGGGAATG TCCCCGAGTG TGTGAGCAAT	2640
GCCGCACTGA TACAGGAGTG GACACCCGAA TCTGGTACCA CAATCTCCCC GAGATCCCAG	2700
AATAATGAAG AAGGGGGAGA CTATTATGAT GATGAGCTGT TCTCTGATGT CCAAGATATT	2760
AAAACAGCCT TGGCCAAAAT ACACGAGGAT AATCAGAAGA TAATCTCCAA GCTAGAATCA	2820
CTGCTGTTAT TGAAGGGAGA AGTTGAGTCA ATTAAGAAGC AGATCAACAG GCAAAATATC	2880
AGCATATCCA CCCTGGAAGG ACACCTCTCA AGCATCATGA TCGCCATTCC TGGACTTGGG	2940
AAGGATCCCA ACGACCCAC TGCAGATGTC GAAATCAATC CCGACTTGAA ACCCATCATA	3000
GGCAGAGATT CAGGCCGAGC ACTGGCCGAA GTTCTCAAGA AACCCGTTGC CAGCCGACAA	3060
CTCCAAGGAA TGACAAATGG ACGGACCAGT TCCAGAGGAC AGCTGCTGAA GGAATTTTCAG	3120
CTAAAGCCGA TCGGGAAAAA GATGAGCTCA GCCGTCGGGT TTGTTCTTGA CACCGGCCCT	3180
GCATCAGCA GTGTAATCCG CTCCATTATA AAATCCAGCC GGCTAGAGGA GGATCGGAAG	3240
CGTTACCTGA TGAATCTCCT TGATGATATC AAAGGAGCCA ATGATCTTGC CAAGTTCCAC	3300
CAGATGCTGA TGAAGATAAT AATGAAGTAG CTACAGCTCA ACTTACCTGC CAACCCCATG	3360
CCAGTCGACC CAACTAGTAC AACCTAAATC CATTATAAAA AACTTAGGAG CAAAGTGATT	3420
GCCTCCCAAG GTCCACAATG ACAGAGACCT ACGACTTCGA CAAGTCGGCA TGGGACATCA	3480
AAGGGTCGAT CGCTCCGATA CAACCCACCA CCTACAGTGA TGGCAGGCTG GTGCCCCAGG	3540
TCAGAGTCAT AGATCCTGGT CTAGGCGACA GGAAGGATGA ATGCTTTATG TACATGTTTC	3600
TGCTGGGGGT TGTTGAGGAC AGCGATTCCC TAGGGCCTCC AATCGGGCGA GCATTTGGGT	3660
TCCTGCCCTT AGGTGTTGGC AGATCCACAG CAAAGCCCCGA AAAACTCCTC AAAGAGGCCA	3720
CTGAGCTTGA CATAGTTGTT AGACGTACAG CAGGGCTCAA TGAAAACTG GTGTTCTACA	3780
ACAACACCCC ACTAACTCTC CTCACACCTT GGAGAAAGGT CCTAACAACA GGGAGTGTCT	3840

- 183 -

TCAACGCAAA CCAAGTGTGC AATGCGGTGA ATCTGATACC GCTCGATACC CCGCAGAGGT	3900
TCCGTGTTGT TTATATGAGC ATCACCCGTC TTTCGGATAA CGGGTATTAC ACCGTTCCCTA	3960
GAAGAATGCT GGAATTCAGA TCGGTCAATG CAGTGGCCTT CAACCTGCTG GTGACCCCTTA	4020
GGATTGACAA GGCGATAGGC CCTGGGAAGA TCATCGACAA TACAGAGCAA CTTCTGAGG	4080
CAACATTTAT GGTCCACATC GGGAACTTCA GGAGAAAGAA GAGTGAAGTC TACTCTGCCG	4140
ATTATTGCAA AATGAAAATC GAAAAGATGG GCCTGGTTTT TGCACCTGGT GGGATAGGGG	4200
GCACCAGTCT TCACATTAGA AGCACAGGCA AAATGAGCAA GACTCTCCAT GCACAACTCG	4260
GGTTCAAGAA GACCTTATGT TACCCGCTGA TGGATATCAA TGAAGACCTT AATCGATTAC	4320
TCTGGAGGAG CAGATGCAAG ATAGTAAGAA TCCAGGCAGT TTTGCAGCCA TCAGTTCCTC	4380
AAGAATTCCG CATTTACGAC GACGTGATCA TAAATGATGA CCAAGGACTA TTCAAAGTTC	4440
TGTAGACCGT AGTGCCCAGC AATGCCCGAA AACGACCCCC CTCACAATGA CAGCCAGAAG	4500
GCCCCGACAA AAAAGCCCCC TCCGAAAGAC TCCACGGACC AAGCGAGAGG CCAGCCAGCA	4560
GCCGACGGCA AGCGCGAACA CCAGGCGGCC CCAGCACAGA ACAGCCCTGA CACAAGGCCA	4620
CCACCAGCCA CCCCATCTG CATCCTCCTC GTGGGACCCC CGAGGACCAA CCCCCAAGGC	4680
TGCCCCGAT CCAAACCACC AACCGCATCC CCACCACCCC CGGGAAAGAA ACCCCCAGCA	4740
ATTGGAAGGC CCTCCCCCT CTTCTCAAC ACAAGAACTC CACAACCGAA CCGCACAAGC	4800
GACCGAGGTG ACCCAACCGC AGGCATCCGA CTCCCTAGAC AGATCCTCTC TCCCCGGCAA	4860
ACTAAACAAA ACTTAGGGCC AAGGAACATA CACACCCAAC AGAACCAGCA CCCCAGTCCA	4920
CGGTGCCGCG CCCCCAACCC CCGACAACCA GAGGGAGCCC CCAACCAATC CCGCCGGCTC	4980
CCCCGGTGCC CACAGGCAGG GACACCAACC CCCGAACAGA CCCAGCACCC AACCATCGAC	5040
AATCCAAGAC GGGGGGGCCC CCCCCAAAAA AGGCCCCCAG GGGCCGACAG CCAGCACCGC	5100
GAGGAAGCCC ACCCACCCTA CACACGACCA CGGCAACCAA ACCAGAACCC AGACCACCTT	5160
GGGCCACCAG CTCCCAGACT CGGCCATCAC CCCGCAGAAA GGAAAGGCCA CAACCCGCGC	5220
ACCCAGCCC CGATCCGGCG GGGAGCCACC CAACCCGAAC CAGCACCCAA GAGCGATCCC	5280
CGAAGGACCC CCGAACCGCA AAGGACATCA GTATCCACA GCCTCTCAA GTCCCCGGT	5340
CTCCTCCTCT TCTCGAAGGG ACCAAAAGAT CAATCCACCA CACCCGACGA CACTCAACTC	5400

- 184 -

CCCACCCCTA	AAGGAGACAC	CGGGAATCCC	AGAATCAAGA	CTCATCCAAT	GTCCATCATG	5460
GGTCTCAAGG	TGAACGTCTC	TGCCATATTC	ATGGCAGTAC	TGTTAACTCT	CCAAACACCC	5520
ACCGGTCAAA	TCCATTGGGG	CAATCTCTCT	AAGATAGGGG	TGGTAGGAAT	AGGAAGTGCA	5580
AGCTACAAAG	TTATGACTCG	TTCCAGCCAT	CAATCATTAG	TCATAAAATT	AATGCCCAAT	5640
ATAACTCTCC	TCAATAACTG	CACGAGGGTA	GAGATTGCAG	AATACAGGAG	ACTACTGAGA	5700
ACAGTTTTTG	AACCAATTAG	AGATGCACTT	AATGCAATGA	CCCAGAATAT	AAGACCGGTT	5760
CAGAGTGTAG	CTTCAAGTAG	GAGACACAAG	AGATTTGCGG	GAGTAGTCCT	GGCAGGTGCG	5820
GCCCTAGGCG	TTGCCACAGC	TGCTCAGATA	ACAGCCGGCA	TTGCACTTCA	CCAGTCCATG	5880
CTGAACTCTC	AAGCCATCGA	CAATCTGAGA	GCGAGCCTGG	AACTACTAA	TCAGGCAATT	5940
GAGACAATCA	GACAAGCAGG	GCAGGAGATG	ATATTGGCTG	TTCAGGGTGT	CCAAGACTAC	6000
ATCAATAATG	AGCTGATACC	GTCTATGAAC	CAACTATCTT	GTGATTTAAT	CGGCCAGAAG	6060
CTCGGGCTCA	AATTGCTCAG	ATACTATACA	GAAATCCTGT	CATTATTTGG	CCCCAGTTTA	6120
CGGGACCCCA	TATCTGCGGA	GATATCTATC	CAGGCTTTGA	GCTATGCGCT	TGGAGGAGAC	6180
ATCAATAAGG	TGTTAGAAAA	GCTCGGATAC	AGTGGAGGTG	ATTTACTGGG	CATCTTAGAG	6240
AGCGGAGGAA	TAAAGGCCCG	GATAACTCAC	GTCGACACAG	AGTCCTACTT	CATTGTCCTC	6300
AGTATAGCCT	ATCCGACGCT	GTCCGAGATT	AAGGGGGTGA	TTGTCCACCG	GCTAGAGGGG	6360
GTCTCGTACA	ACATAGGCTC	TCAAGAGTGG	TATACCACTG	TGCCCCAAGTA	TGTTGCAACC	6420
CAAGGGTACC	TTATCTCGAA	TTTGATGAG	TCATCGTGTA	CTTTCATGCC	AGAGGGGACT	6480
GTGTGCAGCC	AAAATGCCTT	GTACCCGATG	AGTCCTCTGC	TCCAAGAATG	CCTCCGGGGG	6540
TACACCAAGT	CCTGTGCTCG	TACACTCGTA	TCCGGGTCTT	TTGGGAACCG	GTTCAATTTTA	6600
TCACAAGGGA	ACCTAATAGC	CAATTGTGCA	TCAATCCTTT	GCAAGTGTTA	CACAACAGGA	6660
ACGATCATT	ATCAAGACCC	TGACAAGATC	CTAACATACA	TTGCTGCCGA	TCACTGCCCCG	6720
GTAGTCGAGG	TGAACGGCGT	GACCATCCAA	GTCGGGAGCA	GGAGGTATCC	AGACGCTGTG	6780
TACTTGCA	GAATTGACCT	CGGTCTCTCC	ATATCATTGG	AGAGGTTGGA	CGTAGGGACA	6840
AATCTGGGGA	ATGCAATTGC	TAAGTTGGAG	GATGCCAAGG	AATTGTTGGA	GTCATCGGAC	6900
CAGATATTGA	GGAGTATGAA	AGGTTTATCG	AGCACTAGCA	TAGTCTACAT	CCTGATTGCA	6960

- 185 -

GTGTGTCTTG GAGGGTTGAT AGGGATCCCC GCTTTAATAT GTTGCTGCAG GGGGCGTTGT 7020
AACAAAAAGG GAGAACAAGT TGGTATGTCA AGACCAGGCC TAAAGCCTGA TCTTACGGGA 7080
ACATCAAAAT CCTATGTAAG GTCGCTCTGA TCCTCTACAA CTCTTGAAAC ACAAATGTCC 7140
CACAAGTCTC CTCTTCGTCA TCAAGCAACC ACCGCACCCA GCATCAAGCC CACCTGAAAT 7200
TATCTCCGGC TTCCCTCTGG CCGAACAATA TCGGTAGTTA ATCAAACTT AGGGTGCAAG 7260
ATCATCCACA ATGTCACCAC AACGAGACCG GATAAATGCC TTCTACAAAG ATAACCCCCA 7320
TCCCAAGGGA AGTAGGATAG TCATTAACAG AGAACATCTT ATGATTGATA GACCTTATGT 7380
TTTGCTGGCT GTTCTGTTTG TCATGTTTCT GAGCTTGATC GGGTTGCTAG CCATTGCAGG 7440
CATTAGACTT CATCGGGCAG CCATCTACAC CGCAGAGATC CATAAAAGCC TCAGCACCAA 7500
TCTAGATGTA ACTAACTCAA TCGAGCATCA GGTCAAGGAC GTGCTGACAC CACTCTTCAA 7560
AATCATCGGT GATGAAGTGG GCCTGAGGAC ACCTCAGAGA TTCACTGACC TAGTGAAATT 7620
AATCTCTGAC AAGATTAAAT TCCTTAATCC GGATAGGGAG TACGACTTCA GAGATCTCAC 7680
TTGGTGATC AACCCGCCAG AGAGAATCAA ATTGGATTAT GATCAATACT GTGCAGATGT 7740
GGCTGCTGAA GAGCTCATGA ATGCATTGGT GAACTCAACT CTACTGGAGA CCAGAACAAC 7800
CAATCAGTTC CTAGCTGTCT CAAAGGGGAA CTGCTCAGGG CCCACTACAA TCAGAGGTCA 7860
ATTCTCAAAC ATGTCGCTGT CCCTGTTAGA CTTGTATTTA GGTCGAGGTT ACAATGTGTC 7920
ATCTATAGTC ACTATGACAT CCCAGGGAAT GTATGGGGGA ACTTACCTAG TGGAAAAGCC 7980
TAATCTGAGC AGCAAAAGGT CAGAGTTGTC ACAACTGAGC ATGTACCGAG TGTTTGAAAGT 8040
AGGTGTTATC AGAAATCCGG GTTTGGGGGC TCCGGTGTTC CATATGACAA ACTATCTTGA 8100
GCAACCAGTC AGTAATGATC TCAGCAACTG TATGGTGGCT TTGGGGGAGC TCAAACCTGC 8160
AGCCCTTTGT CACGGGGAAG ATTCTATCAC AATTCCCTAT CAGGGATCAG GGAAAGGTGT 8220
CAGCTTCCAG CTCGTCAAGC TAGGTGTCTG GAAATCCCCA ACCGACATGC AATCCTGGGT 8280
CCCCTTATCA ACGGATGATC CAGTGATAGA CAGGCTTTAC CTCTCATCTC ACAGAGGTGT 8340
TATCGCTGAC AATCAAGCAA AATGGGCTGT CCCGACAACA CGAACAGATG ACAAGTTGCG 8400
AATGGAGACA TGCTTCCAAC AGGCGTGTA GGGTAAAATC CAAGCACTCT GCGAGAATCC 8460
CGAGTGGGCA CCATTGAAGG ATAACAGGAT TCCTTCATAC GGGGTCTTGT CTGTTGATCT 8520

- 186 -

GAGTCTGACA GTTGAGCTTA AAATCAAAAT TGCTTCGGGA TTCGGGCCAT TGATCACACA	8580
CGGTTTCAGGG ATGGACCTAT ACAAATCCAA CCACAACAAT GTGTATTGGC TGAATATCCC	8640
GCCAATGAAG AACCTAGCCT TAGGTGTAAT CAACACATTG GAGTGGATAC CGAGATTCAA	8700
GGTTAGTCCC TACCTCTTCA CTGTCCCAAT TAAGGAAGCA GGCGAAGACT GCCATGCCCC	8760
AACATACCTA CCTGCGGAGG TGGATGGTGA TGTCAAATC AGTTCCAATC TGGTGATTCT	8820
ACCTGGTCAA GATCTCCAAT ATGTTTGGC AACCTACGAT ACTTCCAGGG TTGAACATGC	8880
TGTGGTTTAT TACGTTTACA GCGCAAGCCG CTCATTTTCT TACTTTTATC CTTTATAGTT	8940
GCCTATAAAG GGGGTCCCCA TCGAATTACA AGTGGAATGC TTCACATGGG ACCAAAAACT	9000
CTGGTGCCGT CACTTCTGTG TGCTTGCAGA CTCAGAATCT GGTGGACATA TCACTCACTC	9060
TGGGATGGTG GGCATGGGAG TCAGCTGCAC AGTCACCCGG GAAGATGGAA CCAATCGCAG	9120
ATAGGGCTGC TAGTGAACCA ATCACATGAT GTCACCCAGA CATCAGGCAT ACCCACTAGT	9180
GTGAAATAGA CATCAGAATT AAGAAAAACG TAGGGTCCAA GTGGTTCCCC GTTATGGACT	9240
CGCTATCTGT CAACCAGATC TTATACCCTG AAGTTCACCT AGATAGCCCG ATAGTTACCA	9300
ATAAGATAGT AGCCATCCTG GAGTATGCTC GAGTCCCTCA CGCTTACAGC CTGGAGGACC	9360
CTACACTGTG TCAGAACATC AAGCACCAGC TAAAAAACGG ATTTTCCAAC CAAATGATTA	9420
TAAACAATGT GGAAGTTGGG AATGTCATCA AGTCCAAGCT TAGGAGTTAT CCGGCCCACT	9480
CTCATATTCC ATATCCAAAT TGTAATCAGG ATTTATTTAA CATAGAAGAC AAAGAGTCAA	9540
CGAGGAAGAT CCGTGAACTC CTCAAAAAGG GGAATTCGCT GTACTCCAA GTCAGTGATA	9600
AGGTTTTCCA ATGCTTAAGG GACACTAACT CACGGCTTGG CCTAGGCTCC GAATTGAGGG	9660
AGGACATCAA GGAGAAAGTT ATTAAGTTGG GAGTTTACAT GCACAGCTCC CAGTGGTTTG	9720
AGCCCTTTCT GTTTTGGTTT ACAGTCAAGA CTGAGATGAG GTCAGTGATT AAATCACAAA	9780
CCCATACTTG CCATAGGAGG AGACACACAC CTGTATTCTT CACTGGTAGT TCAGTTGAGT	9840
TGCTAATCTC TCGTGACCTT GTTGCTATAA TCAGTAAAGA GTCTCAACAT GTATATTACC	9900
TGACATTTGA ACTGGTTTTG ATGTATTGTG ATGTCATAGA GGGGAGGTTA ATGACAGAGA	9960
CCGCTATGAC TATTGATGCT AGGTATACAG AGCTTCTAGG AAGAGTCAGA TACATGTGGA	10020
AACTGATAGA TGGTTTCTTC CCTGCACTCG GGAATCCAAC TTATCAAATT GTAGCCATGC	10080

- 187 -

TGGAGCCTCT	TTCAGTTGCT	TACCTGCAGC	TGAGGGATAT	AACAGTAGAA	CTCAGAGGTG	10140
CTTTCCTTAA	CCACTGCTTT	ACTGAAATAC	ATGATGTTCT	TGACCAAAAC	GGGTTTTCTG	10200
ATGAAGGTAC	TTATCATGAG	TTAACTGAAG	CTCTAGATTA	CATTTTCATA	ACTGATGACA	10260
TACATCTGAC	AGGGGAGATT	TTCTCATTTT	TCAGAAGTTT	CGGCCACCCC	AGACTTGAAG	10320
CAGTAACGGC	TGCTGAAAAT	GTTAGGAAAT	ACATGAATCA	GCCTAAAGTC	ATTGTGTATG	10380
AGACTCTGAT	GAAAGGTCAT	GCCATATTTT	GTGGAATCAT	AATCAACGGC	TATCGTGACA	10440
GGCACGGAGG	CAGTTGGCCA	CCGCTGACCC	TCCCCCTGCA	TGCTGCAGAC	ACAATCCGGA	10500
ATGCTCAAGC	TTCAGGTGAA	GGGTTAACAC	ATGAGCAGTG	CGTTGATAAC	TGGAAATCTT	10560
TTGCTGGAGT	GAAATTTGGC	TGCTTTATGC	CTCTTAGCCT	GGATAGTGAT	CTGACAATGT	10620
ACCTAAAGGA	CAAGGCACTT	GCTGCTCTCC	AAAGGGAATG	GGATTCAGTT	TACCCGAAAG	10680
AGTTCCTGCG	TTACGACCCT	CCCAAGGGAA	CCGGGTCACG	GAGGCTTGTA	GATGTTTTCC	10740
TTAATGATTC	GAGCTTTGAC	CCATATGATG	TGATAATGTA	TGTTGTAAGT	GGAGCTTACC	10800
TCCATGACCC	TGAGTTCAAC	CTGTCTTACA	GCCTGAAAGA	AAAGGAGATC	AAGGAAACAG	10860
GTAGACTTTT	TGCTAAAATG	ACTTACAAAA	TGAGGGCATG	CCAAGTGATT	GCTGAAAATC	10920
TAATCTCAAA	CGGGATTGGC	AAATATTTTA	AGGACAATGG	GATGGCCAAG	GATGAGCACG	10980
ATTTGACTAA	GGCACTCCAC	ACTCTAGCTG	TCTCAGGAGT	CCCCAAAGAT	CTCAAAGAAA	11040
GTCACAGGGG	GGGGCCAGTC	TTAAAAACCT	ACTCCCGAAG	CCCAGTCCAC	ACAAGTACCA	11100
GGAACGTGAG	AGCAGCAAAA	GGGTTTATAG	GGTTCCCTCA	AGTAATTCGG	CAGGACCAAG	11160
ACACTGATCA	TCCGGAGAAT	ATGGAAGCTT	ACGAGACAGT	CAGTGCATTT	ATCAGGACTG	11220
ATCTCAAGAA	GTACTGCCTT	AATTGGAGAT	ATGAGACCAT	CAGCTTGTTT	GCACAGAGGC	11280
TAAATGAGAT	TTACGGATTG	CCCTCATTTT	TCCAGTGGCT	GCATAAGAGG	CTTGAGACCT	11340
CTGTCTGTGA	TGTAAGTGAC	CCTCATTGCC	CCCCCGACCT	TGACGCCCAT	ATCCCGTTAT	11400
ATAAAGTCCC	CAATGATCAA	ATCTTCATTA	AGTACCCTAT	GGGAGGTATA	GAAGGGTATT	11460
GTCAGAAGCT	GTGGACCATC	AGCACCATTC	CCTATCTATA	CCTGGCTGCT	TATGAGAGCG	11520
GAGTAAGGAT	TGCTTCGTTA	GTGCAAGGGG	ACAATCAGAC	CATAGCCGTA	ACAAAAAGGG	11580
TACCCAGCAC	ATGGCCCTAC	AACCTTAAGA	AACGGGAAGC	TGCTAGAGTA	ACTAGAGATT	11640

- 188 -

ACTTTGTAAT	TCTTAGGCAA	AGGCTACATG	ATATTGGCCA	TCACCTCAAG	GCAAATGAGA	11700
CAATTGTTTC	ATCACATTTT	TTTGTCTATT	CAAAAGGAAT	ATATTATGAT	GGGCTACTTG	11760
TGTCCCAATC	ACTCAAGAGC	ATCGCAAGAT	GTGTATTCTG	GTCAGAGACT	ATAGTTGATG	11820
AAACAAGGGC	AGCATGCAGT	AATATTGCTA	CAACAATGGC	TAAAAGCATC	GAGAGAGGTT	11880
ATGACCGTTA	CCTTGCAAT	TCCCTGAACG	TCCTAAAAGT	GATACAGCAA	ATTCTGATCT	11940
CTCTTGCTT	CACAATCAAT	TCAACCATGA	CCCGGGATGT	AGTCATACCC	CTCCTCACAA	12000
ACAACGACCT	CTTAATAAGG	ATGGCACTGT	TGCCCCGCTCC	TATTGGGGGG	ATGAATTATC	12060
TGAATATGAG	CAGGCTGTTT	GTCAGAAACA	TCGGTGATCC	AGTAACATCA	TCAATTGCTG	12120
ATCTCAAGAG	AATGATTCTC	GCCTCACTAA	TGCCTGAAGA	GACCCTCCAT	CAAGTAATGA	12180
CACAACAACC	GGGGGACTCT	TCATTCCTAG	ACTGGGCTAG	CGACCCTTAC	TCAGCAAATC	12240
TTGTATGTGT	CCAGAGCATC	ACTAGACTCC	TCAAGAACAT	AACTGCAAGG	TTTGTCTCTG	12300
TCCATAGTCC	AAACCCAATG	TTAAAAGGAT	TATTCCATGA	TGACAGTAA	GAAGAGGACG	12360
AGGGACTGGC	GGCATTCTC	ATGGACAGGC	ATATTATAGT	ACCTAGGGCA	GCTCATGAAA	12420
TCCTGGATCA	TAGTGTCA	GGGGCAAGAG	AGTCTATTGC	AGGCATGCTG	GATACCACAA	12480
AAGGCTTGAT	TCGAGCCAGC	ATGAGGAAGG	GGGGGTAAAC	CTCTCGAGTG	ATAACCAGAT	12540
TGTCCAATTA	TGACTATGAA	CAATTCAGAG	CAGGGATGGT	GCTATTGACA	GGAAGAAAGA	12600
GAAATGTCCT	CATTGACAAA	GAGTCATGTT	CAGTGCAGCT	GGCGAGAGCT	CTAAGAAGCC	12660
ATATGTGGGC	GAGGCTAGCT	CGAGGACGGC	CTATTTACGG	CCTTGAGGTC	CCTGATGTAC	12720
TAGAATCTAT	GCGAGGCCAC	CTTATTCGGC	GTCATGAGAC	ATGTGTCATC	TGCGAGTGTG	12780
GATCAGTCAA	CTACGGATGG	TTTTTTGTCC	CCTCGGGTTG	CCAACCTGGAT	GATATTGACA	12840
AGGAAACATC	ATCCTTGAGA	GTCCCATATA	TTGGTTCTAC	CACTGATGAG	AGAACAGACA	12900
TGAAGCTTGC	CTTCGTAAGA	GCCCCAAGTC	GATCCTTGCG	ATCTGCTGTT	AGAATAGCAA	12960
CAGTGACTC	ATGGGCTTAC	GGTGATGATG	ATAGCTCTTG	GAACGAAGCC	TGTTGTTGG	13020
CTAGGCAAAG	GGCCAATGTG	AGCCTGGAGG	AGCTAAGGGT	GATCACTCCC	ATCTCAACTT	13080
CGACTAATTT	AGCGCATAGG	TTGAGGGATC	GTAGCACTCA	AGTGAAATAC	TCAGGTACAT	13140
CCCTTGTCG	AGTGGCGAGG	TATACCACAA	TCTCCAACGA	CAATCTCTCA	TTTGTCAAT	13200

- 189 -

CAGATAAGAA GGTGATACT AACTTTATAT ACCAACAAGG AATGCTTCTA GGGTTGGGTG 13260
TTTTAGAAAC ATTGTTTCGA CTCGAGAAAG ATACCGGATC ATCTAACACG GTATTACATC 13320
TTCACGTCGA AACAGATTGT TGCCTGATCC CGATGATAGA TCATCCCAGG ATACCCAGCT 13380
CCCGCAAGCT AGAGCTGAGG GCAGAGCTAT GTACCAACCC ATTGATATAT GATAATGCAC 13440
CTTTAATTGA CAGAGATGCA ACAAGGCTAT ACACCCAGAG CCATAGGAGG CACCTTGTGG 13500
AATTTGTTAC ATGGTCCACA CCCCAACTAT ATCACATTTT AGCTAAGTCC ACAGCACTAT 13560
CTATGATTGA CCTGGTAACA AAATTTGAGA AGGACCATAT GAATGAAATT TCAGCTCTCA 13620
TAGGGGATGA CGATATCAAT AGTTTCATAA CTGAGTTTCT GCTCATAGAG CCAAGATTAT 13680
TCACTATCTA CTTGGGCCAG TGTGCGGCCA TCAATTGGGC ATTTGATGTA CATTATCATA 13740
GACCATCAGG GAAATATCAG ATGGGTGAGC TGTGTGTCATC GTTCCTTTCT AGAATGAGCA 13800
AAGGAGTGTT TAAGGTGCTT GTCAATGCTC TAAGCCACCC AAAGATCTAC AAGAAATTCT 13860
GGCATTGTGG TATTATAGAG CCTATCCATG GTCCTTCACT TGATGCTCAA AACTTGCACA 13920
CAACTGTGTG CAACATGGTT TACACATGCT ATATGACCTA CCTCGACCTG TTGTTGAATG 13980
AAGAGTTAGA AGAGTTCACA TTTCTCTTGT GTGAAAGCGA CGAGGATGTA GTACCGGACA 14040
GATTCGACAA CATCCAGGCA AAACACTTAT GTGTTCTGGC AGATTTGTAC TGTCAACCAG 14100
GGACCTGCCC ACCAATTCGA GGTCTAAGAC CGGTAGAGAA ATGTGCAGTT CTAACCGACC 14160
ATATCAAGGC AGAGGCTATG TTATCTCCAG CAGGATCTTC GTGGAACATA AATCCAATTA 14220
TTGTAGACCA TTAATCATGC TCTCTGACTT ATCTCCGGCG AGGATCGATC AAACAGATAA 14280
GATTGAGAGT TGATCCAGGA TTCATTTTCG ACGCCCTCGC TGAGGTAAAT GTCAGTCAGC 14340
CAAAGATCGG CAGCAACAAC ATCTCAAATA TGAGCATCAA GGCTTTTCTA CCCCCACACG 14400
ATGATGTTGC AAAATTGCTC AAAGATATCA ACACAAGCAA GCACAATCTT CCCATTTCTG 14460
GGGGCAATCT CGCCAATTAT GAAATCCATG CTTTCCGCAG AATCGGGTTG AACTCATCTG 14520
CTTGCTACAA AGCTGTTGAG ATATCAACAT TAATTAGGAG ATGCCTTGAG CCAGGGGAGG 14580
ACGGCTTGTT CTTGGGTGAG GGATCGGGTT CTATGTTGAT CACTTATAAA GAGATACTTA 14640
AACTAAACAA GTGCTTCTAT AATAGTGGGG TTTCCGCCAA TTCTAGATCT GGTCAAAGGG 14700
AATTAGCACC CTATCCCTCC GAAGTTGGCC TTGTGGAACA CAGAATGGGA GTAGGTAATA 14760

- 190 -

TTGTCAAAGT GCTCTTTAAC GGGAGGCCCCG AAGTCACGTG GGTAGGCAGT GTAGATTGCT	14820
TCAATTTTCAT AGTTAGTAAT ATCCCTACCT CTAGTGTGGG GTTTATCCAT TCAGATATAG	14880
AGACCTTGCC TGACAAAGAT ACTATAGAGA AGCTAGAGGA ATTGGCAGCC ATCTTATCGA	14940
TGGCTCTGCT CCTGGGCAAA ATAGGATCAA TACTGGTGAT TAAGCTTATG CCTTTCAGCG	15000
GGGATTTTGT TCAGGGATTT ATAAGTTATG TAGGGTCTCA TTATAGAGAA GTGAACCTTG	15060
TATACCCTAG ATACAGCAAC TTCATCTCTA CTGAATCTTA TTTGGTTATG ACAGATCTCA	15120
AGGCTAACCG GCTAATGAAT CCTGAAAAGA TTAAGCAGCA GATAATTGAA TCATCTGTGA	15180
GGACTTCACC TGGACTTATA GGTCACATCC TATCCATTAA GCAACTAAGC TGCATACAAG	15240
CAATTGTGGG AGACGCAGTT AGTAGAGGTG ATATCAATCC TACTCTGAAA AAACCTTACAC	15300
CTATAGAGCA GGTGCTGATC AATTGCGGGT TGGCAATTAA CGGACCTAAG CTGTGCAAAG	15360
AATTGATCCA CCATGATGTT GCCTCAGGGC AAGATGGATT GCTTAATTCT ATACTCATCC	15420
TCTACAGGGA GTTGGCAAGA TTCAAAGACA ACCAAAGAAG TCAACAAGGG ATGTTCCACG	15480
CTTACCCCGT ATTGGTAAGT AGCAGGCAAC GAGAACTTAT ATCTAGGATC ACCCGCAAAT	15540
TCTGGGGGCA CATTCTTCTT TACTCCGGGA ACAAAAAGTT GATAAATAAG TTTATCCAGA	15600
ATCTCAAGTC CGGCTATCTG ATACTAGACT TACACCAGAA TATCTTCGTT AAGAATCTAT	15660
CCAAGTCAGA GAAACAGATT ATTATGACGG GGGGTTTGAA ACGTGAGTGG GTTTTTAAGG	15720
TACAGTCAA GGAGACCAAA GAATGGTATA AGTTAGTCGG ATACAGTGCC CTGATTAAGG	15780
ACTAATTGGT TGAATCCGG AACCCATAATC CTGCCCTAGG TGGTTAGGCA TTATTTGCAA	15840
TATATTAAAG AAACTTTGA AAATACGAAG TTTCTATTCC CAGCTTTGTC TGGT	15894

(2) INFORMATION FOR SEQ ID NO:12:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 2183 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS:
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:12:

- 191 -

Met Asp Ser Leu Ser Val Asn Gln Ile Leu Tyr Pro Glu Val His Leu
 1 5 10 15
 Asp Ser Pro Ile Val Thr Asn Lys Ile Val Ala Ile Leu Glu Tyr Ala
 20 25 30
 Arg Val Pro His Ala Tyr Ser Leu Glu Asp Pro Thr Leu Cys Gln Asn
 35 40 45
 Ile Lys His Arg Leu Lys Asn Gly Phe Ser Asn Gln Met Ile Ile Asn
 50 55 60
 Asn Val Glu Val Gly Asn Val Ile Lys Ser Lys Leu Arg Ser Tyr Pro
 65 70 75 80
 Ala His Ser His Ile Pro Tyr Pro Asn Cys Asn Gln Asp Leu Phe Asn
 85 90 95
 Ile Glu Asp Lys Glu Ser Thr Arg Lys Ile Arg Glu Leu Leu Lys Lys
 100 105 110
 Gly Asn Ser Leu Tyr Ser Lys Val Ser Asp Lys Val Phe Gln Cys Leu
 115 120 125
 Arg Asp Thr Asn Ser Arg Leu Gly Leu Gly Ser Glu Leu Arg Glu Asp
 130 135 140
 Ile Lys Glu Lys Val Ile Asn Leu Gly Val Tyr Met His Ser Ser Gln
 145 150 155 160
 Trp Phe Glu Pro Phe Leu Phe Trp Phe Thr Val Lys Thr Glu Met Arg
 165 170 175
 Ser Val Ile Lys Ser Gln Thr His Thr Cys His Arg Arg Arg His Thr
 180 185 190
 Pro Val Phe Phe Thr Gly Ser Ser Val Glu Leu Leu Ile Ser Arg Asp
 195 200 205
 Leu Val Ala Ile Ile Ser Lys Glu Ser Gln His Val Tyr Tyr Leu Thr
 210 215 220
 Phe Glu Leu Val Leu Met Tyr Cys Asp Val Ile Glu Gly Arg Leu Met
 225 230 235 240
 Thr Glu Thr Ala Met Thr Ile Asp Ala Arg Tyr Thr Glu Leu Leu Gly
 245 250 255
 Arg Val Arg Tyr Met Trp Lys Leu Ile Asp Gly Phe Phe Pro Ala Leu
 260 265 270

- 192 -

Gly Asn Pro Thr Tyr Gln Ile Val Ala Met Leu Glu Pro Leu Ser Leu
 275 280 285
 Ala Tyr Leu Gln Leu Arg Asp Ile Thr Val Glu Leu Arg Gly Ala Phe
 290 295 300
 Leu Asn His Cys Phe Thr Glu Ile His Asp Val Leu Asp Gln Asn Gly
 305 310 315 320
 Phe Ser Asp Glu Gly Thr Tyr His Glu Leu Thr Glu Ala Leu Asp Tyr
 325 330 335
 Ile Phe Ile Thr Asp Asp Ile His Leu Thr Gly Glu Ile Phe Ser Phe
 340 345 350
 Phe Arg Ser Phe Gly His Pro Arg Leu Glu Ala Val Thr Ala Ala Glu
 355 360 365
 Asn Val Arg Lys Tyr Met Asn Gln Pro Lys Val Ile Val Tyr Glu Thr
 370 375 380
 Leu Met Lys Gly His Ala Ile Phe Cys Gly Ile Ile Ile Asn Gly Tyr
 385 390 395 400
 Arg Asp Arg His Gly Gly Ser Trp Pro Pro Leu Thr Leu Pro Leu His
 405 410 415
 Ala Ala Asp Thr Ile Arg Asn Ala Gln Ala Ser Gly Glu Gly Leu Thr
 420 425 430
 His Glu Gln Cys Val Asp Asn Trp Lys Ser Phe Ala Gly Val Lys Phe
 435 440 445
 Gly Cys Phe Met Pro Leu Ser Leu Asp Ser Asp Leu Thr Met Tyr Leu
 450 455 460
 Lys Asp Lys Ala Leu Ala Ala Leu Gln Arg Glu Trp Asp Ser Val Tyr
 465 470 475 480
 Pro Lys Glu Phe Leu Arg Tyr Asp Pro Pro Lys Gly Thr Gly Ser Arg
 485 490 495
 Arg Leu Val Asp Val Phe Leu Asn Asp Ser Ser Phe Asp Pro Tyr Asp
 500 505 510
 Val Ile Met Tyr Val Val Ser Gly Ala Tyr Leu His Asp Pro Glu Phe
 515 520 525
 Asn Leu Ser Tyr Ser Leu Lys Glu Lys Glu Ile Lys Glu Thr Gly Arg
 530 535 540
 Leu Phe Ala Lys Met Thr Tyr Lys Met Arg Ala Cys Gln Val Ile Ala

- 193 -

545. 550 555 560
 Glu Asn Leu Ile Ser Asn Gly Ile Gly Lys Tyr Phe Lys Asp Asn Gly
 565 570 575
 Met Ala Lys Asp Glu His Asp Leu Thr Lys Ala Leu His Thr Leu Ala
 580 585 590
 Val Ser Gly Val Pro Lys Asp Leu Lys Glu Ser His Arg Gly Gly Pro
 595 600 605
 Val Leu Lys Thr Tyr Ser Arg Ser Pro Val His Thr Ser Thr Arg Asn
 610 615 620
 Val Arg Ala Ala Lys Gly Phe Ile Gly Phe Pro Gln Val Ile Arg Gln
 625 630 635 640
 Asp Gln Asp Thr Asp His Pro Glu Asn Met Glu Ala Tyr Glu Thr Val
 645 650 655
 Ser Ala Phe Ile Thr Thr Asp Leu Lys Lys Tyr Cys Leu Asn Trp Arg
 660 665 670
 Tyr Glu Thr Ile Ser Leu Phe Ala Gln Arg Leu Asn Glu Ile Tyr Gly
 675 680 685
 Leu Pro Ser Phe Phe Gln Trp Leu His Lys Arg Leu Glu Thr Ser Val
 690 695 700
 Leu Tyr Val Ser Asp Pro His Cys Pro Pro Asp Leu Asp Ala His Ile
 705 710 715 720
 Pro Leu Tyr Lys Val Pro Asn Asp Gln Ile Phe Ile Lys Tyr Pro Met
 725 730 735
 Gly Gly Ile Glu Gly Tyr Cys Gln Lys Leu Trp Thr Ile Ser Thr Ile
 740 745 750
 Pro Tyr Leu Tyr Leu Ala Ala Tyr Glu Ser Gly Val Arg Ile Ala Ser
 755 760 765
 Leu Val Gln Gly Asp Asn Gln Thr Ile Ala Val Thr Lys Arg Val Pro
 770 775 780
 Ser Thr Trp Pro Tyr Asn Leu Lys Lys Arg Glu Ala Ala Arg Val Thr
 785 790 795 800
 Arg Asp Tyr Phe Val Ile Leu Arg Gln Arg Leu His Asp Ile Gly His
 805 810 815
 His Leu Lys Ala Asn Glu Thr Ile Val Ser Ser His Phe Phe Val Tyr
 820 825 830

- 194 -

Ser Lys Gly Ile Tyr Tyr Asp Gly Leu Leu Val Ser Gln Ser Leu Lys
 835 840 845
 Ser Ile Ala Arg Cys Val Phe Trp Ser Glu Thr Ile Val Asp Glu Thr
 850 855 860
 Arg Ala Ala Cys Ser Asn Ile Ala Thr Thr Met Ala Lys Ser Ile Glu
 865 870 875 880
 Arg Gly Tyr Asp Arg Tyr Leu Ala Tyr Ser Leu Asn Val Leu Lys Val
 885 890 895
 Ile Gln Gln Ile Leu Ile Ser Leu Gly Phe Thr Ile Asn Ser Thr Met
 900 905 910
 Thr Arg Asp Val Val Ile Pro Leu Leu Thr Asn Asn Asp Leu Leu Ile
 915 920 925
 Arg Met Ala Leu Leu Pro Ala Pro Ile Gly Gly Met Asn Tyr Leu Asn
 930 935 940
 Met Ser Arg Leu Phe Val Arg Asn Ile Gly Asp Pro Val Thr Ser Ser
 945 950 955 960
 Ile Ala Asp Leu Lys Arg Met Ile Leu Ala Ser Leu Met Pro Glu Glu
 965 970 975
 Thr Leu His Gln Val Met Thr Gln Gln Pro Gly Asp Ser Ser Phe Leu
 980 985 990
 Asp Trp Ala Ser Asp Pro Tyr Ser Ala Asn Leu Val Cys Val Gln Ser
 995 1000 1005
 Ile Thr Arg Leu Leu Lys Asn Ile Thr Ala Arg Phe Val Leu Ile His
 1010 1015 1020
 Ser Pro Asn Pro Met Leu Lys Gly Leu Phe His Asp Asp Ser Lys Glu
 1025 1030 1035 1040
 Glu Asp Glu Gly Leu Ala Ala Phe Leu Met Asp Arg His Ile Ile Val
 1045 1050 1055
 Pro Arg Ala Ala His Glu Ile Leu Asp His Ser Val Thr Gly Ala Arg
 1060 1065 1070
 Glu Ser Ile Ala Gly Met Leu Asp Thr Thr Lys Gly Leu Ile Arg Ala
 1075 1080 1085
 Ser Met Arg Lys Gly Gly Leu Thr Ser Arg Val Ile Thr Arg Leu Ser
 1090 1095 1100

- 195 -

Asn Tyr Asp Tyr Glu Gln Phe Arg Ala Gly Met Val Leu Leu Thr Gly
 1105 1110 1115 1120
 Arg Lys Arg Asn Val Leu Ile Asp Lys Glu Ser Cys Ser Val Gln Leu
 1125 1130 1135
 Ala Arg Ala Leu Arg Ser His Met Trp Ala Arg Leu Ala Arg Gly Arg
 1140 1145 1150
 Pro Ile Tyr Gly Leu Glu Val Pro Asp Val Leu Glu Ser Met Arg Gly
 1155 1160 1165
 His Leu Ile Arg Arg His Glu Thr Cys Val Ile Cys Glu Cys Gly Ser
 1170 1175 1180
 Val Asn Tyr Gly Trp Phe Phe Val Pro Ser Gly Cys Gln Leu Asp Asp
 1185 1190 1195 1200
 Ile Asp Lys Glu Thr Ser Ser Leu Arg Val Pro Tyr Ile Gly Ser Thr
 1205 1210 1215
 Thr Asp Glu Arg Thr Asp Met Lys Leu Ala Phe Val Arg Ala Pro Ser
 1220 1225 1230
 Arg Ser Leu Arg Ser Ala Val Arg Ile Ala Thr Val Tyr Ser Trp Ala
 1235 1240 1245
 Tyr Gly Asp Asp Asp Ser Ser Trp Asn Glu Ala Trp Leu Leu Ala Arg
 1250 1255 1260
 Gln Arg Ala Asn Val Ser Leu Glu Glu Leu Arg Val Ile Thr Pro Ile
 1265 1270 1275 1280
 Ser Thr Ser Thr Asn Leu Ala His Arg Leu Arg Asp Arg Ser Thr Gln
 1285 1290 1295
 Val Lys Tyr Ser Gly Thr Ser Leu Val Arg Val Ala Arg Tyr Thr Thr
 1300 1305 1310
 Ile Ser Asn Asp Asn Leu Ser Phe Val Ile Ser Asp Lys Lys Val Asp
 1315 1320 1325
 Thr Asn Phe Ile Tyr Gln Gln Gly Met Leu Leu Gly Leu Gly Val Leu
 1330 1335 1340
 Glu Thr Leu Phe Arg Leu Glu Lys Asp Thr Gly Ser Ser Asn Thr Val
 1345 1350 1355 1360
 Leu His Leu His Val Glu Thr Asp Cys Cys Val Ile Pro Met Ile Asp
 1365 1370 1375
 His Pro Arg Ile Pro Ser Ser Arg Lys Leu Glu Leu Arg Ala Glu Leu

- 196 -

1380	1385	1390
Cys Thr Asn Pro Leu Ile Tyr Asp Asn Ala Pro Leu Ile Asp Arg Asp 1395	1400	1405
Ala Thr Arg Leu Tyr Thr Gln Ser His Arg Arg His Leu Val Glu Phe 1410	1415	1420
Val Thr Trp Ser Thr Pro Gln Leu Tyr His Ile Leu Ala Lys Ser Thr 1425	1430	1435 1440
Ala Leu Ser Met Ile Asp Leu Val Thr Lys Phe Glu Lys Asp His Met 1445	1450	1455
Asn Glu Ile Ser Ala Leu Ile Gly Asp Asp Asp Ile Asn Ser Phe Ile 1460	1465	1470
Thr Glu Phe Leu Leu Ile Glu Pro Arg Leu Phe Thr Ile Tyr Leu Gly 1475	1480	1485
Gln Cys Ala Ala Ile Asn Trp Ala Phe Asp Val His Tyr His Arg Pro 1490	1495	1500
Ser Gly Lys Tyr Gln Met Gly Glu Leu Leu Ser Ser Phe Leu Ser Arg 1505	1510	1515 1520
Met Ser Lys Gly Val Phe Lys Val Leu Val Asn Ala Leu Ser His Pro 1525	1530	1535
Lys Ile Tyr Lys Lys Phe Trp His Cys Gly Ile Ile Glu Pro Ile His 1540	1545	1550
Gly Pro Ser Leu Asp Ala Gln Asn Leu His Thr Thr Val Cys Asn Met 1555	1560	1565
Val Tyr Thr Cys Tyr Met Thr Tyr Leu Asp Leu Leu Leu Asn Glu Glu 1570	1575	1580
Leu Glu Glu Phe Thr Phe Leu Leu Cys Glu Ser Asp Glu Asp Val Val 1585	1590	1595 1600
Pro Asp Arg Phe Asp Asn Ile Gln Ala Lys His Leu Cys Val Leu Ala 1605	1610	1615
Asp Leu Tyr Cys Gln Pro Gly Thr Cys Pro Pro Ile Arg Gly Leu Arg 1620	1625	1630
Pro Val Glu Lys Cys Ala Val Leu Thr Asp His Ile Lys Ala Glu Ala 1635	1640	1645
Met Leu Ser Pro Ala Gly Ser Ser Trp Asn Ile Asn Pro Ile Ile Val 1650	1655	1660

- 197 -

Asp His Tyr Ser Cys Ser Leu Thr Tyr Leu Arg Arg Gly Ser Ile Lys
 1665 1670 1675 1680

Gln Ile Arg Leu Arg Val Asp Pro Gly Phe Ile Phe Asp Ala Leu Ala
 1685 1690 1695

Glu Val Asn Val Ser Gln Pro Lys Ile Gly Ser Asn Asn Ile Ser Asn
 1700 1705 1710

Met Ser Ile Lys Ala Phe Arg Pro Pro His Asp Asp Val Ala Lys Leu
 1715 1720 1725

Leu Lys Asp Ile Asn Thr Ser Lys His Asn Leu Pro Ile Ser Gly Gly
 1730 1735 1740

Asn Leu Ala Asn Tyr Glu Ile His Ala Phe Arg Arg Ile Gly Leu Asn
 1745 1750 1755 1760

Ser Ser Ala Cys Tyr Lys Ala Val Glu Ile Ser Thr Leu Ile Arg Arg
 1765 1770 1775

Cys Leu Glu Pro Gly Glu Asp Gly Leu Phe Leu Gly Glu Gly Ser Gly
 1780 1785 1790

Ser Met Leu Ile Thr Tyr Lys Glu Ile Leu Lys Leu Asn Lys Cys Phe
 1795 1800 1805

Tyr Asn Ser Gly Val Ser Ala Asn Ser Arg Ser Gly Gln Arg Glu Leu
 1810 1815 1820

Ala Pro Tyr Pro Ser Glu Val Gly Leu Val Glu His Arg Met Gly Val
 1825 1830 1835 1840

Gly Asn Ile Val Lys Val Leu Phe Asn Gly Arg Pro Glu Val Thr Trp
 1845 1850 1855

Val Gly Ser Val Asp Cys Phe Asn Phe Ile Val Ser Asn Ile Pro Thr
 1860 1865 1870

Ser Ser Val Gly Phe Ile His Ser Asp Ile Glu Thr Leu Pro Asp Lys
 1875 1880 1885

Asp Thr Ile Glu Lys Leu Glu Glu Leu Ala Ala Ile Leu Ser Met Ala
 1890 1895 1900

Leu Leu Leu Gly Lys Ile Gly Ser Ile Leu Val Ile Lys Leu Met Pro
 1905 1910 1915 1920

Phe Ser Gly Asp Phe Val Gln Gly Phe Ile Ser Tyr Val Gly Ser His
 1925 1930 1935

- 198 -

Tyr Arg Glu Val Asn Leu Val Tyr Pro Arg Tyr Ser Asn Phe Ile Ser
1940 1945 1950

Thr Glu Ser Tyr Leu Val Met Thr Asp Leu Lys Ala Asn Arg Leu Met
1955 1960 1965

Asn Pro Glu Lys Ile Lys Gln Gln Ile Ile Glu Ser Ser Val Arg Thr
1970 1975 1980

Ser Pro Gly Leu Ile Gly His Ile Leu Ser Ile Lys Gln Leu Ser Cys
1985 1990 1995 2000

Ile Gln Ala Ile Val Gly Asp Ala Val Ser Arg Gly Asp Ile Asn Pro
2005 2010 2015

Thr Leu Lys Lys Leu Thr Pro Ile Glu Gln Val Leu Ile Asn Cys Gly
2020 2025 2030

Leu Ala Ile Asn Gly Pro Lys Leu Cys Lys Glu Leu Ile His His Asp
2035 2040 2045

Val Ala Ser Gly Gln Asp Gly Leu Leu Asn Ser Ile Leu Ile Leu Tyr
2050 2055 2060

Arg Glu Leu Ala Arg Phe Lys Asp Asn Gln Arg Ser Gln Gln Gly Met
2065 2070 2075 2080

Phe His Ala Tyr Pro Val Leu Val Ser Ser Arg Gln Arg Glu Leu Ile
2085 2090 2095

Ser Arg Ile Thr Arg Lys Phe Trp Gly His Ile Leu Leu Tyr Ser Gly
2100 2105 2110

Asn Lys Lys Leu Ile Asn Lys Phe Ile Gln Asn Leu Lys Ser Gly Tyr
2115 2120 2125

Leu Ile Leu Asp Leu His Gln Asn Ile Phe Val Lys Asn Leu Ser Lys
2130 2135 2140

Ser Glu Lys Gln Ile Ile Met Thr Gly Gly Leu Lys Arg Glu Trp Val
2145 2150 2155 2160

Phe Lys Val Thr Val Lys Glu Thr Lys Glu Trp Tyr Lys Leu Val Gly
2165 2170 2175

Tyr Ser Ala Leu Ile Lys Asp
2180

(2) INFORMATION FOR SEQ ID NO:13:

(1) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 15894 base pairs

- 199 -

(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: RNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:13:

ACCAAACAAA GTTGGGTAAG GATAGTTCAA TCAATGATCA TTTTCTAGTG CACTTAGGAT	60
TCAAGATCCT ATTATCAGGG ACAAGAGCAG GATTAAGGAT ATCCGAGATG GCCACACTTT	120
TAAGGAGCTT AGCATTGTTC AAAAGAAACA AGGACAAACC ACCCATTACA TCAGGATCCG	180
GTGGAGCCAT CAGAGGAATC AAACACATTA TTATAGTACC AATCCCTGGA GATTCTCAA	240
TTACCACTCG ATCCAGACTT CTGGACCGGT TGGTCAGGTT AATTGGAAAC CCGGATGTGA	300
GCGGGCCCCAA ACTAACAGGG GCACTAATAG GTATATTATC CTTATTTGTG GAGTCTCCAG	360
GTCAATTGAT TCAGAGGATC ACCGATGACC CTGACGTTAG CATAAGGCTG TTAGAGGTTG	420
TCCAGAGTGA CCAGTCACAA TCTGGCCTTA CCTTCGCATC AAGAGGTACC AACATGGAGG	480
ATGAGGCGGA CCAATACTTT TCACATGATG ATCCAATTAG TAGTGATCAA TCCAGGTTCTG	540
GATGGTTCTGA GAACAAGGAA ATCTCAGATA TTGAAGTGCA AGACCCTGAG GGATTCAACA	600
TGATTCTGGG TACCATCCTA GCTCAAATTT GGGTCTTGCT CGCAAAGGCG GTTACGGCCC	660
CAGACACGGC AGCTGATTCG GAGCTAAGAA GGTGGATAAA GTACACCCAA CAAAGAAGGG	720
TAGTTGGTGA ATTTAGATTG GAGAGAAAAT GGTTGGATGT GGTGAGGAAC AGGATTGCCG	780
AGGACCTCTC CTTACGCCGA TTCATGGTCG CTCTAATCCT GGATATCAAG AGAACACCCG	840
GAAACAAACC CAGGATTGCT GAAATGATAT GTGACATTGA TACATATATC GTAGAGGCAG	900
GATTAGCCAG TTTTATCCTG ACTATTAAGT TTGGGATAGA AACTATGTAT CCTGCTCTTG	960
GACTGCATGA ATTTGCTGGT GAGTTATCCA CACTTGAGTC CTTGATGAAC CTTTACCAGC	1020
AAATGGGGGA AACTGCACCC TACATGGTAA TCCTGGAGAA CTCAATTCAG AACAAAGTTCA	1080
GTGCAGGATC ATACCCTCTG CTCTGGAGCT ATGCCATGGG AGTAGGAGTG GAACTTGAAA	1140
ACTCCATGGG AGGTTTGAAC TTTGGCCGAT CTTACTTTGA TCCAGCATAT TTTAGATTAG	1200
GGCAAGAGAT GGTAAGGAGG TCAGCTGGAA AGGTCAGTTC CACATTGGCA TCTGAACTCG	1260

- 200 -

GTATCACTGC CGAGGATGCA AGGCTTGTTT CAGAGATTGC AATGCATACT ACTGAGGACA 1320
AGATCAGTAG AGCGGTTGGA CCCAGACAAG CCCAAGTATC ATTTCTACAC GGTGATCAAA 1380
GTGAGAATGA GCTACCGAGA TTGGGGGGCA AGGAAGATAG GAGGGTCAAA CAGAGTCGAG 1440
GAGAAGCCAG GGAGAGCTAC AGAGAAACCG GGCCCAGCAG AGCAAGTGAT GCGAGAGCTG 1500
CCCATCTTCC AACCGGCACA CCCCTAGACA TTGACACTGC ATCGGAGTCC AGCCAAGATC 1560
CGCAGGACAG TCGAAGGTCA GCTGACGCCC TGCTTAGGCT GCAAGCCATG GCAGGAATCT 1620
CGGAAGAACA AGGCTCAGAC ACGGACACCC CTATAGTGTA CAATGACAGA AATCTTCTAG 1680
ACTAGGTGCG AGAGGCCGAG GGCCAGAACA ACATCCGCCT ACCCTCCATC ATTGTTATAA 1740
AAAACCTTAGG AACCAGGTCC ACACAGCCGC CAGCCCATCA ACCATCCACT CCCACGATTG 1800
GAGCCGATGG CAGAAGAGCA GGCACGCCAT GTCAAAAACG GACTGGAATG CATCCGGGCT 1860
CTCAAGGCCG AGCCCATCGG CTCACTGGCC ATCGAGGAAG CTATGGCAGC ATGGTCAGAA 1920
ATATCAGACA ACCCAGGACA GGAGCGAGCC ACCTGCAGGG AAGAGAAGGC AGGCAGTTCG 1980
GGTCTCAGCA AACCATGCCT CTCAGCAATT GGATCAACTG AAGGCGGTGC ACCTCGCATC 2040
CGCGGTGAGG GACCTGGAGA GAGCGATGAC GACGCTGAAA CTTTGGGAAT CCCCCAAGA 2100
AATCTCCAGG CATCAAGCAC TGGGTTACAG TGTTATTATG TTTATGATCA CAGCGGTGAA 2160
GCGGTTAAGG GAATCCAAGA TGCTGACTCT ATCATGGTTC AATCAGGCCT TGATGGTGAT 2220
AGCACCCCTCT CAGGAGGAGA CAATGAATCT GAAAACAGCG ATGTGGATAT TGGCGAACCT 2280
GATACCGAGG GATATGCTAT CACTGACCGG GGATCTGCTC CCATCTCTAT GGGGTTGAGG 2340
GCTTCTGATG TTGAAACTGC AGAAGGAGGG GAGATCCACG AGCTCCTGAG ACTCCAATCC 2400
AGAGGCAACA ACTTTCCGAA GCTTGGGAAA ACTCTCAATG TTCCTCCGCC TCCGGACCCC 2460
GGTAGGGCCA GCACTTCCGG GACACCCATT AAAAAGGGCA CAGACGCGAG ATTAGCCTCA 2520
TTTGGAACGG AGATCGCGTC TTTATTGACA GGTGGTGCAA CCCAATGTGC TCGAAAGTCA 2580
CCCTCGGAAC CATCAGGGCC AGGTGCACCT GCGGGGAATG TCCCCGAGTG TGTGAGCAAT 2640
GCCGCACTGA TACAGGAGTG GACACCCGAA TCTGGTACCA CAATCTCCCC GAGATCCCAG 2700
AATAATGAAG AAGGGGGAGA CTATTATGAT GATGAGCTGT TCTCTGATGT CCAAGATATT 2760
AAAACAGCCT TGGCCAAAAT ACACGAGGAT AATCAGAAGA TAATCTCCAA GCTAGAATCA 2820

- 201 -

CTGCTGTTAT TGAAGGGAGA AGTTGAGTCA ATTAAGAAGC AGATCAACAG GCAAAATATC	2880
AGCATATCCA CCCTGGAAGG ACACCTCTCA AGCATCATGA TCGCCATTCC TGGACTTGGG	2940
AAGGATCCCA ACGACCCAC TGCAGATGTC GAAATCAATC CCGACTTGAA ACCCATCATA	3000
GGCAGAGATT CAGGCCGAGC ACTGGCCGAA GTTCTCAAGA AACCCGTTGC CAGCCGACAA	3060
CTCCAAGGAA TGACAAATGG ACGGACCAGT TCCAGAGGAC AGCTGCTGAA GGAATTTGAG	3120
CTAAAGCCGA TCGGGAAAAA GATGAGCTCA GCCGTCGGGT TTGTTCTGTA CACCGGCCCT	3180
GCATCACGCA GTGTAATCCG CTCCATTATA AAATCCAGCC GGCTAGAGGA GGATCGGAAG	3240
CGTTACCTGA TGAAGATAAT AATGAAGTAG CTACAGCTCA ACTTACCTGC CAACCCCATG	3300
CAGATGCTGA TGAAGATAAT AATGAAGTAG CTACAGCTCA ACTTACCTGC CAACCCCATG	3360
CCAGTCGACC CAACTAGTAC AACCTAAATC CATTATAAAA AACTTAGGAG CAAAGTGATT	3420
GCCTCCCAAG TTCCACAATG ACAGAGATCT ACGACTTCGA CAAGTCGGCA TGGGACATCA	3480
AAGGGTTGAT CGCTCCGATA CAACCCACCA CCTACAGTGA TGGCAGGCTG GTGCCCCAGG	3540
TCAGAGTCAT AGATCCTGGT CTAGGCGACA GGAAGGATGA ATGCTTTATG TACATGTTTC	3600
TGCTGGGGGT TGTTGAGGAC AGCGATCCCC TAGGGCCTCC AATCGGGCGA GCATTTGGGT	3660
CCCTGCCCTT AGGTGTTGGC AAATCCACAG CAAAGCCCGA AAAACTCCTC AAAGAGGCCA	3720
CTGAGCTTGA CATAGTTGTT AGACGTACAG CAGGGCTCAA TGAAAACTG GTGTTCTACA	3780
ACAACACCCC ACTAACTCTC CTCACACCTT GGAGAAAGGT CCTAACAACA GGGAGTGTCT	3840
TCAACGCAAA CCAAGTGTGC AGTGCGGTTA ATCTGATACC GCTCGATACC CCGCAGAGGT	3900
TCCGTGTTGT TTATATGAGC ATCACCCGTC TTTCGGATAA CGGGTATTAC ACCGTTCCCTA	3960
GAAGAATGCT GGAATTCAGA TCGGTCAATG CAGTGGCCTT CAACCTGCTG GTGACCCTTA	4020
GGATTGACAA GGCATAGGC CCTGGGAAGA TCATCGACAA TACAGAGCAA CTTCCTGAGG	4080
CAACATTTAT GGTCCACATC GGGAACTTCA GGAGAAAGAA GAGTGAAGTC TACTCTGCCG	4140
ATTATTGCAA AATGAAAATC GAAAAGATGG GCCTGGTTTT TGCATTGGT GGGATAGGGG	4200
GCACCACTCT TCACATTAGA AGCACAGGCA AAATGAGCAA GACTCTCCAT GCACAACTCG	4260
GGTTCAAGAA GACCTTATGT TACCCGCTGA TAGATATCAA TGAAGACCTT AATCGATTAC	4320
TCTGGAGGAG CAGATGCAAG ATAGTAAGAA TCCAGGCAGT TTTGCAGCCA TCAGTTCCTC	4380

- 202 -

AAGAATTCCG CATTACGAC GACGTGATCA TAAATGATGA CCAAGGACTA TTCAAAGTTC 4440
TG TAGACCGT AGTGCCAGC AATGCCGAA AACGACCCCC CTCACAATGA CAGCCAGAAG 4500
GCCCCGACAA AAAAGCCCC TCCGAAAGAC TCCACGGACC AAGCGAGAGG CCAGCCAGCA 4560
GCCGACGGCA AGCGCGAACA CCAGGCGGCC CCAGCACAGA ACAGCCCTGA TACAAGGCCA 4620
CCACCAGCCA CCCCAATCTG CATCCTCCTC GTGGGACCCC CGAGGACCAA CCCCCAAGGC 4680
TGCCCCGAT CCAAACCACC AACCGCATCC CCACCACCCC CGGGAAAGAA ACCCCCAGCA 4740
ATTGGAAGGC CCCTCCCCCT CTTCTCAAC ACAAGAACTC CACAACCGAA CCGCACAAGC 4800
GACCGAGGTG ACCCAACCGC AGGCATCCGA CTCCCTAGAC AGATCCTCTC TCCCCGGCAA 4860
ACTAAACAAA ACTTAGGGCC AAGGAACATA CACACCCAAC AGAACCCAGA CCCC GGCCCCA 4920
CGGCGCCGCG CCCCCAACCC CCGACAACCA GAGGGAGCCC CCAACCAATC CCGCCGGCTC 4980
CCCCGGTGCC CACAGGCAGG GACACCAACC CCCGAACAGA CCCAGCACCC AACCATCGAC 5040
AATCCAAGAC GGGGGGGCCC CCCCCAAAAA AGGCCCCCAG GGGCCGACAG CCAGCACC GC 5100
GAGGAAGCCC ACCCACCCCA CACACGACCA CGGCAACCAA ACCAGAACCC AGACCACCCT 5160
GGGCCACCAG CTCCCAGACT CGGCCATCAC CCCGCAGAAA GGAAAGGCCA CAACCCGCGC 5220
ACCCCAGCCC CGATCCGGCG GGGAGCCACC CAACCCGAAC CAGCACCCAA GAGCGATCCC 5280
CGAAGGACCC CCGAACCGCA AAGGACATCA GTATCCACA GCCTCTCAA GTCCCCGGT 5340
CTCCTCCCCT TCTCGAAGGG ACCAAAAGAT CAATCCACCA CACCCGACGA CACTCAACTC 5400
CCCACCCCTA AAGGAGACAC CGGGAATCCC AGAATCAAGA CTCATCCAAT GTCCATCATG 5460
GGTCTCAAGG TGAACGTCTC TGCCATATTC ATGGCAGTAC TGTAACTCT CCAAACACCC 5520
ACCGGTCAA TCCATTGGGG CAATCTCTCT AAGATAGGGG TGGTAGGAAT AGGAAGTGCA 5580
AGCTACAAAG TTATGACTCG TTCCAGCCAT CAATCATTAG TCATAAAATT AATGCCCAAT 5640
ATAACTCTCC TCAATAACTG CACGAGGGTA GAGATTGCAG AATACAGGAG ACTACTGAGA 5700
ACAGTTTTGG AACCAATTAG AGATGCACTT AATGCAATGA CCCAGAATAT AAGACCGGTT 5760
CAGAGTGTAG CTTCAAGTAG GAGACACAAG AGATTGCGG GAGTAGTCCT GGCAGGTGCC 5820
GCCCTAGGCG TTGCCACAGC TGCTCAGATA ACAGCCGGCA TTGCACTTCA CCAGTCCATG 5880
CTGAACTCTC AAGCCATCGA CAATCTGAGA GCGAGCCTGG AACTACTAA TCAGGCAATT 5940

- 203 -

GAGGCAATCA	GACAAGCAGG	GCAGGAGATG	ATATTGGCTG	TTCAGGGTGT	CCAAGACTAC	6000
ATCAATAATG	AGCTGATACC	GTCTATGAAC	CAACTATCTT	GTGATTTAAT	CGGCCAGAAG	6060
CTCGGGCTCA	AATTGCTCAG	ATACTATACA	GAAATCCTGT	CATTATTTGG	CCCCAGCTTA	6120
CGGGACCCCA	TATCTGCGGA	GATATCTATC	CAGGCTTTGA	GCTATGCGCT	TGGAGGAGAC	6180
ATCAATAAGG	TGTTAGAAAA	GCTCGGATAC	AGTGGAGGTG	ATTTACTGGG	CATCTTAGAG	6240
AGCAGAGGAA	TAAAGGCCCG	GATAACTCAC	GTCGACACAG	AGTCCTACTT	CATTGTCCTC	6300
AGTATAGCCT	ATCCGACGCT	GTCCGAGATT	AAGGGGGTGA	TTGTCCACCG	GCTAGAGGGG	6360
GTCTCGTACA	ACATAGGCTC	TCAAGAGTGG	TATACCACTG	TGCCCAAGTA	TGTTGCAACC	6420
CAAGGGTACC	TTATCTCGAA	TTTGTATGAG	TCATCGTGTA	CTTTCATGCC	AGAGGGGACT	6480
GTGTGCAGCC	AAAATGCCTT	GTACCCGATG	AGTCCTCTGC	TCCAAGAATG	CCTCCGGGGG	6540
TCCACCAAGT	CCTGTGCTCG	TACACTCGTA	TCCGGGTCTT	TTGGGAACCG	GTTCAATTTA	6600
TCACAAGGGA	ACCTAATAGC	CAATTGTGCA	TCAATCCTTT	GCAAGTGTTA	CACAACAGGA	6660
ACGATCATT	ATCAAGACCC	TGACAAGATC	CTAACATACA	TTGCTGCCGA	TCCTGCCCCG	6720
GTAGTCGAGG	TGAACGGCGT	GACCATCCAA	GTCGGGAGCA	GGAGGTATCC	AGATGCTGTG	6780
TACTTGACCA	GAATTGACCT	CGGTCTCTCC	ATATCATTGG	AGAGGTTGGA	CGTAGGGACA	6840
AATCTGGGGA	ATGCAATTGC	TAAGTTGGAG	GATGCCAAGG	AATTGTTGGA	GTCATCGGAC	6900
CAGATATTGA	GGAGTATGAA	AGGTTTATCG	AGCACTAGCA	TAGTCTACAT	CCTGATTGCA	6960
GTGTGTCTTG	GAGGGTTGAT	AGGGATCCCC	GCTTTAATAT	GTTGCTGCAG	GGGGCGTTGT	7020
AACAAAAAGG	GAGAACAAGT	TGGTATGTCA	AGACCAGGCC	TAAAGCCTGA	TCTTACGGGA	7080
ACATCAAAAT	CCTATGTAAG	GTCGCTCTGA	TCCTCTACAA	CTCTTGAAAC	ACAAATGTCC	7140
CACAAGTCTC	CTCTTCGTCA	TCAAGCAACC	ACCGCACCCA	GCATCAAGCC	CACCTGAAAT	7200
TATCTCCGGC	TTCCCTCTGG	CCGAACAATA	TCGGTAGTTA	ATTAAACTT	AGGGTGCAAG	7260
ATCATCCACA	ATGTCACCAC	AACGAGACCG	GATAAATGCC	TTCTACAAAG	ATAACCCCCA	7320
TCCCAAGGGA	AGTAGGATAG	TCATTAACAG	AGAACATCTT	ATGATTGATA	GACCTTATGT	7380
TTTGCTGGCT	GTTCTGTTTG	TCATGTTTCT	GAGCTTGATC	GGGTTGCTAG	CCATTGCAGG	7440
CATTAGACTT	CATCGGGCAG	CCATCTACAC	CGCAGAGATC	CATAAAAGCC	TCAGCACCAA	7500

- 204 -

TCTAGATGTA ACTAACTCAA TCGAGCATCA GGTCAAGGAC GTGCTGACAC CACTCTTCAA	7560
AATCATCGGT GATGAAGTGG GCCTGAGGAC ACCTCAGAGA TTCACTGACC TAGTGAAATT	7620
CATCTCTGAC AAGATTAAAT TCCTTAATCC GGATAGGGAG TACGACTTCA GAGATCTCAC	7680
TTGGTGTATC AACCCGCCAG AGAGAATCAA ATTGGATTAT GATCAATACT GTGCAGATGT	7740
GGCTGCTGAA GAGCTCATGA ATGCATTGGT GAACTCAACT CTACTGGAGA CCAGAACAAC	7800
CAATCAGTTC CTAGCTGTCT CAAAGGGAAA CTGCTCAGGG CCCACTACAA TCAGAGGTCA	7860
ATTCTCAAAC ATGTCGCTGT CCCTGTTAGA CTTGTATTTA GGTCGAGGTT ACAATGTGTC	7920
ATCTATAGTC ACTATGACAT CCCAGGGAAT GTATGGGGGA ACTTACCTAG TGGAAAAGCC	7980
TAATCTGAGC AGCAAAAGGT CAGAGTTGTC ACAACTGAGC ATGTACCGAG TGTTTGAAGT	8040
AGGTGTTATC AGAAATCCGG GTTTGGGGGC TCCGGTGTTT CATATGACAA ACTATCTTGA	8100
GCAACCAGCC AGTAATGATC TCAGCAACTG TATGGTGGCT TTGGGGGAGC TCAAACCTCGC	8160
AGCCCTTTGT CACGGGGAAG ATTCTATCAC AATTCCCTAT CAGGGATCAG GGAAAGGTGT	8220
CAGCTTCCAG CTCGTCAAGC TAGGTGTCTG GAAATCCCCA ACCGACATGC AATCCTGGGT	8280
CCCCTTATCA ACGGATGATC CAGTGATAGA CAGGCTTTAC CTCTCATCTC ACAGAGGTGT	8340
TATCGCTGAC AATCAAGCAA AATGGGCTGT CCCGACAACA CGAACAGATG ACAAGTTGCG	8400
AATGGAGACA TGCTTCCAAC AGGCGTGTA GGGTAAAATC CAAGCACTCT GCGAGAATCC	8460
CGAGTGGGCA CCATTGAAGG ATAACAGGAT TCCTTCATAC GGGGTCTTGT CTGTTGATCT	8520
GAGTCTGACA GTTGAGCTTA AAATCAAAAT TGCTTCGGGA TTCGGGCCAT TGATCACACA	8580
CGGTTCAAGG ATGGACCTAT ACAAATCCAA CCACAACAAT GTGTATTGGC TGAATATCCC	8640
GCCAATGAAG AACCTAGCCT TAGGTGTAAT CAACACATTG GAGTGGATAC CGAGATTCAA	8700
GGTTAGTCCC TACCTCTTCA ATGTCCCAAT TAAGGAAGCA GGC GAAGACT GCCATGCCCC	8760
AACATACCTA CCTGCGGAGG TGGATGGTGA TGTCAAATC AGTTCCAATC TGGTGATTCT	8820
ACCTGGTCAA GATCTCCAAT ATGTTTTGGC AACCTACGAT ACTTCCAGGG TTGAACATGC	8880
TGTGGTTTAT TACGTTTACA GCCCAGGCCG CTCATTTTCT TACTTTTATC CTTTTAGGTT	8940
GCCTATAAAG GGGGTCCCCA TCGAATTACA AGTGGAATGC TTCACATGGG ACCAAAACT	9000
CTGGTGCCGT CACTTCTGTG TGCTTGCGGA CTCAGAATCT GGTGGACATA TCACTCACTC	9060

- 205 -

TGGGATGGTG	GGCATGGGAG	TCAGCTGCAC	AGTCACCCGG	GAAGATGGAA	CCAATCGCAG	9120
ATAGGGCTGC	TAGTGAACCA	ATCTCATGAT	GTCACCCAGA	CATCAGGCAT	ACCCACTAGT	9180
GTGAAATAGA	CATCAGAATT	AAGAAAAACG	TAGGGTCCAA	GTGGTTCCCC	GTTATGGACT	9240
CGCTATCTGT	CAACCAGATC	TTATACCCTG	AAGTTCACCT	AGATAGCCCG	ATAGTTACCA	9300
ATAAGATAGT	AGCCATCCTG	GAGTATGCTC	GAGTCCCTCA	CGCTTACAGC	CTGGAGGACC	9360
CTACACTGTG	TCAGAACATC	AAGCACCGCC	TAAAAAACGG	ATTTTCCAAC	CAAATGATTA	9420
TAAACAATGT	GGAAGTTGGG	AATGTCATCA	AGTCCAAGCT	TAGGAGTTAT	CCGGCCCCACT	9480
CTCATATTCC	ATATCCAAAT	TGTAATCAGG	ATTTATTTAA	CATAGAAGAC	AAAGAGTCAA	9540
CGAGGAAGAT	CCGTGAACTC	CTCAAAAAGG	GGAATTGCTG	GTAATCCAAA	GTCAGTGATA	9600
AGGTTTTTCCA	ATGCTTAAGG	GACACTAACT	CACGGCTTGG	CCTAGGCTCC	GAATTGAGGG	9660
AGGACATCAA	GGAGAAAGTT	ATTAACCTGG	GAGTTTACAT	GCACAGCTCC	CAGTGGTTTG	9720
AGCCCTTTCT	GTTTTGGTTT	ACAGTCAAGA	CTGAGATGAG	GTCAGTGATT	AAATCACAAA	9780
CCCATACTTG	CCATAGGAGG	AGACACACAC	CTGTATTCTT	CACTGGTAGT	TCAGTTGAGT	9840
TGCTAATCTC	TCGTGACCTT	GTTGCTATAA	TCAGTAAAGA	GTCTCAACAT	GTATATTACC	9900
TGACATTTGA	ACTGGTTTTG	ATGTATTGTG	ATGTCATAGA	GGGGAGGTTA	ATGACAGAGA	9960
CCGCTATGAC	TATTGATGCT	AGGTATACAG	AGCTTCTAGG	AAGAGTCAGA	TACATGTGGA	10020
AACTGATAGA	TGGTTTCTTC	CCTGCACTCG	GGAATCCAAC	TTATCAAATT	GTAGCCATGC	10080
TGGAGCCTCT	TTCACTTGCT	TACCTGCAGC	TGAGGGATAT	AACAGTAGAA	CTCAGAGGTG	10140
CTTTCCTTAA	CCACTGCTTT	ACTGAAATAC	ATGATGTTCT	TGACCAAAAC	GGGTTTTCTG	10200
ATGAAGGTAC	TTATCATGAG	TTAATTGAAG	CTCTAGATTA	CATTTTCATA	ACTGATGACA	10260
TACATCTGAC	AGGGGAGATT	TTCTCATTTT	TCAGAAGTTT	CGGCCACCCC	AGACTTGAAG	10320
CAGTAACGGC	TGCTGAAAAT	GTTAGGAAAT	ACATGAATCA	GCCTAAAGTC	ATTGTGTATG	10380
AGACTCTGAT	GAAAGGTCAT	GCCATATTTT	GTGGAATCAT	AATCAACGGC	TATCGTGACA	10440
GGCACGGAGG	CAGTTGGCCA	CCGCTGACCC	TCCCCCTGCA	TGCTGCAGAC	ACAATCCGGA	10500
ATGCTCAAGC	TTCAGGTGAA	GGGTTAACAC	ATGAGCAGTG	CGTTGATAAC	TGGAAATCTT	10560
TTGCTGGAGT	GAAATTTGGC	TGCTTTATGC	CTCTTAGCCT	GGATAGTGAT	CTGACAAATG	10620

- 206 -

ACCTAAAGGA CAAGGCACTT GCTGCTCTCC AAAGGGAATG GGATTCAGTT TACCCGAAAG 10680
AGTTCCTGCG TTACGACCCT CCCAAGGGAA CCGGGTCACG GAGGCTTGTA GATGTTTTCC 10740
TTAATGATTC GAGCTTTGAC CCATATGATG TGATAATGTA TGTGTAAAGT GGAGCTTACC 10800
TCCATGACCC TGAGTTCAAC CTGTCTTACA GCCTGAAAGA AAAGGAGATC AAGGAAACAG 10860
GTAGACTTTT TGCTAAAATG ACTTACAAAA TGAGGGCATG CCAAGTGATT GCTGAAAATC 10920
TAATCTCAAA CGGGATTGGC AAATATTTTA AGGACAATGG GATGGCCAAG GATGAGCACG 10980
ATTTGACTAA GGCACCTCCAC ACTCTAGCTG TCTCAGGAGT CCCCAGAGAT CTCAAAGAAA 11040
GTCACAGGGG GGGGCCAGTC TTAAAAACCT ACTCCCGAAG CCCAGTCCAC ACAAGTACCA 11100
GGAACGTGAG AGCAGCAAAA GGGTTTATAG GGTTCCTCA AGTAATTCGG CAGGACCAAG 11160
ACACTGATCA TCCGGAGAAT ATGGAAGCTT ACGAGACAGT CAGTGCATTT ATCACGACTG 11220
ATCTCAAGAA GTACTGCCTT AATTGGAGAT ATGAGACCAT CAGCTTGTTT GCACAGAGGC 11280
TAAATGAGAT TTACGGATTG CCCTCATTTT TCCAGTGGCT GCATAAGAGG CTGAGACCT 11340
CTGTCCTGTA TGTAAGTGAC CCTCATTGCC CCCCCGACCT TGACGCCCAT ATCCCGTTAT 11400
ATAAAGTCCC CAATGATCAA ATCTTCATTA AGTACCCTAT GGGAGGTATA GAAGGGTATT 11460
GTCAGAAGCT GTGGACCATC AGCACCATT CATTATCTATA CCTGGCTGCT TATGAGAGCG 11520
GAGTAAGGAT TGCTTCGTTA GTGCAAGGGG ACAATCAGAC CATAGCCGTA AAAAAAGGG 11580
TACCCAGCAC ATGGCCCTAC AACCTTAAGA AACGGGAAGC TGCTAGAGTA ACTAGAGATT 11640
ACTTTGTAAT TCTTAGGCAA AGGCTACATG ATATTGGCCA TCACCTCAAG GCAAATGAGA 11700
CAATTGTTTC ATCACATTTT TTTGTCTATT CAAAAGGAAT ATATTATGAT GGGCTACTTG 11760
TGTCCCAATC ACTCAAGAGC ATCGCAAGAT GTGTATTCTG GTCAGAGACT ATAGTTGATG 11820
AAACAAGGGC AGCATGCAGT AATATTGCTA CAACAATGGC TAAAAGCATC GAGAGAGGTT 11880
ATGACCGTTA CCTTGATAT TCCCTGAACG TCCTAAAAGT GATACAGCAA ATTCTGATCT 11940
CTCTTGGCTT CACAATCAAT TCAACCATGA CCCGGGATGT AGTCATACCC CTCCTCACAA 12000
ACAACGACCT CTTAATAAGG ATGGCACTGT TGCCCGCTCC TATTGGGGGG ATGAATTATC 12060
TGAATATGAG CAGGCTGTTT GTCAGAAACA TCGGTGATCC AGTAACATCA TCAATTGCTG 12120
ATCTCAAGAG AATGATTCTC GCCTCACTAA TGCCTGAAGA GACCCTCCAT CAAGTAATGA 12180

- 207 -

CACAACAACC GGGGGACTCT TCATTCCTAG ACTGGGCTAG CGACCCTTAC TCAGCAAATC 12240
TTGTATGTGT CCAGAGCATC ACTAGACTCC TCAAGAACAT AACTGCAAGG TTTGTCCTGA 12300
TCCATAGTCC AAACCCAATG TTAAAAGGAT TATTCCATGA TGACAGTAAA GAAGAGGACG 12360
AGGGACTGGC GGCATTCTC ATGGACAGGC ATATTATAGT ACCTAGGGCA GCTCATGAAA 12420
TCCTGGATCA TAGTGTCA CA GGGGCAAGAG AGTCTATTGC AGGCATGCTG GATACCACAA 12480
AAGGCCTGAT TCGAGCCAGC ATGAGGAAGG GGGGGTTAAC CTCTCGAGTG ATAACCAGAT 12540
TGTCCAATTA TGA CTATGAA CAATTCAGAG CAGGGATGGT GCTATTGACA GGAAGAAAGA 12600
GAAATGTCCT CATTGACAAA GAGTCATGTT CAGTGCAGCT GGCGAGAGCT CTAAGAAGCC 12660
ATATGTGGGC GAGGCTAGCT CGAGGACGGC CTATTTACGG CCTTGAGGTC CCTGATGTAC 12720
TAGAATCTAT GCGAGGCCAC CTTATTCGGC GTCATGAGAC ATGTGTCATC TGCAGTGTG 12780
GATCAGTCAA CTACGGATGG TTTTTTGTCC CCTCGGGTTG CCAACTGGAT GATATTGACA 12840
AGGAAACATC ATCCTTGAGA GTCCCATATA TTGGTTCTAC CACTGATGAG AGAACAGACA 12900
TGAAGCTTGC CTTCTAAGA GCCCCAAGTC GATCCTTGCG ATCTGCTGTT AGAATAGCAA 12960
CAGTGTACTC ATGGGCTTAC GGTGATGATG ATAGCTCTTG GAACGAAGCC TGGTTGTTGG 13020
CTAGGCAAAG GGCCAATGTG AGCCTGGAGG AGCTAAGGGT GATCACTCCC ATCTCAACTT 13080
CGACTAATTT AGCGCATAGG TTGAGGGATC GTAGCACTCA AGTGAAATAC TCAGGTACAT 13140
CCCTTGTCGG AGTGGCGAGG TATACCACAA TCTCCAACGA CAATCTCTCA TTTGTCATAT 13200
CAGATAAGAA GGTGATACT AACTTTATAT ACCAACAAGG AATGCTTCTA GGGTTGGGTG 13260
TTTTAGAAAC ATTGTTTCGA CTCGAGAAAG ATACCGGATC ATCTAACACG GTATTACATC 13320
TTCACGTCGA AACAGATTGT TGC GTGATCC CGATGATAGA TCATCCCAGG ATACCCAGCT 13380
CCC GCAAGCT AGAGCTGAGG GCAGAGCTAT GTACCAACCC ATTGATATAT GATAATGCAC 13440
CTTTAATTGA CAGAGATACA ACAAGGCTAT ACACCCAGAG CCATAGGAGG CACCTTGTGG 13500
AATTTGTTAC ATGGTCCACA CCCCAACTAT ATCACATTTT AGCTAAGTCC ACAGCACTAT 13560
CTATGATTGA CCTGTGTAACA AAATTTGAGA AGGACCATAT GAATGAAATT TCAGCTCTCA 13620
TAGGGGATGA CGATATCAAT AGTTTCATAA CTGAGTTTCT GCTCATAGAG CCAAGATTAT 13680
TCACTATCTA CTTGGGCCAG TGTGCGGCCA TCAATTGGGC ATTTGATGTA CATTATCATA 13740

- 208 -

GACCATCAGG	GAAATATCAG	ATGGGTGAGC	TGTTGTCATC	GTTCTTTTCT	AGAATGAGCA	13800
AAGGAGTGTT	TAAGGTGCTT	GTCAATGCTC	TAAGCCACCC	AAAGATCTAC	AAGAAATTCT	13860
GGCATTGTGG	TATTATAGAG	CCTATCCATG	GTCCTTCACT	TGATGCTCAA	AACTTGACACA	13920
CAACTGTGTG	CAACATGGTT	TACACATGCT	ATATGACCTA	CCTCGACCTG	TTGTTGAATG	13980
AAGAGTTAGA	AGAGTTCACA	TTTCTCTTGT	GTGAAAGCGA	CGAGGATGTA	GTACCGGACA	14040
GATTCGACAA	CATCCAGGCA	AAACACTTAT	GTGTTCTGGC	AGATTTGTAC	TGTCAACCAG	14100
GGACCTGCCC	ACCAATTCTGA	GGTCTAAGAC	CGGTAGAGAA	ATGTGCAGTT	CTAACCGACC	14160
ATATCAAGGC	AGAGGCTAGG	TTATCTCCAG	CAGGATCTTC	GTGGAACATA	AATCCAATTA	14220
TTGTAGACCA	TTACTCATGC	TCTCTGACTT	ATCTCCGGCG	AGGATCGATC	AAACAGATAA	14280
GATTGAGAGT	TGATCCAGGA	TTCATTTTCG	ACGCCCTCGC	TGAGGTAAAT	GTCAGTCAGC	14340
CAAAGATCGG	CAGCAACAAC	ATCTCAAATA	TGAGCATCAA	GGCTTTCAGA	CCCCCACACG	14400
ATGATGTTGC	AAAATTGCTC	AAAGATATCA	ACACAAGCAA	GCACAATCTT	CCCATTTTCAG	14460
GGGGCAATCT	CGCCAATTAT	GAAATCCATG	CTTTCCGCAG	AATCGGGTTG	AACTCATCTG	14520
CTTGCTACAA	AGCTGTTGAG	ATATCAACAT	TAATTAGGAG	ATGCCTTGAG	CCAGGGGAGG	14580
ACGGCTTGTT	CTTGGGTGAG	GGATCGGGTT	CTATGTTGAT	CACTTATAAG	GAGATACTTA	14640
AACTAAACAA	GTGCTTCTAT	AATAGTGGGG	TTTCCGCCAA	TTCTAGATCT	GGTCAAAGGG	14700
AATTAGCACC	CTATCCCTCC	GAAGTTGGCC	TTGTCGAACA	CAGAATGGGA	GTAGGTAATA	14760
TTGTCAAAGT	GCTCTTTAAC	GGGAGGCCCG	AAGTCACGTG	GGTAGGCAGT	GTAGATTGCT	14820
TCAATTTTCAT	AGTTAGTAAT	ATCCCTACCT	CTAGTGTTGG	GTTTATCCAT	TCAGATATAG	14880
AGACCTTGCC	TAACAAAGAT	ACTATAGAGA	AGCTAGAGGA	ATTGGCAGCC	ATCTTATCGA	14940
TGGCTCTGCT	CCTGGGCAAA	ATAGGATCAA	TACTGGTGAT	TAAGCTTATG	CCTTTTCAGCG	15000
GGGATTTTGT	TCAGGGATTT	ATAAGTTATG	TAGGGTCCCA	TTATAGAGAA	GTGAACCTTG	15060
TATACCCTAG	ATACAGCAAC	TTCATATCTA	CTGAATCTTA	TTTGGTTATG	ACAGATCTCA	15120
AGGCTAACCG	GCTAATGAAT	CCTGAAAAGA	TTAAGCAGCA	GATAATTGAA	TCATCTGTGA	15180
GGACTTCACC	TGGACTTATA	GGTCACATCC	TATCCATTAA	GCAACTAAGC	TGCATACAAG	15240
CAATTGTGGG	AGACGCAGTT	AGTAGAGGTG	ATATCAATCC	TACTCTGAAA	AAACTTACAC	15300

- 209 -

CTATAGAGCA GGTGCTGATC AATTGCGGGT TGGCAATTAA CGGACCTAAG CTGTGCAAAG 15360
 AATTGATCCA CCATGATGTT GCCTCAGGGC AAGATGGATT GCTTAATTCT ATACTCATCC 15420
 TCTACAGGGA GTTGGCAAGA TTCAAAGACA ACCAAAGAAG TCAACAAGGG ATGTTCCACG 15480
 CTTACCCCGT ATTGGTAAGT AGCAGGCAAC GAGAACTTAT ATCTAGGATC ACCCGCAAAT 15540
 TTTGGGGGCA CATTCTTCTT TACTCCGGGA ACAGAAAGTT GATAAATAAG TTTATCCAGA 15600
 ATCTCAAGTC CGGCTATCTG ATACTAGACT TACACCAGAA TATCTTCGTT AAGAATCTAT 15660
 CCAAGTCAGA GAAACAGATT ATTATGACGG GGGGTTTGAA ACGTGAGTGG GTTTTTAAGG 15720
 TAACAGTCAA GGAGACCAAA GAATGGTATA AGTTAGTCGG ATACAGTGCC CTGATTAAGG 15780
 ACTAATTGGT TGAATCCGG AACCCTAATC CTGCCCTAGG TGGTTAGGCA TTATTTGCAA 15840
 TAGATTAAAG AAAACTTTGA AAATACGAAG TTTCTATTCC CAGCTTTGTC TGGT 15894

(2) INFORMATION FOR SEQ ID NO:14:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 2183 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:14:

Met Asp Ser Leu Ser Val Asn Gln Ile Leu Tyr Pro Glu Val His Leu
 1 5 10 15
 Asp Ser Pro Ile Val Thr Asn Lys Ile Val Ala Ile Leu Glu Tyr Ala
 20 25 30
 Arg Val Pro His Ala Tyr Ser Leu Glu Asp Pro Thr Leu Cys Gln Asn
 35 40 45
 Ile Lys His Arg Leu Lys Asn Gly Phe Ser Asn Gln Met Ile Ile Asn
 50 55 60
 Asn Val Glu Val Gly Asn Val Ile Lys Ser Lys Leu Arg Ser Tyr Pro
 65 70 75 80
 Ala His Ser His Ile Pro Tyr Pro Asn Cys Asn Gln Asp Leu Phe Asn

- 210 -

85	90	95
Ile Glu Asp Lys Glu Ser Thr Arg Lys Ile Arg Glu Leu Leu Lys Lys 100 105 110		
Gly Asn Ser Leu Tyr Ser Lys Val Ser Asp Lys Val Phe Gln Cys Leu 115 120 125		
Arg Asp Thr Asn Ser Arg Leu Gly Leu Gly Ser Glu Leu Arg Glu Asp 130 135 140		
Ile Lys Glu Lys Val Ile Asn Leu Gly Val Tyr Met His Ser Ser Gln 145 150 155 160		
Trp Phe Glu Pro Phe Leu Phe Trp Phe Thr Val Lys Thr Glu Met Arg 165 170 175		
Ser Val Ile Lys Ser Gln Thr His Thr Cys His Arg Arg Arg His Thr 180 185 190		
Pro Val Phe Phe Thr Gly Ser Ser Val Glu Leu Leu Ile Ser Arg Asp 195 200 205		
Leu Val Ala Ile Ile Ser Lys Glu Ser Gln His Val Tyr Tyr Leu Thr 210 215 220		
Phe Glu Leu Val Leu Met Tyr Cys Asp Val Ile Glu Gly Arg Leu Met 225 230 235 240		
Thr Glu Thr Ala Met Thr Ile Asp Ala Arg Tyr Thr Glu Leu Leu Gly 245 250 255		
Arg Val Arg Tyr Met Trp Lys Leu Ile Asp Gly Phe Phe Pro Ala Leu 260 265 270		
Gly Asn Pro Thr Tyr Gln Ile Val Ala Met Leu Glu Pro Leu Ser Leu 275 280 285		
Ala Tyr Leu Gln Leu Arg Asp Ile Thr Val Glu Leu Arg Gly Ala Phe 290 295 300		
Leu Asn His Cys Phe Thr Glu Ile His Asp Val Leu Asp Gln Asn Gly 305 310 315 320		
Phe Ser Asp Glu Gly Thr Tyr His Glu Leu Ile Glu Ala Leu Asp Tyr 325 330 335		
Ile Phe Ile Thr Asp Asp Ile His Leu Thr Gly Glu Ile Phe Ser Phe 340 345 350		
Phe Arg Ser Phe Gly His Pro Arg Leu Glu Ala Val Thr Ala Ala Glu 355 360 365		

- 211 -

Asn Val Arg Lys Tyr Met Asn Gln Pro Lys Val Ile Val Tyr Glu Thr
 370 375 380
 Leu Met Lys Gly His Ala Ile Phe Cys Gly Ile Ile Ile Asn Gly Tyr
 385 390 395 400
 Arg Asp Arg His Gly Gly Ser Trp Pro Pro Leu Thr Leu Pro Leu His
 405 410 415
 Ala Ala Asp Thr Ile Arg Asn Ala Gln Ala Ser Gly Glu Gly Leu Thr
 420 425 430
 His Glu Gln Cys Val Asp Asn Trp Lys Ser Phe Ala Gly Val Lys Phe
 435 440 445
 Gly Cys Phe Met Pro Leu Ser Leu Asp Ser Asp Leu Thr Met Tyr Leu
 450 455 460
 Lys Asp Lys Ala Leu Ala Ala Leu Gln Arg Glu Trp Asp Ser Val Tyr
 465 470 475 480
 Pro Lys Glu Phe Leu Arg Tyr Asp Pro Pro Lys Gly Thr Gly Ser Arg
 485 490 495
 Arg Leu Val Asp Val Phe Leu Asn Asp Ser Ser Phe Asp Pro Tyr Asp
 500 505 510
 Val Ile Met Tyr Val Val Ser Gly Ala Tyr Leu His Asp Pro Glu Phe
 515 520 525
 Asn Leu Ser Tyr Ser Leu Lys Glu Lys Glu Ile Lys Glu Thr Gly Arg
 530 535 540
 Leu Phe Ala Lys Met Thr Tyr Lys Met Arg Ala Cys Gln Val Ile Ala
 545 550 555 560
 Glu Asn Leu Ile Ser Asn Gly Ile Gly Lys Tyr Phe Lys Asp Asn Gly
 565 570 575
 Met Ala Lys Asp Glu His Asp Leu Thr Lys Ala Leu His Thr Leu Ala
 580 585 590
 Val Ser Gly Val Pro Lys Asp Leu Lys Glu Ser His Arg Gly Gly Pro
 595 600 605
 Val Leu Lys Thr Tyr Ser Arg Ser Pro Val His Thr Ser Thr Arg Asn
 610 615 620
 Val Arg Ala Ala Lys Gly Phe Ile Gly Phe Pro Gln Val Ile Arg Gln
 625 630 635 640

- 212 -

Asp Gln Asp Thr Asp His Pro Glu Asn Met Glu Ala Tyr Glu Thr Val
 645 650 655
 Ser Ala Phe Ile Thr Thr Asp Leu Lys Lys Tyr Cys Leu Asn Trp Arg
 660 665 670
 Tyr Glu Thr Ile Ser Leu Phe Ala Gln Arg Leu Asn Glu Ile Tyr Gly
 675 680 685
 Leu Pro Ser Phe Phe Gln Trp Leu His Lys Arg Leu Glu Thr Ser Val
 690 695 700
 Leu Tyr Val Ser Asp Pro His Cys Pro Pro Asp Leu Asp Ala His Ile
 705 710 715 720
 Pro Leu Tyr Lys Val Pro Asn Asp Gln Ile Phe Ile Lys Tyr Pro Met
 725 730 735
 Gly Gly Ile Glu Gly Tyr Cys Gln Lys Leu Trp Thr Ile Ser Thr Ile
 740 745 750
 Pro Tyr Leu Tyr Leu Ala Ala Tyr Glu Ser Gly Val Arg Ile Ala Ser
 755 760 765
 Leu Val Gln Gly Asp Asn Gln Thr Ile Ala Val Thr Lys Arg Val Pro
 770 775 780
 Ser Thr Trp Pro Tyr Asn Leu Lys Lys Arg Glu Ala Ala Arg Val Thr
 785 790 795 800
 Arg Asp Tyr Phe Val Ile Leu Arg Gln Arg Leu His Asp Ile Gly His
 805 810 815
 His Leu Lys Ala Asn Glu Thr Ile Val Ser Ser His Phe Phe Val Tyr
 820 825 830
 Ser Lys Gly Ile Tyr Tyr Asp Gly Leu Leu Val Ser Gln Ser Leu Lys
 835 840 845
 Ser Ile Ala Arg Cys Val Phe Trp Ser Glu Thr Ile Val Asp Glu Thr
 850 855 860
 Arg Ala Ala Cys Ser Asn Ile Ala Thr Thr Met Ala Lys Ser Ile Glu
 865 870 875 880
 Arg Gly Tyr Asp Arg Tyr Leu Ala Tyr Ser Leu Asn Val Leu Lys Val
 885 890 895
 Ile Gln Gln Ile Leu Ile Ser Leu Gly Phe Thr Ile Asn Ser Thr Met
 900 905 910
 Thr Arg Asp Val Val Ile Pro Leu Leu Thr Asn Asn Asp Leu Leu Ile

- 213 -

915	920	925
Arg Met Ala Leu Leu Pro Ala Pro Ile Gly Gly Met Asn Tyr Leu Asn 930	935	940
Met Ser Arg Leu Phe Val Arg Asn Ile Gly Asp Pro Val Thr Ser Ser 945	950	955 960
Ile Ala Asp Leu Lys Arg Met Ile Leu Ala Ser Leu Met Pro Glu Glu 965	970	975
Thr Leu His Gln Val Met Thr Gln Gln Pro Gly Asp Ser Ser Phe Leu 980	985	990
Asp Trp Ala Ser Asp Pro Tyr Ser Ala Asn Leu Val Cys Val Gln Ser 995	1000	1005
Ile Thr Arg Leu Leu Lys Asn Ile Thr Ala Arg Phe Val Leu Ile His 1010	1015	1020
Ser Pro Asn Pro Met Leu Lys Gly Leu Phe His Asp Asp Ser Lys Glu 1025	1030	1035 1040
Glu Asp Glu Gly Leu Ala Ala Phe Leu Met Asp Arg His Ile Ile Val 1045	1050	1055
Pro Arg Ala Ala His Glu Ile Leu Asp His Ser Val Thr Gly Ala Arg 1060	1065	1070
Glu Ser Ile Ala Gly Met Leu Asp Thr Thr Lys Gly Leu Ile Arg Ala 1075	1080	1085
Ser Met Arg Lys Gly Gly Leu Thr Ser Arg Val Ile Thr Arg Leu Ser 1090	1095	1100
Asn Tyr Asp Tyr Glu Gln Phe Arg Ala Gly Met Val Leu Leu Thr Gly 1105	1110	1115 1120
Arg Lys Arg Asn Val Leu Ile Asp Lys Glu Ser Cys Ser Val Gln Leu 1125	1130	1135
Ala Arg Ala Leu Arg Ser His Met Trp Ala Arg Leu Ala Arg Gly Arg 1140	1145	1150
Pro Ile Tyr Gly Leu Glu Val Pro Asp Val Leu Glu Ser Met Arg Gly 1155	1160	1165
His Leu Ile Arg Arg His Glu Thr Cys Val Ile Cys Glu Cys Gly Ser 1170	1175	1180
Val Asn Tyr Gly Trp Phe Phe Val Pro Ser Gly Cys Gln Leu Asp Asp 1185	1190	1195 1200

- 214 -

Ile Asp Lys Glu Thr Ser Ser Leu Arg Val Pro Tyr Ile Gly Ser Thr
 1205 1210 1215
 Thr Asp Glu Arg Thr Asp Met Lys Leu Ala Phe Val Arg Ala Pro Ser
 1220 1225 1230
 Arg Ser Leu Arg Ser Ala Val Arg Ile Ala Thr Val Tyr Ser Trp Ala
 1235 1240 1245
 Tyr Gly Asp Asp Asp Ser Ser Trp Asn Glu Ala Trp Leu Leu Ala Arg
 1250 1255 1260
 Gln Arg Ala Asn Val Ser Leu Glu Glu Leu Arg Val Ile Thr Pro Ile
 1265 1270 1275 1280
 Ser Thr Ser Thr Asn Leu Ala His Arg Leu Arg Asp Arg Ser Thr Gln
 1285 1290 1295
 Val Lys Tyr Ser Gly Thr Ser Leu Val Arg Val Ala Arg Tyr Thr Thr
 1300 1305 1310
 Ile Ser Asn Asp Asn Leu Ser Phe Val Ile Ser Asp Lys Lys Val Asp
 1315 1320 1325
 Thr Asn Phe Ile Tyr Gln Gln Gly Met Leu Leu Gly Leu Gly Val Leu
 1330 1335 1340
 Glu Thr Leu Phe Arg Leu Glu Lys Asp Thr Gly Ser Ser Asn Thr Val
 1345 1350 1355 1360
 Leu His Leu His Val Glu Thr Asp Cys Cys Val Ile Pro Met Ile Asp
 1365 1370 1375
 His Pro Arg Ile Pro Ser Ser Arg Lys Leu Glu Leu Arg Ala Glu Leu
 1380 1385 1390
 Cys Thr Asn Pro Leu Ile Tyr Asp Asn Ala Pro Leu Ile Asp Arg Asp
 1395 1400 1405
 Thr Thr Arg Leu Tyr Thr Gln Ser His Arg Arg His Leu Val Glu Phe
 1410 1415 1420
 Val Thr Trp Ser Thr Pro Gln Leu Tyr His Ile Leu Ala Lys Ser Thr
 1425 1430 1435 1440
 Ala Leu Ser Met Ile Asp Leu Val Thr Lys Phe Glu Lys Asp His Met
 1445 1450 1455
 Asn Glu Ile Ser Ala Leu Ile Gly Asp Asp Asp Ile Asn Ser Phe Ile
 1460 1465 1470

- 215 -

Thr Glu Phe Leu Leu Ile Glu Pro Arg Leu Phe Thr Ile Tyr Leu Gly
 1475 1480 1485
 Gln Cys Ala Ala Ile Asn Trp Ala Phe Asp Val His Tyr His Arg Pro
 1490 1495 1500
 Ser Gly Lys Tyr Gln Met Gly Glu Leu Leu Ser Ser Phe Leu Ser Arg
 1505 1510 1515 1520
 Met Ser Lys Gly Val Phe Lys Val Leu Val Asn Ala Leu Ser His Pro
 1525 1530 1535
 Lys Ile Tyr Lys Lys Phe Trp His Cys Gly Ile Ile Glu Pro Ile His
 1540 1545 1550
 Gly Pro Ser Leu Asp Ala Gln Asn Leu His Thr Thr Val Cys Asn Met
 1555 1560 1565
 Val Tyr Thr Cys Tyr Met Thr Tyr Leu Asp Leu Leu Leu Asn Glu Glu
 1570 1575 1580
 Leu Glu Glu Phe Thr Phe Leu Leu Cys Glu Ser Asp Glu Asp Val Val
 1585 1590 1595 1600
 Pro Asp Arg Phe Asp Asn Ile Gln Ala Lys His Leu Cys Val Leu Ala
 1605 1610 1615
 Asp Leu Tyr Cys Gln Pro Gly Thr Cys Pro Pro Ile Arg Gly Leu Arg
 1620 1625 1630
 Pro Val Glu Lys Cys Ala Val Leu Thr Asp His Ile Lys Ala Glu Ala
 1635 1640 1645
 Arg Leu Ser Pro Ala Gly Ser Ser Trp Asn Ile Asn Pro Ile Ile Val
 1650 1655 1660
 Asp His Tyr Ser Cys Ser Leu Thr Tyr Leu Arg Arg Gly Ser Ile Lys
 1665 1670 1675 1680
 Gln Ile Arg Leu Arg Val Asp Pro Gly Phe Ile Phe Asp Ala Leu Ala
 1685 1690 1695
 Glu Val Asn Val Ser Gln Pro Lys Ile Gly Ser Asn Asn Ile Ser Asn
 1700 1705 1710
 Met Ser Ile Lys Ala Phe Arg Pro Pro His Asp Asp Val Ala Lys Leu
 1715 1720 1725
 Leu Lys Asp Ile Asn Thr Ser Lys His Asn Leu Pro Ile Ser Gly Gly
 1730 1735 1740
 Asn Leu Ala Asn Tyr Glu Ile His Ala Phe Arg Arg Ile Gly Leu Asn

- 216 -

1745	1750	1755	1760
Ser Ser Ala Cys Tyr Lys Ala Val Glu Ile Ser Thr Leu Ile Arg Arg	1765	1770	1775
Cys Leu Glu Pro Gly Glu Asp Gly Leu Phe Leu Gly Glu Gly Ser Gly	1780	1785	1790
Ser Met Leu Ile Thr Tyr Lys Glu Ile Leu Lys Leu Asn Lys Cys Phe	1795	1800	1805
Tyr Asn Ser Gly Val Ser Ala Asn Ser Arg Ser Gly Gln Arg Glu Leu	1810	1815	1820
Ala Pro Tyr Pro Ser Glu Val Gly Leu Val Glu His Arg Met Gly Val	1825	1830	1835
Gly Asn Ile Val Lys Val Leu Phe Asn Gly Arg Pro Glu Val Thr Trp	1845	1850	1855
Val Gly Ser Val Asp Cys Phe Asn Phe Ile Val Ser Asn Ile Pro Thr	1860	1865	1870
Ser Ser Val Gly Phe Ile His Ser Asp Ile Glu Thr Leu Pro Asn Lys	1875	1880	1885
Asp Thr Ile Glu Lys Leu Glu Glu Leu Ala Ala Ile Leu Ser Met Ala	1890	1895	1900
Leu Leu Leu Gly Lys Ile Gly Ser Ile Leu Val Ile Lys Leu Met Pro	1905	1910	1915
Phe Ser Gly Asp Phe Val Gln Gly Phe Ile Ser Tyr Val Gly Ser His	1925	1930	1935
Tyr Arg Glu Val Asn Leu Val Tyr Pro Arg Tyr Ser Asn Phe Ile Ser	1940	1945	1950
Thr Glu Ser Tyr Leu Val Met Thr Asp Leu Lys Ala Asn Arg Leu Met	1955	1960	1965
Asn Pro Glu Lys Ile Lys Gln Gln Ile Ile Glu Ser Ser Val Arg Thr	1970	1975	1980
Ser Pro Gly Leu Ile Gly His Ile Leu Ser Ile Lys Gln Leu Ser Cys	1985	1990	1995
Ile Gln Ala Ile Val Gly Asp Ala Val Ser Arg Gly Asp Ile Asn Pro	2005	2010	2015
Thr Leu Lys Lys Leu Thr Pro Ile Glu Gln Val Leu Ile Asn Cys Gly	2020	2025	2030

- 217 -

Leu Ala Ile Asn Gly Pro Lys Leu Cys Lys Glu Leu Ile His His Asp
 2035 2040 2045
 Val Ala Ser Gly Gln Asp Gly Leu Leu Asn Ser Ile Leu Ile Leu Tyr
 2050 2055 2060
 Arg Glu Leu Ala Arg Phe Lys Asp Asn Gln Arg Ser Gln Gln Gly Met
 2065 2070 2075 2080
 Phe His Ala Tyr Pro Val Leu Val Ser Ser Arg Gln Arg Glu Leu Ile
 2085 2090 2095
 Ser Arg Ile Thr Arg Lys Phe Trp Gly His Ile Leu Leu Tyr Ser Gly
 2100 2105 2110
 Asn Arg Lys Leu Ile Asn Lys Phe Ile Gln Asn Leu Lys Ser Gly Tyr
 2115 2120 2125
 Leu Ile Leu Asp Leu His Gln Asn Ile Phe Val Lys Asn Leu Ser Lys
 2130 2135 2140
 Ser Glu Lys Gln Ile Ile Met Thr Gly Gly Leu Lys Arg Glu Trp Val
 2145 2150 2155 2160
 Phe Lys Val Thr Val Lys Glu Thr Lys Glu Trp Tyr Lys Leu Val Gly
 2165 2170 2175
 Tyr Ser Ala Leu Ile Lys Asp
 2180

(2) INFORMATION FOR SEQ ID NO:15:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 15894 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: RNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:15:

ACCAAACAAA GTTGGGTAAG GATAGTTCAA TCAATGATCA TCTTCTAGTG CACTTAGGAT	60
TCAAGATCCT ATTATCAGGG ACAAGAGCAG GATTAGGGAT ATCCGAGATG GCCACACTTT	120
TAAGGAGCTT AGCATTGTTC AAAAGAAACA AGGACAAACC ACCCATTACA TCAGGATCCG	180

- 218 -

GTGGAGCCAT CAGAGGAATC AAACACATTA TTATAGTACC AATCCCTGGA GATTCTCTCAA	240
TTACCACTCG ATCCAGACTT CTGGACCGGT TGGTCAGGTT AATTGGAAAC CCGGATGTGA	300
GCGGGCCCAA ACTAACAGGG GCACTAATAG GTATATTATC CTTATTTGTG GAGTCTCCAG	360
GTCAATTGAT TCAGAGGATC ACCGATGACC CTGACGTTAG CATAAGGCTG TTAGAGGTTG	420
TCCAGAGTGA CCAGTCACAA TCTGGCCTTA CCTTCGCATC AAGAGGTACC AACATGGAGG	480
ATGAGGCGGA CAAATACTTT TCACATGATG ATCCAATTAG TAGTGATCAA TCCAGGTTCTG	540
GATGGTTCTGA GAACAAGGAA ATCTCAGATA TTGAAGTGCA AGACCCTGAG GGATTCAACA	600
TGATTCTGGG TACCATCCTA GCCCAAATTT GGGTCTTGCT CGCAAAGGCG GTTACGGCCC	660
CAGACACGGC AGCTGATTCTG GAGCTAAGAA GGTGGATAAA GTACACCCAA CAAAGAAGGG	720
TAGTTGGTGA ATTTAGATTG GAGAGAAAAT GGTGGATGT GGTGAGGAAC AGGATTGCCG	780
AGGACCTCTC CTTACGCCGA TTCATGGTCG CTCTAATCCT GGATATCAAG AGAACACCCG	840
GAAACAAACC CAGGATTGCT GAAATGATAT GTGACATTGA TACATATATC GTAGAGGCAG	900
GATTAGCCAG TTTTATCCTG ACTATTAAGT TTGGGATAGA AACTATGTAT CCTGCTCTTG	960
GACTGCATGA ATTTGCTGGT GAGTTATCCA CACTTGAGTC CTTGATGAAC CTTTACCAGC	1020
AAATGGGGGA AACTGCACCC TACATGGTAA TCCTGGAGAA CTCAATTCAG AACAAGTTCA	1080
GTGCAGGATC ATACCCTCTG CTCTGGAGCT ATGCCATGGG AGTAGGAGTG GAACTTGAAA	1140
ACTCCATGGG AGGTTTGAAC TTTGGCCGAT CTTACTTTGA TCCAGCATAT TTTAGATTAG	1200
GGCAAGAGAT GGTAAGGAGG TCAGCTGGAA AGGTCAGTTC CACATTGGCA TCTGAACTCG	1260
GTATCACTGC CGAGGATGCA AGGCTTGTTT CAGAGATTGC AATGCATACT ACTGAGGACA	1320
AGATCAGTAG AGCGGTTGGA CCCAGACAAG CCCAAGTATC ATTTCTACAC GGTGATCAAA	1380
GTGAGAATGA GCTACCGAGA TTGGGGGGCA AGGAAGATAG GAGGGTCAAA CAGAGTCGAG	1440
GAGAAGCCAG GGAGAGCTAC AGAGAAACCG GGCCCAGCAG AGCAAGTGAT GCGAGAGCTG	1500
CCCATCTTCC AACCGGCACA CCCCTAGACA TTGACACTGC ATCGGAGTCC AGCCAAGATC	1560
CGCAGGACAG TCGAAGGTCA GCTGACGCCC TGCTTAGGCT GCAAGCCATG GCAGGAATCT	1620
CGGAAGAACA AGGCTCAGAC ACGGACACCC CTATAGTGTA CAATGACAGA AATCTTCTAG	1680
ACTAGGTGCG AGAGGCCGAG GACCAGAACA ACATCCGCCT ACCCTCCATC ATTGTTATAA	1740

- 219 -

AAAACCTTAGG AACCAGGTCC ACACAGCCGC CAGCCCATCA ACCATCCACT CCCACGATTG	1800
GAGCCGATGG CAGAAGAGCA GGCACGCCAT GTCAAAAACG GACTGGAATG CATCCGGGCT	1860
CTCAAGGCCG AGCCCATCGG CTCACTGGCC ATCGAGGAAG CTATGGCAGC ATGGTCAGAA	1920
ATATCAGACA ACCCAGGACA GGAGCGAGCC ACCTGCAGGG AAGAGAAGGC AGGCAGTTCTG	1980
GGTCTCAGCA AACCATGCCT CTCAGCAATT GGATCAACTG AAGGCGGTGC ACCTCGCATC	2040
CGCGGTCAGG GACCTGGAGA GAGCGATGAC GAGCGTGAAA CTTTGGGAAT CCCCCAAGA	2100
AATCTCCAGG CATCAAGCAC TGGGTTACAG TGTTATTATG TTTATGATCA CAGCGGTGAA	2160
GCGGTTAAGG GAATCCAAGA TGCTGACTCT ATCATGGTTC AATCAGGCCT TGATGGTGAT	2220
AGCACCCCTAT CAGGAGGAGA CAATGAATCT GAAAACAGCG ATGTGGATAT TGGCGAACCT	2280
GATACCGAGG GATATGCTAT CACTGACCGG GGATCTGCTC CCATCTCTAT GGGGTTTCAGG	2340
GCTTCTGATG TTGAACTGC AGAAGGAGGG GAGATCCACG AGCTCCTGAG ACTCCAATCC	2400
AGAGGCAACA ACTTTCGAA GCTTGGGAAA ACTCTCAATG TTCCTCCGCC CCCGGACCCC	2460
GGTAGGGCCA GCACTTCCGG GACACCCATT AAAAAGGGCA CAGACGCGAG ATTAGCCTCA	2520
TTTGAACGG AGATCGCGTC TTTATTGACA GGTGGTGCAA CCCAATGTGC TCGAAAGTCA	2580
CCCTCGGAAC CATCAGGGCC AGGTGCACCT GCGGGGAATG TCCCCGAGTA TGTGAGCAAT	2640
GCCGCACTGA TACAGGAGTG GACACCCGAA TCTGGTACCA CAATCTCCCC GAGATCCCAG	2700
AATAATGAAG AAGGGGGAGA CTATTATGAT GATGAGCTGT TCTCTGATGT CCAAGATATT	2760
AAAACAGCCT TGGCCAAAAT ACACGAGGAT AATCAGAAGA TAATCTCAA GCTAGAATCA	2820
CTGCTGTTAT TGAAGGGAGA AGTTGAGTCA ATTAAGAAGC AGATCAACAG GCAAAATATC	2880
AGCATATCCA CCCTGGAAGG ACACCTCTCA AGCATCATGA TCGCCATTCC TGGACTTGGG	2940
AAGGATCCCA ACGACCCAC TGCAGATGTC GAAATCAATC CCGACTTGAA ACCCATCATA	3000
GGCAGAGATT CAGGCCGAGC ACTGGCCGAA GTTCTCAAGA AACCCGTTGC CAGCCGACAA	3060
CTCCAAGGAA TGACAAATGG ACGGACCAGT TCCAGAGGAC AGCTGCTGAA GGAATTTTCAG	3120
CCAAAGCCGA TCGGGAAAAA GATGAGCTCA GCCGTCGGGT TTGTTCTGTA CACCGGCCCT	3180
GCATCACGCA GTGTAATCCG CTCCATTATA AAATCCAGCC GGCTAGAGGA GGATCGGAAG	3240
CGTTACCTGA TGA CTCTCCT TGATGATATC AAAGGAGCCA ATGATCTTGC CAAGTTCCAC	3300

- 220 -

CAGATGCTGA TGAAGATAAT AATGAAGTAG CTACAGCTCA ACTTACCTGC CAACCCCATG	3360
CCAGTCGACC CAACTAGTAC AACCTAAATC CATTATAAAA AACTTAGGAG CAAAGTGATT	3420
GCCTCCCAAG TTCCACAATG ACAGAGATCT ACGACTTCGA CAAGTCGGCA TGGGACATCA	3480
AAGGGTCGAT CGCTCCGATA CAACCGACCA CCTACAGTGA TGGCAGGCTG GTGCCCCAGG	3540
TCAGAGTCAT AGATCCTGGT CTAGGCGACA GGAAGGATGA ATGCTTTATG TACATGTCTC	3600
TGCTGGGGGT TGTTGAGGAC AGCGATCCCC TAGGGCCTCC AATCGGGCGA GCATTTGGGT	3660
CCCTGCCCTT AGGTGTTGGC AGATCCACAG CAAAGCCCGA AAAACTCCTC AAAGAGGCCA	3720
CTGAGCTTGA CATAGTTGTT AGACGTACAG CAGGGCTCAA TGAAAACTG GTGTTCTACA	3780
ACAACACCCC ACTAACTCTC CTCACACCTT GGAGAAAGGT CCTAACAACA GGGAGTGTCT	3840
TCAACGCAAA CCAAGTGTGC AATGCGGTTA ATCTGATACC GCTCGATACC CCGCAGAGGT	3900
TCCGTGTTGT TTATATGAGC ATCACCCGTC TTTCGGATAA CGGGTATTAC ACCGTTCCCTA	3960
GAAGAATGCT GGAATTCAGA TCGGTCAATG CAGTGGCCTT CAACCTGCTG GTGACCCTTA	4020
GGATTGACAA GGCATAGGC CCTGGGAAGA TCATCGACAA TACAGAGCAA CTTCTGAGG	4080
CAACATTTAT GGTCCACATC GGGAACTTCA GGAGAAAGAA GAGTGAAGTC TACTCTGCCG	4140
ATTATTGCAA AATGAAAATC GAAAAGATGG GCCTGGTTTT TGCCTTGGT GGGATAGGGG	4200
GCACCACTCT TCACATTAGA AGCACAGGCA AAATGAGCAA GACTCTCCAT GCACAACTCG	4260
GGTTCAAGAA GACCTTATGT TACCCGCTGA TGGATATCAA TGAAGACCTT AATCGATTAC	4320
TCTGGAGGAG CAGATGCAAG ATAGTAAGAA TCCAGGCAGT TTTGCAGCCA TCAGTTCCTC	4380
AAGAATTCCG CATTTACGAC GACGTGATCA TAAATGATGA CCAAGGACTA TTCAAAGTTC	4440
TGTAGACCGT AGTGCCGAGC AATGCCCGAA AACGACCCCC CTCACAATGA CAGCCAGAAG	4500
GCCCGGACAA AAAAGCCCCC TCCGAAAGAC TCCACTGACC AAGCGAGAGG CCAGCCAGCA	4560
GCCGACGGCA AGCACGAACA CCAGGCGGCC CCAGCACAGA ACAGCCCTGA TACAAGGCCA	4620
CCACCAGCCA CCCCAATCTG CATCCTCCTC GTGGGACCCC CGAGGACCAA CCCCCAAGGC	4680
TGCCCCCGAT CCAAACCACC AACCGCATCC CCACCACCCC CGGGAAAGAA ACCCCCAGCA	4740
ATTGGAAGGC CCCTCCCCCT CTTCTCAAC ACAAGAACTC CACAACCGAA CCGCACAAGC	4800
GACCGAGGTG ACCCAACCGC AGGCATCCGA CTCCTAGAC AGATCCTCTC TCCCCGGCAA	4860

- 221 -

ACTAAACAAA	ACTTAGGGCC	AAGGAACATA	CACACCCAAC	AGAACCCAGA	CCCCGGCCCCA	4920
CGGCGCCGCG	CCCCCAACCC	CCGACAACCA	GAGGGAGCCC	CCAACCAATC	CCGCCGGGCTC	4980
CCCCGGTGCC	CACAGGCAGG	GACACCAACC	CCCGAACAGA	CCCAGCACCT	AACCATCGAC	5040
AATCCAAGAC	GGGGGGGCCC	CCCCAAAAA	AGGCCCCCAG	GGGCCGACAG	CCAGCACCGC	5100
GAGGAAGCCC	ACCCACCCCA	CACACGACCA	CGGCAACCAA	ACCAGAACCC	AGACCACCCT	5160
GGGCCACCAG	CTCCAGACT	CGGCCATCAC	CCCGCAGAAA	GGAAAGGCCA	CAACCCGCGC	5220
ACCCAGCCC	CGATCCGGCG	GGGAGCCACC	CAACCCGAAC	CAGCACCCAA	GAGCGATCCC	5280
CGAAGGACCC	CCGAACCGCA	AAGGACATCA	GTATCCCACA	GCCTCTCCAA	GTCCCCCGGT	5340
CTCCTCCTCT	TCTCGAAGGG	ACCAAAAGAT	CAATCCACCA	CACCCGACGA	CACTCAACTC	5400
CCCACCCCTA	AAGGAGACAC	CGGGAATCCC	AGAATCAAGA	CTCATCCAAT	GTCCATCATG	5460
GGTCTCAAGG	TGAACGTCTC	TGCCATATTC	ATGGCAGTAC	TGTTAACTCT	CCAAACACCC	5520
ACCGGTCAAA	TCCATTGGGG	CAATCTCTCT	AAGATAGGGG	TGGTAGGAAT	AGGAAGTGCA	5580
AGCTACAAAG	TTATGACTCG	TTCCAGCCAT	CAATCATTAG	TCATAAAATT	AATGCCCAAT	5640
ATAACTCTCC	TCAATAACTG	CACGAGGGTA	GAGATTGCAG	AATACAGGAG	ACTACTGAGA	5700
ACAGTTTTGG	AACCAATTAG	AGATGCACTT	AATGCAATGA	CCCAGAATAT	AAGACCGGTT	5760
CAGAGTGTAG	CTTCAAGTAG	GAGACACAAG	AGATTTGCGG	GAGTAGTCCT	GGCAGGTGCG	5820
GCCCTAGGCG	TTGCCACAGC	TGCTCAGATA	ACAGCCGGCA	TTGCACTTCA	CCAGTCCATG	5880
CTGAACTCTC	AAGCCATCGA	CAATCTGAGA	GCGAGCCTGG	AACTACTAA	TCAGGCAATT	5940
GAGGCAATCA	GACAAGCAGG	GCAGGAGATG	ATATTGGCTG	TTCAGGGTGT	CCAAGACTAC	6000
ATCAATAATG	AGCTGATACC	GTCTATGAAC	CACTATCTT	GTGATTTAAT	CGGCCAGAAG	6060
CTCGGGCTCA	AATTGCTCAG	ATACTATACA	GAAATCCTGT	CATTATTTGG	CCCCAGCTTA	6120
CGGGACCCCA	TATCTGCGGA	GATATCTATC	CAGGCTTTGA	GCTATGCGCT	TGGAGGAGAC	6180
ATCAATAAGG	TGTTAGAAAA	GCTCGGATAC	AGTGGAGGTG	ATTACTGGG	CATCTTAGAG	6240
AGCAGAGGAA	TAAAGGCCCG	GATAACTCAC	GTCGACACAG	AGTCCTACTT	CATTGTCTCT	6300
AGTATAGCCT	ATCCGACGCT	GTCCGAGATT	AAGGGGGTGA	TTGTCCACCG	GCTAGAGGGG	6360
GTCTCGTACA	ACATAGGCTC	TCAAGAGTGG	TATACCACTG	TGCCCAAGTA	TGTTGCAACC	6420

- 222 -

CAAGGGTACC TTATCTCGAA TTTTGATGAG TCATCGTGTA CTTTCATGCC AGAGGGGACT	6480
GTGTGCAGCC AAAATGCCTT GTACCCGATG AGTCCTCTGC TCCAAGAATG CCTCCGGGGG	6540
TACACCAAGT CCTGTGCTCG TACACTCGTA TCCGGGTCTT TTGGGAACCG GTTCATTTTA	6600
TCACAAGGGA ACCTAATAGC CAATTGTGCA TCAATCCTTT GCAAGTGTTA CACAACAGGA	6660
ACGATCATT AATCAAGACCC TGACAAGATC CTAACATACA TTGCTGCCGA TAACTGCCCCG	6720
GTAGTCGAGG TGAACGGCGT GACCATCCAA GTCGGGAGCA GGAGGTATCC AGACGCTGTG	6780
TACTTGACCA GAATTGACCT CGGTCCTCCC ATATTATTGG AGAGGTTGGA CGTAGGGACA	6840
AATCTGGGGA ATGCAATTGC TAAGTTGGAG GATGCCAAGG AATTGTTGGA GTCATCGGAC	6900
CAGATATTGA GGAGTATGAA AGGTTTATCG AGCACTTGCA TAGTCTACAT CCTGATTGCA	6960
GTGTGTCTTG GAGGGTTGAT AGGGATCCCC GCTTTAATAT GTTGCTGCAG GGGGCGTTGT	7020
AACAAAAAGG GAGAACAAGT TGGTATGTCA AGACCAGGCC TAAAGCCTGA TCTTACGGGA	7080
ACATCAAAAT CCTATGTAAG GTCGCTCTGA TCCTCTACAA CTCTTGAAAC ACAAATGTCC	7140
CACAAGTCTC CTCTTCGTCA TCAAGCAACC ACCGCACCCA GCATCAAGCC CACCTGAAAT	7200
TATCTCCGGC TTCCCTCTGG CCGAACAATA TCGGTAGTTA ATTAAACTT AGGGTGCAAG	7260
ATCATCCACA ATGTCACCAC AACGAGACCG GATAAATGCC TTCTACAAAG ATAACCCCCA	7320
TCCCAAGGGA AGTAGGATAG TCATTAACAG AGAACATCTT ATGATTGATA GACCTTATGT	7380
TTTGCTGGCT GTTCTGTTTG TCATGTTTCT GAGCTTGATC GGGTTGCTAG CCATTGCAGG	7440
CATTAGACTT CATCGGGCAG CCATCTACAC CGCAGAGATC CATAAAAGCC TCAGCACCBA	7500
TCTAGATGTA ACTAACTCAA TCGAGCATCA GGTCAAGGAC GTGCTGACAC CACTCTTCAA	7560
AATCATCGGT GATGAAGTGG GCCTGAGGAC ACCTCAGAGA TTCCTGACC TAGTGAAATT	7620
CATCTCTGAC AAGATTAAAT TCCTTAATCC GGATAGGGAG TACGACTTCA GAGATCTCAC	7680
TTGGTGTATC AACCCGCCAG AGAGAATCAA ATTGGATTAT GATCAATACT GTGCAGATGT	7740
GGCTGCTGAA GAGCTCATGA ATGCATTGGT GAACTCAACT CTA CTGGAGA CCAGAACAAC	7800
CAATCAGTTC CTAGCTGTCT CAAAGGGAAA CTGCTCAGGG CCCACTACAA TCAGAGGTCA	7860
ATTCTCAAAC ATGTCGCTGT CCCTGTTAGA CTTGTATTTA GGTGAGGTT ACAATGTGTC	7920
ATCTATAGTC ACTATGACAT CCCAGGGAAT GTATGGGGGA ACTTACCTAG TGGAAAAGCC	7980

- 223 -

TAATCTGAGC	AGCAAAAGGT	CAGAGTTGTC	ACAACTGAGC	ATGTACCGAG	TGTTTGAAGT	8040
AGGTGTTATC	AGAAATCCGG	GTTTGGGGGC	TCCGGTGTTT	CATATGACAA	ACTATCTTGA	8100
GCAACCAGTC	AGTAATGATC	TCAGCAACTG	TATGGTGGCT	TTGGGGGAGC	TCAAACCTCGC	8160
AGCCCTTTGT	CACCGGGAAG	ATTCTATCAC	AATTCCTTAT	CAGGGATCAG	GGAAAGGTGT	8220
CAGCTTCCAG	CTCGTCAAGC	TAGGTGTCTG	GAAATCCCCA	ACCGACATGC	AATCCTGGGT	8280
CACCTTATCA	ACGGATGATC	CAGTGATAGA	CAGGCTTTAC	CTCTCATCTC	ACAGAGGTGT	8340
TATCGCTGAC	AATCAAGCAA	AATGGGCTGT	CCCGACAACA	CGAACAGATG	ACAAGTTGCG	8400
AATGGAGACA	TGCTTCCAAC	AGGCGTGTA	GGGTAAATC	CAAGCACTCT	GCGAGAATCC	8460
CGAGTGGGCA	CCATTGAAGG	ATAACAGGAT	TCCTTCATAC	GGGGTCTTGT	CTGTTGATCT	8520
GAGTCTGACA	GTTGAGCTTA	AAATCAAAAT	TGCTTCGGGA	TTCGGGCCAT	TGATCACACA	8580
CGGTTCAGGG	ATGGACCTAT	ACAAATCCAA	CCACAACAAT	GTGTATTGGC	TGACTATCCC	8640
ACCAATGAAG	AACCTAGCCT	TAGGTGTAAT	CAACACATTG	GAGTGGATAC	CGAGATTCAA	8700
GGTTAGTCCC	TACCTCTTCA	ATGTCCCAAT	TAAGGAAGCA	GGCGAAGACT	GCCATGCCCC	8760
AACATACCTA	CCTGCGGAGG	TGGATGGTGA	TGTCAAATC	AGTTCCAATC	TGGTGATTCT	8820
ACCTGGTCAA	GATCTCCAAT	ATGTTTTGGC	AACCTACGAT	ACTTCCAGGG	TTGAACATGC	8880
TGTGGTTTAT	TACGTTTACA	GCCCAAGCCG	CTCATTTTCT	TACTTTTATC	CTTTTAGGTT	8940
GCCTATAAAG	GGGGTCCCCA	TCGAATTACA	AGTGAATGTC	TTCACATGGG	ACCAAAAACCT	9000
CTGGTGCCGT	CACCTTCTGT	TGCTTGCGGA	CTCAGAATCT	GGTGGACATA	TCACTCACTC	9060
TGGGATGGTG	GGCATGGGAG	TCAGCTGCAC	AGTCACCCGG	GAAGATGGAA	CCAATCGCAG	9120
ATAGGGCTGC	TAGTGAACCTA	ATCTCATGAT	GTCACCCAGA	CATCAGGCAT	ACCCACTAGT	9180
GTGAAATAGA	CATCAGAATT	AAGAAAAACG	TAGGGTCCAA	GTGGTTCCCC	GTTATGGACT	9240
CGCTATCTGT	CAACCAGATC	TTATACCCTG	AAGTTCACCT	AGATAGCCCG	ATAGTTACCA	9300
ATAAGATAGT	AGCCATCCTG	GAGTATGCTC	GAGTCCCTCA	CGCTTACAGC	CTGGAGGACC	9360
CTACACTGTG	TCAGAACATC	AAGCACC GCC	TAAAAAACGG	ATTTTCCAAC	CAAATGATTA	9420
TAAACAATGT	GGAAGTTGGG	AATGTCATCA	AGTCCAAGCT	TAGGAGTTAT	CCGGCCCCACT	9480
CTCATATTCC	ATATCCAAAT	TGTAATCAGG	ATTTATTTAA	CATAGAAGAC	AAAGAGTCAA	9540

- 224 -

CGAGGAAGAT CCGTGAAC TC CAAAAAGG GGAATTCGCT GTACTCCAAA GTCAGTGATA	9600
AGGTTTTCCA ATGCTTAAGG GACACTAACT CACGGCTTGG CCTAGGCTCC GAATTGAGGG	9660
AGGACATCAA GGAGAAAGTT ATTAACCTGG GAGTTTACAT GCACAGCTCC CAGTGGTTTG	9720
AGCCCTTTCT GTTTTGGTTT ACAGTCAAGA CTGAGATGAG GTCAGTGATT AAATCACAAA	9780
CCCATACTTG CCATAGGAGG AGACACACAC CTGTATTCTT CACTGGTAGT TCAGTTGAGT	9840
TGCTAATCTC TCGTGACCTT GTTGCTATAA TCAGTAAAGA GTCTCAACAT GTATATTACC	9900
TGACATTTGA ACTGGTTTTG ATGTATTGTG ATGTCATAGA GGGGAGGTTA ATGACAGAGA	9960
CCGCTATGAC TATTGATGCT AGGTATACAG AGCTTCTAGG AAGAGTCAGA TACATGTGGA	10020
AACTGATAGA TGGTTTCTTC CCTGCACTCG GGAATCCAAC TTATCAAATT GTAGCCATGC	10080
TGGAGCCTCT TTCATTGCT TACCTGCAGC TGAGGGATAT AACAGTAGAA CTCAGAGGTG	10140
CTTTCCTTAA CCACTGCTTT ACTGAAATAC ATGATGTTCT TGACCAAAC GGGTTTCTG	10200
ATGAAGGTAC TTATCATGAG TTAATTGAAG CTCTAGATTA CATTTTCATA ACTGATGACA	10260
TACATCTGAC AGGGGAGATT TTCTCATTTT TCAGAAGTTT CGGCCACCCC AGACTTGAAG	10320
CAGTAACGGC TGCTGAAAAT GTTAGGAAAT ACATGAATCA GCCTAAAGTC ATTGTGTATG	10380
AGACTCTGAT GAAAGGTCAT GCCATATTTT GTGGAATCAT AATCAACGGC TATCGTGACA	10440
GGCACGGAGG CAGTTGGCCA CCGCTGACCC TCCCCCTGCA TGCTGCAGAC ACAATCCGGA	10500
ATGCTCAAGC TTCAGGTGAA GGGTTAACAC ATGAGCAGTG CGTTGATAAC TGGAAATCTT	10560
TTGCTGGAGT GAAATTTGGC TGCTTTATGC CTCTTAGCCT GGATAGTGAT CTGACAATGT	10620
ACCTAAAGGA CAAGGCACTT GCTGCTCTCC AAAGGGAATG GGATTCAGTT TACCCGAAAG	10680
AGTTCCTGCG TTACGACCCT CCCAAGGGAA CCGGGTCACG GAGGCTTGTA GATGTTTTCC	10740
TTAATGATTC GAGCTTTGAC CCATATGATG TGATAATGTA TGTGTAAAGT GGAGCTTACC	10800
TCCATGACCC TGAGTTCAAC CTGTCTTACA GCCTGAAAGA AAAGGAGATC AAGGAAACAG	10860
GTAGACTTTT TGCTAAAATG ACTTACAAA TGAGGGCATG CCAAGTGATT GCTGAAAATC	10920
TAATCTCAA CGGGATTGGC AAATATTTTA AGGACAATGG GATGGCCAAG GATGAGCACG	10980
ATTTGACTAA GGCACCTCAC ACTCTAGCTG TCTCAGGAGT CCCCAAAGAT CTCAAAGAAA	11040
GTCACAGGGG GGGGCCAGTC TTA AAAACCT ACTCCCGAAG CCCAGTCCAC ACAAGTACCA	11100

- 225 -

GGAACGTGAG AGCAGCAAAA GGGTTTATAG GGTTCCTCA AGTAATTCGG CAGGACCAAG 11160
ACACTGATCA TCCGGAGAAT ATGGAAGCTT ACGAGACAGT CAGTGCATTT ATCACGACTG 11220
ATCTCAAGAA GTACTGCCTT AATTGGAGAT ATGAGACCAT CAGCTTGTTT GCACAGAGGC 11280
TAAATGAGAT TTACGGATTG CCCTCATTTT TCCAGTGGCT GCATAAGAGG CTTGAGACCT 11340
CTGTCTGTGTA TGTAAGTGAC CCTCATTGCC CCCCCGACCT TGACGCCCAT ATCCCGTTAT 11400
ATAAAGTCCC CAATGATCAA ATCTTCATTA AGTACCCTAT GGGAGGTATA GAAGGGTATT 11460
GTCAGAAGCT GTGGACCATC AGCACCATTG CCTATCTATA CCTGGCTGCT TATGAGAGCG 11520
GAGTAAGGAT TGCTTCGTTA GTGCAAGGGG ACAATCAGAC CATAGCCGTA AAAAAAGGG 11580
TACCCAGCAC ATGGCCCTAC AACCTTAAGA AACGGGAAGC TGCTAGAGTA ACTAGAGATT 11640
ACTTTGTAAT TCTTAGGCAA AGGCTACATG ATATTGGCCA TCACCTCAAG GCAAATGAGA 11700
CAATTGTTTC ATCACATTTT TTTGTCTATT CAAAAGGAAT ATATTATGAT GGGCTACTTG 11760
TGTCCCAATC ACTCAAGAGC ATCGCAAGAT GTGTATTCTG GTCAGAGACT ATAGTTGATG 11820
AAACAAGGGC AGCATGCAGT AATATTGCTA CAACAATGGC TAAAAGCATC GAGAGAGGTT 11880
ATGACCGTTA CCTTGATAT TCCCTGAACG TCCTAAAAGT GATACAGCAA ATTCTGATCT 11940
CTCTTGGCTT CACAATCAAT TCAACCATGA CCCGGGATGT AGTCATACCC CTCCTCACAA 12000
ACAACGACCT CTTAATAAGG ATGGCACTGT TGCCCGCTCC TATTGGGGGG ATGAATTATC 12060
TGAATATGAG CAGGCTGTTT GTCAGAAACA TCGGTGATCC AGTAACATCA TCAATTGCTG 12120
ATCTCAAGAG AATGATTCTC GCCTCACTAA TGCCTGAAGA GACCCTCCAT CAAGTAATGA 12180
CACAACAACC GGGGGACTCT TCATTCTAG ACTGGGCTAG CGACCCCTAC TCAGCAAATC 12240
TTGTATGTGT CCAGAGCATC ACTAGACTCC TCAAGAACAT AACTGCAAGG TTTGTCCTGA 12300
TCCATAGTCC AAACCCAATG TTAAAAGGAT TATTCCATGA TGACAGTAAA GAAGAGGACG 12360
AGGGACTGGC GGCATTCTC ATGGACAGGC ATATTATAGT ACCTAGGGCA GCTCATGAAA 12420
TCCTGGATCA TAGTGTCACA GGGGCAAGAG AGTCTATTGC AGGCATGCTG GATACCACAA 12480
AAGGCCTGAT TCGAGCCAGC ATGAGGAAGG GGGGGTTAAC CTCTCGAGTG ATAACCAGAT 12540
TGTCCAATTA TGAATATGAA CAATTCAGAG CAGGGATGGT GCTATTGACA GGAAGAAAGA 12600
GAAATGTCCT CATTGACAAA GAGTCATGTT CAGTGCAGCT GGCGAGAGCT CTAAGAAGCC 12660

- 226 -

ATATGTGGGC GAGGCTAGCT CGAGGACGGC CTATTTACGG CCTTGAGGTC CCTGATGTAC 12720
TAGAATCTAT GCGAGGCCAC CTTATTCGGC GTCATGAGAC ATGTGTCATC TGCGAGTGTG 12780
GATCAGTCAA CTACGGATGG TTTTTGTCC CCTCGGGTTG CCAACTGGAT GATATTGACA 12840
AGGAAACATC ATCCTTGAGA GTCCCATATA TTGGTTCTAC CACTGATGAG AGAACAGACA 12900
TGAAGCTTGC CTTCGTAAGA GCCCAAGTC GATCCTTGCG ATCTGCTGTT AGAATAGCAA 12960
CAGTGTACTC ATGGGCTTAC GGTGATGATG ATAGCTCTTG GAACGAAGCC TGGTTGTTGG 13020
CTAGGCAAAG GGCCAATGTG AGCCTGGAGG AGCTAAGGGT GATCACTCCC ATCTCAACTT 13080
CGACTAATTT AGCGCATAGG TTGAGGGATC GTAGCACTCA AGTGAAATAC TCAGGTACAT 13140
CCCTTGTCGG AGTGGCGAGG TATACCACAA TCTCCAACGA CAATCTCTCA TTTGTCATAT 13200
CAGATAAGAA GGTTGATACT AACTTTATAT ACCAACAAGG AATGCTTCTA GGGTTGGGTG 13260
TTTTAGAAAC ATTGTTTCGA CTCGAGAAAG ATACCGGATC ATCTAACACG GTATTACATC 13320
TTCACGTCGA AACAGATTGT TCGTGATCC CGATGATAGA TCATCCCAGG ATACCCAGCT 13380
CCCGCAAGCT AGAGCTGAGG GCAGAGCTAT GTACCAACCC ATTGATATAT GATAATGCAC 13440
CTTTAATTGA CAGAGATACA ACAAGGCTAT ACACCCAGAG CCATAGGAGG CACCTTGTGG 13500
AATTTGTTAC ATGGTCCACA CCCCACTAT ATCACATTTT AGCTAAGTCC ACAGCACTAT 13560
CTATGATTGA CCTGGTAACA AAATTTGAGA AGGACCATAT GAATGAAATT TCAGCTCTCA 13620
TAGGGGATGA CGATATCAAT AGTTTCATAA CTGAGTTTCT GCTCATAGAG CCAAGATTAT 13680
TCACTATCTA CTTGGGCCAG TGTGCGGCCA TCAATTGGGC ATTTGATGTA CATTATCATA 13740
GACCATCAGG GAAATATCAG ATGGGTGAGC TGTGTGCATC GTTCCTTTCT AGAATGAGCA 13800
AAGGAGTGTT TAAGGTGCTT GTCAATGCTC TAAGCCACCC AAAGATCTAC AAGAAATTCT 13860
GGCATTGTGG TATTATAGAG CCTATCCATG GTCCTTCACT TGATGCTCAA AACTTGACA 13920
CAACTGTGTG CAACATGGTT TACACATGCT ATATGACCTA CCTCGACCTG TTGTTGAATG 13980
AAGAGTTAGA AGAGTTCACA TTTCTCTTGT GTGAAAGCGA CGAGGATGTA GTACCGGACA 14040
GATTCGACAA CATCCAGGCA AAACACTTAT GTGTTCTGGC AGATTTGTAC TGTCAACCAG 14100
GGCCTGCCC ACCAATTCGA GGTCTAAGAC CGGTAGAGAA ATGTGCAGTT CTAACCGACC 14160
ATATCAAGGC AGAGGCTAGG TTATCTCCAG CAGGATCTTC GTGGAACATA AATCCAATTA 14220

- 227 -

TTGTAGACCA	TTACTCATGC	TCTCTGACTT	ATCTCCGGCG	AGGATCGATC	AAACAGATAA	14280
GATTGAGAGT	TGATCCAGGA	TTCATTTTCG	ACGCCCTCGC	TGAGGTAAAT	GTCACTCAGC	14340
CAAAGATCGG	CAGCAACAAC	ATCTCAAATA	TGAGCATCAA	GGCTTTCAGA	CCCCCACACG	14400
ATGATGTTGC	AAAATTGCTC	AAAGATATCA	ACACAAGCAA	GCACAATCTT	CCCATTTTCAG	14460
GGGGCAATCT	CGCCAATTAT	GAAATCCATG	CTTTCCGCAG	AATCGGGTTG	AACTCATCTG	14520
CTTGCTACAA	AGCTGTTGAG	ATATCAACAT	TAATTAGGAG	ATGCCTTGAG	CCAGGGGAGG	14580
ACGGCTTGTT	CTTGGGTGAG	GGATCGGGTT	CTATGTTGAT	CACTTATAAG	GAGATACTTA	14640
AACTAAACAA	GTGCTTCTAT	AATAGTGGGG	TTTCCGCCAA	TTCTAGATCT	GGTCAAAGGG	14700
AATTAGCACC	CTATCCCTCC	GAAGTTGGCC	TTGTCGAACA	CAGAATGGGA	GTAGGTAATA	14760
TTGTCAAAGT	GCTCTTTAAC	GGGAGGCCCG	AAGTCACGTG	GGTAGGCAGT	GTAGATTGCT	14820
TCAATTTTCAT	AGTTAGTAAT	ATCCCTACCT	CTAGTGTGGG	GTTTATCCAT	TCAGATATAG	14880
AGACCTTGCC	TAACAAAGAT	ACTATAGAGA	AGCTAGAGGA	ATTGGCAGCC	ATCTTATCGA	14940
TGGCTCTGCT	CCTGGGCAAA	ATAGGATCAA	TACTGGTGAT	TAAGCTTATG	CCTTTCAGCG	15000
GGGATTTTGT	TCAGGGATTT	ATAAGTTATG	TAGGGTCTTA	TTATAGAGAA	GTGAACCTTG	15060
TATACCCTAG	ATACAGCAAC	TTCATATCTA	CTGAATCTTA	TTTGGTTATG	ACAGATCTCA	15120
AGGCTAACCG	GCTAATGAAT	CCTGAAAAGA	TTAAGCAGCA	GATAATTGAA	TCATCTGTGA	15180
GGACTTCACC	TGGACTTATA	GGTCACATCC	TATCCATTAA	GCAACTAAGC	TGCATACAAG	15240
CAATTGTGGG	AGACGCAGTT	AGTAGAGGTG	ATATCAATCC	TACTCTGAAA	AAACTTACAC	15300
CTATAGAGCA	GGTGCTGATC	AATTGCGGGT	TGGCAATTAA	CGGACCTAAG	CTGTGCAAAG	15360
AATTGATCCA	CCATGATGTT	GCCTCAGGGC	AAGATGGATT	GCTTAATTCT	ATACTCATCC	15420
TCTACAGGGA	GTTGGCAAGA	TTCAAAGACA	ACCGAAGAAG	TCAACAAGGG	ATGTTCCACG	15480
CTTACCCCGT	ATTGGTAAGT	AGCAGGCAAC	GAGAACTTAT	ATCTAGGATC	ACCCGCAAAT	15540
TTTGGGGGCA	CATTCTTCTT	TACTCCGGGA	ACAGAAAGTT	GATAAATAAG	TTTATCCAGA	15600
ATCTCAAGTC	CGGCTATCTG	ATACTAGACT	TACACCAGAA	TATCTTCGTT	AAGAATCTAT	15660
CCAAGTCAGA	GAAACAGATT	ATTATGACGG	GGGGTTTGAA	ACGTGAGTGG	GTTTTTAAGG	15720
TAACAGTCAA	GGAGACCAA	GAATGGTATA	AGTTAGTCGG	ATACAGTGCC	CTGATTAAGG	15780

- 228 -

ACTAATTGAT TGAACCTCCGG AACCCCTAATC CTGCCCTAGG TGGTTAGGCA TTATTTGCAA 15840
 TATATTAAAG AAAACTTTGA AAATACGAAG TTTCTATTCC CAGCTTTGTC TGGT 15894

(2) INFORMATION FOR SEQ ID NO:16:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 2183 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:16:

Met	Asp	Ser	Leu	Ser	Val	Asn	Gln	Ile	Leu	Tyr	Pro	Glu	Val	His	Leu	1	5	10	15
Asp	Ser	Pro	Ile	Val	Thr	Asn	Lys	Ile	Val	Ala	Ile	Leu	Glu	Tyr	Ala	20	25	30	
Arg	Val	Pro	His	Ala	Tyr	Ser	Leu	Glu	Asp	Pro	Thr	Leu	Cys	Gln	Asn	35	40	45	
Ile	Lys	His	Arg	Leu	Lys	Asn	Gly	Phe	Ser	Asn	Gln	Met	Ile	Ile	Asn	50	55	60	
Asn	Val	Glu	Val	Gly	Asn	Val	Ile	Lys	Ser	Lys	Leu	Arg	Ser	Tyr	Pro	65	70	75	80
Ala	His	Ser	His	Ile	Pro	Tyr	Pro	Asn	Cys	Asn	Gln	Asp	Leu	Phe	Asn	85	90	95	
Ile	Glu	Asp	Lys	Glu	Ser	Thr	Arg	Lys	Ile	Arg	Glu	Leu	Leu	Lys	Lys	100	105	110	
Gly	Asn	Ser	Leu	Tyr	Ser	Lys	Val	Ser	Asp	Lys	Val	Phe	Gln	Cys	Leu	115	120	125	
Arg	Asp	Thr	Asn	Ser	Arg	Leu	Gly	Leu	Gly	Ser	Glu	Leu	Arg	Glu	Asp	130	135	140	
Ile	Lys	Glu	Lys	Val	Ile	Asn	Leu	Gly	Val	Tyr	Met	His	Ser	Ser	Gln	145	150	155	160
Trp	Phe	Glu	Pro	Phe	Leu	Phe	Trp	Phe	Thr	Val	Lys	Thr	Glu	Met	Arg	165	170	175	

- 229 -

Ser Val Ile Lys Ser Gln Thr His Thr Cys His Arg Arg Arg His Thr
 180 185 190
 Pro Val Phe Phe Thr Gly Ser Ser Val Glu Leu Leu Ile Ser Arg Asp
 195 200 205
 Leu Val Ala Ile Ile Ser Lys Glu Ser Gln His Val Tyr Tyr Leu Thr
 210 215 220
 Phe Glu Leu Val Leu Met Tyr Cys Asp Val Ile Glu Gly Arg Leu Met
 225 230 235 240
 Thr Glu Thr Ala Met Thr Ile Asp Ala Arg Tyr Thr Glu Leu Leu Gly
 245 250 255
 Arg Val Arg Tyr Met Trp Lys Leu Ile Asp Gly Phe Phe Pro Ala Leu
 260 265 270
 Gly Asn Pro Thr Tyr Gln Ile Val Ala Met Leu Glu Pro Leu Ser Leu
 275 280 285
 Ala Tyr Leu Gln Leu Arg Asp Ile Thr Val Glu Leu Arg Gly Ala Phe
 290 295 300
 Leu Asn His Cys Phe Thr Glu Ile His Asp Val Leu Asp Gln Asn Gly
 305 310 315 320
 Phe Ser Asp Glu Gly Thr Tyr His Glu Leu Ile Glu Ala Leu Asp Tyr
 325 330 335
 Ile Phe Ile Thr Asp Asp Ile His Leu Thr Gly Glu Ile Phe Ser Phe
 340 345 350
 Phe Arg Ser Phe Gly His Pro Arg Leu Glu Ala Val Thr Ala Ala Glu
 355 360 365
 Asn Val Arg Lys Tyr Met Asn Gln Pro Lys Val Ile Val Tyr Glu Thr
 370 375 380
 Leu Met Lys Gly His Ala Ile Phe Cys Gly Ile Ile Ile Asn Gly Tyr
 385 390 395 400
 Arg Asp Arg His Gly Gly Ser Trp Pro Pro Leu Thr Leu Pro Leu His
 405 410 415
 Ala Ala Asp Thr Ile Arg Asn Ala Gln Ala Ser Gly Glu Gly Leu Thr
 420 425 430
 His Glu Gln Cys Val Asp Asn Trp Lys Ser Phe Ala Gly Val Lys Phe
 435 440 445
 Gly Cys Phe Met Pro Leu Ser Leu Asp Ser Asp Leu Thr Met Tyr Leu

- 230 -

450	455	460
Lys Asp Lys Ala Leu Ala Ala Leu Gln Arg Glu Trp Asp Ser Val Tyr		
465	470	475 480
Pro Lys Glu Phe Leu Arg Tyr Asp Pro Pro Lys Gly Thr Gly Ser Arg		
	485	490 495
Arg Leu Val Asp Val Phe Leu Asn Asp Ser Ser Phe Asp Pro Tyr Asp		
	500	505 510
Val Ile Met Tyr Val Val Ser Gly Ala Tyr Leu His Asp Pro Glu Phe		
	515	520 525
Asn Leu Ser Tyr Ser Leu Lys Glu Lys Glu Ile Lys Glu Thr Gly Arg		
	530	535 540
Leu Phe Ala Lys Met Thr Tyr Lys Met Arg Ala Cys Gln Val Ile Ala		
	545	550 555 560
Glu Asn Leu Ile Ser Asn Gly Ile Gly Lys Tyr Phe Lys Asp Asn Gly		
	565	570 575
Met Ala Lys Asp Glu His Asp Leu Thr Lys Ala Leu His Thr Leu Ala		
	580	585 590
Val Ser Gly Val Pro Lys Asp Leu Lys Glu Ser His Arg Gly Gly Pro		
	595	600 605
Val Leu Lys Thr Tyr Ser Arg Ser Pro Val His Thr Ser Thr Arg Asn		
	610	615 620
Val Arg Ala Ala Lys Gly Phe Ile Gly Phe Pro Gln Val Ile Arg Gln		
	625	630 635 640
Asp Gln Asp Thr Asp His Pro Glu Asn Met Glu Ala Tyr Glu Thr Val		
	645	650 655
Ser Ala Phe Ile Thr Thr Asp Leu Lys Lys Tyr Cys Leu Asn Trp Arg		
	660	665 670
Tyr Glu Thr Ile Ser Leu Phe Ala Gln Arg Leu Asn Glu Ile Tyr Gly		
	675	680 685
Leu Pro Ser Phe Phe Gln Trp Leu His Lys Arg Leu Glu Thr Ser Val		
	690	695 700
Leu Tyr Val Ser Asp Pro His Cys Pro Pro Asp Leu Asp Ala His Ile		
	705	710 715 720
Pro Leu Tyr Lys Val Pro Asn Asp Gln Ile Phe Ile Lys Tyr Pro Met		
	725	730 735

- 231 -

Gly Gly Ile Glu Gly Tyr Cys Gln Lys Leu Trp Thr Ile Ser Thr Ile
 740 745 750
 Pro Tyr Leu Tyr Leu Ala Ala Tyr Glu Ser Gly Val Arg Ile Ala Ser
 755 760 765
 Leu Val Gln Gly Asp Asn Gln Thr Ile Ala Val Thr Lys Arg Val Pro
 770 775 780
 Ser Thr Trp Pro Tyr Asn Leu Lys Lys Arg Glu Ala Ala Arg Val Thr
 785 790 795 800
 Arg Asp Tyr Phe Val Ile Leu Arg Gln Arg Leu His Asp Ile Gly His
 805 810 815
 His Leu Lys Ala Asn Glu Thr Ile Val Ser Ser His Phe Phe Val Tyr
 820 825 830
 Ser Lys Gly Ile Tyr Tyr Asp Gly Leu Leu Val Ser Gln Ser Leu Lys
 835 840 845
 Ser Ile Ala Arg Cys Val Phe Trp Ser Glu Thr Ile Val Asp Glu Thr
 850 855 860
 Arg Ala Ala Cys Ser Asn Ile Ala Thr Thr Met Ala Lys Ser Ile Glu
 865 870 875 880
 Arg Gly Tyr Asp Arg Tyr Leu Ala Tyr Ser Leu Asn Val Leu Lys Val
 885 890 895
 Ile Gln Gln Ile Leu Ile Ser Leu Gly Phe Thr Ile Asn Ser Thr Met
 900 905 910
 Thr Arg Asp Val Val Ile Pro Leu Leu Thr Asn Asn Asp Leu Leu Ile
 915 920 925
 Arg Met Ala Leu Leu Pro Ala Pro Ile Gly Gly Met Asn Tyr Leu Asn
 930 935 940
 Met Ser Arg Leu Phe Val Arg Asn Ile Gly Asp Pro Val Thr Ser Ser
 945 950 955 960
 Ile Ala Asp Leu Lys Arg Met Ile Leu Ala Ser Leu Met Pro Glu Glu
 965 970 975
 Thr Leu His Gln Val Met Thr Gln Gln Pro Gly Asp Ser Ser Phe Leu
 980 985 990
 Asp Trp Ala Ser Asp Pro Tyr Ser Ala Asn Leu Val Cys Val Gln Ser
 995 1000 1005

- 232 -

Ile Thr Arg Leu Leu Lys Asn Ile Thr Ala Arg Phe Val Leu Ile His
 1010 1015 1020
 Ser Pro Asn Pro Met Leu Lys Gly Leu Phe His Asp Asp Ser Lys Glu
 1025 1030 1035 1040
 Glu Asp Glu Gly Leu Ala Ala Phe Leu Met Asp Arg His Ile Ile Val
 1045 1050 1055
 Pro Arg Ala Ala His Glu Ile Leu Asp His Ser Val Thr Gly Ala Arg
 1060 1065 1070
 Glu Ser Ile Ala Gly Met Leu Asp Thr Thr Lys Gly Leu Ile Arg Ala
 1075 1080 1085
 Ser Met Arg Lys Gly Gly Leu Thr Ser Arg Val Ile Thr Arg Leu Ser
 1090 1095 1100
 Asn Tyr Asp Tyr Glu Gln Phe Arg Ala Gly Met Val Leu Leu Thr Gly
 1105 1110 1115 1120
 Arg Lys Arg Asn Val Leu Ile Asp Lys Glu Ser Cys Ser Val Gln Leu
 1125 1130 1135
 Ala Arg Ala Leu Arg Ser His Met Trp Ala Arg Leu Ala Arg Gly Arg
 1140 1145 1150
 Pro Ile Tyr Gly Leu Glu Val Pro Asp Val Leu Glu Ser Met Arg Gly
 1155 1160 1165
 His Leu Ile Arg Arg His Glu Thr Cys Val Ile Cys Glu Cys Gly Ser
 1170 1175 1180
 Val Asn Tyr Gly Trp Phe Phe Val Pro Ser Gly Cys Gln Leu Asp Asp
 1185 1190 1195 1200
 Ile Asp Lys Glu Thr Ser Ser Leu Arg Val Pro Tyr Ile Gly Ser Thr
 1205 1210 1215
 Thr Asp Glu Arg Thr Asp Met Lys Leu Ala Phe Val Arg Ala Pro Ser
 1220 1225 1230
 Arg Ser Leu Arg Ser Ala Val Arg Ile Ala Thr Val Tyr Ser Trp Ala
 1235 1240 1245
 Tyr Gly Asp Asp Asp Ser Ser Trp Asn Glu Ala Trp Leu Leu Ala Arg
 1250 1255 1260
 Gln Arg Ala Asn Val Ser Leu Glu Glu Leu Arg Val Ile Thr Pro Ile
 1265 1270 1275 1280
 Ser Thr Ser Thr Asn Leu Ala His Arg Leu Arg Asp Arg Ser Thr Gln

- 233 -

1285	1290	1295
Val Lys Tyr Ser Gly Thr Ser Leu Val Arg Val Ala Arg Tyr Thr Thr 1300	1305	1310
Ile Ser Asn Asp Asn Leu Ser Phe Val Ile Ser Asp Lys Lys Val Asp 1315	1320	1325
Thr Asn Phe Ile Tyr Gln Gln Gly Met Leu Leu Gly Leu Gly Val Leu 1330	1335	1340
Glu Thr Leu Phe Arg Leu Glu Lys Asp Thr Gly Ser Ser Asn Thr Val 1345	1350	1355 1360
Leu His Leu His Val Glu Thr Asp Cys Cys Val Ile Pro Met Ile Asp 1365	1370	1375
His Pro Arg Ile Pro Ser Ser Arg Lys Leu Glu Leu Arg Ala Glu Leu 1380	1385	1390
Cys Thr Asn Pro Leu Ile Tyr Asp Asn Ala Pro Leu Ile Asp Arg Asp 1395	1400	1405
Thr Thr Arg Leu Tyr Thr Gln Ser His Arg Arg His Leu Val Glu Phe 1410	1415	1420
Val Thr Trp Ser Thr Pro Gln Leu Tyr His Ile Leu Ala Lys Ser Thr 1425	1430	1435 1440
Ala Leu Ser Met Ile Asp Leu Val Thr Lys Phe Glu Lys Asp His Met 1445	1450	1455
Asn Glu Ile Ser Ala Leu Ile Gly Asp Asp Asp Ile Asn Ser Phe Ile 1460	1465	1470
Thr Glu Phe Leu Leu Ile Glu Pro Arg Leu Phe Thr Ile Tyr Leu Gly 1475	1480	1485
Gln Cys Ala Ala Ile Asn Trp Ala Phe Asp Val His Tyr His Arg Pro 1490	1495	1500
Ser Gly Lys Tyr Gln Met Gly Glu Leu Leu Ser Ser Phe Leu Ser Arg 1505	1510	1515 1520
Met Ser Lys Gly Val Phe Lys Val Leu Val Asn Ala Leu Ser His Pro 1525	1530	1535
Lys Ile Tyr Lys Lys Phe Trp His Cys Gly Ile Ile Glu Pro Ile His 1540	1545	1550
Gly Pro Ser Leu Asp Ala Gln Asn Leu His Thr Thr Val Cys Asn Met 1555	1560	1565

- 234 -

Val Tyr Thr Cys Tyr Met Thr Tyr Leu Asp Leu Leu Leu Asn Glu Glu
 1570 1575 1580

Leu Glu Glu Phe Thr Phe Leu Leu Cys Glu Ser Asp Glu Asp Val Val
 1585 1590 1595 1600

Pro Asp Arg Phe Asp Asn Ile Gln Ala Lys His Leu Cys Val Leu Ala
 1605 1610 1615

Asp Leu Tyr Cys Gln Pro Gly Ala Cys Pro Pro Ile Arg Gly Leu Arg
 1620 1625 1630

Pro Val Glu Lys Cys Ala Val Leu Thr Asp His Ile Lys Ala Glu Ala
 1635 1640 1645

Arg Leu Ser Pro Ala Gly Ser Ser Trp Asn Ile Asn Pro Ile Ile Val
 1650 1655 1660

Asp His Tyr Ser Cys Ser Leu Thr Tyr Leu Arg Arg Gly Ser Ile Lys
 1665 1670 1675 1680

Gln Ile Arg Leu Arg Val Asp Pro Gly Phe Ile Phe Asp Ala Leu Ala
 1685 1690 1695

Glu Val Asn Val Ser Gln Pro Lys Ile Gly Ser Asn Asn Ile Ser Asn
 1700 1705 1710

Met Ser Ile Lys Ala Phe Arg Pro Pro His Asp Asp Val Ala Lys Leu
 1715 1720 1725

Leu Lys Asp Ile Asn Thr Ser Lys His Asn Leu Pro Ile Ser Gly Gly
 1730 1735 1740

Asn Leu Ala Asn Tyr Glu Ile His Ala Phe Arg Arg Ile Gly Leu Asn
 1745 1750 1755 1760

Ser Ser Ala Cys Tyr Lys Ala Val Glu Ile Ser Thr Leu Ile Arg Arg
 1765 1770 1775

Cys Leu Glu Pro Gly Glu Asp Gly Leu Phe Leu Gly Glu Gly Ser Gly
 1780 1785 1790

Ser Met Leu Ile Thr Tyr Lys Glu Ile Leu Lys Leu Asn Lys Cys Phe
 1795 1800 1805

Tyr Asn Ser Gly Val Ser Ala Asn Ser Arg Ser Gly Gln Arg Glu Leu
 1810 1815 1820

Ala Pro Tyr Pro Ser Glu Val Gly Leu Val Glu His Arg Met Gly Val
 1825 1830 1835 1840

- 235 -

Gly Asn Ile Val Lys Val Leu Phe Asn Gly Arg Pro Glu Val Thr Trp
 1845 1850 1855
 Val Gly Ser Val Asp Cys Phe Asn Phe Ile Val Ser Asn Ile Pro Thr
 1860 1865 1870
 Ser Ser Val Gly Phe Ile His Ser Asp Ile Glu Thr Leu Pro Asn Lys
 1875 1880 1885
 Asp Thr Ile Glu Lys Leu Glu Glu Leu Ala Ala Ile Leu Ser Met Ala
 1890 1895 1900
 Leu Leu Leu Gly Lys Ile Gly Ser Ile Leu Val Ile Lys Leu Met Pro
 1905 1910 1915 1920
 Phe Ser Gly Asp Phe Val Gln Gly Phe Ile Ser Tyr Val Gly Ser Tyr
 1925 1930 1935
 Tyr Arg Glu Val Asn Leu Val Tyr Pro Arg Tyr Ser Asn Phe Ile Ser
 1940 1945 1950
 Thr Glu Ser Tyr Leu Val Met Thr Asp Leu Lys Ala Asn Arg Leu Met
 1955 1960 1965
 Asn Pro Glu Lys Ile Lys Gln Gln Ile Ile Glu Ser Ser Val Arg Thr
 1970 1975 1980
 Ser Pro Gly Leu Ile Gly His Ile Leu Ser Ile Lys Gln Leu Ser Cys
 1985 1990 1995 2000
 Ile Gln Ala Ile Val Gly Asp Ala Val Ser Arg Gly Asp Ile Asn Pro
 2005 2010 2015
 Thr Leu Lys Lys Leu Thr Pro Ile Glu Gln Val Leu Ile Asn Cys Gly
 2020 2025 2030
 Leu Ala Ile Asn Gly Pro Lys Leu Cys Lys Glu Leu Ile His His Asp
 2035 2040 2045
 Val Ala Ser Gly Gln Asp Gly Leu Leu Asn Ser Ile Leu Ile Leu Tyr
 2050 2055 2060
 Arg Glu Leu Ala Arg Phe Lys Asp Asn Arg Arg Ser Gln Gln Gly Met
 2065 2070 2075 2080
 Phe His Ala Tyr Pro Val Leu Val Ser Ser Arg Gln Arg Glu Leu Ile
 2085 2090 2095
 Ser Arg Ile Thr Arg Lys Phe Trp Gly His Ile Leu Leu Tyr Ser Gly
 2100 2105 2110
 Asn Arg Lys Leu Ile Asn Lys Phe Ile Gln Asn Leu Lys Ser Gly Tyr

- 236 -

2115	2120	2125
Leu Ile Leu Asp Leu His Gln Asn Ile Phe Val Lys Asn Leu Ser Lys		
2130	2135	2140
Ser Glu Lys Gln Ile Ile Met Thr Gly Gly Leu Lys Arg Glu Trp Val		
2145	2150	2155
Phe Lys Val Thr Val Lys Glu Thr Lys Glu Trp Tyr Lys Leu Val Gly		
2165	2170	2175
Tyr Ser Ala Leu Ile Lys Asp		
2180		

(2) INFORMATION FOR SEQ ID NO:17:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 15462 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: RNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:17:

ACCAAACAAG AGAAGAACT TGTCTGGGAA TATAAATTTA ACTTTAAATT AACTTAGGAT	60
TAAAGACATT GACTAGAAGG TCAAGAAAAG GGAAGTCTAT AATTTCAAAA ATGTTGAGCC	120
TATTTGATAC ATTTAATGCA CGTAGGCAAG AAAACATAAC AAAATCAGCC GGTGGAGCTA	180
TCATTCCTGG ACAGAAAAAT ACTGTCTCTA TATTCGCCCT TGGACCGACA ATAACGTATG	240
ATAATGAGAA AATGACATTA GCTCTTCTAT TTCTATCTCA TTCAC TAGAT AATGAGAAAC	300
AACATGCACA AAGGGCAGGG TTCTTGGTGT CTTTATTGTC AATGGCTTAT GCCAATCCAG	360
AGCTCTACCT AACACAAAT GGAAGTAATG CAGATGTCAA GTATGTCATA TACATGATTG	420
AGAAAGATCT AAAACGGCAA AAGTATGGAG GATTTGTGGT TAAGACGAGA GAGATGATAT	480
ATGAAAAGAC AACTGATTGG ATATTTGGAA GTGACCTGGA TTATGATCAG GAACTATGT	540
TGCAGAACGG CAGGAACAAT TCAACAATTG AAGACCTTGT CCACACATTT GGGTATCCAT	600
CATGTTTAGG AGCTCTTATA ATACAGATCT GGATAGTTCT GGTCAAAGCT ATCACTAGTA	660
TCTCAGGGTT AAGAAAAGGC TTTTTCACCC GATTGGAAGC TTTCAGACAA GATGGAACAG	720

- 237 -

TGCAGGCAGG GCTGGTATTG AGCGGTGACA CAGTGGATCA GATTGGGTCA ATCATGCGGT	780
CTCAACAGAG CTTGGTAACT CTTATGGTTG AAACATTAAT AACAAATGAAT ACCAGCAGAA	840
ATGACCTCAC AACCATAGAA AAGAATATAC AAATTGTTGG CAACTACATA AGAGATGCAG	900
GTCTCGCTTC ATTCTTCAAT ACAATCAGAT ATGGAATTGA GACCAGAATG GCAGCTTTGA	960
CTCTATCCAC TCTCAGACCA GATATCAATA GATTAAAAGC TTTGATGGAA CTGTATTTAT	1020
CAAAGGGACC ACGCGCTCCT TTCATCTGTA TCCTCAGAGA TCCTATACAT GGTGAGTTG	1080
CACCAGGCAA CTATCCTGCC ATATGGAGCT ATGCAATGGG GGTGGCAGTT GTACAAAATA	1140
GAGCCATGCA ACAGTATGTG ACGGGAAGAT CATATCTAGA CATTGATATG TTCCAGCTAG	1200
GACAAGCAGT AGCACGTGAT GCCGAAGCTC AAATGAGCTC AACACTGGAA GATGAACTTG	1260
GAGTGACACA CGAATCTAAA GAAAGCTTGA AGAGACATAT AAGGAACATA AACAGTTCAG	1320
AGACATCTTT CCACAAACCG ACAGGTGGAT CAGCCATAGA GATGGCAATA GATGAAGAGC	1380
CAGAACAAAT CGAACATAGA GCAGATCAAG AACAAAATGG AGAACCTCAA TCATCCATAA	1440
TTCAATATGC CTGGGCAGAA GGAAATAGAA GCGATGATCA GACTGAGCAA GCTACAGAAT	1500
CTGACAATAT CAAGACCGAA CAACAAAACA TCAGAGACAG ACTAAACAAG AGACTCAACG	1560
ACAAGAAGAA ACAAAGCAGT CAACCACCCA CTAATCCCAC AACAGAACA AACCAGGACG	1620
AAATAGATGA TCTGTTTAAC GCATTTGGAA GCAACTAATC GAATCAACAT TTAAATCTAA	1680
ATCAATAATA AATAAGAAAA ACTTAGGATT AAAGAATCCT ATCATACCGG AATATAGGGT	1740
GGTAAATTTA GAGTCTGCTT GAAACTCAAT CAATAGAGAG TTGATGGAAA GCGATGCTAA	1800
AACTATCAA ATCATGGATT CTTGGGAAGA GGAATCAAGA GATAAATCAA CTAATATCTC	1860
CTCGGCCCTC AACATCATTG AATTCATACT CAGCACCGAC CCCCAAGAAG ACTTATCGGA	1920
AAACGACACA ATCAACACAA GAACCCAGCA ACTCAGTGCC ACCATCTGTC AACCAGAAAT	1980
CAAACCAACA GAAACAAGTG AGAAAGATAG TGGATCAACT GACAAAAATA GACAGTCCGG	2040
GTCATCACAC GAATGTACAA CAGAAGCAAA AGATAGAAAT ATTGATCAGG AACTGTACA	2100
GAGAGGACCT GGGAGAAGAA GCAGCTCAGA TAGTAGAGCT GAGACTGTGG TCTCTGGAGG	2160
AATCCCCAGA AGCATCACAG ATTCTAAAAA TGGAACCCAA AACACGGAGG ATATTGATCT	2220
CAATGAAATT AGAAAGATGG ATAAGGACTC TATTGAGGGG AAAATGCGAC AATCTGCAAA	2280

- 238 -

TGTTCCAAGC GAGATATCAG GAAGTGATGA CATATTTACA ACAGAACAAA GTAGAAACAG	2340
TGATCATGGA AGAAGCCTGG AATCTATCAG TACACCTGAT ACAAGATCAA TAAGTGTGT	2400
TACTGCTGCA ACACCAGATG ATGAAGAAGA AATACTAATG AAAAATAGTA GGACAAAGAA	2460
AAGTTCTTCA ACACATCAAG AAGATGACAA AAGAATTAAA AAAGGGGGAA AAGGGAAAGA	2520
CTGGTTTAAG AAATCAAAAG ATACCGACAA CCAGATACCA ACATCAGACT ACAGATCCAC	2580
ATCAAAAGGG CAGAAGAAA TCTCAAAGAC AACACCACC AACACCGACA CAAAGGGGCA	2640
AACAGAAATA CAGACAGAAT CATCAGAAAC ACAATCCTCA TCATGGAATC TCATCATCGA	2700
CAACAACACC GACCGGAACG AACAGACAAG CACAACCTCT CCAACAACAA CTTCCAGATC	2760
AACTTATACA AAAGAATCGA TCCGAACAA CTCTGAATCC AAACCCAAGA CACAAAAGAC	2820
AAATGGAAG GAAAGGAAG ATACAGAAGA GAGCAATCGA TTTACAGAGA GGGCAATTAC	2880
TCTATTGCAG AATCTTGGTG TAATTCAATC CACATCAAAA CTAGATTTAT ATCAAGACAA	2940
ACGAGTTGTA TGTGTAGCAA ATGTACTAAA CAATGTAGAT ACTGCATCAA AGATAGATTT	3000
CCTGGCAGGA TTAGTCATAG GGGTTTCAAT GGACAACGAC ACAAATTA CACAGATACA	3060
AAATGAAATG CTAAACCTCA AAGCAGATCT AAAGAAAATG GACGAATCAC ATAGAAGATT	3120
GATAGAAAAT CAAAGAGAAC AACTGTCATT GATCACGTCA CTAATTTCAA ATCTCAAAAT	3180
TATGACTGAG AGAGGAGGAA AGAAAGACCA AAATGAATCC AATGAGAGAG TATCCATGAT	3240
CAAAACAAA TTGAAAGAAG AAAAGATCAA GAAGACCAGG TTTGACCCAC TTATGGAGGC	3300
ACAAGGCATT GACAAGAATA TACCCGATCT ATATCGACAT GCAGGAGATA CACTAGAGAA	3360
CGATGTACAA GTTAAATCAG AGATATTAAG TTCATACAAT GAGTCAAATG CAACAAGACT	3420
AATACCCAAA AAAGTGAGCA GTACAATGAG ATCACTAGTT GCAGTCATCA ACAACAGCAA	3480
TCTCTACAA AGCACAAAAC AATCATACAT AAACGAACTC AAACGTTGCA AAAATGATGA	3540
AGAAGTATCT GAATTAATGG ACATGTTCAA TGAAGATGTC AACAATTGCC AATGATCCAA	3600
CAAAGAACG ACACCGAACA AACAGACAAG AAACAACAGT AGATCAAAAC CTGTCAACAC	3660
ACACAAAATC AAGCAGAATG AAACAACAGA TATCAATCAA TATACAAATA AGAAAACTT	3720
AGGATTAAAG AATAAATTAA TCCTTGTTCA AAATGAGTAT AACTAACTCT GCAATATACA	3780
CATTCCCAGA ATCATCATTC TCTGAAAATG GTCATATAGA ACCATTACCA CTCAAAGTCA	3840

- 239 -

ATGAACAGAG GAAAGCAGTA CCCACATTA GAGTTGCCAA GATCGGAAAT CCACCAAAAC	3900
ACGGATCCCG GTATTTAGAT GTCTTCTTAC TCGGCTTCTT CGAGATGGAA CGAATCAAAG	3960
ACAAATACGG GAGTGTGAAT GATCTCGACA GTGACCCGAG TTACAAAGTT TGTGGCTCTG	4020
GATCATTACC AATCGGATTG GCTAAGTACA CTGGGAATGA CCAGGAATTG TTACAAGCCG	4080
CAACCAAACT GGATATAGAA GTGAGAAGAA CAGTCAAAGC GAAAGAGATG GTTGTTTACA	4140
CGGTACAAAA TATAAAACCA GAACTGTACC CATGGTCCAA TAGACTAAGA AAAGGAATGC	4200
TGTTCGATGC CAACAAAGTT GCTCTTGCTC CTCAATGTCT TCCACTAGAT AGGAGCATAA	4260
AATTTAGAGT AATCTTCGTG AATTGTACGG CAATTGGATC AATAACCTTG TTCAAAATTC	4320
CTAAGTCAAT GGCATCACTA TCTCTACCCA ACACAATATC AATCAATCTG CAGGTACACA	4380
TAAAAACAGG GGTTCAGACT GATTCTAAAG GGATAGTTCA AATTTTGGAT GAGAAAGGCG	4440
AAAAATCACT GAATTTTCATG GTCCATCTCG GATTGATCAA AAGAAAAGTA GGCAGAATGT	4500
ACTCTGTTGA ATACTGTAAA CAGAAAATCG AGAAAATGAG ATTGATATTT TCTTTAGGAC	4560
TAGTTGGAGG AATCAGTCTT CATGTCAATG CAACTGGGTC CATATCAAAA AACTAGCAA	4620
GTCAGCTGGT ATTCAAAAGA GAGATTTGTT ATCCTTTAAT GGATCTAAAT CCGCATCTCA	4680
ATCTAGTTAT CTGGGCTTCA TCAGTAGAGA TTACAAGAGT GGATGCAATT TTCCAACCTT	4740
CTTTACCTGG CGAGTTCAGA TACTATCCTA ATATTATTGC AAAAGGAGTT GGGAAAATCA	4800
AACAATGGAA CTAGTAATCT CTATTTTAGT CCGGACGTAT CTATTAAGCC GAAGCAAATA	4860
AAGGATAATC AAAAAGTTAG GACAAAAGAG GTCAATACCA ACAACTATTA GCAGTCACAC	4920
TCGCAAGAAT AAGAGAGAAG GGACCAAAAA AGTCAAATAG GAGAAATCAA AACAAAAGGT	4980
ACAGAACACC AGAACAACAA AATCAAAACA TCCAATCAC TCAAAACAAA AATTCCAAAA	5040
GAGACCGGCA ACACAACAAG CACTGAACAC AATGCCAACT TCAATACTGC TAATTATTAC	5100
AACCATGATC ATGGCATCTT TCTGCCAAAT AGATATCACA AACTACAGC ACGTAGGTGT	5160
ATTGGTCAAC AGTCCCAAAG GGATGAAGAT ATCACAAAAC TTTGAAAACA GATATCTAAT	5220
TTTGAGCCTC ATACCAAAAA TAGAAGACTC TAACTCTTGT GGTGACCAAC AGATCAAGCA	5280
ATACAAGAAG TTATTGGATA GACTGATCAT CCCTTTATAT GATGGATTAA GATTACAGAA	5340
AGATGTGATA GTAACCAATC AAGAATCCAA TGAAAACACT GATCCCAGAA CAAAACGATT	5400

- 240 -

CTTTGGAGGG GTAATTGGAA CCATTGCTCT GGGAGTAGCA ACCTCAGCAC AAATTACAGC	5460
GGCAGTTGCT CTGGTTGAAG CCAAGCAGGC AAGATCAGAC ATCGAAAAAC TCAAAGAAGC	5520
AATTAGGGAC ACAAACAAAG CAGTGCAGTC AGTTCAGAGC TCCATAGGAA ATTTAATAGT	5580
AGCAATTAAA TCAGTCCAGG ATTATGTTAA CAAAGAAATC GTGCCATCGA TTGCGAGGCT	5640
AGGTTGTGAA GCAGCAGGAC TTCAATTAGG AATTGCATTA ACACAGCATT ACTCAGAATT	5700
AACAAACATA TTTGGTGATA ACATAGGATC GTTACAAGAA AAAGGAATAA AATTACAAGG	5760
TATAGCATCA TTATACCGCA CAAATATCAC AGAAATATTC ACAACATCAA CAGTTGATAA	5820
ATATGATATC TATGATCTGT TATTTACAGA ATCAATAAAG GTGAGAGTTA TAGATGTTGA	5880
CTTGAATGAT TACTCAATCA CCCTCCAAGT CAGACTCCCT TTATTAACTA GGCTGCTGAA	5940
CCTCAGATC TACAAAGTAG ATTCCATATC ATATAACATC CAAAACAGAG AATGGTATAT	6000
CCCTCTTCCC AGCCATATCA TGACGAAAGG GGCATTTCTA GGTGGAGCAG ACGTCAAAGA	6060
ATGTATAGAA GCATTCAGCA GCTATATATG CCCTTCTGAT CCAGGATTTG TATTAAACCA	6120
TGAAATAGAG AGCTGCTTAT CAGGAAACAT ATCCCAATGT CCAAGAACAA CGGTCAATC	6180
AGACATTGTT CCAAGATATG CATTTGTCAA TGGAGGAGTG GTTGCAAAC GTATAACAAC	6240
CACCTGTACA TGCAACGGAA TTGGTAATAG AATCAATCAA CCACCTGATC AAGGAGTAAA	6300
AATTATAACA CATAAAGAAT GTAGTACAAT AGGTATCAAC GGAATGCTGT TCAATACAAA	6360
TAAAGAAGGA ACTCTTGCAT TCTATACACC AAATGATATA AACTAAACA ATTCTGTTGC	6420
ACTTGATCCA ATTGACATAT CAATCGAGCT CAACAAGGCC AAATCAGATC TAGAAGAATC	6480
AAAAGAATGG ATAAGAAGGT CAAATCAAAA ACTAGATTCT ATTGGAAATT GGCATCAATC	6540
TAGCACTACA ATCATAATTA TTTTGATAAT GATCATTATA TTGTTTATAA TTAATATAAC	6600
GATAATTACA ATTGCAATTA AGTATTACAG AATTCAAAAG AGAAATCGAG TGGATCAAAA	6660
TGACAAGCCA TATGTACTAA CAAACAAATA ACATATCTAC AGATCATTAG ATATTAAAAT	6720
TATAAAAAAC TTAGGAGTAA AGTTACGCAA TCCAACCTCTA CTCATATAAT TGAGGAAGGA	6780
CCCAATAGAC AAATCCAAAT TCGAGATGGA ATACTGGAAG CATACCAATC ACGGAAAGGA	6840
TGCTGGTAAT GAGCTGGAGA CGTCTATGGC TACTCATGGC AACAAGCTCA CTAATAAGAT	6900
AATATACATA TTATGGACAA TAATCCTGGT GTTATTATCA ATAGTCTTCA TCATAGTGCT	6960

- 241 -

AATTAATTCC ATCAAAAGTG AAAAGGCCCA CGAATCATTG CTGCAAGACA TAAATAATGA	7020
GTTTATGGAA ATTACAGAAA AGATCCAAAT GGCATCGGAT AATACCAATG ATCTAATACA	7080
GTCAGGAGTG AATACAAGGC TTCTTACAAT TCAGAGTCAT GTCCAGAATT ACATACCAAT	7140
ATCATTGACA CAACAGATGT CAGATCTTAG GAAATTCATT AGTGAAATTA CAATTAGAAA	7200
TGATAATCAA GAAGTGCTGC CACAAAGAAT AACACATGAT GTAGGTATAA AACCTTTAAA	7260
TCCAGATGAT TTTTGGAGAT GCACGTCTGG TCTTCCATCT TTAATGAAAA CTCCAAAAAT	7320
AAGGTTAATG CCAGGGCCGG GATTATTAGC TATGCCAACG ACTGTTGATG GCTGTGTTAG	7380
AACTCCGTCT TTAGTTATAA ATGATCTGAT TTATGCTTAT ACCTCAAATC TAATTACTCG	7440
AGGTTGTCAG GATATAGGAA AATCATATCA AGTCTTACAG ATAGGGATAA TAACTGTAAA	7500
CTCAGACTTG GTACCTGACT TAAATCCTAG GATCTCTCAT ACCTTTAACA TAAATGACAA	7560
TAGGAAGTCA TGTTCTCTAG CACTCCTAAA TACAGATGTA TATCAACTGT GTTCAACTCC	7620
CAAAGTTGAT GAAAGATCAG ATTATGCATC ATCAGGCATA GAAGATATTG TACTTGATAT	7680
TGTCAATTAT GATGGTTCAA TCTCAACAAC AAGATTTAAG AATAATAACA TAAGCTTTGA	7740
TCAACCATAT GCTGCACTAT ACCCATCTGT TGGACCAGGG ATATACTACA AAGGCAAAAT	7800
AATATTTCTC GGGTATGGAG GTCTTGAACA TCCAATAAAT GAGAATGTAA TCTGCAACAC	7860
AACTGGGTGC CCCGGGAAAA CACAGAGAGA CTGTAATCAA GCGTCTCATA GTCCATGGTT	7920
TTCAGATAGG AGGATGGTCA ACTCCATCAT TGTTGTTGAC AAAGGCTTAA ACTCAATTCC	7980
AAAATTGAAA GTATGGACGA TATCTATGCG ACAAATTAC TGGGGGTCAG AAGGAAGGTT	8040
ACTTCTACTA GGTAACAAGA TCTATATATA TACAAGATCT ACAAGTTGGC ATAGCAAGTT	8100
ACAATTAGGA ATAATTGATA TTA CTGATTA CAGTGATATA AGGATAAAAT GGACATGGCA	8160
TAATGTGCTA TCAAGACCAG GAAACAATGA ATGTCCATGG GGACATTCAT GTCCAGATGG	8220
ATGTATAACA GGAGTATATA CTGATGCATA TCCACTCAAT CCCACAGGGA GCATTGTGTC	8280
ATCTGTCATA TTAGACTCAC AAAAATCGAG AGTGAACCCA GTCATAACTT ACTCAACAGC	8340
AACCGAAAGA GTAAACGAGC TGGCCATCCT AAACAGAACA CTCTCAGCTG GATATACAAC	8400
AACAAGCTGC ATTACACACT ATAACAAAGG ATATTGTTTT CATATAGTAG AAATAAATCA	8460
TAAAAGCTTA AACACATTTC AACCCATGTT GTTCAAAACA GAGATTCCAA AAAGCTGCAG	8520

- 242 -

TTAATCATAA TTAACCATAA TATGCATCAA TCTATCTATA ATACAAGTAT ATGATAAGTA	8580
ATCAGCAATC AGACAATAGA CAAAAGGGAA ATATAAAAAA CTTAGGAGCA AAGCGTGCTC	8640
GGGAAATGGA CACTGAATCT AACAAATGGCA CTGTATCTGA CATACTCTAT CCTGAGTGTC	8700
ACCTTAACTC TCCTATCGTT AAAGGTAAAA TAGCACAATT ACACACTATT ATGAGTCTAC	8760
CTCAGCCTTA TGATATGGAT GACGACTCAA TACTAGTTAT CACTAGACAG AAAATAAAAC	8820
TTAATAAATT GGATAAAGA CAACGATCTA TTAGAAGATT AAAATTAATA TTAAGTAAAA	8880
AAGTGAATGA CTTAGGAAAA TACACATTTA TCAGATATCC AGAAATGTCA AAAGAAATGT	8940
TCAAATTATA TATACCTGGT ATTAACAGTA AAGTGACTGA ATTATTACTT AAAGCAGATA	9000
GAACATATAG TCAATGACT GATGGATTAA GAGATCTATG GATTAATGTG CTATCAAAAT	9060
TAGCCTCAAA AAATGATGGA AGCAATTATG ATCTTAATGA AGAAATTAAT AATATATCGA	9120
AAGTTCACAC AACCTATAAA TCAGATAAAT GGTATAATCC ATTCAAAACA TGGTTTACTA	9180
TCAAGTATGA TATGAGAAGA TTACAAAAAG CTCGAAATGA GATCACTTTT AATGTTGGGA	9240
AGGATTATAA CTTGTTAGAA GACCAGAAGA ATTTCTTATT GATACATCCA GAATTGGTTT	9300
TGATATTAGA TAAACAAAAC TATAATGGTT ATCTAATTAC TCCTGAATTA GTATTGATGT	9360
ATTGTGACGT AGTCGAAGGC CGATGGAATA TAAGTGCATG TGCTAAGTTA GATCCAAAAT	9420
TACAATCTAT GTATCAGAAA GGTAATAACC TGTGGGAAGT GATAGATAAA TTGTTTCCAA	9480
TTATGGGAGA AAAGACATTT GATGTGATAT CGTTATTAGA ACCACTTGCA TTATCCTTAA	9540
TTCAAACCTCA TGATCCTGTT AAACAACATA GAGGAGCTTT TTTAAATCAT GTGTTATCCG	9600
AGATGGAATT AATATTTGAA TCTAGAGAAT CGATTAAGGA ATTTCTGAGT GTAGATTACA	9660
TTGATAAAAT TTAGATATA TTTAATAAGT CTACAATAGA TGAAATAGCA GAGATTTTCT	9720
CTTTTTTTAG AACATTTGGG CATCCTCCAT TAGAAGCTAG TATTGCAGCA GAAAAGGTTA	9780
GAAAATATAT GTATATTGGA AAACAATTAA AATTGACAC TATTAATAAA TGTCATGCTA	9840
TCTTCTGTAC AATAATAATT AACGGATATA GAGAGAGGCA TGGTGGACAG TGGCCTCCTG	9900
TGACATTACC TGATCATGCA CACGAATTCA TCATAAATGC TTACGGTTCA AACTCTGCGA	9960
TATCATATGA AAATGCTGTT GATTATTACC AGAGCTTTAT AGGAATAAAA TTCAATAAAT	10020
TCATAGAGCC TCAGTTAGAT GAGGATTTGA CAATTTATAT GAAAGATAAA GCATTATCTC	10080

- 243 -

CAAAAAATC	AAATTGGGAC	ACAGTTTATC	CTGCATCTAA	TTTACTGTAC	CGTACTAACG	10140
CATCCAACGA	ATCACGAAGA	TTAGTTGAAG	TATTTATAGC	AGATAGTAAA	TTTGATCCTC	10200
ATCAGATATT	GGATTATGTA	GAATCTGGGG	ACTGGTTAGA	TGATCCAGAA	TTTAATATTT	10260
CTTATAGTCT	TAAAGAAAAA	GAGATCAAAC	AGGAAGGTAG	ACTCTTTGCA	AAAATGACAT	10320
ACAAAATGAG	AGCTACACAA	GTTTTATCAG	AGACACTACT	TGCAAATAAC	ATAGGAAAAAT	10380
TCTTTCAAGA	AAATGGGATG	GTGAAGGGAG	AGATTGAATT	ACTTAAGAGA	TTAACAACCA	10440
TATCAATATC	AGGAGTTCCA	CGGTATAATG	AAGTGACAA	TAATTCTAAA	AGCCATACAG	10500
ATGACCTTAA	AACCTACAAT	AAAATAAGTA	ATCTTAATTT	GTCTTCTAAT	CAGAAATCAA	10560
AGAAATTTGA	ATTCAAGTCA	ACGGATATCT	ACAATGATGG	ATACGAGACT	GTGAGCTGTT	10620
TCCTAACAAAC	AGATCTCAAA	AAATACTGTC	TTAATTGGAG	ATATGAATCA	ACAGCTCTAT	10680
TTGGAGAAAC	TTGCAACCAA	ATATTTGGAT	TAAATAAAAT	GTTTAATTGG	TTACACCCTC	10740
GTCTTGAAGG	AAGTACAATC	TATGTAGGTG	ATCCTTACTG	TCCTCCATCA	GATAAAGAAC	10800
ATATATCATT	AGAGGATCAC	CCTGATTCTG	GTTTTTACGT	TCATAACCCA	AGAGGGGGTA	10860
TAGAAGGATT	TTGTCAAAAA	TTATGGACAC	TCATATCTAT	AAGTGCAATA	CATCTAGCAG	10920
CTGTTAGAAT	AGGCGTGAGG	GTGACTGCAA	TGGTTCAAGG	AGACAAATCA	GCTATAGCTG	10980
TAACCACAAG	AGTACCCAAC	AATTATGACT	ACAGAGTTAA	GAAGGAGATA	GTTTATAAAG	11040
ATGTAGTGAG	ATTTTTTGAT	TCATTAAGAG	AAGTGATGGA	TGATCTAGGT	CATGAACCTA	11100
AATTAAATGA	AACGATTATA	AGTAGCAAGA	TGTTCAATATA	TAGCAAAAGA	ATCTATTATG	11160
ATGGGAGAAT	TCTTCCTCAA	GCTCTAAAAG	CATTATCTAG	ATGTGTCTTC	TGGTCAGAGA	11220
CAGTAATAGA	CGAAACAAGA	TCAGCATCTT	CAAATTTGGC	AACATCATTT	GCAAAAGCAA	11280
TTGAGAATGG	TTATTCACCT	GTTCTAGGAT	ATGCATGCTC	AATTTTAAAG	AACATTCAAC	11340
AACTATATAT	TGCCCTTGGG	ATGAATATCA	ATCCAACAT	AACACAGAAT	ATCAGAGATC	11400
AGTATTTTAG	GAATCCAAAT	TGGATGCAAT	ATGCCTCTTT	AATACCTGCT	AGTGTGGGGG	11460
GATTCAATTA	CATGGCCATG	TCAAGATGTT	TTGTAAGGAA	TATTGGTGAT	CCATCAGTTG	11520
CCGCATTGGC	TGATATTAAA	AGATTTATTA	AGGCGAATCT	ATTAGACCGA	AGTGTCTTTT	11580
ATAGGATTAT	GAATCAAGAA	CCAGGTGAGT	CATCTTTTTT	GGACTGGGCT	TCAGATCCAT	11640

- 244 -

ATTCATGCAA	TTTACCACAA	TCTCAAATA	TAACCACCAT	GATAAAAAAT	ATAACAGCAA	11700
GGAATGTATT	ACAAGATTCA	CCAAATCCAT	TATTATCTGG	ATTATTCACA	AATACAATGA	11760
TAGAAGAAGA	TGAAGAATTA	GCTGAGTTCC	TGATGGACAG	GAAGGTAATT	CTCCCTAGAG	11820
TTGCACATGA	TATTCTAGAT	AATTCTCTCA	CAGGAATTAG	AAATGCCATA	GCTGGAATGT	11880
TAGATACGAC	AAAATCACTA	ATTCGGGTTG	GCATAAATAG	AGGAGGACTG	ACATATAGTT	11940
TGTTGAGGAA	AATCAGTAAT	TACGATCTAG	TACAATATGA	AACACTAAGT	AGGACTTTGC	12000
GACTAATTGT	AAGTGATAAA	ATCAAGTATG	AAGATATGTG	TTCGGTAGAC	CTTGCCATAG	12060
CATTGCGACA	AAAGATGTGG	ATTCATTTAT	CAGGAGGAAG	GATGATAAGT	GGACTTGAAA	12120
CGCCTGACCC	ATTAGAATTA	CTATCTGGGG	TAGTAATAAC	AGGATCAGAA	CATTGTAAAA	12180
TATGTTATTC	TTCAGATGGC	ACAAACCCAT	ATACTTGGAT	GTATTTACCC	GGTAATATCA	12240
AAATAGGATC	AGCAGAAACA	GGTATATCGT	CATTAAGAGT	TCCTTATTTT	GGATCAGTCA	12300
CTGATGAAAG	ATCTGAAGCA	CAATTAGGAT	ATATCAAGAA	TCTTAGTAAA	CCTGCAAAAG	12360
CCGCAATAAG	AATAGCAATG	ATATATACAT	GGGCATTTGG	TAATGATGAG	ATATCTTGGA	12420
TGGAAGCCTC	ACAGATAGCA	CAAACACGTG	CAAATTTTAC	ACTAGATAGT	CTCAAAATTT	12480
TAACACCGGT	AGCTACATCA	ACAAATTTAT	CACACAGATT	AAAGGATACT	GCAACTCAGA	12540
TGAAATTCTC	CAGTACATCA	TTGATCAGAG	TCAGCAGATT	CATAACAATG	TCCAATGATA	12600
ACATGTCTAT	CAAAGAAGCT	AATGAAACCA	AAGATACTAA	TCTTATTTAT	CAACAAATAA	12660
TGTTAACAGG	ATTAAGTGTT	TTCGAATATT	TATTTAGATT	AAAAGAAACC	ACAGGACACA	12720
ACCCTATAGT	TATGCATCTG	CACATAGAAG	ATGAGTGTTG	TATTAAAGAA	AGTTTTAATG	12780
ATGAACATAT	TAATCCAGAG	TCTACATTAG	AATTAATTCG	ATATCCTGAA	AGTAATGAAT	12840
TTATTTATGA	TAAAGACCCA	CTCAAAGATG	TGGACTTATC	AAAAC TTATG	GTTATTAAAG	12900
ACCATTCTTA	CACAATTGAT	ATGAATTATT	GGGATGATAC	TGACATCATA	CATGCAATTT	12960
CAATATGTAC	TGCAATTACA	ATAGCAGATA	CTATGTCACA	ATTAGATCGA	GATAATTTAA	13020
AAGAGATAAT	AGTTATTGCA	AATGATGATG	ATATTAATAG	CTTAATCACT	GAATTTTTGA	13080
CTCTTGACAT	ACTTGATTTT	CTCAAGACAT	TTGGTGGATT	ATTAGTAAAT	CAATTTGCAT	13140
ACACTCTTTA	TAGTCTAAAA	ATAGAAGGTA	GGGATCTCAT	TTGGGATTAT	ATAATGAGAA	13200

- 245 -

CACTGAGAGA	TACTTCCCAT	TCAATATTAA	AAGTATTATC	TAATGCATTA	TCTCATCCTA	13260
AAGTATTCAA	GAGGTTCTGG	GATTGTGGAG	TTTTAAACCC	TATTTATGGT	CCTAATACTG	13320
CTAGTCAAGA	CCAGATAAAA	CTTGCCCTAT	CTATATGTGA	ATATTCACCTA	GATCTATTTA	13380
TGAGAGAATG	GTTGAATGGT	GTATCACTTG	AAATATACAT	TTGTGACAGC	GATATGGAAG	13440
TTGCAAATGA	TAGGAAACAA	GCCTTTATTT	CTAGACACCT	TTCATTTGTT	TGTTGTTTAG	13500
CAGAAATTGC	ATCTTTCGGA	CCTAACCTGT	TAACTTAAC	ATACTTGGAG	AGACTTGATC	13560
TATTGAAACA	ATATCTTGAA	TAAATATTA	AAGAAGACCC	TACTCTTAA	TATGTACAAA	13620
TATCTGGATT	ATTAATTAAA	TCGTTCCCAT	CAACTGTAAC	ATACGTAAGA	AAGACTGCAA	13680
TCAAATATCT	AAGGATTCGC	GGTATTAGTC	CACCTGAGGT	AATTGATGAT	TGGGATCCGG	13740
TAGAAGATGA	AAATATGCTG	GATAACATTG	TCAAACTAT	AAATGATAAC	TGTAATAAAG	13800
ATAATAAAGG	GAATAAAATT	AACAATTTCT	GGGGACTAGC	ACTTAAGAAC	TATCAAGTCC	13860
TTAAAATCAG	ATCTATAACA	AGTGATTCTG	ATGATAATGA	TAGACTAGAT	GCTAATACAA	13920
GTGGTTTGAC	ACTTCCTCAA	GGAGGGAATT	ATCTATCGCA	TCAATTGAGA	TTATTCGGAA	13980
TCAACAGCAC	TAGTTGTCTG	AAAGCTCTTG	AGTTATCACA	AATTTTAATG	AAGGAAGTCA	14040
ATAAAGACAA	GGACAGGCTC	TTCCTGGGAG	AAGGAGCAGG	AGCTATGCTA	GCATGTTATG	14100
ATGCCACATT	AGGACCTGCA	GTTAATTATT	ATAATTCAGG	TTTGAATATA	ACAGATGTAA	14160
TTGGTCAACG	AGAATTGAAA	ATATTTCTTT	CAGAGGTATC	ATTAGTAGGT	AAAAAATTAG	14220
GAAATGTGAC	ACAGATTCTT	AACAGGGTAA	AAGTACTGTT	CAATGGGAAT	CCTAATTCAA	14280
CATGGATAGG	AAATATGGAA	TGTGAGAGCT	TAATATGGAG	TGAATTAAAT	GATAAGTCCA	14340
TTGGATTAGT	ACATTGTGAT	ATGGAAGGAG	CTATCGGTAA	ATCAGAAGAA	ACTGTTCTAC	14400
ATGAACATTA	TAGTGTTATA	AGAATTACAT	ACTTGATTGG	GGATGATGAT	GTTGTTTTAG	14460
TTTCCAAAAT	TATACCTACA	ATCACTCCGA	ATTGGTCTAG	AATACTTTAT	CTATATAAAT	14520
TATATTGGAA	AGATGTAAGT	ATAATATCAC	TCAAACTTC	TAATCCTGCA	TCAACAGAAT	14580
TATATCTAAT	TTCGAAAGAT	GCATATTGTA	CTATAATGGA	ACCTAGTGAA	ATTGTTTTAT	14640
CAAACTTAA	AAGATTGTCA	CTCTTGGAAG	AAAATAATCT	ATTAAAATGG	ATCATTTTAT	14700
CAAAGAAGAG	GAATAATGAA	TGGTTACATC	ATGAAATCAA	AGAAGGAGAA	AGAGATTATG	14760

- 246 -

GAATCATGAG ACCATATCAT ATGGCACTAC AAATCTTTGG ATTTCAAATC AATTTAAATC 14820
 ATCTGGCGAA AGAATTTTTA TCAACCCAG ATCTGACTAA TATCAACAAT ATAATCCAAA 14880
 GTTTTCAGCG AACAAATAAG GATGTTTTAT TTGAATGGAT TAATATAACT CATGATGATA 14940
 AGAGACATAA ATTAGGCGGA AGATATAACA TATTCCTACT GAAAAATAAG GGAAAGTTAA 15000
 GACTGCTATC GAGAAGACTA GTATTAAGTT GGATTTTATT ATCATTATCG ACTCGATTAC 15060
 TTACAGGTCG CTTTCCTGAT GAAAAATTG AACATAGAGC ACAGACTGGA TATGTATCAT 15120
 TAGCTGATAC TGATTTAGAA TCATTAAAGT TATTGTCGAA AAACATCATT AAGAATTACA 15180
 GAGAGTGTAT AGGATCAATA TCATATTGGT TTCTAACCAA AGAAGTTAAA ATACTTATGA 15240
 AATTGATTGG TGGTGCTAAA TTATTAGGAA TTCCAGACA ATATAAGAA CCCGAAGACC 15300
 AGTTATTAGA AACTACAAT CAACATGATG AATTGATAT CGATTAAAC ATAAATACAA 15360
 TGAAGATATA TCCTAACCTT TATCTTTAAG CCTAGGAATA GACAAAAAGT AAGAAAAACA 15420
 TGTAATATAT ATATACCAA CAGAGTTCTT CTCTGTTTGT GT 15462

(2) INFORMATION FOR SEQ ID NO:18:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 2233 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:18:

Met Asp Thr Glu Ser Asn Asn Gly Thr Val Ser Asp Ile Leu Tyr Pro
 1 5 10 15
 Glu Cys His Leu Asn Ser Pro Ile Val Lys Gly Lys Ile Ala Gln Leu
 20 25 30
 His Thr Ile Met Ser Leu Pro Gln Pro Tyr Asp Met Asp Asp Asp Ser
 35 40 45
 Ile Leu Val Ile Thr Arg Gln Lys Ile Lys Leu Asn Lys Leu Asp Lys
 50 55 60

- 247 -

Arg Gln Arg Ser Ile Arg Arg Leu Lys Leu Ile Leu Thr Glu Lys Val
 65 70 75 80
 Asn Asp Leu Gly Lys Tyr Thr Phe Ile Arg Tyr Pro Glu Met Ser Lys
 85 90 95
 Glu Met Phe Lys Leu Tyr Ile Pro Gly Ile Asn Ser Lys Val Thr Glu
 100 105 110
 Leu Leu Leu Lys Ala Asp Arg Thr Tyr Ser Gln Met Thr Asp Gly Leu
 115 120 125
 Arg Asp Leu Trp Ile Asn Val Leu Ser Lys Leu Ala Ser Lys Asn Asp
 130 135 140
 Gly Ser Asn Tyr Asp Leu Asn Glu Glu Ile Asn Asn Ile Ser Lys Val
 145 150 155 160
 His Thr Thr Tyr Lys Ser Asp Lys Trp Tyr Asn Pro Phe Lys Thr Trp
 165 170 175
 Phe Thr Ile Lys Tyr Asp Met Arg Arg Leu Gln Lys Ala Arg Asn Glu
 180 185 190
 Ile Thr Phe Asn Val Gly Lys Asp Tyr Asn Leu Leu Glu Asp Gln Lys
 195 200 205
 Asn Phe Leu Leu Ile His Pro Glu Leu Val Leu Ile Leu Asp Lys Gln
 210 215 220
 Asn Tyr Asn Gly Tyr Leu Ile Thr Pro Glu Leu Val Leu Met Tyr Cys
 225 230 235 240
 Asp Val Val Glu Gly Arg Trp Asn Ile Ser Ala Cys Ala Lys Leu Asp
 245 250 255
 Pro Lys Leu Gln Ser Met Tyr Gln Lys Gly Asn Asn Leu Trp Glu Val
 260 265 270
 Ile Asp Lys Leu Phe Pro Ile Met Gly Glu Lys Thr Phe Asp Val Ile
 275 280 285
 Ser Leu Leu Glu Pro Leu Ala Leu Ser Leu Ile Gln Thr His Asp Pro
 290 295 300
 Val Lys Gln Leu Arg Gly Ala Phe Leu Asn His Val Leu Ser Glu Met
 305 310 315 320
 Glu Leu Ile Phe Glu Ser Arg Glu Ser Ile Lys Glu Phe Leu Ser Val
 325 330 335
 Asp Tyr Ile Asp Lys Ile Leu Asp Ile Phe Asn Lys Ser Thr Ile Asp

- 248 -

340	345	350
Glu Ile Ala Glu Ile Phe Ser Phe Phe Arg Thr Phe Gly His Pro Pro		
355	360	365
Leu Glu Ala Ser Ile Ala Ala Glu Lys Val Arg Lys Tyr Met Tyr Ile		
370	375	380
Gly Lys Gln Leu Lys Phe Asp Thr Ile Asn Lys Cys His Ala Ile Phe		
385	390	395
Cys Thr Ile Ile Ile Asn Gly Tyr Arg Glu Arg His Gly Gly Gln Trp		
405	410	415
Pro Pro Val Thr Leu Pro Asp His Ala His Glu Phe Ile Ile Asn Ala		
420	425	430
Tyr Gly Ser Asn Ser Ala Ile Ser Tyr Glu Asn Ala Val Asp Tyr Tyr		
435	440	445
Gln Ser Phe Ile Gly Ile Lys Phe Asn Lys Phe Ile Glu Pro Gln Leu		
450	455	460
Asp Glu Asp Leu Thr Ile Tyr Met Lys Asp Lys Ala Leu Ser Pro Lys		
465	470	475
Lys Ser Asn Trp Asp Thr Val Tyr Pro Ala Ser Asn Leu Leu Tyr Arg		
485	490	495
Thr Asn Ala Ser Asn Glu Ser Arg Arg Leu Val Glu Val Phe Ile Ala		
500	505	510
Asp Ser Lys Phe Asp Pro His Gln Ile Leu Asp Tyr Val Glu Ser Gly		
515	520	525
Asp Trp Leu Asp Asp Pro Glu Phe Asn Ile Ser Tyr Ser Leu Lys Glu		
530	535	540
Lys Glu Ile Lys Gln Glu Gly Arg Leu Phe Ala Lys Met Thr Tyr Lys		
545	550	555
Met Arg Ala Thr Gln Val Leu Ser Glu Thr Leu Leu Ala Asn Asn Ile		
565	570	575
Gly Lys Phe Phe Gln Glu Asn Gly Met Val Lys Gly Glu Ile Glu Leu		
580	585	590
Leu Lys Arg Leu Thr Thr Ile Ser Ile Ser Gly Val Pro Arg Tyr Asn		
595	600	605
Glu Val Tyr Asn Asn Ser Lys Ser His Thr Asp Asp Leu Lys Thr Tyr		
610	615	620

- 249 -

Asn Lys Ile Ser Asn Leu Asn Leu Ser Ser Asn Gln Lys Ser Lys Lys
 625 630 635 640
 Phe Glu Phe Lys Ser Thr Asp Ile Tyr Asn Asp Gly Tyr Glu Thr Val
 645 650 655
 Ser Cys Phe Leu Thr Thr Asp Leu Lys Lys Tyr Cys Leu Asn Trp Arg
 660 665 670
 Tyr Glu Ser Thr Ala Leu Phe Gly Glu Thr Cys Asn Gln Ile Phe Gly
 675 680 685
 Leu Asn Lys Leu Phe Asn Trp Leu His Pro Arg Leu Glu Gly Ser Thr
 690 695 700
 Ile Tyr Val Gly Asp Pro Tyr Cys Pro Pro Ser Asp Lys Glu His Ile
 705 710 715 720
 Ser Leu Glu Asp His Pro Asp Ser Gly Phe Tyr Val His Asn Pro Arg
 725 730 735
 Gly Gly Ile Glu Gly Phe Cys Gln Lys Leu Trp Thr Leu Ile Ser Ile
 740 745 750
 Ser Ala Ile His Leu Ala Ala Val Arg Ile Gly Val Arg Val Thr Ala
 755 760 765
 Met Val Gln Gly Asp Asn Gln Ala Ile Ala Val Thr Thr Arg Val Pro
 770 775 780
 Asn Asn Tyr Asp Tyr Arg Val Lys Lys Glu Ile Val Tyr Lys Asp Val
 785 790 795 800
 Val Arg Phe Phe Asp Ser Leu Arg Glu Val Met Asp Asp Leu Gly His
 805 810 815
 Glu Leu Lys Leu Asn Glu Thr Ile Ile Ser Ser Lys Met Phe Ile Tyr
 820 825 830
 Ser Lys Arg Ile Tyr Tyr Asp Gly Arg Ile Leu Pro Gln Ala Leu Lys
 835 840 845
 Ala Leu Ser Arg Cys Val Phe Trp Ser Glu Thr Val Ile Asp Glu Thr
 850 855 860
 Arg Ser Ala Ser Ser Asn Leu Ala Thr Ser Phe Ala Lys Ala Ile Glu
 865 870 875 880
 Asn Gly Tyr Ser Pro Val Leu Gly Tyr Ala Cys Ser Ile Phe Lys Asn
 885 890 895

- 250 -

Ile Gln Gln Leu Tyr Ile Ala Leu Gly Met Asn Ile Asn Pro Thr Ile
 900 905 910
 Thr Gln Asn Ile Arg Asp Gln Tyr Phe Arg Asn Pro Asn Trp Met Gln
 915 920 925
 Tyr Ala Ser Leu Ile Pro Ala Ser Val Gly Gly Phe Asn Tyr Met Ala
 930 935 940
 Met Ser Arg Cys Phe Val Arg Asn Ile Gly Asp Pro Ser Val Ala Ala
 945 950 955 960
 Leu Ala Asp Ile Lys Arg Phe Ile Lys Ala Asn Leu Leu Asp Arg Ser
 965 970 975
 Val Leu Tyr Arg Ile Met Asn Gln Glu Pro Gly Glu Ser Ser Phe Leu
 980 985 990
 Asp Trp Ala Ser Asp Pro Tyr Ser Cys Asn Leu Pro Gln Ser Gln Asn
 995 1000 1005
 Ile Thr Thr Met Ile Lys Asn Ile Thr Ala Arg Asn Val Leu Gln Asp
 1010 1015 1020
 Ser Pro Asn Pro Leu Leu Ser Gly Leu Phe Thr Asn Thr Met Ile Glu
 1025 1030 1035 1040
 Glu Asp Glu Glu Leu Ala Glu Phe Leu Met Asp Arg Lys Val Ile Leu
 1045 1050 1055
 Pro Arg Val Ala His Asp Ile Leu Asp Asn Ser Leu Thr Gly Ile Arg
 1060 1065 1070
 Asn Ala Ile Ala Gly Met Leu Asp Thr Thr Lys Ser Leu Ile Arg Val
 1075 1080 1085
 Gly Ile Asn Arg Gly Gly Leu Thr Tyr Ser Leu Leu Arg Lys Ile Ser
 1090 1095 1100
 Asn Tyr Asp Leu Val Gln Tyr Glu Thr Leu Ser Arg Thr Leu Arg Leu
 1105 1110 1115 1120
 Ile Val Ser Asp Lys Ile Lys Tyr Glu Asp Met Cys Ser Val Asp Leu
 1125 1130 1135
 Ala Ile Ala Leu Arg Gln Lys Met Trp Ile His Leu Ser Gly Gly Arg
 1140 1145 1150
 Met Ile Ser Gly Leu Glu Thr Pro Asp Pro Leu Glu Leu Leu Ser Gly
 1155 1160 1165
 Val Val Ile Thr Gly Ser Glu His Cys Lys Ile Cys Tyr Ser Ser Asp

- 251 -

1170	1175	1180
Gly Thr Asn Pro Tyr Thr Trp Met Tyr Leu Pro Gly Asn Ile Lys Ile 1185	1190	1195 1200
Gly Ser Ala Glu Thr Gly Ile Ser Ser Leu Arg Val Pro Tyr Phe Gly 1205	1210	1215
Ser Val Thr Asp Glu Arg Ser Glu Ala Gln Leu Gly Tyr Ile Lys Asn 1220	1225	1230
Leu Ser Lys Pro Ala Lys Ala Ala Ile Arg Ile Ala Met Ile Tyr Thr 1235	1240	1245
Trp Ala Phe Gly Asn Asp Glu Ile Ser Trp Met Glu Ala Ser Gln Ile 1250	1255	1260
Ala Gln Thr Arg Ala Asn Phe Thr Leu Asp Ser Leu Lys Ile Leu Thr 1265	1270	1275 1280
Pro Val Ala Thr Ser Thr Asn Leu Ser His Arg Leu Lys Asp Thr Ala 1285	1290	1295
Thr Gln Met Lys Phe Ser Ser Thr Ser Leu Ile Arg Val Ser Arg Phe 1300	1305	1310
Ile Thr Met Ser Asn Asp Asn Met Ser Ile Lys Glu Ala Asn Glu Thr 1315	1320	1325
Lys Asp Thr Asn Leu Ile Tyr Gln Gln Ile Met Leu Thr Gly Leu Ser 1330	1335	1340
Val Phe Glu Tyr Leu Phe Arg Leu Lys Glu Thr Thr Gly His Asn Pro 1345	1350	1355 1360
Ile Val Met His Leu His Ile Glu Asp Glu Cys Cys Ile Lys Glu Ser 1365	1370	1375
Phe Asn Asp Glu His Ile Asn Pro Glu Ser Thr Leu Glu Leu Ile Arg 1380	1385	1390
Tyr Pro Glu Ser Asn Glu Phe Ile Tyr Asp Lys Asp Pro Leu Lys Asp 1395	1400	1405
Val Asp Leu Ser Lys Leu Met Val Ile Lys Asp His Ser Tyr Thr Ile 1410	1415	1420
Asp Met Asn Tyr Trp Asp Asp Thr Asp Ile Ile His Ala Ile Ser Ile 1425	1430	1435 1440
Cys Thr Ala Ile Thr Ile Ala Asp Thr Met Ser Gln Leu Asp Arg Asp 1445	1450	1455

- 252 -

Asn Leu Lys Glu Ile Ile Val Ile Ala Asn Asp Asp Asp Ile Asn Ser
 1460 1465 1470
 Leu Ile Thr Glu Phe Leu Thr Leu Asp Ile Leu Val Phe Leu Lys Thr
 1475 1480 1485
 Phe Gly Gly Leu Leu Val Asn Gln Phe Ala Tyr Thr Leu Tyr Ser Leu
 1490 1495 1500
 Lys Ile Glu Gly Arg Asp Leu Ile Trp Asp Tyr Ile Met Arg Thr Leu
 1505 1510 1515 1520
 Arg Asp Thr Ser His Ser Ile Leu Lys Val Leu Ser Asn Ala Leu Ser
 1525 1530 1535
 His Pro Lys Val Phe Lys Arg Phe Trp Asp Cys Gly Val Leu Asn Pro
 1540 1545 1550
 Ile Tyr Gly Pro Asn Thr Ala Ser Gln Asp Gln Ile Lys Leu Ala Leu
 1555 1560 1565
 Ser Ile Cys Glu Tyr Ser Leu Asp Leu Phe Met Arg Glu Trp Leu Asn
 1570 1575 1580
 Gly Val Ser Leu Glu Ile Tyr Ile Cys Asp Ser Asp Met Glu Val Ala
 1585 1590 1595 1600
 Asn Asp Arg Lys Gln Ala Phe Ile Ser Arg His Leu Ser Phe Val Cys
 1605 1610 1615
 Cys Leu Ala Glu Ile Ala Ser Phe Gly Pro Asn Leu Leu Asn Leu Thr
 1620 1625 1630
 Tyr Leu Glu Arg Leu Asp Leu Leu Lys Gln Tyr Leu Glu Leu Asn Ile
 1635 1640 1645
 Lys Glu Asp Pro Thr Leu Lys Tyr Val Gln Ile Ser Gly Leu Leu Ile
 1650 1655 1660
 Lys Ser Phe Pro Ser Thr Val Thr Tyr Val Arg Lys Thr Ala Ile Lys
 1665 1670 1675 1680
 Tyr Leu Arg Ile Arg Gly Ile Ser Pro Pro Glu Val Ile Asp Asp Trp
 1685 1690 1695
 Asp Pro Val Glu Asp Glu Asn Met Leu Asp Asn Ile Val Lys Thr Ile
 1700 1705 1710
 Asn Asp Asn Cys Asn Lys Asp Asn Lys Gly Asn Lys Ile Asn Asn Phe
 1715 1720 1725

- 253 -

Trp Gly Leu Ala Leu Lys Asn Tyr Gln Val Leu Lys Ile Arg Ser Ile
 1730 1735 1740
 Thr Ser Asp Ser Asp Asp Asn Asp Arg Leu Asp Ala Asn Thr Ser Gly
 1745 1750 1755 1760
 Leu Thr Leu Pro Gln Gly Gly Asn Tyr Leu Ser His Gln Leu Arg Leu
 1765 1770 1775
 Phe Gly Ile Asn Ser Thr Ser Cys Leu Lys Ala Leu Glu Leu Ser Gln
 1780 1785 1790
 Ile Leu Met Lys Glu Val Asn Lys Asp Lys Asp Arg Leu Phe Leu Gly
 1795 1800 1805
 Glu Gly Ala Gly Ala Met Leu Ala Cys Tyr Asp Ala Thr Leu Gly Pro
 1810 1815 1820
 Ala Val Asn Tyr Tyr Asn Ser Gly Leu Asn Ile Thr Asp Val Ile Gly
 1825 1830 1835 1840
 Gln Arg Glu Leu Lys Ile Phe Pro Ser Glu Val Ser Leu Val Gly Lys
 1845 1850 1855
 Lys Leu Gly Asn Val Thr Gln Ile Leu Asn Arg Val Lys Val Leu Phe
 1860 1865 1870
 Asn Gly Asn Pro Asn Ser Thr Trp Ile Gly Asn Met Glu Cys Glu Ser
 1875 1880 1885
 Leu Ile Trp Ser Glu Leu Asn Asp Lys Ser Ile Gly Leu Val His Cys
 1890 1895 1900
 Asp Met Glu Gly Ala Ile Gly Lys Ser Glu Glu Thr Val Leu His Glu
 1905 1910 1915 1920
 His Tyr Ser Val Ile Arg Ile Thr Tyr Leu Ile Gly Asp Asp Asp Val
 1925 1930 1935
 Val Leu Val Ser Lys Ile Ile Pro Thr Ile Thr Pro Asn Trp Ser Arg
 1940 1945 1950
 Ile Leu Tyr Leu Tyr Lys Leu Tyr Trp Lys Asp Val Ser Ile Ile Ser
 1955 1960 1965
 Leu Lys Thr Ser Asn Pro Ala Ser Thr Glu Leu Tyr Leu Ile Ser Lys
 1970 1975 1980
 Asp Ala Tyr Cys Thr Ile Met Glu Pro Ser Glu Ile Val Leu Ser Lys
 1985 1990 1995 2000
 Leu Lys Arg Leu Ser Leu Leu Glu Glu Asn Asn Leu Leu Lys Trp Ile

- 254 -

2005	2010	2015
Ile Leu Ser Lys Lys Arg Asn Asn Glu Trp Leu His His Glu Ile Lys 2020 2025 2030		
Glu Gly Glu Arg Asp Tyr Gly Ile Met Arg Pro Tyr His Met Ala Leu 2035 2040 2045		
Gln Ile Phe Gly Phe Gln Ile Asn Leu Asn His Leu Ala Lys Glu Phe 2050 2055 2060		
Leu Ser Thr Pro Asp Leu Thr Asn Ile Asn Asn Ile Ile Gln Ser Phe 2065 2070 2075 2080		
Gln Arg Thr Ile Lys Asp Val Leu Phe Glu Trp Ile Asn Ile Thr His 2085 2090 2095		
Asp Asp Lys Arg His Lys Leu Gly Gly Arg Tyr Asn Ile Phe Pro Leu 2100 2105 2110		
Lys Asn Lys Gly Lys Leu Arg Leu Leu Ser Arg Arg Leu Val Leu Ser 2115 2120 2125		
Trp Ile Ser Leu Ser Leu Ser Thr Arg Leu Leu Thr Gly Arg Phe Pro 2130 2135 2140		
Asp Glu Lys Phe Glu His Arg Ala Gln Thr Gly Tyr Val Ser Leu Ala 2145 2150 2155 2160		
Asp Thr Asp Leu Glu Ser Leu Lys Leu Leu Ser Lys Asn Ile Ile Lys 2165 2170 2175		
Asn Tyr Arg Glu Cys Ile Gly Ser Ile Ser Tyr Trp Phe Leu Thr Lys 2180 2185 2190		
Glu Val Lys Ile Leu Met Lys Leu Ile Gly Gly Ala Lys Leu Leu Gly 2195 2200 2205		
Ile Pro Arg Gln Tyr Lys Glu Pro Glu Asp Gln Leu Leu Glu Asn Tyr 2210 2215 2220		
Asn Gln His Asp Glu Phe Asp Ile Asp 2225 2230		

(2) INFORMATION FOR SEQ ID NO:19:

(1) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 15462 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

- 255 -

(ii) MOLECULE TYPE: RNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:19:

ACCAAACAAG AGAAGAACT TGCTTGGTAA TATAAATTTA ACTTAAAATT AACTTAGGAT	60
TTAAGACATT GACTAGAAGG TCAAGAAAAG GGAACCTCTAT AATTTCAAAA ATGTTGAGCC	120
TATTTGATAC ATTTAATGCA CGTAGGCAAG AAAACATAAC AAAATCAGCC GGTGGAGCTA	180
TCATTCTTGG ACAGAAAAAT ACTGTCTCTA TATTCGCCCT TGGACCGACA ATAACTGATG	240
ATAATGAGAA AATGACATTA GCTCTTCTAT TTCTATCTCA TCACTAGAT AATGAGAAAC	300
AACATGCACA AAGGGCAGGG TTCTTGGTGT CTTTATTGTC AATGGCTTAT GCCAATCCAG	360
AGCTCTACCT AACACAAAAT GGAAGTAATG CAGATGCCAA GTATGTCATA TACATGATTG	420
AGAAAGATCT AAAACGGCAA AAGTATGGAG GATTTGTGGT TAAGACGAGA GAGATGATAT	480
ATGAAAAGAC AACTGATTGG ATATTTGGAA GTGACCTGGA TTATGATCAG GAACTATGT	540
TGCAGAACGG CAGGAACAAT TCAACAATTG AAGACCTTGT CCACACATTT GGGTATCCAT	600
CATGTTTAGG AGCTCTTATA ATACAGATCT GGATAGTTCT GGTCAAAGCT ATCACTAGTA	660
TCTCAGGGTT AAGAAAAGGC TTTTTCACCC GATTGGAAGC TTTCAGACAA GATGGAACAG	720
TGCAGGCAGG GCTGGTATTG AGCGGTGACA CAGTGGATCA GATTGGGTCA ATCATGCGGT	780
CTCAACAGAG CTTGGTAACT CTTATGGTTG AAACATTAAT AACAATGAAT ACCAGCAGAA	840
ATGACCTCAC AACCATAGAA AAGAATATAC AAATTGTTGG CAACTACATA AGAGATGCAG	900
GTCTCGCTTC ATTCTTCAAT ACAATCAGAT ATGGAATTGA GACCAGAATG GCAGCTTTGA	960
CTCTATCCAC TCTCAGACCA GATATCAATA GATTAAAAGC TTTGATGGAA CTGTATTTAT	1020
CAAAGGGACC ACGCGCTCCT TTCATCTGTA TCCTCAGAGA TCCTATACAT GGTGAGTTCG	1080
CACCAGGCAA CTATCCTGCC ATATGGAGCT ATGCAATGGG GGTGGCAGTT GTACAAAATA	1140
GAGCCATGCA ACAGTATGTG ACGGGAAGAT CATATCTAGA CATTGATATG TTCCAGCTAG	1200
GACAAGCAGT AGCACGTGAT GCCGAAGCTC AAATGAGCTC AACACTGGAA GATGAACTTG	1260
GAGTGACACA CGAAGCTAAA GAAAGCTTGA AGAGACATAT AAGGAACATA AACAGTTCAG	1320
AGACATCTTT CCACAAACCG ACAGGTGGAT CAGCCATAGA GATGGCAATA GATGAAGAGC	1380

- 256 -

CAGAACAATT CGAACATAGA GCAGATCAAG AACAAAATGG AGAACCTCAA TCATCCATAA	1440
TTCAATATGC CTGGGCAGAA GGAAATAGAA GCGATGATCA GACTGAGCAA GCTACAGAAT	1500
CTGACAATAT CAAGACCGAA CAACAAAACA TCAGAGACAG ACTAAACAAG AGACTCAACG	1560
ACAAGAAGAA ACAAAGCAGT CAACCACCCA CTAATCCCAC AACAGAACA AACCAGGACG	1620
AAATAGATGA TCTGTTTAAAC GCATTTGGAA GCAACTAATC GAATCAACAT TTTAATCTAA	1680
ATCAATAATA AATAAGAAAA ACTTAGGATT AAAGAATCCT ATCATACCGG AATATAGGGT	1740
GGTAAATTTA GAGTCTGCTT GAAACTCAAT CAATAGAGAG TTGATGGAAA GCGATGCTAA	1800
AAACTATCAA ATCATGGATT CTTGGGAAGA GGAATCAAGA GATAAATCAA CTAATATCTC	1860
CTCGGCCCTC AACATCATTG AATTCATACT CAGCACCGAC CCCAAGAAG ACTTATCGGA	1920
AAACGACACA ATCAACACAA GAACCCAGCA ACTCAGTGCC ACCATCTGTC AACCAGAAAT	1980
CAAACCAACA GAAACAAGTG AGAAAGATAG TGGATCAACT GACAAAAATA GACAGTCTGG	2040
GTCATCACAC GAATGTACAA CAGAAGCAAA AGATAGAAAC ATTGATCAGG AAAGTGTACA	2100
GAGAGGACCT GGGAGAAGAA GCAGCTCAGA TAGTAGAGCT GAGACTGTGG TCTCTGGAGG	2160
AATCCCCAGA AGCATCACAG ATTCTAAAAA TGGAACCCAA AACACGGAGG ATATTGATCT	2220
CAATGAAATT AGAAAGATGG ATAAGGACTC TATTGAGGGG AAAATGCGAC AATCTGCAAA	2280
TGTTCCAAGC GAGATATCAG GAAGTGATGA CATATTTACA ACAGAACAAA GTAGAAACAG	2340
TGATCATGGA AGAAGCCTGG AATCTATCAG TACACCTGAT ACAAGATCAA TAAGTGTGT	2400
TACTGCTGCA ACACCAGATG ATGAAGAAGA AATACTAATG AAAAATAGTA GGACAAAGAA	2460
AAGTTCTTCA ACACATCAAG AAGATGACAA AAGAATTAAA AAAGGGGGAA AAGGGAAAGA	2520
CTGGTTTAAG AAATCAAAAG ATACCGACAA CCAGATACCA ACATCAGACT ACAGATCCAC	2580
ATCAAAAGGG CAGAAGAAAA TCTCAAAGAC AACCAACCACC AACACCGACA CAAAGGGGCA	2640
AACAGAAATA CAGACAGAAT CATCAGAAAC ACAATCCTCA TCATGGAATC TCATCATCGA	2700
CAACAACACC GACCGGAACG AACAGACAAG CACAACCTCT CCAACAACAA CTTCCAGATC	2760
AACTTATACA AAAGAATCGA TCCGAACAAA CTCTGAATCC AAACCCAAGA CACAAAAGAC	2820
AAATGGAAAG GAAAGGAAGG ATACAGAAGA GAGCAATCGA TTTACAGAGA GGGCAATTAC	2880
TCTATTGCAG AATCTTGGTG TAATTCAATC CACATCAAAA CTAGATTTAT ATCAAGACAA	2940

- 257 -

ACGAGTTGTA TGTGTAGCAA ATGTACTAAA CAATGTAGAT ACTGCATCAA AGATAGATT	3000
CCTGGCAGGA TTAGTCATAG GGGTTTCAAT GGACAACGAC ACAAATTA CACAGATACA	3060
AAATGAAATG CTAAACCTCA AAGCAGATCT AAAGAAATG GACGAATCAC ATAGAAGATT	3120
GATAGAAAAT CAAAGAGAAC AACTGTCATT GATCACGTCA CTAATTTCAA ATCTCAAAT	3180
TATGACTGAG AGAGGAGGAA AGAAAGACCA AAATGAATCC AATGAGAGAG TATCCATGAT	3240
CAAAACAAAA TTGAAAGAAG AAAAGATCAA GAAGACCAGG TTTGACCCAC TTATGGAGGC	3300
ACAAGGCATT GACAAGAATA TACCCGATCT ATATCGACAT GCAGGAGATA CACTAGAGAA	3360
CGATGTACAA GTTAAATCAG AGATATTAAG TTCATACAAT GAGTCAAATG CAACAAGACT	3420
AATACCCAAA AAAGTGAGCA GTACAATGAG ATCACTAGTT GCAGTCATCA ACAACAGCAA	3480
TCTCTCACA AGCACAAAAC AATCATACT AAACGAACTC AAACGTTGCA AAAATGATGA	3540
AGAAGTATCT GAATTAATGG ACATGTTCAA TGAAGATGTC AACAAATTGCC AATGATCCAA	3600
CAAAGAAACG ACACCGAACA AACAGACAAG AAACAACAGT AGATCAAAC CTGTCAACAC	3660
ACACAAAATC AAGCAGAATG AAACAACAGA TATCAATCAA TATACAAATA AGAAAACTT	3720
AGGATTAAAG AATAAATTAA TCCTTGTTCCA AAATGAGTAT AACTAACTCT GCAATATACA	3780
CATTCCCAGA ATCATCATT TCTGAAAATG GTCATATAGA ACCATTACCA CTCAAAGTCA	3840
ATGAACAGAG GAAAGCAGTA CCCCACATTA GAGTTGCCAA GATCGGAAAT CCACCAAAAC	3900
ACGGATCCCG GTATTTAGAT GTCTTCTTAC TCGGCTTCTT CGAGATGGAA CGAATCAAAG	3960
ACAAATACGG GAGTGTGAAT GATCTCGACA GTGACCCGAG TTACAAAGTT TGTGGCTCTG	4020
GATCATTACC AATCGGATTG GCTAAGTACA CTGGGAATGA CCAGGAATTG TTACAAGCCG	4080
CAACCAAACCT GGATATAGAA GTGAGAAGAA CAGTCAAAGC GAAAGAGATG GTTGTTTACA	4140
CGGTACAAAA TATAAAACCA GAACTGTACC CATGGTCCAA TAGACTAAGA AAAGGAATGC	4200
TGTTTCGATGC CAACAAAGTT GCTCTTGCTC CTCAATGTCT TCCACTAGAT AGGAGCATAA	4260
AATTTAGAGT AATCTTCGTG AATTGTACGG CAATTGGATC AATAACCTTG TTCAAATTC	4320
CTAAGTCAAT GGCATCACTA TCTCTAACCA ACACAATATC AATCAATCTG CAGGTACACA	4380
TAAAAACAGG GGTTTCAGACT GATTCTAAAG GGATAGTTCA AATTTTGGAT GAGAAAGGCG	4440
AAAAATCACT GAATTTCATG GTCCATCTCG GATTGATCAA AAGAAAAGTA GGCAGATGT	4500

- 258 -

ACTCTGTTGA ATACTGTAAA CAGAAAATCG AGAAAATGAG ATTGATATTT TCTTTAGGAC	4560
TAGTTGGAGG AATCAGTCTT CATGTCAATG CAACTGGGTC CATATCAAAA ACACTAGCAA	4620
GTCAGCTGGT ATTCAAAAGA GAGATTTGTT ATCCTTTAAT GGATCTAAAT CCGCATCTCA	4680
ATCTAGTTAT CTGGGCTTCA TCAGTAGAGA TTACAAGAGT GGATGCAATT TTCCAACCTT	4740
CTTTACCTGG CGAGTTCAGA TACTATCCTA ATATTATTGC AAAAGGAGTT GGGAAAATCA	4800
AACAATGGAA CTAGTAATCT CTATTTTAGT CCGGACGTAT CTATTAAGCC GAAGCAAATA	4860
AAGGATAATC AAAAAGTTAG GACAAAAGAG GTCAATACCA ACAACTATTA GCAGTCACAC	4920
TCGCAAGAAT AAGAGAGAAG GGACCAAAAA AGTCAAATAG GAGAAATCAA AACAAAAGGT	4980
ACAGAACACC AGAACAACAA AATCAAAACA TCCAATCAC TCAAACAAA AATTCCAAAA	5040
GAGACCGGCA ACACAACAAG CACTGAACAC AATGCCAACT TCAATACTGC TAATTATTAC	5100
AACCATGATC ATGGCATCTT TCTGCCAAAT AGATATCACA AAACCTACAGC ACGTAGGTGT	5160
ATTGGTCAAC AGTCCCAAAG GGATGAAGAT ATCACAAGAC TTTGAAACAA GATATCTAAT	5220
TTTGAGCCTC ATACCAAAAA TAGAAGACTC TAACTCTTGT GGTGACCAAC AGATCAAGCA	5280
ATACAAGAAG TTATTGGATA GACTGATCAT CCCTTTATAT GATGGATTAA GATTACAGAA	5340
AGATGTGATA GTAACCAATC AAGAATCCAA TGAAAACACT GATCCCAGAA CAAAACGATT	5400
CTTTGGAGGG GTAATTGGAA CCATTGCTCT GGGAGTAGCA ACCTCAGCAC AAATTACAGC	5460
GGCAGTTGCT CTGGTTGAAG CCAAGCAGGC AAGATCAGAC ATCGAAAAAC TCAAAGAAGC	5520
AATTAGGGAC ACAAATAAAG CAGTGCAGTC AGTTCAGAGC TCCATAGGAA ATTTAATAGT	5580
AGCAATTAAA TCAGTCCAGG ATTATGTTAA CAAAGAAATC GTGCCATCGA TTGCGAGGCT	5640
AGGTTGTGAA GCAGCAGGAC TTCAATTAGG AATTGCATTA ACACAGCATT ACTCAGAATT	5700
AACAAACATA TTTGGTGATA ACATAGGATC GTTACAAGAA AAAGGAATAA AATTACAAGG	5760
TATAGCATCA TTATACCGCA CAAATATCAC AGAAATATTC ACAACATCAA CAGTTGATAA	5820
ATATGATATC TATGATCTGT TATTTACAGA ATCAATAAAG GTGAGAGTTA TAGATGTTGA	5880
CTTGAATGAT TACTCAATCA CCCTCCAAGT CAGACTCCCT TTATTAATAA GGCTGCTGAA	5940
CACTCAGATC TACAAAGTAG ATTCCATATC ATATAACATC CAAAACAGAG AATGGTATAT	6000
CCCTCTTCCC AGCCATATCA TGACGAAAGG GGCATTTCTA GGTGGAGCAG ACGTCAAAGA	6060

- 259 -

ATGTATAGAA GCATTCAGCA GCTATATATG CCCTTCTGAT CCAGGATTG TATTA AACCA	6120
TGAAATAGAG AGCTGCTTAT CAGGAAACAT ATCCCAATGT CCAAGAACA CGGTCACATC	6180
AGACATTGTT CCAAGATATG CATTTGTCAA TGGAGGAGTG GTTGCAA ACT GTATAACAAC	6240
CACCTGTACA TGCAACGGAA TTGGTAATAG AATCAATCAA CCACCTGATC AAGGAGTAAA	6300
AATTATAACA CATAAAGAAT GTAGTACAGT AGGTATCAAC GGAATGCTGT TCAATACAAA	6360
TAAAGAAGGA ACTCTTGCAT TCTATACACC AAATGATATA AACTAAACA ATTCTGTTAC	6420
ACTTGATCCA ATTGACATAT CAATCGAGCT CAACAAGGCC AAATCAGATC TAGAAGAATC	6480
AAAAGAATGG ATAAGAAGGT CAAATCAAAA ACTAGATTCT ATTGGAAATT GGCATCAATC	6540
TAGCACTACA ATCATAATTA TTTTGATAAT GATCATTATA TTGTTTATAA TTAATATAAC	6600
GATAATTACA ATTGCAATTA AGTATTACAG AATTCAAAAG AGAAATCGAG TGGATCAAAA	6660
TGACAAGCCA TATGTACTAA CAAACAAATA ACATATCTAC AGATCATTAG ATATTAAAT	6720
TATAAAAAAC TTAGGAGTAA AGTTACGCAA TCCA ACTCTA CTCATATAAT TGAGGAAGGA	6780
CCCAATAGAC AAATCCAAAT TCGAGATGGA ATACTGGAAG CATACCAATC ACGGAAAGGA	6840
TGCTGGCAAT GAGCTGGAGA CGTCTATGGC TACTCATGGC AACAACTCA CTAATAAGAT	6900
AATATACATA TTATGGACAA TAATCCTGGT GTTATTATCA ATAGTCTTCA TCATAGTGCT	6960
AATTAATTCC ATCAAAAGTG AAAAGGCCCA CGAATCATTG CTGCAAGACA TAAATAATGA	7020
GT TTATGGAA ATTACAGAA AGATCCAAAT GGCATCGGAT AATACCAATG ATCTAATACA	7080
GTCAGGAGTG AATACAAGGC TTCTTACAAT TCAGAGTCAT GTCCAGAATT ACATACCAAT	7140
ATCATTGACA CAACAGATGT CAGATCTTAG GAAATTCATT AGTGAAATTA CAATTAGAAA	7200
TGATAATCAA GAAGTGCTGC CACAAAGAAT AACACATGAT GTAGGTATAA AACCTTTAAA	7260
TCCAGATGAT TTTTGGAGAT GCACGTCTGG TCTTCCATCT TTAATGAAAA CTCCAAAAAT	7320
AAGGTTAATG CCAGGGCCGG GATTATTAGC TATGCCAACG ACTGTTGATG GCTGTGTTAG	7380
AACTCCGTCT TTAGTTATAA ATGATCTGAT TTATGCTTAT ACCTCAAATC TAATTACTCG	7440
AGGTTGTCAG GATATAGGAA AATCATATCA AGTCTTACAG ATAGGGATAA TAACTGTAAA	7500
CTCAGACTTG GTACCTGACT TAAATCCTAG GATCTCTCAT ACCTTTAACA TAAATGACAA	7560
TAGGAAGTCA TGTTCTCTAG CACTCCTAAA TACAGATGTA TATCAACTGT GTTCAACTCC	7620

- 260 -

CAAAGTTGAT GAAAGATCAG ATTATGCATC ATCAGGCATA GAAGATATTG TACTTGATAT	7680
TGTCAATTAT GATGGTTCAA TCTCAACAAC AAGATTTAAG AATAATAACA TAAGCTTTGA	7740
TCAACCATAT GCTGCACTAT ACCCATCTGT TGGACCAGGG ATATACTACA AAGGCAAAAT	7800
AATATTTCTC GGGTATGGAG GTCTTGAACA TCCAATAAAT GAGAATGTAA TCTGCAACAC	7860
AACTGGGTGC CCCGGGAAAA CACAGAGAGA CTGTAATCAA GCGTCTCATA GTCCATGGTT	7920
TTCAGATAGG AGGATGGTCA ACTCCATCAT TGTGCTGAC AAAGGCTTAA ACTCAATTCC	7980
AAAATTGAAA GTATGGACGA TATCTATGCG ACAAATTAC TGGGGGTCAG AAGGAAGGTT	8040
ACTTCTACTA GGTAACAAGA TCTATATATA TACAAGATCT ACAAGTTGGC ATAGCAAGTT	8100
ACAATTAGGA ATAATTGATA TTACTGATTA CAGTGATATA AGGATAAAAT GGACATGGCA	8160
TAATGTGCTA TCAAGACCAG GAAACAATGA ATGTCCATGG GGACATTCAT GTCCAGATGG	8220
ATGTATAACA GGAGTATATA CTGATGCATA TCCACTCAAT CCCACAGGGA GCATTGTGTC	8280
ATCTGTCATA TTAGACTCAC AAAAATCGAG AGTGAACCCA GTCATAACTT ACTCAACAGC	8340
AACCGAAAGA GTAAACGAGC TGGCCATCCT AAACAGAACA CTCTCAGCTG GATATACAAC	8400
AACAAGCTGC ATTACACACT ATAACAAAGG ATATTGTTTT CATATAGTAG AAATAAATCA	8460
TAAAAGCTTA AACACATTTC AACCCATGTT GTTCAAAACA GAGATTCCAA AAAGCTGCAG	8520
TTAATCATAA TTAACCATAA TATGCATCAA TCTATCTATA ATACAAGTAT ATGATAAGTA	8580
ATCAGCAATC AGACAATAGA CAAAAGGGAA ATATAAAAAA CTTAGGAGCA AAGCGTGCTC	8640
GGGAAATGGA CACTGAATCT AACAAATGGCA CTGTATCTGA CATACTCTAT CCTGAGTGTC	8700
ACCTTAACTC TCCTATCGTT AAAGGTAAAA TAGCACAATT ACACACTATT ATGAGTCTAC	8760
CTCAGCCTTA TGATATGGAT GACGACTCAA TACTAGTTAT CACTAGACAG AAAATAAAAC	8820
TTAATAAATT GGATAAAAGA CAACGATCTA TTAGAAGATT AAAATTAATA TTAAGTAAA	8880
AAGTGAATGA CTTAGGAAAA TACACATTTA TCAGATATCC AGAAATGTCA AAAGAAATGT	8940
TCAAATTATA TATACCTGGT ATTAACAGTA AAGTGACTGA ATTATTACTT AAAGCAGATA	9000
GAACATATAG TCAAATGACT GATGGATTAA GAGATCTATG GATTAATGTG CTATCAAAAT	9060
TAGCCTCAAA AAATGATGGA AGCAATTATG ATCTTAATGA AGAAATTAAT AATATATCGA	9120
AAGTTCACAC AACCTATAAA TCAGATAAAT GGTATAATCC ATTCAAAACA TGGTTTACTA	9180

- 261 -

TCAAGTATGA	TATGAGAAGA	TTACAAAAAG	CTCGAAATGA	GATCACTTTT	AATGTTGGGA	9240
AGGATTATAA	CTTGTTAGAA	GACCAGAAGA	ATTTCTTATT	GATACATCCA	GAATTGGTTT	9300
TGATATTAGA	TAAACAAAAC	TACAATGGTT	ATCTAATTAC	TCCTGAATTA	GTATTGATGT	9360
ATTGTGACGT	AGTCGAAGGC	CGATGGAATA	TAAGTGCATG	TGCTAAGTTA	GATCCAAAAT	9420
TACAATCTAT	GTATCAGAAA	GGTAATAACC	TGTGGGAAGT	GATAGATAAA	TTGTTTCCAA	9480
TTATGGGAGA	AAAGACATT	GATGTGATAT	CGTTATTAGA	ACCACTTGCA	TTATCCTTAA	9540
TTCAAACCTCA	TGATCCTGTT	AAACAACATA	GAGGAGCTTT	TTTAAATCAT	GTGTTATCCG	9600
AGATGGAATT	AATATTTGAA	TCTAGAGAAT	CGATTAAGGA	ATTTCTGAGT	GATAGATTACA	9660
TTGATAAAAT	TTTAGATATA	TTTAATAAGT	CTACAATAGA	TGAAATAGCA	GAGATTTTCT	9720
CTTTTTTTAG	AACATTTGGG	CATCCTCCAT	TAGAAGCTAG	TATTGCAGCA	GAAAAGGTTA	9780
GAAAATATAT	GTATATTGGA	AAACAATTAA	AATTTGACAC	TATTAATAAA	TGTCATGCTA	9840
TCTTCTGTAC	AATAATAATT	AACGGATATA	GAGAGAGGCA	TGGTGGACAG	TGGCCTCCTG	9900
TGACATTACC	TGATCATGCA	CACGAATTCA	TCATAAATGC	TTACGGTTCA	AACTCTGCGA	9960
TATCATATGA	GAATGCTGTT	GATTATTACC	AGAGCTTTAT	AGGAATAAAA	TTCAATAAAT	10020
TCATAGAGCC	TCAGTTAGAT	GAGGATTTGA	CAATTTATAT	GAAAGATAAA	GCATTATCTC	10080
CAAAAAATC	AAATTGGGAC	ACAGTTTATC	CTGCATCTAA	TTTACTGTAC	CGTACTAACG	10140
CATCCAACGA	ATCACGAAGA	TTAGTTGAAG	TATTTATAGC	AGATAGTAAA	TTTGATCCTC	10200
ATCAGATATT	GGATTATGTA	GAATCTGGGG	ACTGGTTAGA	TGATCCAGAA	TTTAATATTT	10260
CTTATAGTCT	TAAAGAAAAA	GAGATCAAAC	AGGAAGGTAG	ACTCTTTGCA	AAAATGACAT	10320
ACAAAATGAG	AGCTACACAA	GTTTTATCAG	AGACACTACT	TGCAAATAAC	ATAGGAAAAAT	10380
TCTTTCAAGA	AAATGGGATG	GTGAAGGGAG	AGATTGAATT	ACTTAAGAGA	TTAACAACCA	10440
TATCAATATC	AGGAGTTCCA	CGGTATAATG	AAGTGTACAA	TAATTCTAAA	AGCCATACAG	10500
ATGACCTTAA	AACCTACAAT	AAAATAAGTA	ATCTTAATTT	GTCTTCTAAT	CAGAAATCAA	10560
AGAAATTTGA	ATTCAAGTCA	ACGGATATCT	ACAATGATGG	ATACGAGACT	GTGAGCTGTT	10620
TCCTAACAAAC	AGATCTCAAA	AAATACTGTC	TTAATTGGAG	ATATGAATCA	ACAGCTCTAT	10680
TTGGAGAAAC	TTGCAACCAA	ATATTTGGAT	TAAATAAATT	GTTTAATTGG	TTACACCCTC	10740

- 262 -

GTCTTGAAGG AAGTACAATC TATGTAGGTG ATCCTTACTG TCCTCCATCA GATAAAGAAC 10800
ATATATCATT AGAGGATCAC CCTGATTCTG GTTTTTACGT TCATAACCCA AGAGGGGGTA 10860
TAGAAGGATT TTGTCAAAAA TTATGGACAC TCATATCTAT AAGTGCAATA CATCTAGCAG 10920
CTGTTAGAAT AGGCGTGAGG GTGACTGCAA TGGTTC AAGG AGACAATCAA GCTATAGCTG 10980
TAACCACAAG AGTACCCAAC AATTATGACT ACAGAGTTAA GAAGGAGATA GTTTATAAAG 11040
ATGTAGTGAG ATTTTTTGAT TCATTAAGAG AAGTGATGGA TGATCTAGGT CATGAACTTA 11100
AATTAAATGA AACGATTATA AGTAGCAAGA TGTT CATATA TAGCAAAAGA ATCTATTATG 11160
ATGGGAGAAT TCTTCCTCAA GCTCTAAAAG CATTATCTAG ATGTGTCTTC TGGTCAGAGA 11220
CAGTAATAGA CGAAACAAGA TCAGCATCTT CAAATTGGC AACATCATT GCAAAAGCAA 11280
TTGAGAATGG TTATTCACCT GTTCTAGGAT ATGCATGCTC AATTTTAAAG AACATTCAAC 11340
AACTATATAT TGCCCTTGGG ATGAATATCA ATCCA ACTAT AACACAGAAT ATCAGAGATC 11400
AGTATTTTAG GAATCCAAAT TGGATGCAAT ATGCCTCTTT AATACCTGCT AGTGTTGGGG 11460
GATTCAATCA CATGGCCATG TCAAGATGTT TTGTAAGGAA TATTGGTGAT CCATCAGTTG 11520
CCGCATTGGC TGATATTAAA AGATTTATTA AGGCGAATCT ATTAGACCGA AGTGTCTTTT 11580
ATAGGATTAT GAATCAAGAA CCAGGTGAGT CATCTTTTTT TGACTGGGCT TCAGATCCAT 11640
ATTCATGCAA TTTACCACAA TCTCAAAATA TAACCACCAT GATAAAAAAT ATAACAGCAA 11700
GGAATGTATT ACAAGATTCA CCAAATCCAT TATTATCTGG ATTATTCACA AATACAATGA 11760
TAGAAGAAGA TGAAGAATTA GCTGAGTTCC TGATGGACAG GAAGGTAATT CTCCCTAGAG 11820
TTGCACATGA TATTCTAGAT AATTCTCTCA CAGGAATTAG AAATGCCATA GCTGGAATGT 11880
TAGATACGAC AAAATCACTA ATTCGGGTTG GCATAAATAG AGGAGGACTG ACATATAGTT 11940
TGTTGAGGAA AATCAGTAAT TACGATCTAG TACAATATGA AACACTAAGT AGGACTTTGC 12000
GACTAATTGT AAGTGATAAA ATCAAGTATG AAGATATGTG TTCGGTAGAC CTTGCCATAG 12060
CATTGCGACA AAAGATGTGG ATTCATTTAT CAGGAGGAAG GATGATAAGT GGACTTGAAA 12120
CGCCTGACCC ATTAGAATTA CTATCTGGGG TAGTAATAAC AGGATCAGAA CATTGTAAAA 12180
TATGTTATTC TTCAGATGGC ACAAACCCAT ATACTTGGAT GTATTTACCC GGTAATATCA 12240
AAATAGGATC AGCAGAAACA GGTATATCGT CATTAGAGT TCCTTATTTT GGATCAGTCA 12300

- 263 -

CTGATGAAAG ATCTGAAGCA CAATTAGGAT ATATCAAGAA TCTTAGTAAA CCTGCAAAAG	12360
CCGCAATAAG AATAGCAATG ATATATACAT GGGCATTGTA TAATGATGAG ATATCTTGGA	12420
TGGAAGCCTC ACAGATAGCA CAAACACGTG CAAATTTTAC ACTAGATAGT CTCAAAATTT	12480
TAACACCGGT AGCTACATCA ACAAATTTAT CACACAGATT AAAGGATACT GCAACTCAGA	12540
TGAAATTCTC CAGTACATCA TTGATCAGAG TCAGCAGATT TATAACAATG TCCAATGATA	12600
ACATGTCTAT CAAAGAAGCT AATGAAACCA AAGATACTAA TCTTATTTAT CAACAAATAA	12660
TGTTAACAGG ATTAAGTGTT TTCGAATATT TATTTAGATT AAAAGAAACC ACAGGACACA	12720
ACCTTATAGT TATGCATCTG CACATAGAAG ATGAGTGTTG TATTAAAGAA AGTTTTAATG	12780
ATGAACATAT TAATCCAGAG TCTACATTAG AATTAATTCG ATATCCTGAA AGTAATGAAT	12840
TTATTTATGA TAAAGACCCA CTCAAAGATG TGGACTTATC AAAACTTATG GTTATTAAAG	12900
ACCATTCTTA CACAATTGAT ATGAATTATT GGGATGATAC TGACATCATA CATGCAATTT	12960
CAATATGTAC TGCAATTACA ATAGCAGATA CTATGTCACA ATTAGATCGA GATAATTTAA	13020
AAGAGATAAT AGTTATTGCA AATGATGATG ATATTAATAG CTTAATCACT GAATTTTTGA	13080
CTCTTGACAT ACTTGTATTT CTCAAGACAT TTGGTGGATT ATTAGTAAAT CAATTTGCAT	13140
ACACTCTTTA TAGTCTAAAA ATAGAAGGTA GGGATCTCAT TTGGGATTAT ATAATGAGAA	13200
CACTGAGAGA TACTTCCCAT TCAATATTAA AAGTATTATC TAATGCATTA TCTCATCTTA	13260
AAGTATTCAG GAGGTTCTGG GATTGTGGAG TTTTAAACCC TATTTATGGT CCTAATATTG	13320
CTAGTCAAGA CCAGATAAAA CTGCCCCTAT CTATATGTGA ATATTCACCTA GATCTATTTA	13380
TGAGAGAATG GTTGAATGGT GTATCACTTG AAATATACAT TTGTGACAGC GATATGGAAG	13440
TTGCAAATGA TAGGAAACAA GCCTTTATTT CTAGACACCT TTCATTTGTT TGTTGTTTAG	13500
CAGAAATTGC ATCTTTCGGA CCTAACCTGT TAACTTAAC ATACTTGGAG AGACTTGATC	13560
TATTGAAACA ATATCTTGAA TTAAATATTA AAGAAGACCC TACTCTTAAA TATGTACAAA	13620
TATCTGGATT ATTAATTAAA TCGTTCCCAT CAACTGTAAC ATACGTAAGA AAGACTGCAA	13680
TCAAATATCT AAGGATTCGC GGTATTAGTC CACCTGAGGT AATTGATGAT TGGGATCCGG	13740
TAGAAGATGA AAATATGCTG GATAACATTG TCAAACTAT AAATGATAAC TGTAATAAAG	13800
ATAATAAAGG GAATAAAATT AACAATTTCT GGGGACTAGC ACTTAAGAAC TATCAAGTCC	13860

- 264 -

TTAAAATCAG ATCTATAACA AGTGATTCTG ATGATAATGA TAGACTAGAT GCTAATACAA	13920
GTGGTTTGAC ACTTCCTCAA GGAGGGAATT ATCTATCGCA TCAATTGAGA TTATTCGGAA	13980
TCAACAGCAC TAGTTGTCTG AAAGCTCTTG AGTTATCACA AATTTTAATG AAGGAAGTCA	14040
ATAAAGACAA GGACAGGCTC TTCCTGGGAG AAGGAGCAGG AGCTATGCTA GCATGTTATG	14100
ATGCCACATT AGGACCTGCA GTTAATTATT ATAATTCAGG TTTGAATATA ACAGATGTAA	14160
TTGGTCAACG AGAATTGAAA ATATTTCTT CAGAGGTATC ATTAGTAGGT AAAAAATTAG	14220
GAAATGTGAC ACAGATTCTT AACAGGGTAA AAGTACTGTT CAATGGGAAT CCTAATTCAA	14280
CATGGATAGG AAATATGGAA TGTGAGAGCT TAATATGGAG TGAATTAAAT GATAAGTCCA	14340
TTGGATTAGT ACATTGTGAT ATGGAAGGAG CTATCGGTAA ATCAGAAGAA ACTGTTCTAC	14400
ATGAACATTA TAGTGTTATA AGAATTACAT ACTTGATTGG GGATGATGAT GTTGTTTTAG	14460
TTTCCAAAAT TATACCTACA ATCACTCCGA ATTGGTCTAG AATACTTTAT CTATATAAAT	14520
TATATTGGAA AGATGTAAGT ATAATATCAC TCAAACTTC TAATCCTGCA TCAACAGAAT	14580
TATATCTAAT TTCGAAAGAT GCATATTGTA CTATAATGGA ACCTAGTGAA ATTGTTTTAT	14640
CAAACTTAA AAGATTGTCA CTCTTGAAG AAAATAATCT ATTAAATGG ATCATTTTAT	14700
CAAAGAAGAG GAATAATGAA TGGTTACATC ATGAAATCAA AGAAGGAGAA AGAGATTATG	14760
GAATCATGAG ACCATATCAT ATGGCACTAC AAATCTTGG ATTTCAAATC AATTTAAATC	14820
ATCTGGCGAA AGAATTTTTA TCAACCCAG ATCTGACTAA TATCAACAAT ATAATCCAAA	14880
GTTTTTCAGCG AACAATAAAG GATGTTTTAT TTGAATGGAT TAATATAACT CATGATGATA	14940
AGAGACATAA ATTAGGCGGA AGATATAACA TATCCCACT GAAAAATAAG GGAAAGTTAA	15000
GACTGCTATC GAGAAGACTA GTATTAAGTT GGATTTCATT ATCATTATCG ACTCGATTAC	15060
TTACAGGTCG CTTTCCTGAT GAAAAATTG AACATAGAGC ACAGACTGGA TATGTATCAT	15120
TAGCTGATAC TGATTTAGAA TCATTAAAGT TATTGTCGAA AAACATCATT AAGAATTACA	15180
GAGAGTGTAT AGGATCAATA TCATATTGGT TTCTAACCAA AGAAGTTAAA ATACTTATGA	15240
AATTGATTGG TGGTGCTAAA TTATTAGGAA TTCCCAGACA ATATAAGAA CCCGAAGACC	15300
AGTTATTAGA AAACATCAAT CAACATGATG AATTGATAT CGATTAAAAC ATAAATACAA	15360
TGAAGATATA TCCTAACCTT TATCTTTAAG CCTAGGAATA GACAAAAAGT AAGAAAAACA	15420

- 265 -

TGTAATATAT ATATACAAA CAGAGTTCTT CTCTTGTTTG GT

15462

(2) INFORMATION FOR SEQ ID NO:20:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 2233 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:20:

```

Met Asp Thr Glu Ser Asn Asn Gly Thr Val Ser Asp Ile Leu Tyr Pro
1           5           10           15

Glu Cys His Leu Asn Ser Pro Ile Val Lys Gly Lys Ile Ala Gln Leu
20           25           30

His Thr Ile Met Ser Leu Pro Gln Pro Tyr Asp Met Asp Asp Asp Ser
35           40           45

Ile Leu Val Ile Thr Arg Gln Lys Ile Lys Leu Asn Lys Leu Asp Lys
50           55           60

Arg Gln Arg Ser Ile Arg Arg Leu Lys Leu Ile Leu Thr Glu Lys Val
65           70           75           80

Asn Asp Leu Gly Lys Tyr Thr Phe Ile Arg Tyr Pro Glu Met Ser Lys
85           90           95

Glu Met Phe Lys Leu Tyr Ile Pro Gly Ile Asn Ser Lys Val Thr Glu
100          105          110

Leu Leu Leu Lys Ala Asp Arg Thr Tyr Ser Gln Met Thr Asp Gly Leu
115          120          125

Arg Asp Leu Trp Ile Asn Val Leu Ser Lys Leu Ala Ser Lys Asn Asp
130          135          140

Gly Ser Asn Tyr Asp Leu Asn Glu Glu Ile Asn Asn Ile Ser Lys Val
145          150          155          160

His Thr Thr Tyr Lys Ser Asp Lys Trp Tyr Asn Pro Phe Lys Thr Trp
165          170          175

Phe Thr Ile Lys Tyr Asp Met Arg Arg Leu Gln Lys Ala Arg Asn Glu

```


- 266 -

180					185					190					
Ile	Thr	Phe	Asn	Val	Gly	Lys	Asp	Tyr	Asn	Leu	Leu	Glu	Asp	Gln	Lys
		195					200					205			
Asn	Phe	Leu	Leu	Ile	His	Pro	Glu	Leu	Val	Leu	Ile	Leu	Asp	Lys	Gln
		210				215					220				
Asn	Tyr	Asn	Gly	Tyr	Leu	Ile	Thr	Pro	Glu	Leu	Val	Leu	Met	Tyr	Cys
		225				230					235				240
Asp	Val	Val	Glu	Gly	Arg	Trp	Asn	Ile	Ser	Ala	Cys	Ala	Lys	Leu	Asp
				245					250						255
Pro	Lys	Leu	Gln	Ser	Met	Tyr	Gln	Lys	Gly	Asn	Asn	Leu	Trp	Glu	Val
			260					265					270		
Ile	Asp	Lys	Leu	Phe	Pro	Ile	Met	Gly	Glu	Lys	Thr	Phe	Asp	Val	Ile
		275					280						285		
Ser	Leu	Leu	Glu	Pro	Leu	Ala	Leu	Ser	Leu	Ile	Gln	Thr	His	Asp	Pro
		290				295					300				
Val	Lys	Gln	Leu	Arg	Gly	Ala	Phe	Leu	Asn	His	Val	Leu	Ser	Glu	Met
		305				310					315				320
Glu	Leu	Ile	Phe	Glu	Ser	Arg	Glu	Ser	Ile	Lys	Glu	Phe	Leu	Ser	Val
			325						330						335
Asp	Tyr	Ile	Asp	Lys	Ile	Leu	Asp	Ile	Phe	Asn	Lys	Ser	Thr	Ile	Asp
			340					345							350
Glu	Ile	Ala	Glu	Ile	Phe	Ser	Phe	Phe	Arg	Thr	Phe	Gly	His	Pro	Pro
		355					360					365			
Leu	Glu	Ala	Ser	Ile	Ala	Ala	Glu	Lys	Val	Arg	Lys	Tyr	Met	Tyr	Ile
		370				375					380				
Gly	Lys	Gln	Leu	Lys	Phe	Asp	Thr	Ile	Asn	Lys	Cys	His	Ala	Ile	Phe
		385				390					395				400
Cys	Thr	Ile	Ile	Ile	Asn	Gly	Tyr	Arg	Glu	Arg	His	Gly	Gly	Gln	Trp
				405					410						415
Pro	Pro	Val	Thr	Leu	Pro	Asp	His	Ala	His	Glu	Phe	Ile	Ile	Asn	Ala
			420					425					430		
Tyr	Gly	Ser	Asn	Ser	Ala	Ile	Ser	Tyr	Glu	Asn	Ala	Val	Asp	Tyr	Tyr
		435					440					445			
Gln	Ser	Phe	Ile	Gly	Ile	Lys	Phe	Asn	Lys	Phe	Ile	Glu	Pro	Gln	Leu
		450				455					460				

- 267 -

Asp Glu Asp Leu Thr Ile Tyr Met Lys Asp Lys Ala Leu Ser Pro Lys
 465 470 475 480
 Lys Ser Asn Trp Asp Thr Val Tyr Pro Ala Ser Asn Leu Leu Tyr Arg
 485 490 495
 Thr Asn Ala Ser Asn Glu Ser Arg Arg Leu Val Glu Val Phe Ile Ala
 500 505 510
 Asp Ser Lys Phe Asp Pro His Gln Ile Leu Asp Tyr Val Glu Ser Gly
 515 520 525
 Asp Trp Leu Asp Asp Pro Glu Phe Asn Ile Ser Tyr Ser Leu Lys Glu
 530 535 540
 Lys Glu Ile Lys Gln Glu Gly Arg Leu Phe Ala Lys Met Thr Tyr Lys
 545 550 555 560
 Met Arg Ala Thr Gln Val Leu Ser Glu Thr Leu Leu Ala Asn Asn Ile
 565 570 575
 Gly Lys Phe Phe Gln Glu Asn Gly Met Val Lys Gly Glu Ile Glu Leu
 580 585 590
 Leu Lys Arg Leu Thr Thr Ile Ser Ile Ser Gly Val Pro Arg Tyr Asn
 595 600 605
 Glu Val Tyr Asn Asn Ser Lys Ser His Thr Asp Asp Leu Lys Thr Tyr
 610 615 620
 Asn Lys Ile Ser Asn Leu Asn Leu Ser Ser Asn Gln Lys Ser Lys Lys
 625 630 635 640
 Phe Glu Phe Lys Ser Thr Asp Ile Tyr Asn Asp Gly Tyr Glu Thr Val
 645 650 655
 Ser Cys Phe Leu Thr Thr Asp Leu Lys Lys Tyr Cys Leu Asn Trp Arg
 660 665 670
 Tyr Glu Ser Thr Ala Leu Phe Gly Glu Thr Cys Asn Gln Ile Phe Gly
 675 680 685
 Leu Asn Lys Leu Phe Asn Trp Leu His Pro Arg Leu Glu Gly Ser Thr
 690 695 700
 Ile Tyr Val Gly Asp Pro Tyr Cys Pro Pro Ser Asp Lys Glu His Ile
 705 710 715 720
 Ser Leu Glu Asp His Pro Asp Ser Gly Phe Tyr Val His Asn Pro Arg
 725 730 735

- 268 -

Gly Gly Ile Glu Gly Phe Cys Gln Lys Leu Trp Thr Leu Ile Ser Ile
 740 745 750
 Ser Ala Ile His Leu Ala Ala Val Arg Ile Gly Val Arg Val Thr Ala
 755 760 765
 Met Val Gln Gly Asp Asn Gln Ala Ile Ala Val Thr Thr Arg Val Pro
 770 775 780
 Asn Asn Tyr Asp Tyr Arg Val Lys Lys Glu Ile Val Tyr Lys Asp Val
 785 790 795 800
 Val Arg Phe Phe Asp Ser Leu Arg Glu Val Met Asp Asp Leu Gly His
 805 810 815
 Glu Leu Lys Leu Asn Glu Thr Ile Ile Ser Ser Lys Met Phe Ile Tyr
 820 825 830
 Ser Lys Arg Ile Tyr Tyr Asp Gly Arg Ile Leu Pro Gln Ala Leu Lys
 835 840 845
 Ala Leu Ser Arg Cys Val Phe Trp Ser Glu Thr Val Ile Asp Glu Thr
 850 855 860
 Arg Ser Ala Ser Ser Asn Leu Ala Thr Ser Phe Ala Lys Ala Ile Glu
 865 870 875 880
 Asn Gly Tyr Ser Pro Val Leu Gly Tyr Ala Cys Ser Ile Phe Lys Asn
 885 890 895
 Ile Gln Gln Leu Tyr Ile Ala Leu Gly Met Asn Ile Asn Pro Thr Ile
 900 905 910
 Thr Gln Asn Ile Arg Asp Gln Tyr Phe Arg Asn Pro Asn Trp Met Gln
 915 920 925
 Tyr Ala Ser Leu Ile Pro Ala Ser Val Gly Gly Phe Asn His Met Ala
 930 935 940
 Met Ser Arg Cys Phe Val Arg Asn Ile Gly Asp Pro Ser Val Ala Ala
 945 950 955 960
 Leu Ala Asp Ile Lys Arg Phe Ile Lys Ala Asn Leu Leu Asp Arg Ser
 965 970 975
 Val Leu Tyr Arg Ile Met Asn Gln Glu Pro Gly Glu Ser Ser Phe Phe
 980 985 990
 Asp Trp Ala Ser Asp Pro Tyr Ser Cys Asn Leu Pro Gln Ser Gln Asn
 995 1000 1005
 Ile Thr Thr Met Ile Lys Asn Ile Thr Ala Arg Asn Val Leu Gln Asp

- 269 -

1010	1015	1020
Ser Pro Asn Pro Leu Leu Ser Gly Leu Phe Thr Asn Thr Met Ile Glu 1025	1030	1035 1040
Glu Asp Glu Glu Leu Ala Glu Phe Leu Met Asp Arg Lys Val Ile Leu 1045	1050	1055
Pro Arg Val Ala His Asp Ile Leu Asp Asn Ser Leu Thr Gly Ile Arg 1060	1065	1070
Asn Ala Ile Ala Gly Met Leu Asp Thr Thr Lys Ser Leu Ile Arg Val 1075	1080	1085
Gly Ile Asn Arg Gly Gly Leu Thr Tyr Ser Leu Leu Arg Lys Ile Ser 1090	1095	1100
Asn Tyr Asp Leu Val Gln Tyr Glu Thr Leu Ser Arg Thr Leu Arg Leu 1105	1110	1115 1120
Ile Val Ser Asp Lys Ile Lys Tyr Glu Asp Met Cys Ser Val Asp Leu 1125	1130	1135
Ala Ile Ala Leu Arg Gln Lys Met Trp Ile His Leu Ser Gly Gly Arg 1140	1145	1150
Met Ile Ser Gly Leu Glu Thr Pro Asp Pro Leu Glu Leu Leu Ser Gly 1155	1160	1165
Val Val Ile Thr Gly Ser Glu His Cys Lys Ile Cys Tyr Ser Ser Asp 1170	1175	1180
Gly Thr Asn Pro Tyr Thr Trp Met Tyr Leu Pro Gly Asn Ile Lys Ile 1185	1190	1195 1200
Gly Ser Ala Glu Thr Gly Ile Ser Ser Leu Arg Val Pro Tyr Phe Gly 1205	1210	1215
Ser Val Thr Asp Glu Arg Ser Glu Ala Gln Leu Gly Tyr Ile Lys Asn 1220	1225	1230
Leu Ser Lys Pro Ala Lys Ala Ala Ile Arg Ile Ala Met Ile Tyr Thr 1235	1240	1245
Trp Ala Phe Gly Asn Asp Glu Ile Ser Trp Met Glu Ala Ser Gln Ile 1250	1255	1260
Ala Gln Thr Arg Ala Asn Phe Thr Leu Asp Ser Leu Lys Ile Leu Thr 1265	1270	1275 1280
Pro Val Ala Thr Ser Thr Asn Leu Ser His Arg Leu Lys Asp Thr Ala 1285	1290	1295

- 270 -

Thr Gln Met Lys Phe Ser Ser Thr Ser Leu Ile Arg Val Ser Arg Phe
 1300 1305 1310
 Ile Thr Met Ser Asn Asp Asn Met Ser Ile Lys Glu Ala Asn Glu Thr
 1315 1320 1325
 Lys Asp Thr Asn Leu Ile Tyr Gln Gln Ile Met Leu Thr Gly Leu Ser
 1330 1335 1340
 Val Phe Glu Tyr Leu Phe Arg Leu Lys Glu Thr Thr Gly His Asn Pro
 1345 1350 1355 1360
 Ile Val Met His Leu His Ile Glu Asp Glu Cys Cys Ile Lys Glu Ser
 1365 1370 1375
 Phe Asn Asp Glu His Ile Asn Pro Glu Ser Thr Leu Glu Leu Ile Arg
 1380 1385 1390
 Tyr Pro Glu Ser Asn Glu Phe Ile Tyr Asp Lys Asp Pro Leu Lys Asp
 1395 1400 1405
 Val Asp Leu Ser Lys Leu Met Val Ile Lys Asp His Ser Tyr Thr Ile
 1410 1415 1420
 Asp Met Asn Tyr Trp Asp Asp Thr Asp Ile Ile His Ala Ile Ser Ile
 1425 1430 1435 1440
 Cys Thr Ala Ile Thr Ile Ala Asp Thr Met Ser Gln Leu Asp Arg Asp
 1445 1450 1455
 Asn Leu Lys Glu Ile Ile Val Ile Ala Asn Asp Asp Asp Ile Asn Ser
 1460 1465 1470
 Leu Ile Thr Glu Phe Leu Thr Leu Asp Ile Leu Val Phe Leu Lys Thr
 1475 1480 1485
 Phe Gly Gly Leu Leu Val Asn Gln Phe Ala Tyr Thr Leu Tyr Ser Leu
 1490 1495 1500
 Lys Ile Glu Gly Arg Asp Leu Ile Trp Asp Tyr Ile Met Arg Thr Leu
 1505 1510 1515 1520
 Arg Asp Thr Ser His Ser Ile Leu Lys Val Leu Ser Asn Ala Leu Ser
 1525 1530 1535
 His Pro Lys Val Phe Lys Arg Phe Trp Asp Cys Gly Val Leu Asn Pro
 1540 1545 1550
 Ile Tyr Gly Pro Asn Ile Ala Ser Gln Asp Gln Ile Lys Leu Ala Leu
 1555 1560 1565

- 271 -

Ser Ile Cys Glu Tyr Ser Leu Asp Leu Phe Met Arg Glu Trp Leu Asn
 1570 1575 1580
 Gly Val Ser Leu Glu Ile Tyr Ile Cys Asp Ser Asp Met Glu Val Ala
 1585 1590 1595 1600
 Asn Asp Arg Lys Gln Ala Phe Ile Ser Arg His Leu Ser Phe Val Cys
 1605 1610 1615
 Cys Leu Ala Glu Ile Ala Ser Phe Gly Pro Asn Leu Leu Asn Leu Thr
 1620 1625 1630
 Tyr Leu Glu Arg Leu Asp Leu Leu Lys Gln Tyr Leu Glu Leu Asn Ile
 1635 1640 1645
 Lys Glu Asp Pro Thr Leu Lys Tyr Val Gln Ile Ser Gly Leu Leu Ile
 1650 1655 1660
 Lys Ser Phe Pro Ser Thr Val Thr Tyr Val Arg Lys Thr Ala Ile Lys
 1665 1670 1675 1680
 Tyr Leu Arg Ile Arg Gly Ile Ser Pro Pro Glu Val Ile Asp Asp Trp
 1685 1690 1695
 Asp Pro Val Glu Asp Glu Asn Met Leu Asp Asn Ile Val Lys Thr Ile
 1700 1705 1710
 Asn Asp Asn Cys Asn Lys Asp Asn Lys Gly Asn Lys Ile Asn Asn Phe
 1715 1720 1725
 Trp Gly Leu Ala Leu Lys Asn Tyr Gln Val Leu Lys Ile Arg Ser Ile
 1730 1735 1740
 Thr Ser Asp Ser Asp Asp Asn Asp Arg Leu Asp Ala Asn Thr Ser Gly
 1745 1750 1755 1760
 Leu Thr Leu Pro Gln Gly Gly Asn Tyr Leu Ser His Gln Leu Arg Leu
 1765 1770 1775
 Phe Gly Ile Asn Ser Thr Ser Cys Leu Lys Ala Leu Glu Leu Ser Gln
 1780 1785 1790
 Ile Leu Met Lys Glu Val Asn Lys Asp Lys Asp Arg Leu Phe Leu Gly
 1795 1800 1805
 Glu Gly Ala Gly Ala Met Leu Ala Cys Tyr Asp Ala Thr Leu Gly Pro
 1810 1815 1820
 Ala Val Asn Tyr Tyr Asn Ser Gly Leu Asn Ile Thr Asp Val Ile Gly
 1825 1830 1835 1840
 Gln Arg Glu Leu Lys Ile Phe Pro Ser Glu Val Ser Leu Val Gly Lys

- 272 -

1845	1850	1855
Lys Leu Gly Asn Val Thr Gln Ile Leu Asn Arg Val Lys Val Leu Phe 1860	1865	1870
Asn Gly Asn Pro Asn Ser Thr Trp Ile Gly Asn Met Glu Cys Glu Ser 1875	1880	1885
Leu Ile Trp Ser Glu Leu Asn Asp Lys Ser Ile Gly Leu Val His Cys 1890	1895	1900
Asp Met Glu Gly Ala Ile Gly Lys Ser Glu Glu Thr Val Leu His Glu 1905	1910	1915 1920
His Tyr Ser Val Ile Arg Ile Thr Tyr Leu Ile Gly Asp Asp Asp Val 1925	1930	1935
Val Leu Val Ser Lys Ile Ile Pro Thr Ile Thr Pro Asn Trp Ser Arg 1940	1945	1950
Ile Leu Tyr Leu Tyr Lys Leu Tyr Trp Lys Asp Val Ser Ile Ile Ser 1955	1960	1965
Leu Lys Thr Ser Asn Pro Ala Ser Thr Glu Leu Tyr Leu Ile Ser Lys 1970	1975	1980
Asp Ala Tyr Cys Thr Ile Met Glu Pro Ser Glu Ile Val Leu Ser Lys 1985	1990	1995 2000
Leu Lys Arg Leu Ser Leu Leu Glu Glu Asn Asn Leu Leu Lys Trp Ile 2005	2010	2015
Ile Leu Ser Lys Lys Arg Asn Asn Glu Trp Leu His His Glu Ile Lys 2020	2025	2030
Glu Gly Glu Arg Asp Tyr Gly Ile Met Arg Pro Tyr His Met Ala Leu 2035	2040	2045
Gln Ile Phe Gly Phe Gln Ile Asn Leu Asn His Leu Ala Lys Glu Phe 2050	2055	2060
Leu Ser Thr Pro Asp Leu Thr Asn Ile Asn Asn Ile Ile Gln Ser Phe 2065	2070	2075 2080
Gln Arg Thr Ile Lys Asp Val Leu Phe Glu Trp Ile Asn Ile Thr His 2085	2090	2095
Asp Asp Lys Arg His Lys Leu Gly Gly Arg Tyr Asn Ile Phe Pro Leu 2100	2105	2110
Lys Asn Lys Gly Lys Leu Arg Leu Leu Ser Arg Arg Leu Val Leu Ser 2115	2120	2125

- 273 -

Trp Ile Ser Leu Ser Leu Ser Thr Arg Leu Leu Thr Gly Arg Phe Pro
 2130 2135 2140
 Asp Glu Lys Phe Glu His Arg Ala Gln Thr Gly Tyr Val Ser Leu Ala
 2145 2150 2155 2160
 Asp Thr Asp Leu Glu Ser Leu Lys Leu Leu Ser Lys Asn Ile Ile Lys
 2165 2170 2175
 Asn Tyr Arg Glu Cys Ile Gly Ser Ile Ser Tyr Trp Phe Leu Thr Lys
 2180 2185 2190
 Glu Val Lys Ile Leu Met Lys Leu Ile Gly Gly Ala Lys Leu Leu Gly
 2195 2200 2205
 Ile Pro Arg Gln Tyr Lys Glu Pro Glu Asp Gln Leu Leu Glu Asn Tyr
 2210 2215 2220
 Asn Gln His Asp Glu Phe Asp Ile Asp
 2225 2230

(2) INFORMATION FOR SEQ ID NO:21:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 15462 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: RNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:21:

ACCAAACAAG AGAAGAACT TGCTTGGTAA TATAAATTTA ACTTAAAATT AACTTAGGAT	60
TTAAGACATT GACTAGAAGG TCAAGAAAAG GGAAGTCTAT AATTTCAAAA ATGTTGAGCC	120
TATTTGATAC ATTTAATGCA CGTAGGCAAG AAAACATAAC AAAATCAGCC GGTGGAGCTA	180
TCATTCTTGG ACAGAAAAAT ACTGTCTCTA TATTCGCCCT TGGACCGACA ATAAGTGATG	240
ATAATGAGAA AATGACATTA GCTCTTCTAT TTCTATCTCA TTCACTAGAT AATGAGAAAC	300
AACATGCACA AAGGGCAGGG TTCTTGGTGT CTTTATTGTC AATGGCTTAT GCCAATCCAG	360
AGCTCTACCT AACACAAAT GGAAGTAATG CAGATGCCAA GTATGTCATA TACATGATTG	420
AGAAAGATCT AAAACGGCAA AAGTATGGAG GATTTGTGGT TAAGACGAGA GAGATGATAT	480

- 274 -

ATGAAAAGAC AACTGATTGG ATATTTGGAA GTGACCTGGA TTATGATCAG GAAACTATGT	540
TGCAGAACGG CAGGAACAAT TCAACAATTG AAGACCTTGT CCACACATT GGGTATCCAT	600
CATGTTTAGG AGCTCTTATA ATACAGATCT GGATAGTTCT GGTCAAAGCT ATCACTAGTA	660
TCTCAGGGTT AAGAAAAGGC TTTTTCACCC GATTGGAAGC TTTCAGACAA GATGGAACAG	720
TGCAGGCAGG GCTGGTATTG AGCGGTGACA CAGTGGATCA GATTGGGTCA ATCATGCGGT	780
CTCAACAGAG CTTGGTAACT CTTATGGTTG AAACATTAAT AACATGAAT ACCAGCAGAA	840
ATGACCTCAC AACCATAGAA AAGAATATAC AAATTGTTGG CAACTACATA AGAGATGCAG	900
GTCTCGCTTC ATTCTTCAAT ACAATCAGAT ATGGAATTGA GACCAGAATG GCAGCTTTGA	960
CTCTATCCAC TCTCAGACCA GATATCAATA GATTAAAAGC TTTGATGGAA CTGTATTTAT	1020
CAAAGGGACC ACGCGCTCCT TTCATCTGTA TCCTCAGAGA TCCTATACAT GGTGAGTTGG	1080
CACCAGGCAA CTATCCTGCC ATATGGAGCT ATGCAATGGG GGTGGCAGTT GTACAAAATA	1140
GAGCCATGCA ACAGTATGTG ACGGGAAGAT CATATCTAGA CATTGATATG TTCCAGCTAG	1200
GACAAGCAGT AGCACGTGAT GCCGAAGCTC AAATGAGCTC AACACTGGAA GATGAACTTG	1260
GAGTGACACA CGAAGCTAAA GAAAGCTTGA AGAGACATAT AAGGAACATA AACAGTTCAG	1320
AGACATCTTT CCACAAACCG ACAGGTGGAT CAGCCATAGA GATGGCAATA GATGAAGAGC	1380
CAGAACAATT CGAACATAGA GCAGATCAAG AACAAAATGG AGAACCTCAA TCATCCATAA	1440
TTCAATATGC CTGGGCAGAA GGAAATAGAA GCGATGATCA GACTGAGCAA GCTACAGAAT	1500
CTGACAATAT CAAGACCGAA CAACAAAACA TCAGAGACAG ACTAAACAAG AGACTCAACG	1560
ACAAGAAGAA ACAAAGCAGT CAACCACCCA CTAATCCCAC AACAGAACA AACCAGGACG	1620
AAATAGATGA TCTGTTTAAAC GCATTTGGAA GCAACTAATC GAATCAACAT TTTAATCTAA	1680
ATCAATAATA AATAAGAAAA ACTTAGGATT AAAGAATCCT ATCATACCGG AATATAGGGT	1740
GGTAAATTTA GAGTCTGCTT GAAACTCAAT CAATAGAGAG TTGATGGAAA GCGATGCTAA	1800
AAACTATCAA ATCATGGATT CTTGGGAAGA GGAATCAAGA GATAAATCAA CTAATATCTC	1860
CTCGGCCCTC AACATCATTG AATTCATACT CAGCACCGAC CCCCAAGAAG ACTTATCGGA	1920
AAACGACACA ATCAACACAA GAACCCAGCA ACTCAGTGCC ACCATCTGTC AACCAGAAAT	1980
CAAACCAACA GAAACAAGTG AGAAAGATAG TGGATCAACT GACAAAAATA GACAGTCTGG	2040

- 275 -

GTCATCACAC	GAATGTACAA	CAGAAGCAAA	AGATAGAAAC	ATTGATCAGG	AACTGTACA	2100
GAGAGGACCT	GGGAGAAGAA	GCAGCTCAGA	TAGTAGAGCT	GAGACTGTGG	TCTCTGGAGG	2160
AATCCCCAGA	AGCATCACAG	ATTCTAAAAA	TGGAACCCAA	AACACGGAGG	ATATTGATCT	2220
CAATGAAATT	AGAAAGATGG	ATAAGGACTC	TATTGAGGGG	AAAATGCGAC	AATCTGCAAA	2280
TGTTCCAAGC	GAGATATCAG	GAAGTGATGA	CATATTTACA	ACAGAACAAA	GTAGAAACAG	2340
TGATCATGGA	AGAAGCCTGG	AATCTATCAG	TACACCTGAT	ACAAGATCAA	TAAGTGTGTG	2400
TACTGCTGCA	ACACCAGATG	ATGAAGAAGA	AATACTAATG	AAAAATAGTA	GGACAAAGAA	2460
AAGTTCTTCA	ACACATCAAG	AAGATGACAA	AAGAATTAAG	AAAGGGGGAA	AAGGGAAAGA	2520
CTGGTTTAA	AAATCAAAA	ATACCGACAA	CCAGATACCA	ACATCAGACT	ACAGATCCAC	2580
ATCAAAAGGG	CAGAAGAAAA	TCTCAAAGAC	AACAACCACC	AACACCGACA	CAAAGGGGCA	2640
AACAGAAATA	CAGACAGAAT	CATCAGAAAC	ACAATCCTCA	TCATGGAATC	TCATCATCGA	2700
CAACAACACC	GACCGGAACG	AACAGACAA	CACAACCTCT	CCAACAACAA	CTTCCAGATC	2760
AACTTATACA	AAAGAATCGA	TCCGAACAAA	CTCTGAATCC	AAACCCAAGA	CACAAAAGAC	2820
AAATGGAAAG	GAAAGGAAGG	ATACAGAAGA	GAGCAATCGA	TTTACAGAGA	GGGCAATTAC	2880
TCTATTGCAG	AATCTTGGTG	TAATTCAATC	CACATCAAAA	CTAGATTTAT	ATCAAGACAA	2940
ACGAGTTGTA	TGTGTAGCAA	ATGTACTAAA	CAATGTAGAT	ACTGCATCAA	AGATAGATTT	3000
CCTGGCAGGA	TTAGTCATAG	GGGTTTCAAT	GGACAACGAC	ACAAAATTAA	CACAGATACA	3060
AAATGAAATG	CTAAACCTCA	AAGCAGATCT	AAAGAAAATG	GACGAATCAC	ATAGAAGATT	3120
GATAGAAAAT	CAAAGAGAAC	AAGTGTCAAT	GATCACGTCA	CTAATTTCAA	ATCTCAAAAT	3180
TATGACTGAG	AGAGGAGGAA	AGAAAGACCA	AAATGAATCC	AATGAGAGAG	TATCCATGAT	3240
CAAAACAAAA	TTGAAAGAAG	AAAAGATCAA	GAAGACCAGG	TTTGACCCAC	TTATGGAGGC	3300
ACAAGGCATT	GACAAGAATA	TACCCGATCT	ATATCGACAT	GCAGGAGATA	CACTAGAGAA	3360
CGATGTACAA	GTTAAATCAG	AGATATTAAG	TTCATACAAT	GAGTCAAATG	CAACAAGACT	3420
AATACCCAAA	AAAGTGAGCA	GTACAATGAG	ATCACTAGTT	GCAGTCATCA	ACAACAGCAA	3480
TCTCTCACAA	AGCACAAAAC	AATCATACAT	AAACGAACTC	AAACGTTGCA	AAAATGATGA	3540
AGAAGTATCT	GAATTAATGG	ACATGTTCAA	TGAAGATGTC	AACAATTGCC	AATGATCCAA	3600

- 276 -

CAAAGAAACG ACACCGAACA AACAGACAAG AAACAACAGT AGATCAAAAC CTGTCAACAC	3660
ACACAAAATC AAGCAGAATG AAACAACAGA TATCAATCAA TATACAAATA AGAAAACTT	3720
AGGATTAAAG AATAAATTAA TCCTTGTCCTA AAATGAGTAT AACTAACTCT GCAATATACA	3780
CATTCCCAGA ATCATCATTC TCTGAAAATG GTCATATAGA ACCATTACCA CTCAAAGTCA	3840
ATGAACAGAG GAAAGCAGTA CCCCACATTA GAGTTGCCAA GATCGGAAAT CCACCAAAAC	3900
ACGGATCCCG GTATTTAGAT GTCTTCTTAC TCGGCTTCTT CGAGATGGAA CGAATCAAAG	3960
ACAAATACGG GAGTGTGAAT GATCTCGACA GTGACCCGAG TTACAAAGTT TGTGGCTCTG	4020
GATCATTACC AATCGGATTG GCTAAGTACA CTGGGAATGA CCAGGAATTG TTACAAGCCG	4080
CAACCAAACCT GGATATAGAA GTGAGAAGAA CAGTCAAAGC GAAAGAGATG GTTGTTTACA	4140
CGGTACAAAA TATAAACCA GAACTGTACC CATGGTCCAA TAGACTAAGA AAAGGAATGC	4200
TGTTTCGATGC CAACAAAGTT GCTCTTGCTC CTCAATGTCT TCCACTAGAT AGGAGCATAA	4260
AATTTAGAGT AATCTTCGTG AATTGTACGG CAATTGGATC AATAACCTTG TTCAAAATTC	4320
CTAAGTCAAT GGCATCACTA TCTCTAACCA ACACAATATC AATCAATCTG CAGGTACACA	4380
TAAAAACAGG GGTTCAGACT GATTCTAAAG GGATAGTTCA AATTTTGGAT GAGAAAGGCG	4440
AAAAATCACT GAATTTTCATG GTCCATCTCG GATTGATCAA AAGAAAAGTA GGCAGAATGT	4500
ACTCTGTTGA ATACTGTAAA CAGAAAATCG AGAAAATGAG ATTGATATTT TCTTTAGGAC	4560
TAGTTGGAGG AATCAGTCTT CATGTCAATG CAACTGGGTC CATATCAAAA AACTAGCAA	4620
GTCAGCTGGT ATTCAAAAGA GAGATTTGTT ATCCTTTAAT GGATCTAAAT CCGCATCTCA	4680
ATCTAGTTAT CTGGGCTTCA TCAGTAGAGA TTACAAGAGT GGATGCAATT TTCCAACCTT	4740
CTTTACCTGG CGAGTTCAGA TACTATCCTA ATATTATTGC AAAAGGAGTT GGGAAAATCA	4800
AACAATGGAA CTAGTAATCT CTATTTTAGT CCGGACGTAT CTATTAAGCC GAAGCAAATA	4860
AAGGATAATC AAAAACTTAG GACAAAAGAG GTCAATACCA ACAACTATTA GCAGTCACAC	4920
TCGCAAGAAT AAGAGAGAAG GGACCAAAAA AGTCAAATAG GAGAAATCAA AACAAAAGGT	4980
ACAGAACACC AGAACAACAA AATCAAAACA TCCAATCAC TCAAAACAAA AATTCCAAAA	5040
GAGACCGGCA ACACAACAAG CACTGAACAC AATGCCAAT TCAATACTGC TAATTATTAC	5100
AACCATGATC ATGGCATCTT TCTGCCAAAT AGATATCACA AACTACAGC ACGTAGGTGT	5160

- 277 -

ATTGGTCAAC AGTCCCAAAG GGATGAAGAT ATCACAAAAC TTTGAAACAA GATATCTAAT	5220
TTTGAGCCTC ATACCAAAAA TAGAAGACTC TAACTCTTGT GGTGACCAAC AGATCAAGCA	5280
ATACAAGAAG TTATTGGATA GACTGATCAT CCCTTTATAT GATGGATTAA GATTACAGAA	5340
AGATGTGATA GTAACCAATC AAGAATCCAA TGAAAACACT GATCCCAGAA CAAAACGATT	5400
CTTTGGAGGG GTAATTGGAA CCATTGCTCT GGGAGTAGCA ACCTCAGCAC AAATTACAGC	5460
GGCAGTTGCT CTGGTTGAAG CCAAGCAGGC AAGATCAGAC ATCGAAAAAC TCAAAGAAGC	5520
AATTAGGGAC ACAAATAAAG CAGTGCAGTC AGTTCAGAGC TCCATAGGAA ATTTAATAGT	5580
AGCAATTAAA TCAGTCCAGG ATTATGTTAA CAAAGAAATC GTGCCATCGA TTGCGAGGCT	5640
AGGTTGTGAA GCAGCAGGAC TTCAATTAGG AATTGCATTA ACACAGCATT ACTCAGAATT	5700
AACAAACATA TTTGGTGATA ACATAGGATC GTTACAAGAA AAAGGAATAA AATTACAAGG	5760
TATAGCATCA TTATACCGCA CAAATATCAC AGAAATATTC ACAACATCAA CAGTTGATAA	5820
ATATGATATC TATGATCTGT TATTTACAGA ATCAATAAAG GTGAGAGTTA TAGATGTTGA	5880
CTTGAATGAT TACTCAATCA CCCTCCAAGT CAGACTCCCT TTATTAATAA GGCTGCTGAA	5940
CACTCAGATC TACAAAGTAG ATTCCATATC ATATAACATC CAAAACAGAG AATGGTATAT	6000
CCCTCTTCCC AGCCATATCA TGACGAAAGG GGCATTCTTA GGTGGAGCAG ACGTCAAAGA	6060
ATGTATAGAA GCATTCAGCA GCTATATATG CCCTTCTGAT CCAGGATTG TATTAAACCA	6120
TGAAATAGAG AGCTGCTTAT CAGGAAACAT ATCCCAATGT CCAAGAACAA CGGTCACATC	6180
AGACATTGTT CCAAGATATG CATTTGTCAA TGGAGGAGTG GTTGCAAACGT GTATAACAAC	6240
CACCTGTACA TGCAACGGAA TTGGTAATAG AATCAATCAA CCACCTGATC AAGGAGTAAA	6300
AATTATAACA CATAAAGAAT GTAGTACAGT AGGTATCAAC GGAATGCTGT TCAATACAAA	6360
TAAAGAAGGA ACTCTTGCAAT TCTATACACC AAATGATATA ACACTAAACA ATTCTGTTAC	6420
ACTTGATCCA ATTGACATAT CAATCGAGCT CAACAAGGCC AAATCAGATC TAGAAGAATC	6480
AAAAGAATGG ATAAGAAGGT CAAATCAAAA ACTAGATTCT ATTGGAAATT GGCATCAATC	6540
TAGCACTACA ATCATAATTA TTTTGATAAT GATCATTATA TTGTTTATAA TTAATATAAC	6600
GATAATTACA ATTGCAATTA AGTATTACAG AATTCAAAAG AGAAATCGAG TGGATCAAAA	6660
TGACAAGCCA TATGTACTAA CAAACAAATA ACATATCTAC AGATCATTAG ATATTAAAAAT	6720

- 278 -

TATAAAAAAC	TTAGGAGTAA	AGTTACGCAA	TCCAACCTCTA	CTCATATAAT	TGAGGAAGGA	6780
CCCAATAGAC	AAATCCAAAT	TCGAGATGGA	ATACTGGAAG	CATACCAATC	ACGGAAAGGA	6840
TGCTGGCAAT	GAGCTGGAGA	CGTCTATGGC	TACTCATGGC	AACAAGCTCA	CTAATAAGAT	6900
AATATACATA	TTATGGACAA	TAATCCTGGT	GTTATTATCA	ATAGTCTTCA	TCATAGTGCT	6960
AATTAATTCC	ATCAAAAGTG	AAAAGGCCCA	CGAATCATTG	CTGCAAGACA	TAAATAATGA	7020
GTTTATGGAA	ATTACAGAAA	AGATCCAAAT	GGCATCGGAT	AATACCAATG	ATCTAATACA	7080
GTCAGGAGTG	AATACAAGGC	TTCTTACAAT	TCAGAGTCAT	GTCCAGAATT	ACATACCAAT	7140
ATCATTGACA	CAACAGATGT	CAGATCTTAG	GAAATTCATT	AGTGAAATTA	CAATTAGAAA	7200
TGATAATCAA	GAAGTGCTGC	CACAAAGAAT	AACACATGAT	GTAGGTATAA	AACCTTTAAA	7260
TCCAGATGAT	TTTTGGAGAT	GCACGTCTGG	TCTTCCATCT	TTAATGAAAA	CTCCAAAAAT	7320
AAGGTTAATG	CCAGGGCCGG	GATTATTAGC	TATGCCAACG	ACTGTTGATG	GCTGTGTTAG	7380
AACTCCGTCT	TTAGTTATAA	ATGATCTGAT	TTATGCTTAT	ACCTCAAATC	TAATTACTCG	7440
AGGTTGTCAG	GATATAGGAA	AATCATATCA	AGTCTTACAG	ATAGGGATAA	TAACTGTAAA	7500
CTCAGACTTG	GTACCTGACT	TAAATCCTAG	GATCTCTCAT	ACCTTTAACA	TAAATGACAA	7560
TAGGAAGTCA	TGTTCTCTAG	CACTCCTAAA	TACAGATGTA	TATCAACTGT	GTTCAACTCC	7620
CAAAGTTGAT	GAAAGATCAG	ATTATGCATC	ATCAGGCATA	GAAGATATTG	TACTTGATAT	7680
TGTCAATTAT	GATGGTTCAA	TCTCAACAAC	AAGATTTAAG	AATAATAACA	TAAGCTTTGA	7740
TCAACCATAT	GCTGCACTAT	ACCCATCTGT	TGGACCAGGG	ATATACTACA	AAGGCAAAAAT	7800
AATATTTCTC	GGGTATGGAG	GTCTTGAACA	TCCAATAAAT	GAGAATGTAA	TCTGCAACAC	7860
AACTGGGTGC	CCCGGGAAAA	CACAGAGAGA	CTGTAATCAA	GCGTCTCATA	GTCCATGGTT	7920
TTCAGATAGG	AGGATGGTCA	ACTCCATCAT	TGTTGCTGAC	AAAGGCTTAA	ACTCAATTCC	7980
AAAATTGAAA	GTATGGACGA	TATCTATGCG	ACAAAATTAC	TGGGGGTCAG	AAGGAAGGTT	8040
ACTTCTACTA	GGTAACAAGA	TCTATATATA	TACAAGATCT	ACAAGTTGGC	ATAGCAAGTT	8100
ACAATTAGGA	ATAATTGATA	TTACTGATTA	CAGTGATATA	AGGATAAAAT	GGACATGGCA	8160
TAATGTGCTA	TCAAGACCAG	GAAACAATGA	ATGTCCATGG	GGACATTCAT	GTCCAGATGG	8220
ATGTATAACA	GGAGTATATA	CTGATGCATA	TCCACTCAAT	CCCACAGGGA	GCATTGTGTC	8280

- 279 -

ATCTGTCATA	TTAGACTCAC	AAAAATCGAG	AGTGAACCCA	GTCATAACTT	ACTCAACAGC	8340
AACCGAAAGA	GTAAACGAGC	TGGCCATCCT	AAACAGAACA	CTCTCAGCTG	GATATACAAC	8400
AACAAGCTGC	ATTACACACT	ATAACAAAGG	ATATTGTTTT	CATATAGTAG	AAATAAATCA	8460
TAAAAGCTTA	AACACATTTT	AACCCATGTT	GTTCAAAACA	GAGATTCCAA	AAAGCTGCAG	8520
TTAATCATAA	TTAACCATAA	TATGCATCAA	TCTATCTATA	ATACAAGTAT	ATGATAAGTA	8580
ATCAGCAATC	AGACAATAGA	CAAAAGGGAA	ATATAAAAAA	CTTAGGAGCA	AAGCGTGCTC	8640
GGGAAATGGA	CACTGAATCT	AACAATGGCA	CTGTATCTGA	CATACTCTAT	CCTGAGTGTC	8700
ACCTTAACTC	TCCTATCGTT	AAAGGTAAAA	TAGCACAATT	ACACACTATT	ATGAGTCTAC	8760
CTCAGCCTTA	TGATATGGAT	GACGACTCAA	TACTAGTTAT	CACTAGACAG	AAAATAAAAC	8820
TTAATAAATT	GGATAAAAGA	CAACGATCTA	TTAGAAGATT	AAAATTAATA	TTAACTGAAA	8880
AAGTGAATGA	CTTAGGAAAA	TACACATTTA	TCAGATATCC	AGAAATGTCA	AAAGAAATGT	8940
TCAAATTATA	TATACCTGGT	ATTAACAGTA	AAGTGACTGA	ATTATTACTT	AAAGCAGATA	9000
GAACATATAG	TCAAATGACT	GATGGATTAA	GAGATCTATG	GATTAATGTG	CTATCAAAAT	9060
TAGCCTCAAA	AAATGATGGA	AGCAATTATG	ATCTTAATGA	AGAAATTAAT	AATATATCGA	9120
AAGTTCACAC	AACCTATAAA	TCAGATAAAT	GGTATAATCC	ATTCAAAACA	TGGTTTACTA	9180
TCAAGTATGA	TATGAGAAGA	TTACAAAAAG	CTCGAAATGA	GATCACTTTT	AATGTTGGGA	9240
AGGATTATAA	CTTGTTAGAA	GACCAGAAGA	ATTTCTTATT	GATACATCCA	GAATTGGTTT	9300
TGATATTAGA	TAAACAAAAC	TACAATGGTT	ATCTAATTAC	TCCTGAATTA	GTATTGATGT	9360
ATTGTGACGT	AGTCGAAGGC	CGATGGAATA	TAAGTGCATG	TGCTAAGTTA	GATCCAAAAT	9420
TACAATCTAT	GTATCAGAAA	GGTAATAACC	TGTGGGAAGT	GATAGATAAA	TTGTTTCCAA	9480
TTATGGGAGA	AAAGACATTT	GATGTGATAT	CGTTATTAGA	ACCACTTGCA	TTATCCTTAA	9540
TTCAAACCTCA	TGATCCTGTT	AAACAACATA	GAGGAGCTTT	TTTAAATCAT	GTGTTATCCG	9600
AGATGGAATT	AATATTTGAA	TCTAGAGAAT	CGATTAAAGGA	ATTTCTGAGT	GATAGATTACA	9660
TTGATAAAAT	TTTAGATATA	TTTAATAAGT	CTACAATAGA	TGAAATAGCA	GAGATTTTCT	9720
CTTTTTTTAG	AACATTTGGG	CATCCTCCAT	TAGAAGCTAG	TATTGCAGCA	GAAAAGGTTA	9780
GAAAATATAT	GTATATTGGA	AAACAATTAA	AATTTGACAC	TATTAATAAA	TGTCATGCTA	9840

- 280 -

TCTTCTGTAC AATAATAATT AACGGATATA GAGAGAGGCA TGGTGGACAG TGGCCTCCTG 9900
TGACATTACC TGATCATGCA CACGAATTCA TCATAAATGC TTACGGTTCA AACTCTGCGA 9960
TATCATATGA GAATGCTGTT GATTATTACC AGAGCTTTAT AGGAATAAAA TTCAATAAAT 10020
TCATAGAGCC TCAGTTAGAT GAGGATTGGA CAATTTATAT GAAAGATAAA GCATTATCTC 10080
CAAAAAAATC AAATTGGGAC ACAGTTTATC CTGCATCTAA TTTACTGTAC CGTACTAACG 10140
CATCCAACGA ATCACGAAGA TTAGTTGAAG TATTTATAGC AGATAGTAAA TTTGATCCTC 10200
ATCAGATATT GGATTATGTA GAATCTGGGG ACTGGTTAGA TGATCCAGAA TTTAATATTT 10260
CTTATAGTCT TAAAGAAAAA GAGATCAAAC AGGAAGGTAG ACTCTTTGCA AAAATGACAT 10320
ACAAAATGAG AGCTACACAA GTTTTATCAG AGACACTACT TGCAAATAAC ATAGGAAAAAT 10380
TCTTTCAAGA AAATGGGATG GTGAAGGGAG AGATTGAATT ACTTAAGAGA TTAACAACCA 10440
TATCAATATC AGGAGTTCCA CGGTATAATG AAGTGTACAA TAATTCTAAA AGCCATACAG 10500
ATGACCTTAA AACCTACAAT AAAATAAGTA ATCTTAATTT GTCTTCTAAT CAGAAATCAA 10560
AGAAATTTGA ATTCAAGTCA ACGGATATCT ACAATGATGG ATACGAGACT GTGAGCTGTT 10620
TCCTAACAAAC AGATCTCAA AAATACTGTC TTAATTGGAG ATATGAATCA ACAGCTCTAT 10680
TTGGAGAAAC TTGCAACCAA ATATTTGGAT TAAATAAATT GTTTAATTGG TTACACCCTC 10740
GTCTTGAAGG AAGTACAATC TATGTAGGTG ATCCTTACTG TCCTCCATCA GATAAAGAAC 10800
ATATATCATT AGAGGATCAC CCTGATTCTG GTTTTTACGT TCATAACCCA AGAGGGGGTA 10860
TAGAAGGATT TTGTCAAAAA TTATGGACAC TCATATCTAT AAGTGCAATA CATCTAGCAG 10920
CTGTTAGAAT AGGCGTGAGG GTGACTGCAA TGGTTCAAGG AGACAATCAA GCTATAGCTG 10980
TAACCACAAG AGTACCCAAC AATTATGACT ACAGAGTTAA GAAGGAGATA GTTTATAAAG 11040
ATGTAGTGAG ATTTTTTGAT TCATTAAGAG AAGTGATGGA TGATCTAGGT CATGAACTTA 11100
AATTAAATGA AACGATTATA AGTAGCAAGA TGTTCAATATA TAGCAAAAGA ATCTATTATG 11160
ATGGGAGAAT TCTTCCTCAA GCTCTAAAAG CATTATCTAG ATGTGTCTTC TGGTCAGAGA 11220
CAGTAATAGA CGAAACAAGA TCAGCATCTT CAAATTTGGC AACATCATTT GCAAAAGCAA 11280
TTGAGAATGG TTATTCACCT GTTCTAGGAT ATGCATGCTC AATTTTAAAG AACATTCAAC 11340
AACTATATAT TGCCCTTGGG ATGAATATCA ATCCAATCTAT AACACAGAAT ATCAGAGATC 11400

- 281 -

AGTATTTTAG GAATCCAAAT TGGATGCAAT ATGCCTCTTT AATACCTGCT AGTGTGGGG 11460
GATTCAATCA CATGGCCATG TCAAGATGTT TTGTAAGGAA TATTGGTGAT CCATCAGTTG 11520
CCGCATTGGC TGATATTAAA AGATTTATTA AGGCGAATCT ATTAGACCGA AGTGTCTTT 11580
ATAGGATTAT GAATCAAGAA CCAGGTGAGT CATCTTTTTT TGA CTGGGCT TCAGATCCAT 11640
ATTCATGCAA TTTACCACAA TCTCAAAATA TAACCACCAT GATAAAAAAT ATAACAGCAA 11700
GGAATGTATT ACAAGATTCA CCAAATCCAT TATTATCTGG ATTATTCACA AATACAATGA 11760
TAGAAGAAGA TGAAGRAATTA GCTGAGTTCC TGATGGACAG GAAGGTAATT CTCCCTAGAG 11820
TTGCACATGA TATTCTAGAT AATTCTCTCA CAGGAATTAG AAATGCCATA GCTGGAATGT 11880
TAGATACGAC AAAATCACTA ATTCGGGTTG GCATAAATAG AGGAGGACTG ACATATAGTT 11940
TGTTGAGGAA AATCAGTAAT TACGATCTAG TACAATATGA AACACTAAGT AGGACTTTGC 12000
GACTAATTGT AAGTGATAAA ATCAAGTATG AAGATATGTG TTCGGTAGAC CTTGCCATAG 12060
CATTGCGACA AAAGATGTGG ATTCATTTAT CAGGAGGAAG GATGATAAGT GGACTTGAAA 12120
CGCCTGACCC ATTAGAATTA CTATCTGGGG TAGTAATAAC AGGATCAGAA CATTGTAAAA 12180
TATGTTATTC TTCAGATGGC ACAAACCCAT ATACTTGGAT GTATTTACCC GGTAATATCA 12240
AAATAGGATC AGCAGAAACA GGTATATCGT CATTAGAGT TCCTTATTTT GGATCAGTCA 12300
CTGATGAAAG ATCTGAAGCA CAATTAGGAT ATATCAAGAA TCTTAGTAAA CCTGCAAAAG 12360
CCGCAATAAG AATAGCAATG ATATATACAT GGGCATTGG TAATGATGAG ATATCTTGGA 12420
TGGAAGCCTC ACAGATAGCA CAAACACGTG CAAATTTTAC ACTAGATAGT CTCAAAATTT 12480
TAACACCGGT AGCTACATCA ACAAATTTAT CACACAGATT TAAGGATACT GCAACTCAGA 12540
TGAAATTCTC CAGTACATCA TTGATCAGAG TCAGCAGATT TATAACAATG TCCAATGATA 12600
ACATGTCTAT CAAAGAAGCT AATGAAACCA AAGATACTAA TCTTATTTAT CAACAAATAA 12660
TGTTAACAGG ATTAAGTGTT TTCGAATATT TATTAGATT AAAAGAAACC ACAGGACACA 12720
ACCTTATAGT TATGCATCTG CACATAGAAG ATGAGTGTTG TATTAAAGAA AGTTTTAATG 12780
ATGAACATAT TAATCCAGAG TCTACATTAG AATTAATTCG ATATCCTGAA AGTAATGAAT 12840
TTATTTATGA TAAAGACCCA CTCAAAGATG TGGACTTATC AAAACTTATG GTTATTAAAG 12900
ACCATTTCTTA CACAATTGAT ATGAATTATT GGGATGATAC TGACATCATA CATGCAATTT 12960

- 282 -

CAATATGTAC TGCAATTACA ATAGCAGATA CTATGTCACA ATTAGATCGA GATAATTTAA	13020
AAGAGATAAT AGTTATTGCA AATGATGATG ATATTAATAG CTTAATCACT GAATTTTTGA	13080
CTCTTGACAT ACTTGTATTT CTCAAGACAT TTGGTGGATT ATTAGTAAAT CAATTTGCAT	13140
ACACTCTTTA TAGTCTAAAA ATAGAAGGTA GGGATCTCAT TTGGGATTAT ATAATGAGAA	13200
CACTGAGAGA TACTTCCCAT TCAATATTAA AAGTATTATC TAATGCATTA TCTCATCTTA	13260
AAGTATTCAA GAGGTCTGG GATTGTGGAG TTTTAAACCC TATTATGGT CCTAATATTG	13320
CTAGTCAAGA CCAGATAAAA CTTGCCCTAT CTATATGTGA ATATTCATA GATCTATTTA	13380
TGAGAGAATG GTTGAATGGT GTATCACTTG AAATATACAT TTGTGACAGC GATATGGAAG	13440
TTGCAAATGA TAGGAAACAA GCCTTTATTT CTAGACACCT TTCATTTGTT TGTGTTTATG	13500
CAGAAATTGC ATCTTTCGGA CCTAACCTGT TAAACTTAAC ATACTTGGAG AGACTTGATC	13560
TATTGAAACA ATATCTTGAA TTAAATATTA AAGAAGACCC TACTCTTAAA TATGTACAAA	13620
TATCTGGATT ATTAATTAAA TCGTTCCCAT CAACTGTAAC ATACGTAAGA AAGACTGCAA	13680
TCAAATATCT AAGGATTCGC GGTATTAGTC CACCTGAGGT AATTGATGAT TGGGATCCGG	13740
TAGAAGATGA AAATATGCTG GATAACATTG TCAAACTAT AAATGATAAC TGTAATAAAG	13800
ATAATAAAGG GAATAAAATT AACAAATTTCT GGGGACTAGC ACTTAAGAAC TATCAAGTCC	13860
TTAAATCAG ATCTATAACA AGTGATTCTG ATGATAATGA TAGACTAGAT GCTAATACAA	13920
GTGTTTGAC ACTTCCTCAA GGAGGGAATT ATCTATCGCA TCAATTGAGA TTATTCGGAA	13980
TCAACAGCAC TAGTTGTCTG AAAGCTCTTG AGTTATCACA AATTTAATG AAGGAAGTCA	14040
ATAAAGACAA GGACAGGCTC TTCCTGGGAG AAGGAGCAGG AGCTATGCTA GCATGTTATG	14100
ATGCCACATT AGGACCTGCA GTTAATTATT ATAATTCAGG TTTGAATATA ACAGATGTAA	14160
TTGGTCAACG AGAATTGAAA ATATTTCTTT CAGAGGTATC ATTAGTAGGT 'AAAAAATTAG	14220
GAAATGTGAC ACAGATTCTT AACAGGGTAA AAGTACTGTT CAATGGGAAT CCTAATTCAA	14280
CATGGATAGG AAATATGGAA TGTGAGAGCT TAATATGGAG TGAATTAAAT GATAAGTCCA	14340
TTGGATTAGT ACATTGTGAT ATGGAAGGAG CTATCGGTAA ATCAGAAGAA ACTGTTCTAC	14400
ATGAACATTA TAGTGTATA AGAATTACAT ACTTGATTGG GGATGATGAT GTTGTTTTAG	14460
TTTCCAAAAT TATACCTACA ATCACTCCGA ATTGGTCTAG AATACTTTAT CTATATAAAT	14520

- 283 -

TATATTGGAA AGATGTAAGT ATAATATCAC TCAAAACTTC TAATCCTGCA TCAACAGAAT 14580
 TATATCTAAT TTCGAAAGAT GCATATTGTA CTATAATGGA ACCTAGTGAA ATTGTTTTAT 14640
 CAAAACCTAA AAGATTGTCA CTCTTGGAAG AAAATAATCT ATTAAAATGG ATCATTTTAT 14700
 CAAAGAAGAG GAATAATGAA TGGTTACATC ATGAAATCAA AGAAGGAGAA AGAGATTATG 14760
 GAATCATGAG ACCATATCAT ATGGCACTAC AAATCTTTGG ATTTCAAATC AATTTAAATC 14820
 ATCTGGCGAA AGAATTTTTA TCAACCCAG ATCTGACTAA TATCAACAAT ATAATCCAAA 14880
 GTTTTCAGCG AACAATAAAG GATGTTTTAT TTGAATGGAT TAATATAACT CATGATGATA 14940
 AGAGACATAA ATTAGGCGGA AGATATAACA TATTCCCACT GAAAAATAAG GGAAAGTTAA 15000
 GACTGCTATC GAGAAGACTA GTATTAAGTT GGATTTTCATT ATCATTATCG ACTCGATTAC 15060
 TTACAGGTCG CTTTCCTGAT GAAAAATTG AACATAGAGC ACAGACTGGA TATGTATCAT 15120
 TAGCTGATAC TGATTTAGAA TCATTAAAGT TATTGTCGAA AAACATCATT AAGAATTACA 15180
 GAGAGTGTAT AGGATCAATA TCATATTGGT TTCTAACCAA AGAAGTTAAA ATACTTATGA 15240
 AATTGATTGG TGGTGCTAAA TTATTAGGAA TTCCAGACA ATATAAAGAA CCCGAAGACC 15300
 AGTTATTAGA AACTACAAT CAACATGATG AATTGATAT CGATTAAAAC ATAAATACAA 15360
 TGAAGATATA TCCTAACCTT TATCTTTAAG CCTAGGAATA GACAAAAAGT AAGAAAAACA 15420
 TGAATATAT ATATACCAA CAGAGTTCTT CTCTTGTTG GT 15462

(2) INFORMATION FOR SEQ ID NO:22:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 2233 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:22:

Met Asp Thr Glu Ser Asn Asn Gly Thr Val Ser Asp Ile Leu Tyr Pro
 1 5 10 15

Glu Cys His Leu Asn Ser Pro Ile Val Lys Gly Lys Ile Ala Gln Leu

- 284 -

20					25					30				
His	Thr	Ile	Met	Ser	Leu	Pro	Gln	Pro	Tyr	Asp	Met	Asp	Asp	Ser
		35					40					45		
Ile	Leu	Val	Ile	Thr	Arg	Gln	Lys	Ile	Lys	Leu	Asn	Lys	Leu	Asp
		50					55					60		
Arg	Gln	Arg	Ser	Ile	Arg	Arg	Leu	Lys	Leu	Ile	Leu	Thr	Glu	Lys
		65					70					75		80
Asn	Asp	Leu	Gly	Lys	Tyr	Thr	Phe	Ile	Arg	Tyr	Pro	Glu	Met	Ser
				85					90					95
Glu	Met	Phe	Lys	Leu	Tyr	Ile	Pro	Gly	Ile	Asn	Ser	Lys	Val	Thr
			100					105					110	
Leu	Leu	Leu	Lys	Ala	Asp	Arg	Thr	Tyr	Ser	Gln	Met	Thr	Asp	Gly
			115					120					125	
Arg	Asp	Leu	Trp	Ile	Asn	Val	Leu	Ser	Lys	Leu	Ala	Ser	Lys	Asn
			130					135					140	
Gly	Ser	Asn	Tyr	Asp	Leu	Asn	Glu	Glu	Ile	Asn	Asn	Ile	Ser	Lys
				145			150					155		160
His	Thr	Thr	Tyr	Lys	Ser	Asp	Lys	Trp	Tyr	Asn	Pro	Phe	Lys	Thr
				165					170					175
Phe	Thr	Ile	Lys	Tyr	Asp	Met	Arg	Arg	Leu	Gln	Lys	Ala	Arg	Asn
			180					185					190	
Ile	Thr	Phe	Asn	Val	Gly	Lys	Asp	Tyr	Asn	Leu	Leu	Glu	Asp	Gln
			195				200						205	
Asn	Phe	Leu	Leu	Ile	His	Pro	Glu	Leu	Val	Leu	Ile	Leu	Asp	Lys
			210				215						220	
Asn	Tyr	Asn	Gly	Tyr	Leu	Ile	Thr	Pro	Glu	Leu	Val	Leu	Met	Tyr
				225			230					235		240
Asp	Val	Val	Glu	Gly	Arg	Trp	Asn	Ile	Ser	Ala	Cys	Ala	Lys	Leu
				245					250					255
Pro	Lys	Leu	Gln	Ser	Met	Tyr	Gln	Lys	Gly	Asn	Asn	Leu	Trp	Glu
			260					265					270	
Ile	Asp	Lys	Leu	Phe	Pro	Ile	Met	Gly	Glu	Lys	Thr	Phe	Asp	Val
			275				280						285	
Ser	Leu	Leu	Glu	Pro	Leu	Ala	Leu	Ser	Leu	Ile	Gln	Thr	His	Asp
			290				295						300	

- 285 -

Val Lys Gln Leu Arg Gly Ala Phe Leu Asn His Val Leu Ser Glu Met
 305 310 315 320
 Glu Leu Ile Phe Glu Ser Arg Glu Ser Ile Lys Glu Phe Leu Ser Val
 325 330 335
 Asp Tyr Ile Asp Lys Ile Leu Asp Ile Phe Asn Lys Ser Thr Ile Asp
 340 345 350
 Glu Ile Ala Glu Ile Phe Ser Phe Phe Arg Thr Phe Gly His Pro Pro
 355 360 365
 Leu Glu Ala Ser Ile Ala Ala Glu Lys Val Arg Lys Tyr Met Tyr Ile
 370 375 380
 Gly Lys Gln Leu Lys Phe Asp Thr Ile Asn Lys Cys His Ala Ile Phe
 385 390 395 400
 Cys Thr Ile Ile Ile Asn Gly Tyr Arg Glu Arg His Gly Gly Gln Trp
 405 410 415
 Pro Pro Val Thr Leu Pro Asp His Ala His Glu Phe Ile Ile Asn Ala
 420 425 430
 Tyr Gly Ser Asn Ser Ala Ile Ser Tyr Glu Asn Ala Val Asp Tyr Tyr
 435 440 445
 Gln Ser Phe Ile Gly Ile Lys Phe Asn Lys Phe Ile Glu Pro Gln Leu
 450 455 460
 Asp Glu Asp Leu Thr Ile Tyr Met Lys Asp Lys Ala Leu Ser Pro Lys
 465 470 475 480
 Lys Ser Asn Trp Asp Thr Val Tyr Pro Ala Ser Asn Leu Leu Tyr Arg
 485 490 495
 Thr Asn Ala Ser Asn Glu Ser Arg Arg Leu Val Glu Val Phe Ile Ala
 500 505 510
 Asp Ser Lys Phe Asp Pro His Gln Ile Leu Asp Tyr Val Glu Ser Gly
 515 520 525
 Asp Trp Leu Asp Asp Pro Glu Phe Asn Ile Ser Tyr Ser Leu Lys Glu
 530 535 540
 Lys Glu Ile Lys Gln Glu Gly Arg Leu Phe Ala Lys Met Thr Tyr Lys
 545 550 555 560
 Met Arg Ala Thr Gln Val Leu Ser Glu Thr Leu Leu Ala Asn Asn Ile
 565 570 575

- 286 -

Gly Lys Phe Phe Gln Glu Asn Gly Met Val Lys Gly Glu Ile Glu Leu
 580 585 590
 Leu Lys Arg Leu Thr Thr Ile Ser Ile Ser Gly Val Pro Arg Tyr Asn
 595 600 605
 Glu Val Tyr Asn Asn Ser Lys Ser His Thr Asp Asp Leu Lys Thr Tyr
 610 615 620
 Asn Lys Ile Ser Asn Leu Asn Leu Ser Ser Asn Gln Lys Ser Lys Lys
 625 630 635 640
 Phe Glu Phe Lys Ser Thr Asp Ile Tyr Asn Asp Gly Tyr Glu Thr Val
 645 650 655
 Ser Cys Phe Leu Thr Thr Asp Leu Lys Lys Tyr Cys Leu Asn Trp Arg
 660 665 670
 Tyr Glu Ser Thr Ala Leu Phe Gly Glu Thr Cys Asn Gln Ile Phe Gly
 675 680 685
 Leu Asn Lys Leu Phe Asn Trp Leu His Pro Arg Leu Glu Gly Ser Thr
 690 695 700
 Ile Tyr Val Gly Asp Pro Tyr Cys Pro Pro Ser Asp Lys Glu His Ile
 705 710 715 720
 Ser Leu Glu Asp His Pro Asp Ser Gly Phe Tyr Val His Asn Pro Arg
 725 730 735
 Gly Gly Ile Glu Gly Phe Cys Gln Lys Leu Trp Thr Leu Ile Ser Ile
 740 745 750
 Ser Ala Ile His Leu Ala Ala Val Arg Ile Gly Val Arg Val Thr Ala
 755 760 765
 Met Val Gln Gly Asp Asn Gln Ala Ile Ala Val Thr Thr Arg Val Pro
 770 775 780
 Asn Asn Tyr Asp Tyr Arg Val Lys Lys Glu Ile Val Tyr Lys Asp Val
 785 790 795 800
 Val Arg Phe Phe Asp Ser Leu Arg Glu Val Met Asp Asp Leu Gly His
 805 810 815
 Glu Leu Lys Leu Asn Glu Thr Ile Ile Ser Ser Lys Met Phe Ile Tyr
 820 825 830
 Ser Lys Arg Ile Tyr Tyr Asp Gly Arg Ile Leu Pro Gln Ala Leu Lys
 835 840 845
 Ala Leu Ser Arg Cys Val Phe Trp Ser Glu Thr Val Ile Asp Glu Thr

- 287 -

850	855	860
Arg Ser Ala Ser Ser Asn Leu Ala Thr Ser Phe Ala Lys Ala Ile Glu 865	870	875 880
Asn Gly Tyr Ser Pro Val Leu Gly Tyr Ala Cys Ser Ile Phe Lys Asn 885	890	895
Ile Gln Gln Leu Tyr Ile Ala Leu Gly Met Asn Ile Asn Pro Thr Ile 900	905	910
Thr Gln Asn Ile Arg Asp Gln Tyr Phe Arg Asn Pro Asn Trp Met Gln 915	920	925
Tyr Ala Ser Leu Ile Pro Ala Ser Val Gly Gly Phe Asn His Met Ala 930	935	940
Met Ser Arg Cys Phe Val Arg Asn Ile Gly Asp Pro Ser Val Ala Ala 945	950	955 960
Leu Ala Asp Ile Lys Arg Phe Ile Lys Ala Asn Leu Leu Asp Arg Ser 965	970	975
Val Leu Tyr Arg Ile Met Asn Gln Glu Pro Gly Glu Ser Ser Phe Phe 980	985	990
Asp Trp Ala Ser Asp Pro Tyr Ser Cys Asn Leu Pro Gln Ser Gln Asn 995	1000	1005
Ile Thr Thr Met Ile Lys Asn Ile Thr Ala Arg Asn Val Leu Gln Asp 1010	1015	1020
Ser Pro Asn Pro Leu Leu Ser Gly Leu Phe Thr Asn Thr Met Ile Glu 1025	1030	1035 1040
Glu Asp Glu Glu Leu Ala Glu Phe Leu Met Asp Arg Lys Val Ile Leu 1045	1050	1055
Pro Arg Val Ala His Asp Ile Leu Asp Asn Ser Leu Thr Gly Ile Arg 1060	1065	1070
Asn Ala Ile Ala Gly Met Leu Asp Thr Thr Lys Ser Leu Ile Arg Val 1075	1080	1085
Gly Ile Asn Arg Gly Gly Leu Thr Tyr Ser Leu Leu Arg Lys Ile Ser 1090	1095	1100
Asn Tyr Asp Leu Val Gln Tyr Glu Thr Leu Ser Arg Thr Leu Arg Leu 1105	1110	1115 1120
Ile Val Ser Asp Lys Ile Lys Tyr Glu Asp Met Cys Ser Val Asp Leu 1125	1130	1135

- 288 -

Ala Ile Ala Leu Arg Gln Lys Met Trp Ile His Leu Ser Gly Gly Arg
1140 1145 1150

Met Ile Ser Gly Leu Glu Thr Pro Asp Pro Leu Glu Leu Leu Ser Gly
1155 1160 1165

Val Val Ile Thr Gly Ser Glu His Cys Lys Ile Cys Tyr Ser Ser Asp
1170 1175 1180

Gly Thr Asn Pro Tyr Thr Trp Met Tyr Leu Pro Gly Asn Ile Lys Ile
1185 1190 1195 1200

Gly Ser Ala Glu Thr Gly Ile Ser Ser Leu Arg Val Pro Tyr Phe Gly
1205 1210 1215

Ser Val Thr Asp Glu Arg Ser Glu Ala Gln Leu Gly Tyr Ile Lys Asn
1220 1225 1230

Leu Ser Lys Pro Ala Lys Ala Ala Ile Arg Ile Ala Met Ile Tyr Thr
1235 1240 1245

Trp Ala Phe Gly Asn Asp Glu Ile Ser Trp Met Glu Ala Ser Gln Ile
1250 1255 1260

Ala Gln Thr Arg Ala Asn Phe Thr Leu Asp Ser Leu Lys Ile Leu Thr
1265 1270 1275 1280

Pro Val Ala Thr Ser Thr Asn Leu Ser His Arg Phe Lys Asp Thr Ala
1285 1290 1295

Thr Gln Met Lys Phe Ser Ser Thr Ser Leu Ile Arg Val Ser Arg Phe
1300 1305 1310

Ile Thr Met Ser Asn Asp Asn Met Ser Ile Lys Glu Ala Asn Glu Thr
1315 1320 1325

Lys Asp Thr Asn Leu Ile Tyr Gln Gln Ile Met Leu Thr Gly Leu Ser
1330 1335 1340

Val Phe Glu Tyr Leu Phe Arg Leu Lys Glu Thr Thr Gly His Asn Pro
1345 1350 1355 1360

Ile Val Met His Leu His Ile Glu Asp Glu Cys Cys Ile Lys Glu Ser
1365 1370 1375

Phe Asn Asp Glu His Ile Asn Pro Glu Ser Thr Leu Glu Leu Ile Arg
1380 1385 1390

Tyr Pro Glu Ser Asn Glu Phe Ile Tyr Asp Lys Asp Pro Leu Lys Asp
1395 1400 1405

- 289 -

Val Asp Leu Ser Lys Leu Met Val Ile Lys Asp His Ser Tyr Thr Ile
 1410 1415 1420
 Asp Met Asn Tyr Trp Asp Asp Thr Asp Ile Ile His Ala Ile Ser Ile
 1425 1430 1435 1440
 Cys Thr Ala Ile Thr Ile Ala Asp Thr Met Ser Gln Leu Asp Arg Asp
 1445 1450 1455
 Asn Leu Lys Glu Ile Ile Val Ile Ala Asn Asp Asp Asp Ile Asn Ser
 1460 1465 1470
 Leu Ile Thr Glu Phe Leu Thr Leu Asp Ile Leu Val Phe Leu Lys Thr
 1475 1480 1485
 Phe Gly Gly Leu Leu Val Asn Gln Phe Ala Tyr Thr Leu Tyr Ser Leu
 1490 1495 1500
 Lys Ile Glu Gly Arg Asp Leu Ile Trp Asp Tyr Ile Met Arg Thr Leu
 1505 1510 1515 1520
 Arg Asp Thr Ser His Ser Ile Leu Lys Val Leu Ser Asn Ala Leu Ser
 1525 1530 1535
 His Pro Lys Val Phe Lys Arg Phe Trp Asp Cys Gly Val Leu Asn Pro
 1540 1545 1550
 Ile Tyr Gly Pro Asn Ile Ala Ser Gln Asp Gln Ile Lys Leu Ala Leu
 1555 1560 1565
 Ser Ile Cys Glu Tyr Ser Leu Asp Leu Phe Met Arg Glu Trp Leu Asn
 1570 1575 1580
 Gly Val Ser Leu Glu Ile Tyr Ile Cys Asp Ser Asp Met Glu Val Ala
 1585 1590 1595 1600
 Asn Asp Arg Lys Gln Ala Phe Ile Ser Arg His Leu Ser Phe Val Cys
 1605 1610 1615
 Cys Leu Ala Glu Ile Ala Ser Phe Gly Pro Asn Leu Leu Asn Leu Thr
 1620 1625 1630
 Tyr Leu Glu Arg Leu Asp Leu Leu Lys Gln Tyr Leu Glu Leu Asn Ile
 1635 1640 1645
 Lys Glu Asp Pro Thr Leu Lys Tyr Val Gln Ile Ser Gly Leu Leu Ile
 1650 1655 1660
 Lys Ser Phe Pro Ser Thr Val Thr Tyr Val Arg Lys Thr Ala Ile Lys
 1665 1670 1675 1680
 Tyr Leu Arg Ile Arg Gly Ile Ser Pro Pro Glu Val Ile Asp Asp Trp

- 290 -

1685										1690										1695										
Asp	Pro	Val	Glu	Asp	Glu	Asn	Met	Leu	Asp	Asn	Ile	Val	Lys	Thr	Ile															
			1700						1705					1710																
Asn	Asp	Asn	Cys	Asn	Lys	Asp	Asn	Lys	Gly	Asn	Lys	Ile	Asn	Asn	Phe															
			1715					1720					1725																	
Trp	Gly	Leu	Ala	Leu	Lys	Asn	Tyr	Gln	Val	Leu	Lys	Ile	Arg	Ser	Ile															
			1730					1735					1740																	
Thr	Ser	Asp	Ser	Asp	Asp	Asn	Asp	Arg	Leu	Asp	Ala	Asn	Thr	Ser	Gly															
			1745				1750				1755				1760															
Leu	Thr	Leu	Pro	Gln	Gly	Gly	Asn	Tyr	Leu	Ser	His	Gln	Leu	Arg	Leu															
				1765					1770					1775																
Phe	Gly	Ile	Asn	Ser	Thr	Ser	Cys	Leu	Lys	Ala	Leu	Glu	Leu	Ser	Gln															
			1780					1785					1790																	
Ile	Leu	Met	Lys	Glu	Val	Asn	Lys	Asp	Lys	Asp	Arg	Leu	Phe	Leu	Gly															
			1795					1800					1805																	
Glu	Gly	Ala	Gly	Ala	Met	Leu	Ala	Cys	Tyr	Asp	Ala	Thr	Leu	Gly	Pro															
			1810				1815				1820																			
Ala	Val	Asn	Tyr	Tyr	Asn	Ser	Gly	Leu	Asn	Ile	Thr	Asp	Val	Ile	Gly															
			1825				1830				1835			1840																
Gln	Arg	Glu	Leu	Lys	Ile	Phe	Pro	Ser	Glu	Val	Ser	Leu	Val	Gly	Lys															
				1845					1850				1855																	
Lys	Leu	Gly	Asn	Val	Thr	Gln	Ile	Leu	Asn	Arg	Val	Lys	Val	Leu	Phe															
			1860					1865					1870																	
Asn	Gly	Asn	Pro	Asn	Ser	Thr	Trp	Ile	Gly	Asn	Met	Glu	Cys	Glu	Ser															
			1875					1880				1885																		
Leu	Ile	Trp	Ser	Glu	Leu	Asn	Asp	Lys	Ser	Ile	Gly	Leu	Val	His	Cys															
			1890					1895				1900																		
Asp	Met	Glu	Gly	Ala	Ile	Gly	Lys	Ser	Glu	Glu	Thr	Val	Leu	His	Glu															
			1905				1910				1915			1920																
His	Tyr	Ser	Val	Ile	Arg	Ile	Thr	Tyr	Leu	Ile	Gly	Asp	Asp	Asp	Val															
				1925					1930				1935																	
Val	Leu	Val	Ser	Lys	Ile	Ile	Pro	Thr	Ile	Thr	Pro	Asn	Trp	Ser	Arg															
				1940					1945				1950																	
Ile	Leu	Tyr	Leu	Tyr	Lys	Leu	Tyr	Trp	Lys	Asp	Val	Ser	Ile	Ile	Ser															
			1955					1960				1965																		

- 291 -

Leu Lys Thr Ser Asn Pro Ala Ser Thr Glu Leu Tyr Leu Ile Ser Lys
 1970 1975 1980

Asp Ala Tyr Cys Thr Ile Met Glu Pro Ser Glu Ile Val Leu Ser Lys
 1985 1990 1995 2000

Leu Lys Arg Leu Ser Leu Leu Glu Glu Asn Asn Leu Leu Lys Trp Ile
 2005 2010 2015

Ile Leu Ser Lys Lys Arg Asn Asn Glu Trp Leu His His Glu Ile Lys
 2020 2025 2030

Glu Gly Glu Arg Asp Tyr Gly Ile Met Arg Pro Tyr His Met Ala Leu
 2035 2040 2045

Gln Ile Phe Gly Phe Gln Ile Asn Leu Asn His Leu Ala Lys Glu Phe
 2050 2055 2060

Leu Ser Thr Pro Asp Leu Thr Asn Ile Asn Asn Ile Ile Gln Ser Phe
 2065 2070 2075 2080

Gln Arg Thr Ile Lys Asp Val Leu Phe Glu Trp Ile Asn Ile Thr His
 2085 2090 2095

Asp Asp Lys Arg His Lys Leu Gly Gly Arg Tyr Asn Ile Phe Pro Leu
 2100 2105 2110

Lys Asn Lys Gly Lys Leu Arg Leu Leu Ser Arg Arg Leu Val Leu Ser
 2115 2120 2125

Trp Ile Ser Leu Ser Leu Ser Thr Arg Leu Leu Thr Gly Arg Phe Pro
 2130 2135 2140

Asp Glu Lys Phe Glu His Arg Ala Gln Thr Gly Tyr Val Ser Leu Ala
 2145 2150 2155 2160

Asp Thr Asp Leu Glu Ser Leu Lys Leu Leu Ser Lys Asn Ile Ile Lys
 2165 2170 2175

Asn Tyr Arg Glu Cys Ile Gly Ser Ile Ser Tyr Trp Phe Leu Thr Lys
 2180 2185 2190

Glu Val Lys Ile Leu Met Lys Leu Ile Gly Gly Ala Lys Leu Leu Gly
 2195 2200 2205

Ile Pro Arg Gln Tyr Lys Glu Pro Glu Asp Gln Leu Leu Glu Asn Tyr
 2210 2215 2220

Asn Gln His Asp Glu Phe Asp Ile Asp
 2225 2230

- 292 -

(2) INFORMATION FOR SEQ ID NO:23:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 15218 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: RNA (genomic)

(x1) SEQUENCE DESCRIPTION: SEQ ID NO:23:

ACGCGAAAAA ATGCGTACTA CAAACTTGCA CATTGCGAAAA AAATGGGGCA AATAAGAACT	60
TGATAAGTGC TATTTAAGTC TAACCTTTTC AATCAGAAAT GGGGTGCAAT TCACTGAGCA	120
TGATAAAGGT TAGATTACAA AATTTATTTG ACAATGACGA AGTAGCATTG TTAATAATAA	180
CATGTTATAC TGATAAATTA ATTCTTCTGA CCAATGCATT AGCCAAAGCA GCAATACATA	240
CAATTAAATT AAACGGCATA GTTTTTATAC ATGTTATAAC AAGCAGTGAA GTGTGCCCTG	300
ATAACAATAT TGTAGTGAAA TCTAACTTTA CAACAATGCC AATACTACAA AATGGAGGAT	360
ACATATGGGA ATTGATTGAG TTGACACACT GCTCTCAATT AAACGGTTTA ATGGATGATA	420
ATTGTGAAAT CAAATTTTCT AAAAGACTAA GTGACTCAGT AATGACTAAT TATATGAATC	480
AAATATCTGA CTTACTTGGG CTTGATCTCA ATTCATGAAT TATGTTTAGT CTAATTCAAT	540
AGACATGTGT TTATTACCAT TTTAGTTAAT ATAAAACTC ATCAAAGGGA AATGGGGCAA	600
ATAAACTCAC CTAATCAATC AAACCATGAG CACTACAAAT GACAACACTA CTATGCAAAG	660
ATTGATGATC ACAGACATGA GACCCCTGTC AATGGATTCA ATAATAACAT CTCTTACCAA	720
AGAAATCATC ACACACAAAT TCATATACTT GATAAACAAT GAATGTATTG TAAGAAAACT	780
TGATGAAAGA CAAGCTACAT TTACATTCTT AGTCAATTAT GAGATGAAGC TACTGCACAA	840
AGTAGGGAGT ACCAAATACA AAAAATACAC TGAATATAAT ACAAATATG GCACCTTCCC	900
CATGCCTATA TTTATCAATC ACGGCGGGTT TCTAGAATGT ATTGGCATTG AGCCTACAAA	960
ACACACTCCT ATAATATACA AATATGACCT CAACCCGTGA ATTCCAACAA AAAAACCAAC	1020
CCAACCAAAC CAACTATTTC CTCAAACAAC AGTGCTCAAT AGTTAAGAAG GAGCTAATCC	1080
ATTTTAGTAA TTAATAATAA AAGTAAAGCC AATAACATAA ATTGGGGCAA ATACAAAGAT	1140

- 293 -

GGCTCTTAGC AAAGTCAAGT TGAATGATAC ATTAAATAAG GATCAGCTGC TGTCATCCAG	1200
CAAATACACT ATTCAACGTA GTACAGGAGA TAATATTGAC ACTCCCAATT ATGATGTGCA	1260
AAAACACCTA AACAACTAT GTGGTATGCT ATTAATCACT GAAGATGCAA ATCATAAATT	1320
CACAGGATTA ATAGGTATGT TATATGCTAT GTCCAGGTTA GGAAGGGAAG ACACTATAAA	1380
GATACTTAAA GATGCTGGAT ATCATGTTAA AGCTAATGGA GTAGATATAA CAACATATCG	1440
TCAAGATATA AATGGAAAGG AAATGAAATT CGAAGTATTA ACATTATCAA GCTTGACATC	1500
AGAAATACAA GTCAATATTG AGATAGAATC TAGAAAGTCC TACAAAAAAA TGCTAAAAGA	1560
GATGGGAGAA GTGGCTCCAG AATATAGGCA TGATTCTCCA GACTGTGGGA TGATAATACT	1620
GTGTATAGCT GCACCTGTGA TAACCAAATT AGCAGCAGGA GACAGATCAG GTCTTACAGC	1680
AGTAATTAGG AGGGCAAACA ATGTCCTAAA AAACGAAATA AAACGATACA AGGGCCTCAT	1740
ACCAAAGGAT ATAGCTAACA GTTTTTATGA AGTGTGTTGAA AAACACCCTC ATCTTATAGA	1800
TGTTTTCGTG CACTTTGGCA TTGCACAATC ATCCACAAGA GGGGGTAGTA GAGTTGAAGG	1860
AATCTTTGCA GGATTGTTTA TGAATGCCTA TGGTTCAGGG CAAGTAATGC TAAGATGGGG	1920
AGTTTTAGCC AAATCTGTAA AAAATATCAT GCTAGGACAT GCTAGTGTCC AGGCAGAAAT	1980
GGAGCAAGTT GTGGAAGTCT ATGAGTATGC ACAGAAGTTG GGAGGAGAAG CTGGATTCTA	2040
CCATATATTG AACAAATCAA AAGCATCATT GCTGTCATTA ACTCAATTTC CCAACTTCTC	2100
AAGTGTGGTC CTAGGCAATG CAGCAGGTCT AGGCATAATG GGAGAGTATA GAGGTACACC	2160
AAGAAACCAG GATCTTTATG ATGCAGCTAA AGCATATGCA GAGCAACTCA AAGAAATGG	2220
AGTAATAAAC TACAGTGTAT TAGACTTAAC AGCAGAAGAA TTGGAAGCCA TAAAGCATCA	2280
ACTCAACCCC AAAGAAGATG ATGTAGAGCT TTAAGTTAAC AAAAAATACG GGGCAAATAA	2340
GTCAACATGG AGAAGTTTGC ACCTGAATTT CATGGAGAAG ATGCAAATAA CAAAGCTACC	2400
AAATTCCTAG AATCAATAAA GGGCAAGTTC GCATCATCCA AAGATCCTAA GAAGAAAGAT	2460
AGCATAATAT CTGTTAACTC AATAGATATA GAAGTAACTA AAGAGAGCCC GATAACATCT	2520
GGCACCAACA TCATCAATCC AACAAGTGAA GCCGACAGTA CCCCAGAAAC AAAAGCCAAC	2580
TACCCAAGAA AACCCTAGT AAGCTTCAAA GAAGATCTCA CCCCAGTGA CAACCCTTTT	2640
TCTAAGTTGT ACAAGGAAAC AATAGAAACA TTTGATAACA ATGAAGAAGA ATCTAGCTAC	2700

- 294 -

TCATATGAAG AGATAAATGA TCAAACAAAT GACAACATTA CAGCAAGACT AGATAGAATT	2760
GATGAAAAAT TAAGTGAAAT ATTAGGAATG CTCCATACAT TAGTAGTTGC AAGTGCAGGA	2820
CCCCTTCAG CTCGCGATGG AATAAGAGAT GCTATGGTTG GTCTAAGAGA AGAGATGATA	2880
GAAAAAATAA GAGCGGAAGC ATTAATGACC AATGATAGGT TAGAGGCTAT GGCAAGACTT	2940
AGGAATGAGG AAAGCGAAAA AATGGCAAAA GACACCTCAG ATGAAGTGTG TCTTAATCCA	3000
ACTTCCAAAA AATTGAGTGA CTTGTTGGAA GACAACGATA GTGACAATGA TCTATCACTT	3060
GATGATTTTT GATCAGCGAT CAACTCACTC AGCAATCAAC AACATCAATA AAACAGACAT	3120
CAATCCATTG AATCAACTGC CAGACCGAAC AAACAAACGT CCATCAGTAG AACCACCAAC	3180
CAATCAATCA ACCAATTGAT CAATCAGCAA CCCGACAAAA TTAACAATAT AGTAACAAAA	3240
AAAGAACAAG ATGGGGCAAA TATGGAAACA TACGTGAACA AGCTTCACGA AGGCTCCACA	3300
TACACAGCAG CTGTTCACTA CAATGTTCTA GAAAAAGATG ATGATCCTGC ATCACTAACA	3360
ATATGGGTGC CTATGTTCCA GTCATCTGTG CCAGCAGACT TGCTCATAAA AGAACTTGCA	3420
AGCATCAATA TACTAGTGAA GCAGATCTCT ACGCCCAAAG GACCTTCACT ACGAGTCAGG	3480
ATTAECTCAA GAAGTGCTGT GCTGGCTCAA ATGCCTAGTA ATTCATCAT AAGCGCAAAT	3540
GTATCATTAG ATGAAAGAAG CAAATTAGCA TATGATGTAA CTACACCTTG TGAAATCAAA	3600
GCATGCAGTC TAACATGCTT AAAAGTAAAA AGTATGTTAA CTACAGTCAA AGATCTTACC	3660
ATGAAGACAT TCAACCCAC TCATGAGATC ATTGCTCTAT GTGAATTTGA AAATATTATG	3720
ACATCAAAAA GAGTAATAAT ACCAACCTAT CTAAGATCAA TTAGTGTCAA GAACAAGGAT	3780
CTGAACTCAC TAGAAAATAT AGCAACCACC GAATTCAAAA ATGCTATCAC CAATGCAAAA	3840
ATTATTCCTT ATGCAGGATT AGTGTTAGTT ATCACAGTTA CTGACAATAA AGGAGCATTC	3900
AAATATATCA AACCACAGAG TCAATTTATA GTAGATCTTG GTGCCTACCT AGAAAAAGAG	3960
AGCATATATT ATGTGACTAC TAATTGGAAG CATAAGCTA CACGTTTTTC AATCAAACCA	4020
CTAGAGGATT AAACCTAATT ATCAACACTG AATGACAGGT CCACATATAT CCTCAAACCTA	4080
CACACTATAT CCAAACATCA TAAACATCTA CACTACACAC TTCATCACAC AAACCAATCC	4140
CACTCAAAAT CCAAATCAC TACCAGCCAC TATCTGCTAG ACCTAGAGTG CGAATAGGTA	4200
AATAAAACCA AAATATGGGG TAAATAGACA TTAGTTAGAG TTCAATCAAT CTTAACAACC	4260

- 295 -

ATTTATACCG CCAATTCAAC ACATATACTA TAAATCTTAA AATGGGAAAT ACATCCATCA	4320
CAATAGAATT CACAAGCAAA TTTTGGCCCT ATTTTACACT AATACATATG ATCTTAACTC	4380
TAATCTTTTT ACTAATTATA ATCACTATTA TGATTGCAAT ACTAAATAAG CTAAGTGAAC	4440
ATAAAGCATT CTGTAACAAA ACTCTTGAAC TAGGACAGAT GTATCAAATC AACACATAGA	4500
GTTCTACCAT TATGCTGTGT CAAATTATAA TCCTGTATAT ATAAACAAAC AAATCCAATC	4560
TTCTCACAGA GTCATGGTGT CGCAAAACCA CGCTAACTAT CATGGTAGCA TAGAGTAGTT	4620
ATTTAAAAAT TAACATAATG ATGAATTGTT AGTATGAGAT CAAAACAAC ATTGGGGGCAA	4680
ATGCAACCAT GTCCAAACAC AAGAATCAAC GCACTGCCAG GACTCTAGAA AAGACCTGGG	4740
ATACTCTTAA TCATCTAATT GTAATATCCT CTTGTTTATA CAGATTAAAT TTAATCTA	4800
TAGCACAAAT AGCACTATCA GTTTTGGCAA TGATAATCTC AACCTCTCTC ATAATTGCAG	4860
CCATAATATT CATCATCTCT GCCAATCACA AAGTTACACT AACACGGTC ACAGTTCAAA	4920
CAATAAAAAA CCACACTGAA AAAACATCA CCACCTACCC TACTCAAGTC TCACCAGAAA	4980
GGGTTAGTTC ATCCAAGCAA CCCACAACCA CATCACCAAT CCACACAAGT TCAGCTACAA	5040
CATCACCCAA TACAAAATCA GAAACACACC ATACAACAGC ACAAACCAAA GGCAGAACCA	5100
CCACTTCAAC ACAGACCAAC AAGCCAAGCA CAAAACCACG TCCAAAAAAT CCACCAAAAA	5160
AAGATGATTA CCATTTTGAA GTGTTCAACT TCGTTCCCTG CAGTATATGT GGCAACAATC	5220
AACTTTGCAA ATCCATCTGC AAAACAATAC CAAGCAACAA ACCAAAGAAG AAACCAACCA	5280
TCAAAACCCAC AAACAAACCA ACCACCAAAA CCACAAACAA AAGAGACCCA AAAACACCAG	5340
CCAAAACGAC GAAAAAAGAA ACTACCACCA ACCCAACAAA AAAACTAACC CTCAAGACCA	5400
CAGAAAGAGA CACCAGCACC TCACAATCCA CTGCACTCGA CACAACCACA TTAACACACA	5460
CAGTCCAACA GCAATCCCTC CTCTCAACCA CCCCCGAAAA CACACCCAAC TCCACACAAA	5520
CACCCACAGC ATCCGAGCCC TCCACACCAA ACTCCACCCA AAAAACCAG CCACATGCTT	5580
AGTTATTCAA AAACCTACATC TTAGCAGAGA ACCGTGATCT ATCAAGCAAG AACGAAATTA	5640
AACCTGGGGC AAATAACCAT GGAGTTGATG ATCCACAAGT CAAGTGCAAT CTTCTTAAT	5700
CTTGCTATTA ATGCATTGTA CCTCACCTCA AGTCAGAACA TAACTGAGGA GTTTTACCAA	5760
TCGACATGTA GTGCAGTTAG CAGAGGTTAT TTAGTGCTT TAAGAACAGG TTGGTATACT	5820

- 296 -

AGTGTACATAA CAATAGAATT AAGTAATATA AAAGAAACCA AATGCAATGG AACTGACACT	5880
AAAGTAAAAC TTATGAAACA AGAATTAGAT AAGTATAAGA ATGCAGTAAC AGAATTACAG	5940
CTACTTATGC AAAACACACC AGCTGTCAAC AACCGGGCCA GAAGAGAAGC ACCACAGTAT	6000
ATGAACTACA CAATCAATAC CACTAAAAAC CTAAATGTAT CAATAAGCAA GAAGAGGAAA	6060
CGAAGATTTT TAGGCTTCTT GTTAGGTGTG GGATCTGCAA TAGCAAGTGG TATAGCTGTA	6120
TCAAAAGTTC TACACCTTGA AGGAGAAGTG AACAAAGATCA AAAATGCTTT GTTGTCTACA	6180
AACAAAGCTG TAGTCAGTTT ATCAAATGGG GTCAGTGTTT TAACCAGCAA AGTGTTAGAT	6240
CTCAAGAATT ACATAAATAA CCAATTATTA CCCATAGTAA ATCAACAGAG CTGTCGCATC	6300
TCCAACATTG AACAGTTAT AGAATTCCAG CAGAAGAACA GCAGATTGTT GGAAATCACC	6360
AGAGAATTTA GTGTCAATGC AGGTGTAACA ACACCTTTAA GCACTTACAT GTTGACAAAC	6420
AGTGAGTTAC TATCATTAAAT CAATGATATG CCTATAACAA ATGATCAGAA AAAATTAATG	6480
TCAAGCAATG TTCAGATAGT AAGGCAACAA AGTTATTCCA TCATGTCTAT AATAAAGGAA	6540
GAAGTCCTTG CATATGTTGT ACAGCTGCCT ATCTATGGTG TAATAGATAC ACCTTGCTGG	6600
AAATTGCACA CATCGCCTCT ATGCACTACC AACATCAAAG AAGGATCAAA TATTTGTTTA	6660
ACAAGGACTG ATAGAGGATG GTATTGTGAT AATGCAGGAT CAGTATCCTT CTTCCACAG	6720
GCTGACACTT GTAAAGTACA GTCCAATCGA GTATTTTGTG AACTATGAA CAGTTTGACA	6780
TTACCAAGTG AAGTCAGCCT TTGTAACACT GACATATTCA ATTCCAAGTA TGA CTGCAAA	6840
ATTATGACAT CAAAAACAGA CATAAGCAGC TCAGTAATTA CTTCTCTTGG AGCTATAGTG	6900
TCATGCTATG GTAAACTAA ATGCACTGCA TCCAACAAAA ATCGTGGGAT TATAAAGACA	6960
TTTTCTAATG GTTGTGACTA TGTGTCAAAC AAAGGAGTAG ATACTGTGTC AGTGGGCAAC	7020
ACTTTATACT ATGTAAACAA GCTGGAAGGC AAGAACCTTT ATGTAAAAGG GGAACCTATA	7080
ATAAATTACT ATGACCCTCT AGTGTTTCCT TCTGATGAGT TTGATGCATC AATATCTCAA	7140
GTCAATGAAA AAATCAATCA AAGTTTAGCT TTTATTGTA GATCTGATGA ATTACTACAT	7200
AATGTAAATA CTGGCAAATC TACTACAAAT ATTATGATAA CTACAATTAT TATAGTAATC	7260
ATTGTAGTAT TGTATCATT AATAGCTATT GGTTTACTGT TGTATTGTAA AGCCAAAAAC	7320
ACACCAGTTA CACTAAGCAA AGACCAACTA AGTGGAATCA ATAATATTGC ATTCAGCAAA	7380

- 297 -

TAGACAAAAA ACCACCTGAT CATGTTTCAA CAACAATCTG CTGACCACCA ATCCCAAATC	7440
AACTTACAAC AAATATTTCA ACATCACAGT ACAGGCTGAA TCATTTCTCTC ACATCATGCT	7500
ACCCACATAA CTAAGCTAGA TCCTTAACTT ATAGTTACAT AAAAACTCA AGTATCACAA	7560
TCAACCACTA AATCAACACA TCATTCACAA AATTAACAGC TGGGGCAAAT ATGTCGCGAA	7620
GAAATCCTTG TAAATTTGAG ATTAGAGGTC ATTGCTTGAA TGGTAGAAGA TGTCCTACA	7680
GTCATAATTA CTTTGAATGG CCTCCTCATG CATTACTAGT GAGGCAAAAC TTCATGTTAA	7740
ACAAGATACT CAAGTCAATG GACAAAAGCA TAGACACTTT GTCTGAAATA AGTGGAGCTG	7800
CTGAACTGGA TAGAACAGAA GAATATGCTC TTGGTATAGT TGGAGTGCTA GAGAGTTACA	7860
TAGGATCTAT AAACAACATA ACAAACAAT CAGCATGTGT TGCTATGAGT AAACCTTCTTA	7920
TTGAGATCAA TAGTGATGAC ATTAAAAAGC TTAGAGATAA TGAAGAAGCC AATTCACCTA	7980
AGATAAGAGT GTACAATACT GTTATATCAT ACATTGAGAG CAATAGAAAA AACACAAGC	8040
AAACCATCCA TCTGCTCAAG AGACTACCAG CAGACGTGCT GAAGAAGACA ATAAAGAACA	8100
CATTAGATAT CCACAAAAGC ATAACCATAA GCAATCCAAA AGAGTCAACT GTGAATGATC	8160
AAAATGACCA AACCAAAAAT AATGATATTA CCGGATAAAT ATCCTTGTAG TATATCATCC	8220
ATATTGATCT CAAGTGAAAG CATGGTTGCT ACATTCAATC ATAAAAACAT ATTACAATTT	8280
AACCATAACT ATTTGGATAA CCACCAGCGT TTATTAAATC ATATATTTGA TGAAATTCAT	8340
TGGACACCTA AAAACTTATT AGATGCCACT CAACAATTTT TCCAACATCT TAACATCCCT	8400
GAAGATATAT ATACAGTATA TATATTAGTG TCATAATGCT TGACCATAAC GACTCTATGT	8460
CATCCAACCA TAAAACTATT TTGATAAGGT TATGGGACAA AATGGATCCC ATTATTAATG	8520
GAAACTCTGC TAATGTGTAT CTAAGTATA GTTATTTAAA AGGTGTTATC TCTTTTTCAG	8580
AGTGTAAATGC TTTAGGGAGT TATCTTTTTA ACGGCCCTTA TCTTAAAAAT GATTACACCA	8640
ACTTAATTAG TAGACAAAGC CCACTACTAG AGCATATGAA TCTTAAAAAA CTAAGTATAA	8700
CACAGTCATT AATATCTAGA TATCATAAAG GTGAACTGAA ATTAGAAGAA CCAACTTATT	8760
TCCAGTCATT ACTTATGACA TATAAAAGTA TGTCTCTGTC TGAACAAAT GCTACAATA	8820
ACTTACTTAA AAAAATAATA CGAAGAGCCA TAGAAATAAG TGATGTAAAG GTGTACGCCA	8880
TCTTGAATAA ACTAGGATTA AAGGAAAAGG ACAGAGTTAA GCCCAACAAT AATTCAGGTG	8940

- 298 -

ATGAAAAC	AGTACTTACA	ACCATAATTA	AAGATGATAT	ACTTTCGGCT	GTGGAAAACA	9000
ATCAATCATA	TACAAATTCA	GACAAAAGTC	ACTCAGTAAA	TCAAAATATC	ACTATCAAAA	9060
CAACACTCTT	GAAAAAATTG	ATGTGTTCAA	TGCAACATCC	TCCATCATGG	TTAATACACT	9120
GGTTCAATTT	ATATACAAAA	TTAAATAACA	TATTAACACA	ATATCGATCA	AATGAGGTAA	9180
AAAGTCATGG	GTTTATATTA	ATAGATAATC	AAACTTTAAG	TGGTTTTTCAG	TTTATTTTAA	9240
ATCAATATGG	TTGTATCGTT	TATCATAAAG	GACTCAAAAA	AATCACAACT	ACTACTTACA	9300
ATCAATTTTT	GACATGGAAA	GACATCAGCC	TTAGCAGATT	AAATGTTTGC	TTAATTACTT	9360
GGATAAGTAA	TTGTTTAAAT	ACATTAAACA	AAAGCTTAGG	GCTGAGATGT	GGATTCAATA	9420
ATGTTGTGTT	ATCACAATTA	TTTCTTTATG	GAGATTGTAT	ACTGAAATTA	TTTCATAATG	9480
AAGGCTTCTA	CATAATAAAA	GAAGTAGAGG	GATTTATTAT	GTCTTTAATT	CTAAACATAA	9540
CAGAAGAAGA	TCAATTTAGG	AAACGATTTT	ATAATAGCAT	GCTAAATAAC	ATCACAGATG	9600
CAGCTATTAA	GGCTCAAAAG	GACCTACTAT	CAAGAGTATG	TCACACTTTA	TTAGACAAGA	9660
CAGTGTCTGA	TAATATCATA	AATGGTAAAT	GGATAATCCT	ATTAAGTAAA	TTTCTTAAAT	9720
TGATTAAGCT	TGCAGGTGAT	AATAATCTCA	ATAACTTGAG	TGAGCTATAT	TTTCTCTTCA	9780
GAATCTTTGG	ACATCCAATG	GTCGATGAAA	GACAAGCAAT	GGATTCTGTA	AGAATTAACT	9840
GTAATGAAAC	TAAGTTCTAC	TTATTAAGTA	GTCTAAGTAC	ATTAAGAGGT	GCTTTCATTT	9900
ATAGAATCAT	AAAAGGGTTT	GTAAATACCT	ACAACAGATG	GCCCACCTTA	AGGAATGCTA	9960
TTGTCCTACC	TCTAAGATGG	TTAAACTACT	ATAAACTTAA	TACTTATCCA	TCTCTACTTG	10020
AAATCACAGA	AAATGATTTG	ATTATTTTAT	CAGGATTGCG	GTTCTATCGT	GAGTTTCATC	10080
TGCCTAAAAA	AGTGGATCTT	GAAATGATAA	TAAATGACAA	AGCCATTTCA	CCTCCAAAAG	10140
ATCTAATATG	GACTAGTTTT	CCTAGAAATT	ACATGCCATC	ACATATACAA	AATTATATAG	10200
AACATGAAAA	GTTGAAGTTC	TCTGAAAGCG	ACAGATCGAG	AAGAGTACTA	GAGTATTACT	10260
TGAGAGATAA	TAAATTCAAT	GAATGCGATC	TATACAATTG	TGTAGTCAAT	CAAAGCTATC	10320
TCAACAACTC	TAATCACGTG	GTATCACTAA	CTGGTAAAGA	AAGAGAGCTC	AGTGTAGGTA	10380
GAATGTTTGC	TATGCAACCA	GGTATGTTTA	GGCAATCCA	AATCTTAGCA	GAGAAAAATGA	10440
TAGCTGAAAA	TATTTTACAA	TTCTTCCCTG	AGAGTTTGAC	AAGATATGGT	GATCTAGAGC	10500

- 299 -

TTCAAAAGAT ATTAGAATTA AAAGCAGGAA TAAGCAACAA GTCAAATCGT TATAATGATA	10560
ACTACAACAA TTATATCAGT AAATGTTCTA TCATTACAGA TCTTAGCAAA TTCAATCAGG	10620
CATTTAGATA TGAAACATCA TGTATCTGCA GTGATGTATT AGATGAACTG CATGGAGTAC	10680
AATCTCTGTT CTCTTGTTG CATTTAACAA TACCTCTTGT CACAATAATA TGTACATATA	10740
GACATGCACC TCCTTTCATA AAGGATCATG TTGTTAATCT TAATGAGGTT GATGAACAAA	10800
GTGGATTATA CAGATATCAT ATGGGTGGTA TTGAGGGCTG GTGTCAAAAA CTGTGGACCA	10860
TTGAAGCTAT ATCATTATTA GATCTAATAT CTCTCAAAGG GAAATTCTCT ATCACAGCTC	10920
TGATAAATGG TGATAATCAG TCAATTGATA TAAGCAAACC AGTTAGACTT ATAGAGGGTC	10980
AGACCCATGC ACAAGCAGAT TATTGTTAG CATTAAATAG CCTTAAATTG TTATATAAAG	11040
AGTATGCAGG TATAGGCCAT AAGCTTAAGG GAACAGAGAC CTATATATCC CGAGATATGC	11100
AGTTCATGAG CAAAACAATC CAGCACAATG GAGTGTACTA TCCAGCCAGT ATCAAAAAAG	11160
TCCTGAGAGT AGGTCCATGG ATAAACACGA TACTTGATGA TTTTAAAGTT AGTTTAGAAT	11220
CTATAGGCAG CTTAACACAG GAGTTAGAAT ACAGAGGAGA AAGCTTATTA TGCAGTTTAA	11280
TATTTAGGAA CATTTGGTTA TACAATCAAA TTGCTTTGCA ACTCCGAAAT CATGCATTAT	11340
GTAACAATAA GCTATATTTA GATATATTGA AAGTATTAAA AACTTAAAA ACTTTTTTTA	11400
ATCTTGATAG CATTGATATG GCTTTATCAT TGTATATGAA TTTGCCTATG CTGTTTGGTG	11460
GTGGTGATCC TAATTTGTTA TATCGAAGCT TTTATAGGAG AACTCCAGAC TTCCTTACAG	11520
AAGCTATAGT ACATTCAGTG TTTGTGTTGA GCTATTATAC TGGTCACGAT TTACAAGATA	11580
AGCTCCAGGA TCTTCCAGAT GATAGACTGA ACAAATTCTT GACATGTGTC ATCACATTTG	11640
ATAAAAATCC CAATGCCGAG TTTGTAACAT TGATGAGGGA TCCACAGGCT TTAGGGTCTG	11700
AAAGGCAAGC TAAAATTACT AGTGAGATTA ATAGATTAGC AGTAACAGAA GTCTTAAGTA	11760
TAGCCCCAAA CAAAATATTT TCTAAAAGTG CACAACATTA TACTACCACT GAGATTGATC	11820
TAAATGACAT TATGCAAAAT ATAGAACCAA CTTACCCTCA TGGATTAAGA GTTGTTTATG	11880
AAAGTTTACC TTTTATAAAA GCAGAAAAAA TAGTTAATCT TATATCAGGA ACAAATCCA	11940
TAACATAAT ACTTGAAAAA ACATCAGCAA TAGATACAAC TGATATTAAT AGGGCTACTG	12000
ATATGATGAG GAAAAATATA ACTTTACTTA TAAGGATACT TCCACTAGAT TGTAACAAAG	12060

- 300 -

ACAAAAGAGA	GTTATTAAGT	TTAGAAAATC	TTAGTATAAC	TGAATTAAGC	AAGTATGTAA	12120
GAGAAAGATC	TTGGTCATTA	TCCAATATAG	TAGGAGTAAC	ATCGCCAAGT	ATTATGTTCA	12180
CAATGGACAT	TAAATATACA	ACTAGCACTA	TAGCCAGTGG	TATAATAATA	GAAAAATATA	12240
ATGTTAATAG	TTTAACTCGT	GGTGAAAGAG	GACCCACCAA	GCCATGGGTA	GGCTCATCCA	12300
CGCAGGAGAA	AAAAACAATG	CCAGTGATCA	ACAGACAAGT	TTTAACCAA	AAGCAAAGAG	12360
ACCAAATAGA	TTTATTAGCA	AAATTAGACT	GGGTATATGC	ATCCATAGAC	AACAAAGATG	12420
AATTCATGGA	AGAACTGAGT	ACTGGAACAC	TTGGACTGTC	ATATGAAAAA	GCCAAAAAGT	12480
TGTTTCCACA	ATATCTAAGT	GTCAATTATT	TACACCGTTT	AACAGTCAGT	AGTAGACCAT	12540
GTGAATTCCC	TGCATCAATA	CCAGCTTATA	GAACAACAAA	TTATCATTTT	GATACTAGTC	12600
CTATCAATCA	TGTATTAACA	GAAAAGTATG	GAGATGAAGA	TATCGACATT	GTGTTTCAAA	12660
ATTGCATAAG	TTTTGGTCTT	AGCCTGATGT	CGGTTGTGGA	ACAATTCACA	AACATATGTC	12720
CTAATAGAAT	TATTCTCATA	CCGAAGCTGA	ATGAGATACA	TTTGATGAAA	CCTCCTATAT	12780
TTACAGGAGA	TGTTGATATC	ATCAAGTTGA	AGCAAGTGAT	ACAAAAGCAG	CACATGTTCC	12840
TACCAGATAA	AATAAGTTTA	ACCCAATATG	TAGAATTATT	CTTAAGTAAC	AAAGCACTTA	12900
AATCTGGATC	TCACATCAAC	TCTAATTTAA	TATTAGTACA	TAAAATGTCT	GATTATTTTC	12960
ATAATGCTTA	TATTTTAAAGT	ACTAATTTAG	CTGGACATTG	GATTCTGATT	ATTCAACTTA	13020
TGAAAGATTG	AAAAGGTATT	TTTGAAAAAG	ATTGGGGAGA	GGGGTACATA	ACTGATCATA	13080
TGTTTCATTAA	TTTGAATGTT	TTCTTTAATG	CTTATAAGAC	TTATTTGCTA	TGTTTTTCATA	13140
AAGGTTATGG	TAAAGCAAAA	TTAGAATGTG	ATATGAACAC	TTCAGATCTT	CTTGTGTGTT	13200
TGGAGTTAAT	AGACAGTAGC	TACTGGAAAT	CTATGTCTAA	AGTTTTCCCTA	GAACAAAAAG	13260
TCATAAAATA	CATAGTCAAT	CAAGACACAA	GTTTGCGTAG	AATAAAAGGC	TGTCACAGTT	13320
TTAAGTTGTG	GTTTTTAAAA	CGCCTTAATA	ATGCTAAATT	TACCGTATGC	CCTTGGGTTG	13380
TTAACATAGA	TTATCACCCA	ACACACATGA	AAGCTATATT	ATCTTACATA	GATTTAGTTA	13440
GAATGGGGTT	AATAAATGTA	GATAAATTAA	CCATTAAAAA	TAAAAACAAA	TTCAATGATG	13500
AATTTTACAC	ATCAAATCTC	TTTTACATTA	GTTATAACTT	TTCAGACAAC	ACTCATTGTC	13560
TAACAAAACA	AATAAGAATT	GCTAATTCAG	AATTAGAAGA	TAATTATAAC	AACTATATATC	13620

- 301 -

ACCCAACCCC AGAAACTTTA GAAAATATGT CATTAAATTC TGTAAAAGT AATAATAGTA 13680
ACAAACCTAA ATTTTGTATA AGTGGAATA CCGAATCTAT GATGATGTCA ACATTCTCTA 13740
GTAAAATGCA TATTAAATCT TCCACTGTTA CCACAAGATT CAATTATAGC AAACAAGACT 13800
TGTACAATTT ATTTCCAATT GTTGTGATAG ACAAGATTAT AGATCATTCA GGTAATACAG 13860
CAAAATCTAA CCAACTTTAC ACCACCACCT CACATCAGAC ATCTTTAGTA AGGAATAGTG 13920
CATCACTTTA TTGCATGCTT CCTTGGCATC ATGTCAATAG ATTAACTTT GTATTTAGTT 13980
CCACAGGATG CAAGATCAGT ATAGAGTATA TTTTAAAAGA TCTTAAGATT AAGGACCCCA 14040
GTTGTATAGC ATTCATAGGT GAAGGAGCTG GTAACCTATT ATTACGTACG GTAGTAGAAC 14100
TTCATCCAGA CATAAGATAC ATTTACAGAA GTTTAAAAGA TTGCAATGAT CATAGTTTAC 14160
CTATTGAATT TCTAAGGTTA TACAACGGGC ATATAAACAT AGATTATGGT GAGAATTTAA 14220
CCATTCTGTC TACAGATGCA ACTAATAACA TTCATTGGTC TTATTTACAT ATAAAATTTG 14280
CAGAACCTAT TAGCATCTTT GTCTGCGATG CTGAATTACC TGTTACAGCC AATTGGAGTA 14340
AAATTATAAT TGAATGGAGT AAGCATGTAA GAAAGTGCAA GTACTGTTCT TCTGTAAATA 14400
GATGCATTTT AATTGCAAAA TATCATGCTC AAGATGACAT TGATTTCAA TTAGATAACA 14460
TTACTATATT AAAAATTAC GTGTGCCTAG GTAGCAAGTT AAAAGGATCT GAAGTTTACT 14520
TAATCCTTAC AATAGGCCCT GCAAATATAC TTCCTGTTTT TGATGTTGTA CAAAATGCTA 14580
AATTGACACT TTCAAGAACT AAAAATTTCA TTATGCCTAA AAAAAGTAC AAGGAATCTA 14640
TCGATGCAAA TATTAAAAGC TTAATACCTT TCCTTTGTTA CCCTATAACA AAAAAGGAA 14700
TTAAGACTTC ATTGTCAAAA TTGAAGAGTG TAGTTAATGG AGATATATTA TCATATTCTA 14760
TAGCTGGACG TAATGAAGTA TTCAGCAACA AGCTTATAAA CCACAAGCAT ATGAATATCC 14820
TAAAATGGCT AGATCATGTT TTAAATTTTA GATCAGCTGA ACTTAATTAC AATCATTTAT 14880
ACATGATAGA GTCCACATAT CCTTACTTAA GTGAATTGTT AAATAGTTTA ACAACCAATG 14940
AGCTCAAGAA GCTGATTAAA ATAACAGGTA GTGTGCTATA CAACCTTCCC AACGAACAGT 15000
AGTTTAAAT ATCATTAAACA AGTTTGGTCA AATTTAGATG CTAACACATC ATTATATTAT 15060
AGTTATTAAA AAATATACAA ACTTTTCAAT AATTTAGCAT ATTGATTCCA AAATTATCAT 15120
TTTAGTCTTA AGGGGTAAA TAAAAGTCTA AACTAACAA TTATACATGT GCATTACAA 15180

- 302 -

CACAACGAGA CATTAGTTTT TGACACTTTT TTTCTCGT

15218

(2) INFORMATION FOR SEQ ID NO:24:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 2166 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:24:

```

Met Asp Pro Ile Ile Asn Gly Asn Ser Ala Asn Val Tyr Leu Thr Asp
1           5           10           15

Ser Tyr Leu Lys Gly Val Ile Ser Phe Ser Glu Cys Asn Ala Leu Gly
20           25           30

Ser Tyr Leu Phe Asn Gly Pro Tyr Leu Lys Asn Asp Tyr Thr Asn Leu
35           40           45

Ile Ser Arg Gln Ser Pro Leu Leu Glu His Met Asn Leu Lys Lys Leu
50           55           60

Thr Ile Thr Gln Ser Leu Ile Ser Arg Tyr His Lys Gly Glu Leu Lys
65           70           75           80

Leu Glu Glu Pro Thr Tyr Phe Gln Ser Leu Leu Met Thr Tyr Lys Ser
85           90           95

Met Ser Ser Ser Glu Gln Ile Ala Thr Thr Asn Leu Leu Lys Lys Ile
100          105          110

Ile Arg Arg Ala Ile Glu Ile Ser Asp Val Lys Val Tyr Ala Ile Leu
115          120          125

Asn Lys Leu Gly Leu Lys Glu Lys Asp Arg Val Lys Pro Asn Asn Asn
130          135          140

Ser Gly Asp Glu Asn Ser Val Leu Thr Thr Ile Ile Lys Asp Asp Ile
145          150          155          160

Leu Ser Ala Val Glu Asn Asn Gln Ser Tyr Thr Asn Ser Asp Lys Ser
165          170          175

His Ser Val Asn Gln Asn Ile Thr Ile Lys Thr Thr Leu Leu Lys Lys

```

- 303 -

180	185	190
Leu Met Cys Ser Met Gln His Pro Pro Ser Trp Leu Ile His Trp Phe 195 200 205		
Asn Leu Tyr Thr Lys Leu Asn Asn Ile Leu Thr Gln Tyr Arg Ser Asn 210 215 220		
Glu Val Lys Ser His Gly Phe Ile Leu Ile Asp Asn Gln Thr Leu Ser 225 230 235 240		
Gly Phe Gln Phe Ile Leu Asn Gln Tyr Gly Cys Ile Val Tyr His Lys 245 250 255		
Gly Leu Lys Lys Ile Thr Thr Thr Thr Tyr Asn Gln Phe Leu Thr Trp 260 265 270		
Lys Asp Ile Ser Leu Ser Arg Leu Asn Val Cys Leu Ile Thr Trp Ile 275 280 285		
Ser Asn Cys Leu Asn Thr Leu Asn Lys Ser Leu Gly Leu Arg Cys Gly 290 295 300		
Phe Asn Asn Val Val Leu Ser Gln Leu Phe Leu Tyr Gly Asp Cys Ile 305 310 315 320		
Leu Lys Leu Phe His Asn Glu Gly Phe Tyr Ile Ile Lys Glu Val Glu 325 330 335		
Gly Phe Ile Met Ser Leu Ile Leu Asn Ile Thr Glu Glu Asp Gln Phe 340 345 350		
Arg Lys Arg Phe Tyr Asn Ser Met Leu Asn Asn Ile Thr Asp Ala Ala 355 360 365		
Ile Lys Ala Gln Lys Asp Leu Leu Ser Arg Val Cys His Thr Leu Leu 370 375 380		
Asp Lys Thr Val Ser Asp Asn Ile Ile Asn Gly Lys Trp Ile Ile Leu 385 390 395 400		
Leu Ser Lys Phe Leu Lys Leu Ile Lys Leu Ala Gly Asp Asn Asn Leu 405 410 415		
Asn Asn Leu Ser Glu Leu Tyr Phe Leu Phe Arg Ile Phe Gly His Pro 420 425 430		
Met Val Asp Glu Arg Gln Ala Met Asp Ser Val Arg Ile Asn Cys Asn 435 440 445		
Glu Thr Lys Phe Tyr Leu Leu Ser Ser Leu Ser Thr Leu Arg Gly Ala 450 455 460		

- 304 -

Phe Ile Tyr Arg Ile Ile Lys Gly Phe Val Asn Thr Tyr Asn Arg Trp
 465 470 475 480
 Pro Thr Leu Arg Asn Ala Ile Val Leu Pro Leu Arg Trp Leu Asn Tyr
 485 490 495
 Tyr Lys Leu Asn Thr Tyr Pro Ser Leu Leu Glu Ile Thr Glu Asn Asp
 500 505 510
 Leu Ile Ile Leu Ser Gly Leu Arg Phe Tyr Arg Glu Phe His Leu Pro
 515 520 525
 Lys Lys Val Asp Leu Glu Met Ile Ile Asn Asp Lys Ala Ile Ser Pro
 530 535 540
 Pro Lys Asp Leu Ile Trp Thr Ser Phe Pro Arg Asn Tyr Met Pro Ser
 545 550 555 560
 His Ile Gln Asn Tyr Ile Glu His Glu Lys Leu Lys Phe Ser Glu Ser
 565 570 575
 Asp Arg Ser Arg Arg Val Leu Glu Tyr Tyr Leu Arg Asp Asn Lys Phe
 580 585 590
 Asn Glu Cys Asp Leu Tyr Asn Cys Val Val Asn Gln Ser Tyr Leu Asn
 595 600 605
 Asn Ser Asn His Val Val Ser Leu Thr Gly Lys Glu Arg Glu Leu Ser
 610 615 620
 Val Gly Arg Met Phe Ala Met Gln Pro Gly Met Phe Arg Gln Ile Gln
 625 630 635 640
 Ile Leu Ala Glu Lys Met Ile Ala Glu Asn Ile Leu Gln Phe Phe Pro
 645 650 655
 Glu Ser Leu Thr Arg Tyr Gly Asp Leu Glu Leu Gln Lys Ile Leu Glu
 660 665 670
 Leu Lys Ala Gly Ile Ser Asn Lys Ser Asn Arg Tyr Asn Asp Asn Tyr
 675 680 685
 Asn Asn Tyr Ile Ser Lys Cys Ser Ile Ile Thr Asp Leu Ser Lys Phe
 690 695 700
 Asn Gln Ala Phe Arg Tyr Glu Thr Ser Cys Ile Cys Ser Asp Val Leu
 705 710 715 720
 Asp Glu Leu His Gly Val Gln Ser Leu Phe Ser Trp Leu His Leu Thr
 725 730 735

- 305 -

Ile Pro Leu Val Thr Ile Ile Cys Thr Tyr Arg His Ala Pro Pro Phe
 740 745 750

Ile Lys Asp His Val Val Asn Leu Asn Glu Val Asp Glu Gln Ser Gly
 755 760 765

Leu Tyr Arg Tyr His Met Gly Gly Ile Glu Gly Trp Cys Gln Lys Leu
 770 775 780

Trp Thr Ile Glu Ala Ile Ser Leu Leu Asp Leu Ile Ser Leu Lys Gly
 785 790 795 800

Lys Phe Ser Ile Thr Ala Leu Ile Asn Gly Asp Asn Gln Ser Ile Asp
 805 810 815

Ile Ser Lys Pro Val Arg Leu Ile Glu Gly Gln Thr His Ala Gln Ala
 820 825 830

Asp Tyr Leu Leu Ala Leu Asn Ser Leu Lys Leu Leu Tyr Lys Glu Tyr
 835 840 845

Ala Gly Ile Gly His Lys Leu Lys Gly Thr Glu Thr Tyr Ile Ser Arg
 850 855 860

Asp Met Gln Phe Met Ser Lys Thr Ile Gln His Asn Gly Val Tyr Tyr
 865 870 875 880

Pro Ala Ser Ile Lys Lys Val Leu Arg Val Gly Pro Trp Ile Asn Thr
 885 890 895

Ile Leu Asp Asp Phe Lys Val Ser Leu Glu Ser Ile Gly Ser Leu Thr
 900 905 910

Gln Glu Leu Glu Tyr Arg Gly Glu Ser Leu Leu Cys Ser Leu Ile Phe
 915 920 925

Arg Asn Ile Trp Leu Tyr Asn Gln Ile Ala Leu Gln Leu Arg Asn His
 930 935 940

Ala Leu Cys Asn Asn Lys Leu Tyr Leu Asp Ile Leu Lys Val Leu Lys
 945 950 955 960

His Leu Lys Thr Phe Phe Asn Leu Asp Ser Ile Asp Met Ala Leu Ser
 965 970 975

Leu Tyr Met Asn Leu Pro Met Leu Phe Gly Gly Gly Asp Pro Asn Leu
 980 985 990

Leu Tyr Arg Ser Phe Tyr Arg Arg Thr Pro Asp Phe Leu Thr Glu Ala
 995 1000 1005

Ile Val His Ser Val Phe Val Leu Ser Tyr Tyr Thr Gly His Asp Leu

- 306 -

1010	1015	1020
Gln Asp Lys Leu Gln Asp Leu Pro Asp Asp Arg Leu Asn Lys Phe Leu 1025	1030	1035 1040
Thr Cys Val Ile Thr Phe Asp Lys Asn Pro Asn Ala Glu Phe Val Thr 1045	1050	1055
Leu Met Arg Asp Pro Gln Ala Leu Gly Ser Glu Arg Gln Ala Lys Ile 1060	1065	1070
Thr Ser Glu Ile Asn Arg Leu Ala Val Thr Glu Val Leu Ser Ile Ala 1075	1080	1085
Pro Asn Lys Ile Phe Ser Lys Ser Ala Gln His Tyr Thr Thr Thr Glu 1090	1095	1100
Ile Asp Leu Asn Asp Ile Met Gln Asn Ile Glu Pro Thr Tyr Pro His 1105	1110	1115 1120
Gly Leu Arg Val Val Tyr Glu Ser Leu Pro Phe Tyr Lys Ala Glu Lys 1125	1130	1135
Ile Val Asn Leu Ile Ser Gly Thr Lys Ser Ile Thr Asn Ile Leu Glu 1140	1145	1150
Lys Thr Ser Ala Ile Asp Thr Thr Asp Ile Asn Arg Ala Thr Asp Met 1155	1160	1165
Met Arg Lys Asn Ile Thr Leu Leu Ile Arg Ile Leu Pro Leu Asp Cys 1170	1175	1180
Asn Lys Asp Lys Arg Glu Leu Leu Ser Leu Glu Asn Leu Ser Ile Thr 1185	1190	1195 1200
Glu Leu Ser Lys Tyr Val Arg Glu Arg Ser Trp Ser Leu Ser Asn Ile 1205	1210	1215
Val Gly Val Thr Ser Pro Ser Ile Met Phe Thr Met Asp Ile Lys Tyr 1220	1225	1230
Thr Thr Ser Thr Ile Ala Ser Gly Ile Ile Ile Glu Lys Tyr Asn Val 1235	1240	1245
Asn Ser Leu Thr Arg Gly Glu Arg Gly Pro Thr Lys Pro Trp Val Gly 1250	1255	1260
Ser Ser Thr Gln Glu Lys Lys Thr Met Pro Val Tyr Asn Arg Gln Val 1265	1270	1275 1280
Leu Thr Lys Lys Gln Arg Asp Gln Ile Asp Leu Leu Ala Lys Leu Asp 1285	1290	1295

- 307 -

Trp Val Tyr Ala Ser Ile Asp Asn Lys Asp Glu Phe Met Glu Glu Leu
 1300 1305 1310

Ser Thr Gly Thr Leu Gly Leu Ser Tyr Glu Lys Ala Lys Lys Leu Phe
 1315 1320 1325

Pro Gln Tyr Leu Ser Val Asn Tyr Leu His Arg Leu Thr Val Ser Ser
 1330 1335 1340

Arg Pro Cys Glu Phe Pro Ala Ser Ile Pro Ala Tyr Arg Thr Thr Asn
 1345 1350 1355 1360

Tyr His Phe Asp Thr Ser Pro Ile Asn His Val Leu Thr Glu Lys Tyr
 1365 1370 1375

Gly Asp Glu Asp Ile Asp Ile Val Phe Gln Asn Cys Ile Ser Phe Gly
 1380 1385 1390

Leu Ser Leu Met Ser Val Val Glu Gln Phe Thr Asn Ile Cys Pro Asn
 1395 1400 1405

Arg Ile Ile Leu Ile Pro Lys Leu Asn Glu Ile His Leu Met Lys Pro
 1410 1415 1420

Pro Ile Phe Thr Gly Asp Val Asp Ile Ile Lys Leu Lys Gln Val Ile
 1425 1430 1435 1440

Gln Lys Gln His Met Phe Leu Pro Asp Lys Ile Ser Leu Thr Gln Tyr
 1445 1450 1455

Val Glu Leu Phe Leu Ser Asn Lys Ala Leu Lys Ser Gly Ser His Ile
 1460 1465 1470

Asn Ser Asn Leu Ile Leu Val His Lys Met Ser Asp Tyr Phe His Asn
 1475 1480 1485

Ala Tyr Ile Leu Ser Thr Asn Leu Ala Gly His Trp Ile Leu Ile Ile
 1490 1495 1500

Gln Leu Met Lys Asp Ser Lys Gly Ile Phe Glu Lys Asp Trp Gly Glu
 1505 1510 1515 1520

Gly Tyr Ile Thr Asp His Met Phe Ile Asn Leu Asn Val Phe Phe Asn
 1525 1530 1535

Ala Tyr Lys Thr Tyr Leu Leu Cys Phe His Lys Gly Tyr Gly Lys Ala
 1540 1545 1550

Lys Leu Glu Cys Asp Met Asn Thr Ser Asp Leu Leu Cys Val Leu Glu
 1555 1560 1565

- 308 -

Leu Ile Asp Ser Ser Tyr Trp Lys Ser Met Ser Lys Val Phe Leu Glu
 1570 1575 1580

Gln Lys Val Ile Lys Tyr Ile Val Asn Gln Asp Thr Ser Leu Arg Arg
 1585 1590 1595 1600

Ile Lys Gly Cys His Ser Phe Lys Leu Trp Phe Leu Lys Arg Leu Asn
 1605 1610 1615

Asn Ala Lys Phe Thr Val Cys Pro Trp Val Val Asn Ile Asp Tyr His
 1620 1625 1630

Pro Thr His Met Lys Ala Ile Leu Ser Tyr Ile Asp Leu Val Arg Met
 1635 1640 1645

Gly Leu Ile Asn Val Asp Lys Leu Thr Ile Lys Asn Lys Asn Lys Phe
 1650 1655 1660

Asn Asp Glu Phe Tyr Thr Ser Asn Leu Phe Tyr Ile Ser Tyr Asn Phe
 1665 1670 1675 1680

Ser Asp Asn Thr His Leu Leu Thr Lys Gln Ile Arg Ile Ala Asn Ser
 1685 1690 1695

Glu Leu Glu Asp Asn Tyr Asn Lys Leu Tyr His Pro Thr Pro Glu Thr
 1700 1705 1710

Leu Glu Asn Met Ser Leu Ile Pro Val Lys Ser Asn Asn Ser Asn Lys
 1715 1720 1725

Pro Lys Phe Cys Ile Ser Gly Asn Thr Glu Ser Met Met Met Ser Thr
 1730 1735 1740

Phe Ser Ser Lys Met His Ile Lys Ser Ser Thr Val Thr Thr Arg Phe
 1745 1750 1755 1760

Asn Tyr Ser Lys Gln Asp Leu Tyr Asn Leu Phe Pro Ile Val Val Ile
 1765 1770 1775

Asp Lys Ile Ile Asp His Ser Gly Asn Thr Ala Lys Ser Asn Gln Leu
 1780 1785 1790

Tyr Thr Thr Thr Ser His Gln Thr Ser Leu Val Arg Asn Ser Ala Ser
 1795 1800 1805

Leu Tyr Cys Met Leu Pro Trp His His Val Asn Arg Phe Asn Phe Val
 1810 1815 1820

Phe Ser Ser Thr Gly Cys Lys Ile Ser Ile Glu Tyr Ile Leu Lys Asp
 1825 1830 1835 1840

Leu Lys Ile Lys Asp Pro Ser Cys Ile Ala Phe Ile Gly Glu Gly Ala

- 309 -

1845	1850	1855
Gly Asn Leu Leu Leu Arg Thr Val Val Glu Leu His Pro Asp Ile Arg		
1860	1865	1870
Tyr Ile Tyr Arg Ser Leu Lys Asp Cys Asn Asp His Ser Leu Pro Ile		
1875	1880	1885
Glu Phe Leu Arg Leu Tyr Asn Gly His Ile Asn Ile Asp Tyr Gly Glu		
1890	1895	1900
Asn Leu Thr Ile Pro Ala Thr Asp Ala Thr Asn Asn Ile His Trp Ser		
1905	1910	1915
		1920
Tyr Leu His Ile Lys Phe Ala Glu Pro Ile Ser Ile Phe Val Cys Asp		
1925	1930	1935
Ala Glu Leu Pro Val Thr Ala Asn Trp Ser Lys Ile Ile Ile Glu Trp		
1940	1945	1950
Ser Lys His Val Arg Lys Cys Lys Tyr Cys Ser Ser Val Asn Arg Cys		
1955	1960	1965
Ile Leu Ile Ala Lys Tyr His Ala Gln Asp Asp Ile Asp Phe Lys Leu		
1970	1975	1980
Asp Asn Ile Thr Ile Leu Lys Thr Tyr Val Cys Leu Gly Ser Lys Leu		
1985	1990	1995
		2000
Lys Gly Ser Glu Val Tyr Leu Ile Leu Thr Ile Gly Pro Ala Asn Ile		
2005	2010	2015
Leu Pro Val Phe Asp Val Val Gln Asn Ala Lys Leu Thr Leu Ser Arg		
2020	2025	2030
Thr Lys Asn Phe Ile Met Pro Lys Lys Thr Asp Lys Glu Ser Ile Asp		
2035	2040	2045
Ala Asn Ile Lys Ser Leu Ile Pro Phe Leu Cys Tyr Pro Ile Thr Lys		
2050	2055	2060
Lys Gly Ile Lys Thr Ser Leu Ser Lys Leu Lys Ser Val Val Asn Gly		
2065	2070	2075
		2080
Asp Ile Leu Ser Tyr Ser Ile Ala Gly Arg Asn Glu Val Phe Ser Asn		
2085	2090	2095
Lys Leu Ile Asn His Lys His Met Asn Ile Leu Lys Trp Leu Asp His		
2100	2105	2110
Val Leu Asn Phe Arg Ser Ala Glu Leu Asn Tyr Asn His Leu Tyr Met		
2115	2120	2125

- 310 -

Ile Glu Ser Thr Tyr Pro Tyr Leu Ser Glu Leu Leu Asn Ser Leu Thr
 2130 2135 2140

Thr Asn Glu Leu Lys Lys Leu Ile Lys Ile Thr Gly Ser Val Leu Tyr
 2145 2150 2155 2160

Asn Leu Pro Asn Glu Gln
 2165

(2) INFORMATION FOR SEQ ID NO:25:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 15229 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: RNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:25:

ACGCGAAAAA ATGCGTACTA CAACTTGCA CATTGCGAAA AAATGGGGCA AATAAGAATT	60
TGATAAGTGC TATTTAAATC TAACCTTTTC AATCAGAAAT GGGGTGCAAT TCACTGAGCA	120
TGATAAAGGT TAGATTACAA AATTATTTG ACAATGACGA AGTAGCATTG TTAAAAATAA	180
CATGTTATAC TGACAAATTA ATTCTTCTGA CCAATGCATT AGCCAAAGCA GTAATACATA	240
CAATTAAATT AAACGGCATA GTTTTATAC ATGTTATAAC AAGCAGTGAA GTGTGCCCTG	300
ACAACAATAT TGTAGTGAAA TCTAACTTTA CAACAATGCC AATATTACAA AACGGAGGAT	360
ACATATGGGA ATTGATTGAG TTGACACACT GCTCTCAATC AAATGGTCTA ATGGATGATA	420
ATTGTGAAAT CAAATTTTCT AAAAGACTAA GTGACTCAGT AATGACTAAT TATATGAATC	480
AAATATCTGA TTTACTTGGG CTTGATCTCA ATTCATGAAT TATGTTTAGT CTAATTTAAT	540
AGACATGTGT TTATCACCAT TTTAGTTAAT ATAAACCTC ATCAAAGGGA AATGGGGCAA	600
ATAAACTCAC CTAATCAGTC AAACCATGAG CACTACAAAT GACAACACTA CTATGCAAAG	660
ATTGATGATC ACAGACATGA GACCCCTGTC GATGGAATCA ATAATAACAT CTCTACCAA	720
AGAAATCATA ACACACAAAT TCATATACTT GATAAACAAT GAATGTATTG TAAGAAAACT	780
TGATGAAAGA CAAGCTACAT TTACATTCTT AGTCAATTAT GAGATGAAGC TATTGCACAA	840

- 311 -

AGTAGGGAGT ACCAAATACA AGAAATACAC TGAATATAAT ACAAATATG GCACTTTCCC 900
CATGCCTATA TTTATCAATC ATGACGGGTT TCTAGAATGT ATTGGCATT A GCCTACAAA 960
ACACACTCCT ATAATATACA AATATGACCT CAACCCGTAA ATTCCAACAA AAAACTAACC 1020
CATCCAAACT AAGCTATTCC TCAAACAACA GTGCTCAACA GTTAAGAAGG AGCTAATCCA 1080
TTT TAGTAAT TAAAAATAAA GGCAGAGCCA ATAACATAAA TTGGGGCAAA TACAAAGATG 1140
GCTCTTAGCA AAGTCAAGTT AAATGATACA TTAAATAAGG ATCAGCTGCT GTCATCCAGC 1200
AAATACACTA TTCAACGTAG TACAGGAGAT AATATTGACA CTCCCAATTA TGATGTGCAA 1260
AAACACCTAA ACAAATATG TGGTATGCTA TTAATCACTG AAGATGCAAA TCATAAATTC 1320
ACAGGATTAA TAGGTATGTT ATATGCTATG TCCAGGTTAG GAAGGGAAGA CACTATAAAG 1380
ATACTTAAAG ATGCTGGATA TCATGTTAAA GCTAATGGAG TAGATATAAC AACATATCGT 1440
CAAGATATAA ACGGAAAGGA AATGAAATTC GAAGTATTAA CATTATCAAG CTTGACATCA 1500
GAAATACAAG TCAATATTGA GATAGAATCT AGAAAGTCCT ACAAAAAAAT GCTAAAAGAG 1560
ATGGGAGAAG TGGCTCCAGA ATATAGGCAT GATTCTCCAG ACTGTGGGAT GATAATACTG 1620
TGTATAGCTG CACTTGTAAT AACCAAGTTA GCAGCAGGAG ATAGATCAGG TCTTACAGCA 1680
GTAATTAGGA GGGCAAACAA TGTCTTAAAA AACGAAATAA AACGCTACAA GGGCCTCATA 1740
CCAAAGGATA TAGCTAACAG TTTTATGAA GTGTTTGAAA AACACCCTCA TCTTATAGAT 1800
GTTTTTGTGC ACTTTGGCAT TGCACAATCA TCCACAAGAG GGGGTAGTAG AGTTGAAGGA 1860
ATCTTTGCAG GATTATTTAT GAATGCCTAT GGTTCAAGGC AAGTAATGCT AAGATGGGGA 1920
GTTCTAGCCA AATCTGTAAA AAATATCATG CTAGGACATG CTAGTGTCCA GGCAGAAATG 1980
GAACAAGTTG TGGAAGTTTA TGAGTATGCA CAGAAGTTGG GAGGAGAAGC TGGATTCTAC 2040
CATATATTGA ACAATCCAAA AGCATCATTG CTGTCATTAA CTCAATTTCC TAACTTCTCA 2100
AGTGTGGTCC TAGGCAATGC AGCAGGTCTA GGCATAATGG GAGAGTATAG AGGTACACCA 2160
AGAAACCAAG ATCTATATGA TGCAGCCAAA GCATATGCAG AGCAACTCAA AGAAAATGGA 2220
GTAATAAACT ACAGTGTATT AGACTTAACA GCAGAAGAAT TGGAAGCCAT AAAGCATCAA 2280
CTCAACCCCA AAGAAGATGA TGTAGAGCTT TAAGTTAACA AAAAATACGG GGCAAATAAG 2340
TCAACATGGA GAAGTTTGCA CCTGAATTTT ATGGAGAAGA TGCAAACAAC AAAGCTACCA 2400

- 312 -

AATTCCTAGA ATCAATAAAG GGCAAGTTTG CATCATCCAA AGATCCTAAG AAGAAAGATA	2460
GCATAATATC TGTAACTCA ATAGATATAG AAGTAACTAA AGAGAGCCCCG ATAACATCTG	2520
GCACCAACAT CATCAATCCA ATAAGTGAAG CTGATAGTAC CCCAGAAGCT AAAGCCAACT	2580
ACCCAAGAAA ACCCCTAGTA AGCTTCAAAG AAGATCTCAC CCCAAGTGAC AACCCCTTTT	2640
CTAAGTTGTA CAAAGAAACA ATAGAAACAT TTGATAACAA TGAAGAAGAA TCTAGCTACT	2700
CATATGAAGA AATAAATGAT CAAACAAATG ACAACATTAC AGCAAGACTA GATAGAATTG	2760
ATGAAAAATT AAGTGAAATA TTAGGAATGC TCCATACATT AGTAGTTGCA AGTGCAGGAC	2820
CCACCTCAGC TCGCGATGGA ATAAGAGATG CTATGGTTGG TCTAAGAGAA GAAATGATAG	2880
AAAAAATAAG AGCGGAAGCA TTAATGACCA ATGATAGGTT AGAGGCTATG GCAAGACTTA	2940
GGAATGAGGA AAGCGAAAAA ATGGCAAAAG ACACCTCAGA TGAAGTGTCT CTTAATCCAA	3000
CTTCCAAAAA ATTGAGTAAT TTGTTGGAAG ACAACGATAG TGACAATGAT CTATCACTTG	3060
ATGATTTTTG ATCAGTGATC AACTCACTCA GCAATCAACA ACATCAATGA AACAGACATC	3120
AATCCATTGA ATCAACTGCC AGACTGAACA CACAAACGTC CATCAGCAGA ACTACCAACC	3180
AATCAATCAA CCAATTGATC AATCAGCGAC CTAACAAAAT TAACAATATA GTAACAAAAA	3240
AAGAACAAGA TGGGGCAAAT ATGGAAACAT ACGTGAACAA GCTTCACGAG GGCTCCACAT	3300
ACACAGCAGC TGTTCAGTAC AATGTTCTAG AAAAAGATGA TGATCCTGCA TCACTAACAA	3360
TATGGGTGCC TATGTTCCAG TCATCTGTGC CAGCAGACTT GCTCATAAAA GAACTTGCAA	3420
GCATCAACAT ACTAGTGAAG CAGATCTCCA CGCCCAAAGG ACCTTCACTA CGAGTCACGA	3480
TTAACTCAAG AAGTGCTGTG CTGGCACAAA TGCCTAGTAG TTTTATCATA AGTGCAAATG	3540
TATCATTAGA TGAAAGAAGC AAATTAGCAT ATGATGTAAC TACACCTTGT GAAATCAAAG	3600
CATGCAGTCT AACATGCTTA AAAGTAAAAA GTATGTTAAC TACAGTCAAA GATCTTACCA	3660
TGAAAACATT CAATCCCACT CATGAGATTA TTGCTCTATG TGAATTTGAA AATATTATGA	3720
CATCAAAAAG AGTAATAATA CCAACCTATC TAAGATCAAT TAGTGTCAAA AACAAGGACC	3780
TGAACTCACT AGAAAATATA GCAACCACCG AATTCAAAAA TGCTATCACC AATGCGAAAA	3840
TTATTCCTTA TGCAGGATTA GTATTAGTTA TCACAGTTAC TGACAATAAA GGAGCATTCA	3900
AATATATCAA GCCACAGAGT CAATTTATAG TAGATCTTGG GGCCTACCTA GAAAAAGAGA	3960

- 313 -

GCATATATTA TGTGACTACA AATTGGAAGC ATACAGCTAC ACGTTTTTCA ATCAAACCAC	4020
TAGAGGATTA AACTTAATTA TCAACACTAA ATGACAGGTC CACATATATC TTCAAACAT	4080
ACATTATATC CAAACATCAT GAGCATTTAC ACTACACACT TTTACCATAT AAATCAATCT	4140
CATTTAAAT CCAAATTAC TTCCAGCTAT CATCTGTTAG ACCTAGAGTG CGAATAGGTA	4200
AATAAACCA AAATATGGGG TAAATAGACA TTAGTTAGAG TTCAATCAAT CTCAACAACC	4260
ATTTATACCG CCAATTCAGT ACATATACTA TAAATCTCAA AATGGGAAAT ACATCCATCA	4320
CAATAGAATT CACAAGCAA TTTTGGCCTT ATTTTACACT AATACATATG ATCTTAACTC	4380
TAATCTCTTT ACTAATTATA ATCACTATTA TGATTGCAAT ACTAAATAAG CTAAGTGAAC	4440
ATAAACATT CTGCAACAA ACTCTTGAAC TAGGACAGAT GTATCAAATC AACACATAGT	4500
GTTCTACCAT TATGCTGTGT CAAATTATAA TCTTGTATAT ATAAACAAAC AAATCCAATC	4560
TTCTCACAGA GTCATGGTGG CGCAAAACCA CGCCAACCAT CATGATAGCA TAGAGTAGTT	4620
ATTTAAAAAT TAACATAATG ATGAATTATT GGTATGAGAT CAGGAACAAC ATTGGGGCAA	4680
ATGCAGCCAT GTCCAAGCAC AAGAATCGGC GCACTGCCGG GACTCTAGAA AGGACCTGGG	4740
ATACTCTTAA TCATCTAATT GTAATATCCT CTTGTTTATA CAGATTAAAT TAAAAATCTA	4800
TAGCACAAAT AGCACTGTCA GTTTTGGCAA TGATAATCTC AACCTCTCTC ATAATTGCAG	4860
CCATAATATT CATCATCTCT GCCAATCACA AAGTTACACT AACACGGTT ACAGTTCAAA	4920
CAATAAAAAA CCACACTGAA AAAACATCT CCACCTACCT TACTCAAGTC CCACCAGAAA	4980
GGGTCAACTC ATCCAAACAA CCCACAACCA CATCACCAAT CCACACAAAT TCAGCCACAA	5040
TATCACCAAA TACAAAATCA GAAACACACC ATACAACAGC ACAAACCAA GGCAGAATCA	5100
CCACTTCAAC ACAGACCAAC AAGCCAAGCA CAAAATCAG TTCAAAAAAT CCACCAAAAA	5160
AACCAAAAGA TGATTACCAT TTTGAAGTGT TCAATTTTGT TCCCTGTAGT ATATGTGGTA	5220
ATAATCAACT CTGCAAATCC ATCTGCAAAA CAATACCAAG CAACAAACCA AAGAAAAAAC	5280
CAACCATCAA ACCCACAAC AAACCAACCA CAAAACCAC AAACAAAAGA GACCCCAAAA	5340
CACCGCCAA AATGCCAAA AAAGAAATCA TCACCAACCC AGCAAAAAA CCAACCCTCA	5400
AGACCACAGA AAGAGACACC AGCATTTTAC AATCCACCGT GCTCGACACA ATCACTCCAA	5460
AATACACAAT CCAACAGCAA TCCCTCCACT CAACCACCTC CGAAAACACA CCCAGCTCCA	5520

- 314 -

CACAAATACC	CACAGCATCC	GAGCCCTCCA	CATTAAATCC	TAATTAAAAA	ACCTAGTCAC	5580
ATGCTTAGTT	ATTCAAAAAC	TACATCTTAG	CAGAGAACCG	TGATCTATCA	AGCAAGAACA	5640
AAATTAAACC	TGGGGCAAAT	AACCATGGAG	TTGCTGATCC	ACAGGTCAAG	TGCAATCTTC	5700
CTAACTCTTG	CTGTTAATGC	ATTGTACCTC	ACCTCAAGTC	AGAACATAAC	TGAGGAGTTT	5760
TACCAATCGA	CATGTAGTGC	AGTTAGCAGA	GGTTATTTTA	GTGCTTTAAG	AACAGGTTGG	5820
TATACCAGTG	TCATAACAAT	AGAATTAAGT	AATATAAAAG	AAACCAAATG	CAATGGAAct	5880
GACACTAAAG	TAAAACCTTAT	AAAACAAGAA	TTAGATAAGT	ATAAGAATGC	AGTAACAGAA	5940
TTACAGCTAC	TTATGCAAAA	CACGCCAGCT	GCCAACAACC	GGGCCAGAAG	AGAAGCACCA	6000
CAGTACATGA	ACTACACAAT	CAATACCACA	AAAAACCTAA	ATGTATCAAT	AAGCAAGAAA	6060
AGGAAACGAA	GATTTCTGGG	CTTCTTGTTA	GGTGTAGGAT	CTGCAATAGC	AAGTGGTATA	6120
GCTGTATCCA	AAGTTTTTACA	CCTTGAAGGA	GAAGTGAACA	AAATCAAAAA	TGCTTTGTTG	6180
TCTACAAACA	AAGCTGTAGT	CAGTCTATCA	AATGGGGTCA	GTGTTTTAAC	CAGCAAAGTG	6240
TTAGATCTCA	AGAATTACAT	AAATAACCGA	ATATTACCCA	TAGTAAATCA	ACAGAGCTGT	6300
CGCATCTCCA	ACATTGAAAC	AGTTATAGAA	TTCCAGCAGA	AGAATAGCAG	ATTGTTGGAA	6360
ATCACCAGAG	AATTTAGTGT	TAATGCAGGT	GTAACAACAC	CTTTAAGCAC	TTACATGTTA	6420
ACAAACAGTG	AGTTACTATC	ATTGATCAAT	GATATGCCTA	TAACAAATGA	CCAGAAAAAA	6480
TTAATGTCAA	GCAATGTTCA	GATAGTAAGG	CAACAAAGTT	ATTCTATCAT	GTCTATAATA	6540
AAGGAAGAAG	TCCTTGCATA	TGTTGTACAG	CTACCTATCT	ATGGTGTAAT	AGATACACCT	6600
TGCTGGAAAT	TACACACATC	ACCTCTATGC	ACCACCAACA	TCAAAGAAGG	ATCAAATATT	6660
TGTTTAACAA	GGACTGATAG	AGGATGGTAT	TGTGATAATG	CAGGATCAGT	ATCCTTCTTC	6720
CCACAGGCTG	ATACTTGCAA	AGTACAGTCC	AATCGAGTAT	TTTGTGACAC	TATGAACAGT	6780
TTAACATTAC	CAAGTGAAGT	CAGCCTTTGT	AACACTGACA	TATTCAATTC	CAAGTATGAC	6840
TGCAAAATTA	TGACATCAAA	AACAGACATA	AGCAGCTCAG	TAATTACTTC	TCTTGGAGCT	6900
ATAGTGTCAT	GCTATGGAAA	AACTAAATGC	ACTGCATCCA	ATAAAAATCG	TGGGATTATA	6960
AAGACATTTT	CTAATGGTTG	TGACTATGTG	TCAAACAAAG	GAGTAGATAC	TGTGTCAGTG	7020
GGCAACACTT	TATACTATGT	AAACAAGCTG	GAAGGCCAAA	ACCTTTATGT	AAAAGGGGAA	7080

- 315 -

CCTATAATAA ATTACTATGA TCCTCTAGTG TTTCCTTCTG ATGAGTTTGA TGCATCAATA	7140
TCTCAAGTCA ATGAAAAAAT CAATCAAAGT TTAGCTTTTA TTCGTAGATC TGATGAATTA	7200
CTACATAATG TAAATACTGG CAAATCTACT ACAAATATTA TGATAACTAC AATTATTATA	7260
GTAATCATTG TAGTATTGTT ATCATTAAATA GCTATTGGTT TACTGTTGTA TTGCAAAGCC	7320
AAAAACACAC CAGTTACACT AAGCAAAGAC CAACTAAGTG GAATCAATAA TATTGCATTC	7380
AGCAAATAGA CAAAAAATA CTTAATCATG TTTCAACAAC AATCTGCTGA CCACCAATCC	7440
CAAATCAACT TAACAACAAA TATTTCAACA TCATAGCACA GGCTGAATCA TTCTCTCATA	7500
TCATGCTACC TACACAACTA AGCTAGATCT TCAACTCATA GTTACATAAA AACCCCAAGT	7560
ATCACAATCA AACACTAAAT CGACACATCA TTCACAAAAT TAACAACTGG GGCAAATATG	7620
TCGCGAAGAA ATCCTTGTA AATTGAGATT AGAGGTCATT GCTTGAATGG TAGAAGATGT	7680
CACTACAGTC ATAATTATTT TGAATGGCCT CCTCATGCAT TACTAGTGAG GCAAACTTC	7740
ATGTTAAACA AGATACTTAA GTCAATGGAC AAAAGCATAG ACACTTTGTC GGAAATAAGT	7800
GGAGCTGCTG AACTGGATAG AACAGAAGAA TATGCTCTTG GTATAGTTGG AGTGCTAGAG	7860
AGTTACATAG GATCAATAAA CAACATAACA AAACAATCAG CATGTGTTGC TATGAGTAAA	7920
CTTCTTATTG AGATCAACAG TGATGACATT AAAAACTGA GAGATAACGA AGAACCCAAT	7980
TCGCCTAAGA TAAGAGTGTA CAATACTGTT ATATCATACA TTGAGAGCAA TAGAAAAAC	8040
AACAAGCAAA CCATCCATCT GCTCAAAAGA CTACCAGCAG ACGTGCTGAA GAAGACAATA	8100
AAGAACACAT TAGATATCCA CAAAAGCATA ACCATAAGCA ACTCAAAAGA GTCAACCGTG	8160
AATGATCAAA ATGACCAAAC CAAAAATAAT GATATTACCG GATAAATATC CTTGTAGTAT	8220
ATCATCCATA TTGATTTCAA GTGAAAGCAT GATTGCTACA TTCAATCATA AAAACATATT	8280
ACAATTTAAC CATAACCATT TGGATAACCA CCAGTGTTTA TTAAATCATA TATTGATGA	8340
AATTCATTGG ACACCTAAAA ACTTATTAGA TGCCACTCAA CAATTTCTCC AACATCTTAA	8400
CATCCCTGAA GATATATATA CAGTATATAT ATTAGTGTCA TAATGCTTGA CCATAACAAT	8460
TTTATATCAT TCAACCATAA AACAACTTA ATAAGGTTAT GGGACAAAAT GGATCCCATT	8520
ATTAATGGAA ACTCTGCCAA TGTGTATCTA ACTGATAGTT ATCTAAAAGG TGTTATCTCT	8580
TTTTCAGAAT GTAATGCTTT AGGGAGTTAC CTTTTTAACG GCCCCTATCT TAAAAATGAT	8640

- 316 -

TACACCAACT	TAATTAGTAG	ACAAAGCCCA	CTACTAGAGC	ATATGAATCT	AAAAAACTA	8700
ACTATAACAC	AGTCATTAAT	ATCTAGATAT	CATAAAGGTG	AACTGAAGTT	AGAAGAACCA	8760
ACTTATTTCC	AGTCATTACT	TATGACATAT	AAAAGTATGT	CCTCGTCTGA	ACAAATTGCT	8820
ACAACTAATT	TACTTAAAAA	AATAATACGA	AGAGCTATAG	AAATAAGTGA	TGTAAAGGTG	8880
TACGCCATCT	TGAATAAACT	GGGACTAAAG	GAAAAGGACA	GAGTTAAGCC	CAACAATAAT	8940
TCAGGTGATG	AAAACTCAGT	TCTTACAACC	ATAATCAAAG	ATGATATACT	TTCAGCTGTG	9000
GAAAACAATC	AATCATATAC	AAATTCAGAC	AAAAATCATT	CAGTAAATCA	AAATATCACT	9060
ATCAAAACAA	CACTCTTGAA	AAAATTGATG	TGTTCAATGC	AACATCCTCC	ATCATGGTTA	9120
ATACACTGGT	TCAATTTATA	TACAAAATTA	AATAACATAT	TAACACAATA	TCGATCAAAT	9180
GAGGTAAAAA	GTCATGGGTT	TATATTAATA	GATAATCAAA	CTTTAAGTGA	TTTTCACTTT	9240
ATTTTAAATC	AATATGGTTG	TATCGTTTAT	CATAAAGGAC	TCAAAAAAAT	CACAACTACT	9300
ACTTACAATC	AATTTTTGAC	ATGGAAAGAC	ATCAGCCTTA	GCAGATTAAA	TGTTTGCTTA	9360
ATTACTTGGA	TAAGTAATTG	TTTAAATACA	TTAAATAAAA	GCTTAGGGCT	GAGATGTGGA	9420
TTCAATAATG	TTGTGTTATC	ACAACTATTT	CTTTATGGAG	ATTGTATACT	GAAATTATTC	9480
CATAATGAAG	GCTTCTACAT	AATAAAAGAA	GTAGAGGGAT	TTATTATGTC	TTTAATTCTA	9540
AACATAACAG	AAGAAGATCA	ATTTAGGAAA	CGATTTTATA	ATAGCATGCT	AAATAACATC	9600
ACAGATGCAG	CTATTAAGGC	TCAAAAAAAC	CTACTATCAA	GAGTATGTCA	CACTTTATTA	9660
GACAAGACAG	TGTCTGATAA	TATCATAAAT	GGTAAATGGA	TAATCCTATT	AAGTAAATTT	9720
CTTAAATTGA	TTAAGCTTGC	AGGTGATAAT	AATCTCAATA	ACTTGAGTGA	GCTTTATTTT	9780
CTCTTCAGAA	TCTTTGGACA	TCCAATGGTC	GATGAAAGAC	AAGCAATGGA	TGCTGTAAGA	9840
ATTAAGTGTA	ATGAAACCAA	GTTCTACTTA	TTAAGTAATC	TAAGTACGTT	AAGAGGTGCT	9900
TTCATTTATA	GAATCATAAA	GGGGTTTGTA	AATACCTACA	ACAGATGGCC	CACTTTAAGG	9960
AATGCTATTG	TTCTACCTCT	AAGATGGTTG	AACTATTATA	AACTTAATAC	TTATCCATCT	10020
CTACTTGAAA	TCACAGAGAA	AGATTTGATT	ATTTTATCAG	GATTGCGGTT	CTATCGTGAG	10080
TTTCATCTGC	CTAAAAAGT	GGATCTTGAA	ATGATAATAA	ATGACAAAGC	CATTTACCTT	10140
CCAAAAGATT	TAATATGGAC	TAGTTTTTCT	AGAAATTACA	TGCCATCACA	TATACAAAAT	10200

- 317 -

TATATAGAAC ATGAAAAGTT GAAGTTCTCT GAAAGTGACA GATCAAGAAG AGTACTAGAG 10260
TATTACTTGA GAGATAATAA ATTCAATGAA TGCGATCTAT ACAATTGTGT GGTCAATCAA 10320
AGCTATCTCA ACAACTCTAA CCATGTGGTA TCACTAACTG GTAAAGAAAG AGAGCTCAGT 10380
GTAGGTAGAA TGTTTGCTAT GCAACCAGGT ATGTTTAGGC AAATTCAAAT CTTAGCAGAG 10440
AAAATGATAG CCGAAAATAT TTTACAATTC TTCCCTGAGA GTTTGACAAG ATATGGTGAT 10500
CTAGAGCTTC AAAAGATATT AGAATTAAAA GCAGGAATAA GCAACAAGTC AAATCGTTAT 10560
AATGATAACT ACAACAATTA TATCAGTAAA TGTTCTATCA TTACAGACCT TAGCAAATTC 10620
AATCAAGCAT TTAGATATGA AACATCATGT ATCTGCAGTG ATGTATTAGA TGAAGTGCAT 10680
GGAGTACAAT CTCTGTTCTC TTGGTTGCAT TTAACAATAC CTCTTGTCAC AATAATATGT 10740
ACATATAGAC ATGCACCTCC TTTTATAAAG GATCATGTTG TTAATCTTAA TAAAGTTGAT 10800
GAACAAAGTG GATTATACAG ATATCATATG GGTGGTATTG AAGGCTGGTG TCAAAAAGTG 10860
TGGACCATTG AAGCTATATC ATTATTAGAT CTAATATCTC TCAAAGGGAA ATTCTCTATC 10920
ACAGCTCTAA TAAATGGTGA TAATCAGTCA ATTGATATAA GTAAACCAGT TAGACTTATA 10980
GAGGGTCAGA CCCATGCTCA AGCAGATTAT TTGTTAGCAT TAAATAGCCT TAAATTGCTA 11040
TATAAAGAGT ATGCGGGCAT AGGCCACAAG CTCAAGGGAA CAGAGACCTA TATATCCCGA 11100
GATATGCAAT TCATGAGCAA AACAATCCAG CACAATGGAG TGTACTATCC AGCCAGTATC 11160
AAAAAAGTCC TGAGAGTAGG TCCATGGATA AATACAATAC TTGATGATTT TAAAGTTAGT 11220
TTAGAATCTA TAGGTAGCTT AACACAGGAG TTAGAATATA GAGGAGAGAG CTTATTATGC 11280
AGTTTAAATAT TTAGGAACAT TTGGTTATAC AATCAAATTG CTTTGCAACT CCGAAATCAT 11340
GCATTATGTC ACAATAAGCT ATATTTAGAT ATATTGAAAG TATTAAAACA CTTAAAAACT 11400
TTTTTTAATC TTGATAGTAT TGATATGGCT TTAACATTGT ATATGAATTT GCCTATGCTG 11460
TTTGGTGGTG GTGATCCTAA TTTGTTATAT CGAAGCTTTT ATAGGAGAAC TCCAGACTTC 11520
CTTACAGAAG CTATAGTACA TTCAGTGTTT GTGTTGAGCT ATTATACTGG TCACGATTTA 11580
CAAGATAAGC TCCAGGATCT TCCAGATGAT AGACTGAACA AATTCTTGAC ATGTATCATC 11640
ACGTTTGATA AAAATCCCAA TGCCGAGTTT GTAACATTGA TGAGAGATCC ACAGGCTTTA 11700
GGGTCTGAAA GGCAAGCAAA AATTACTAGT GAGATTAATA GATTAGCAGT GACAGAAGTC 11760

- 318 -

TTAAGTATAG CTCCAAACAA AATATTTTCT AAAAGTGCAC AACATTATAC TACCACTGAG 11820
ATTGATCTAA ATGATATTAT GCAAAATATA GAACCAACTT ACCCTCATGG ATTAAGAGTT 11880
GTTTATGAAA GTTTACCTTT TTATAAAGCA GAAAAAATAG TTAATCTTAT ATCAGGAACA 11940
AAATCCATAA CTAATATACT TGAAAAAACA TCAGCAATAG ATTCAACTGA TATTAATAGG 12000
GCTACTGATA TGATGAGGAA AAATATAACT TTACTTATAA GGATACTTCC ACTAGATTGT 12060
AACAAAGACA AAAGAGAGTT ATTAAGTTTA GAAATCTTA GTATAACTGA ATTAAGCAAG 12120
TATGTAAGAG AAAGATCTTG GTCGTTATCC AATATAGTAG GAGTAACATC GCCAAGTATT 12180
ATGTTACAA TGGACATTAA ATATACAACT AGCACTATAG CCAGTGGTAT AATTATAGAA 12240
AAATATAATG TTAATAGTTT AACTCGTGGT GAAAGAGGAC CTAATAAGCC ATGGGTAGGT 12300
TCATCTACGC AGGAGAAAAA AACAATGCCA GTGTACAATA GACAAGTTTT AACCAAAAAG 12360
CAAAGAGACC AAATAGATTT ATTAGCAAAA TTAGACTGGG TATATGCATC CATAGACAAC 12420
AAAGATGAAT TCATGGAAGA ACTGAGTACT GGAACACTTG GACTGTCATA TGAGAAAGCC 12480
AAAAAATTGT TTCCACAATA TCTAAGTGTC AATTATTTAC ACCGCTTAAC AGTCAGTAGT 12540
AGACCATGTG AATCCCTGC ATCAATACCA GCTTATAGAA CAACAAATTA TCATTTCGAT 12600
ACTAGTCCTA TCAACCATGT ATTAACAGAA AAGTATGGAG ATGAAGATAT CGACATTGTG 12660
TTTCAAAATT GCATAAGTTT TGGTCTTAGC TTAATGTGGG TTGTGGAACA ATTCACAAAC 12720
ATATGTCCTA ATAGAATTAT TCTCATACCG AAGCTGAATG AGATACATTT GATGAAACCT 12780
CCTATATTTA CAGGAGATGT TGATATCATC AAGTTGAAGC AAGTGATACA AAAACAGCAC 12840
ATGTTCCCTAC CAGATAAAAT AAGTTTAACC CAATATGTAG AATTATTCCT AAGTAACAAA 12900
GCACTTAAAT CTGGATCTCA CATCAACTCT AATTTAATAT TAGTACATAA AATGTCTGAT 12960
TATTTTCATA ATGCTTATAT TTTAAGTACT AATTTAGCTG GACATTGGAT TCTGATTATT 13020
CAACTTATGA AGGATTCAA AGGTATTTTT GAAAAAGATT GGGGAGAGGG GTATATAACT 13080
GATCATATGT TCATTAATTT GAATGTTTTT TTTAATGCTT ATAAGACTTA TTTGCTATGT 13140
TTTCATAAAG GTTATGGTAA AGCAAAATTA GAATGTGATA TGAACACTTC AGATCTTCTT 13200
TGTGTTTTGG AGCTAATAGA CAGTAGCTAC TGGAAATCTA TGTCTAAAGT TTTCTAGAA 13260
CAAAAAGTCA TAAATACAT AATCAATCAA GACACAAGTT TGCATAGAAT AAAAGGTTGT 13320

- 319 -

CATAGTTT	TAAGTTATGGTT	TTTAAAACGC	CTTAATAATG	CTAAATTAC	CGTATGCCCT	13380
TGGGTTGTTA	ACATAGATTA	TCACCCAACA	CACATGAAAG	CTATATTATC	TTACATAGAT	13440
TTAGTTAGAA	TGGGGTTAAT	AAATGTAGAT	AAATTAACCA	TTAAAAATAA	AAATAAATTC	13500
AATGATGAAT	TTTACACATC	AAATCTCTTT	TACATTAGTT	ATAACTTTTC	AGATAACACT	13560
CATTTGCTAA	CAAAACAAAT	AAGAATTGCT	AATTCAGAAT	TAGAAAATAA	TTATAACAAA	13620
CTATATCACC	CAACCCCAGA	AACTTTAGAA	AATATGTCAT	TAATTCCTGT	CAAAAGTAAT	13680
AATAGTAATA	AACCTAAATT	TGGTATAAGT	GGAAATACCG	AATCTATGAT	GACGTCAACA	13740
TTCTCCAATA	AAACGCATAT	TAAATCTTCC	GCTGTTATTA	CAAGATTCAA	TTATAGTAAA	13800
CAAGACTTGT	ACAATTTATT	TCCAATTGTC	GTGATAGACA	GGATTATAGA	TCATTCAGGT	13860
AATACAGCAA	AATCTAACCA	ACTCTACACT	ACCACTTCAC	ATCAGACATC	TTTAGTAAGG	13920
AATAGTGCAT	CACTTTATTG	CATGCTTCCT	TGGCATCATG	TCAATAGATT	TAACTTTGTA	13980
TTTAGTTCCA	CAGGATGCAA	GATCAGTATA	GAGTATATTT	TAAAAGATCT	TAAGATTAAA	14040
GACCCCACTT	GTATAGCATT	CATAGGTGAA	GGAGCTGGTA	ACTTATTATT	ACGTACAGTA	14100
GTAGAACTTC	ATCCAGACAT	AAGATACATT	TACAGAAGTT	TAAAAGATTG	CAATGATCAT	14160
AGTTTACCTA	TTGAATTTCT	AAGGTTATAC	AACGGGCATA	TAAACATAGA	TTATGGTGAG	14220
AATTTAACCA	TTCTGCTAC	AGATGCAACT	AATAACATTC	ATTGGTCTTA	TTTACATATA	14280
AAATTTGCAG	AACCTATTAG	CATTTTGTG	TGCGATGCTG	AATTACCTGT	TACAGCCAAT	14340
TGGAGTAAAA	TTATAATTGA	ATGGAGTAAG	CATGTAAGAA	AGTGCAAGTA	CTGTTCTCT	14400
GTAAATAGAT	GCATTTTAAT	TGCAAAATAT	CATGCCCAAG	ATGATATTGA	TTTCAAATTA	14460
GATAACATTA	CTATATTAAA	AACTTACGTG	TGCCTAGGTA	GCAAGTTAAA	AGGATCTGAA	14520
GTTTACTTAG	TCCTTACAAT	AGGCCCTGCA	AATATACTTC	CTGTTTTTAA	TGTTGTGCAA	14580
AATGCTAAAT	TGATTCTTTC	AAGGACTAAA	AATTCATTA	TGCCTAAAAA	AACTGACAAA	14640
GAATCTATCG	ATGCAAATAT	TAAAAGCTTA	ATACCTTTCC	TTTGTTACCC	TATAACAAAA	14700
AAAGGAATTA	AGACTTCATT	GTCAAAATTG	AAGAGTGTAG	TTAGTGGAGA	TATATTATCA	14760
TATTCTATAG	CTGGACGTAA	TGAAGTATTC	AGCAACAAGC	TTATAAACCA	CAAGCATATG	14820
AATATCCTAA	AATGGCTAGA	TCATGTTTTA	AACTTTAGAT	CAGCTGAACT	TAATTACAAT	14880

- 320 -

CATTATATA TGATAGAGTC CACATATCCT TACTTAAGTG AATTGTTAAA CAGTTTAACA 14940
 ACCAATGAGC TCAAGAAGCT GATTAAAATA ACAGGTAGTG TACTATACAA CCTTCCCAAC 15000
 GAACAGTAAC TTAAACATC ATTAACAAGT TTGATCAAAT TTAGATGCTA ACACATCATA 15060
 ATATTATAGT TATTAAAAA TATATATGCA AACTTTTCAA TAATTAGCA TATTGATTCC 15120
 AAAGTTATCA TTTTGGTCTT AAGGGGTGA ATAAAAATCT AAAACTAACA ATTATACATG 15180
 TGCATTTACA ACACAACGAG ACATTAGTTT TTGACACTTT TTTTCTCGT 15229

(2) INFORMATION FOR SEQ ID NO:26:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 2166 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:26:

Met	Asp	Pro	Ile	Ile	Asn	Gly	Asn	Ser	Ala	Asn	Val	Tyr	Leu	Thr	Asp	1	5	10	15
Ser	Tyr	Leu	Lys	Gly	Val	Ile	Ser	Phe	Ser	Glu	Cys	Asn	Ala	Leu	Gly	20	25	30	
Ser	Tyr	Leu	Phe	Asn	Gly	Pro	Tyr	Leu	Lys	Asn	Asp	Tyr	Thr	Asn	Leu	35	40	45	
Ile	Ser	Arg	Gln	Ser	Pro	Leu	Leu	Glu	His	Met	Asn	Leu	Lys	Lys	Leu	50	55	60	
Thr	Ile	Thr	Gln	Ser	Leu	Ile	Ser	Arg	Tyr	His	Lys	Gly	Glu	Leu	Lys	65	70	75	80
Leu	Glu	Glu	Pro	Thr	Tyr	Phe	Gln	Ser	Leu	Leu	Met	Thr	Tyr	Lys	Ser	85	90	95	
Met	Ser	Ser	Ser	Glu	Gln	Ile	Ala	Thr	Thr	Asn	Leu	Leu	Lys	Lys	Ile	100	105	110	
Ile	Arg	Arg	Ala	Ile	Glu	Ile	Ser	Asp	Val	Lys	Val	Tyr	Ala	Ile	Leu	115	120	125	

- 321 -

Asn Lys Leu Gly Leu Lys Glu Lys Asp Arg Val Lys Pro Asn Asn Asn
 130 135 140
 Ser Gly Asp Glu Asn Ser Val Leu Thr Thr Ile Ile Lys Asp Asp Ile
 145 150 155 160
 Leu Ser Ala Val Glu Asn Asn Gln Ser Tyr Thr Asn Ser Asp Lys Asn
 165 170 175
 His Ser Val Asn Gln Asn Ile Thr Ile Lys Thr Thr Leu Leu Lys Lys
 180 185 190
 Leu Met Cys Ser Met Gln His Pro Pro Ser Trp Leu Ile His Trp Phe
 195 200 205
 Asn Leu Tyr Thr Lys Leu Asn Asn Ile Leu Thr Gln Tyr Arg Ser Asn
 210 215 220
 Glu Val Lys Ser His Gly Phe Ile Leu Ile Asp Asn Gln Thr Leu Ser
 225 230 235 240
 Asp Phe Gln Phe Ile Leu Asn Gln Tyr Gly Cys Ile Val Tyr His Lys
 245 250 255
 Gly Leu Lys Lys Ile Thr Thr Thr Thr Tyr Asn Gln Phe Leu Thr Trp
 260 265 270
 Lys Asp Ile Ser Leu Ser Arg Leu Asn Val Cys Leu Ile Thr Trp Ile
 275 280 285
 Ser Asn Cys Leu Asn Thr Leu Asn Lys Ser Leu Gly Leu Arg Cys Gly
 290 295 300
 Phe Asn Asn Val Val Leu Ser Gln Leu Phe Leu Tyr Gly Asp Cys Ile
 305 310 315 320
 Leu Lys Leu Phe His Asn Glu Gly Phe Tyr Ile Ile Lys Glu Val Glu
 325 330 335
 Gly Phe Ile Met Ser Leu Ile Leu Asn Ile Thr Glu Glu Asp Gln Phe
 340 345 350
 Arg Lys Arg Phe Tyr Asn Ser Met Leu Asn Asn Ile Thr Asp Ala Ala
 355 360 365
 Ile Lys Ala Gln Lys Asn Leu Leu Ser Arg Val Cys His Thr Leu Leu
 370 375 380
 Asp Lys Thr Val Ser Asp Asn Ile Ile Asn Gly Lys Trp Ile Ile Leu
 385 390 395 400
 Leu Ser Lys Phe Leu Lys Leu Ile Lys Leu Ala Gly Asp Asn Asn Leu

- 322 -

405	410	415
Asn Asn Leu Ser Glu Leu Tyr Phe Leu Phe Arg Ile Phe Gly His Pro 420	425	430
Met Val Asp Glu Arg Gln Ala Met Asp Ala Val Arg Ile Asn Cys Asn 435	440	445
Glu Thr Lys Phe Tyr Leu Leu Ser Asn Leu Ser Thr Leu Arg Gly Ala 450	455	460
Phe Ile Tyr Arg Ile Ile Lys Gly Phe Val Asn Thr Tyr Asn Arg Trp 465	470	475
Pro Thr Leu Arg Asn Ala Ile Val Leu Pro Leu Arg Trp Leu Asn Tyr 485	490	495
Tyr Lys Leu Asn Thr Tyr Pro Ser Leu Leu Glu Ile Thr Glu Lys Asp 500	505	510
Leu Ile Ile Leu Ser Gly Leu Arg Phe Tyr Arg Glu Phe His Leu Pro 515	520	525
Lys Lys Val Asp Leu Glu Met Ile Ile Asn Asp Lys Ala Ile Ser Pro 530	535	540
Pro Lys Asp Leu Ile Trp Thr Ser Phe Pro Arg Asn Tyr Met Pro Ser 545	550	555
His Ile Gln Asn Tyr Ile Glu His Glu Lys Leu Lys Phe Ser Glu Ser 565	570	575
Asp Arg Ser Arg Arg Val Leu Glu Tyr Tyr Leu Arg Asp Asn Lys Phe 580	585	590
Asn Glu Cys Asp Leu Tyr Asn Cys Val Val Asn Gln Ser Tyr Leu Asn 595	600	605
Asn Ser Asn His Val Val Ser Leu Thr Gly Lys Glu Arg Glu Leu Ser 610	615	620
Val Gly Arg Met Phe Ala Met Gln Pro Gly Met Phe Arg Gln Ile Gln 625	630	635
Ile Leu Ala Glu Lys Met Ile Ala Glu Asn Ile Leu Gln Phe Phe Pro 645	650	655
Glu Ser Leu Thr Arg Tyr Gly Asp Leu Glu Leu Gln Lys Ile Leu Glu 660	665	670
Leu Lys Ala Gly Ile Ser Asn Lys Ser Asn Arg Tyr Asn Asp Asn Tyr 675	680	685

- 323 -

Asn Asn Tyr Ile Ser Lys Cys Ser Ile Ile Thr Asp Leu Ser Lys Phe
 690 695 700

Asn Gln Ala Phe Arg Tyr Glu Thr Ser Cys Ile Cys Ser Asp Val Leu
 705 710 715 720

Asp Glu Leu His Gly Val Gln Ser Leu Phe Ser Trp Leu His Leu Thr
 725 730 735

Ile Pro Leu Val Thr Ile Ile Cys Thr Tyr Arg His Ala Pro Pro Phe
 740 745 750

Ile Lys Asp His Val Val Asn Leu Asn Lys Val Asp Glu Gln Ser Gly
 755 760 765

Leu Tyr Arg Tyr His Met Gly Gly Ile Glu Gly Trp Cys Gln Lys Leu
 770 775 780

Trp Thr Ile Glu Ala Ile Ser Leu Leu Asp Leu Ile Ser Leu Lys Gly
 785 790 795 800

Lys Phe Ser Ile Thr Ala Leu Ile Asn Gly Asp Asn Gln Ser Ile Asp
 805 810 815

Ile Ser Lys Pro Val Arg Leu Ile Glu Gly Gln Thr His Ala Gln Ala
 820 825 830

Asp Tyr Leu Leu Ala Leu Asn Ser Leu Lys Leu Leu Tyr Lys Glu Tyr
 835 840 845

Ala Gly Ile Gly His Lys Leu Lys Gly Thr Glu Thr Tyr Ile Ser Arg
 850 855 860

Asp Met Gln Phe Met Ser Lys Thr Ile Gln His Asn Gly Val Tyr Tyr
 865 870 875 880

Pro Ala Ser Ile Lys Lys Val Leu Arg Val Gly Pro Trp Ile Asn Thr
 885 890 895

Ile Leu Asp Asp Phe Lys Val Ser Leu Glu Ser Ile Gly Ser Leu Thr
 900 905 910

Gln Glu Leu Glu Tyr Arg Gly Glu Ser Leu Leu Cys Ser Leu Ile Phe
 915 920 925

Arg Asn Ile Trp Leu Tyr Asn Gln Ile Ala Leu Gln Leu Arg Asn His
 930 935 940

Ala Leu Cys His Asn Lys Leu Tyr Leu Asp Ile Leu Lys Val Leu Lys
 945 950 955 960

- 324 -

His Leu Lys Thr Phe Phe Asn Leu Asp Ser Ile Asp Met Ala Leu Thr
 965 970 975
 Leu Tyr Met Asn Leu Pro Met Leu Phe Gly Gly Gly Asp Pro Asn Leu
 980 985 990
 Leu Tyr Arg Ser Phe Tyr Arg Arg Thr Pro Asp Phe Leu Thr Glu Ala
 995 1000 1005
 Ile Val His Ser Val Phe Val Leu Ser Tyr Tyr Thr Gly His Asp Leu
 1010 1015 1020
 Gln Asp Lys Leu Gln Asp Leu Pro Asp Asp Arg Leu Asn Lys Phe Leu
 1025 1030 1035 1040
 Thr Cys Ile Ile Thr Phe Asp Lys Asn Pro Asn Ala Glu Phe Val Thr
 1045 1050 1055
 Leu Met Arg Asp Pro Gln Ala Leu Gly Ser Glu Arg Gln Ala Lys Ile
 1060 1065 1070
 Thr Ser Glu Ile Asn Arg Leu Ala Val Thr Glu Val Leu Ser Ile Ala
 1075 1080 1085
 Pro Asn Lys Ile Phe Ser Lys Ser Ala Gln His Tyr Thr Thr Thr Glu
 1090 1095 1100
 Ile Asp Leu Asn Asp Ile Met Gln Asn Ile Glu Pro Thr Tyr Pro His
 1105 1110 1115 1120
 Gly Leu Arg Val Val Tyr Glu Ser Leu Pro Phe Tyr Lys Ala Glu Lys
 1125 1130 1135
 Ile Val Asn Leu Ile Ser Gly Thr Lys Ser Ile Thr Asn Ile Leu Glu
 1140 1145 1150
 Lys Thr Ser Ala Ile Asp Ser Thr Asp Ile Asn Arg Ala Thr Asp Met
 1155 1160 1165
 Met Arg Lys Asn Ile Thr Leu Leu Ile Arg Ile Leu Pro Leu Asp Cys
 1170 1175 1180
 Asn Lys Asp Lys Arg Glu Leu Leu Ser Leu Glu Asn Leu Ser Ile Thr
 1185 1190 1195 1200
 Glu Leu Ser Lys Tyr Val Arg Glu Arg Ser Trp Ser Leu Ser Asn Ile
 1205 1210 1215
 Val Gly Val Thr Ser Pro Ser Ile Met Phe Thr Met Asp Ile Lys Tyr
 1220 1225 1230
 Thr Thr Ser Thr Ile Ala Ser Gly Ile Ile Ile Glu Lys Tyr Asn Val

- 325 -

1235	1240	1245
Asn Ser Leu Thr Arg Gly Glu Arg Gly Pro Thr Lys Pro Trp Val Gly 1250 1255 1260		
Ser Ser Thr Gln Glu Lys Lys Thr Met Pro Val Tyr Asn Arg Gln Val 1265 1270 1275 1280		
Leu Thr Lys Lys Gln Arg Asp Gln Ile Asp Leu Leu Ala Lys Leu Asp 1285 1290 1295		
Trp Val Tyr Ala Ser Ile Asp Asn Lys Asp Glu Phe Met Glu Glu Leu 1300 1305 1310		
Ser Thr Gly Thr Leu Gly Leu Ser Tyr Glu Lys Ala Lys Lys Leu Phe 1315 1320 1325		
Pro Gln Tyr Leu Ser Val Asn Tyr Leu His Arg Leu Thr Val Ser Ser 1330 1335 1340		
Arg Pro Cys Glu Phe Pro Ala Ser Ile Pro Ala Tyr Arg Thr Thr Asn 1345 1350 1355 1360		
Tyr His Phe Asp Thr Ser Pro Ile Asn His Val Leu Thr Glu Lys Tyr 1365 1370 1375		
Gly Asp Glu Asp Ile Asp Ile Val Phe Gln Asn Cys Ile Ser Phe Gly 1380 1385 1390		
Leu Ser Leu Met Ser Val Val Glu Gln Phe Thr Asn Ile Cys Pro Asn 1395 1400 1405		
Arg Ile Ile Leu Ile Pro Lys Leu Asn Glu Ile His Leu Met Lys Pro 1410 1415 1420		
Pro Ile Phe Thr Gly Asp Val Asp Ile Ile Lys Leu Lys Gln Val Ile 1425 1430 1435 1440		
Gln Lys Gln His Met Phe Leu Pro Asp Lys Ile Ser Leu Thr Gln Tyr 1445 1450 1455		
Val Glu Leu Phe Leu Ser Asn Lys Ala Leu Lys Ser Gly Ser His Ile 1460 1465 1470		
Asn Ser Asn Leu Ile Leu Val His Lys Met Ser Asp Tyr Phe His Asn 1475 1480 1485		
Ala Tyr Ile Leu Ser Thr Asn Leu Ala Gly His Trp Ile Leu Ile Ile 1490 1495 1500		
Gln Leu Met Lys Asp Ser Lys Gly Ile Phe Glu Lys Asp Trp Gly Glu 1505 1510 1515 1520		

- 326 -

Gly Tyr Ile Thr Asp His Met Phe Ile Asn Leu Asn Val Phe Phe Asn
 1525 1530 1535
 Ala Tyr Lys Thr Tyr Leu Leu Cys Phe His Lys Gly Tyr Gly Lys Ala
 1540 1545 1550
 Lys Leu Glu Cys Asp Met Asn Thr Ser Asp Leu Leu Cys Val Leu Glu
 1555 1560 1565
 Leu Ile Asp Ser Ser Tyr Trp Lys Ser Met Ser Lys Val Phe Leu Glu
 1570 1575 1580
 Gln Lys Val Ile Lys Tyr Ile Ile Asn Gln Asp Thr Ser Leu His Arg
 1585 1590 1595 1600
 Ile Lys Gly Cys His Ser Phe Lys Leu Trp Phe Leu Lys Arg Leu Asn
 1605 1610 1615
 Asn Ala Lys Phe Thr Val Cys Pro Trp Val Val Asn Ile Asp Tyr His
 1620 1625 1630
 Pro Thr His Met Lys Ala Ile Leu Ser Tyr Ile Asp Leu Val Arg Met
 1635 1640 1645
 Gly Leu Ile Asn Val Asp Lys Leu Thr Ile Lys Asn Lys Asn Lys Phe
 1650 1655 1660
 Asn Asp Glu Phe Tyr Thr Ser Asn Leu Phe Tyr Ile Ser Tyr Asn Phe
 1665 1670 1675 1680
 Ser Asp Asn Thr His Leu Leu Thr Lys Gln Ile Arg Ile Ala Asn Ser
 1685 1690 1695
 Glu Leu Glu Asn Asn Tyr Asn Lys Leu Tyr His Pro Thr Pro Glu Thr
 1700 1705 1710
 Leu Glu Asn Met Ser Leu Ile Pro Val Lys Ser Asn Asn Ser Asn Lys
 1715 1720 1725
 Pro Lys Phe Gly Ile Ser Gly Asn Thr Glu Ser Met Met Thr Ser Thr
 1730 1735 1740
 Phe Ser Asn Lys Thr His Ile Lys Ser Ser Ala Val Ile Thr Arg Phe
 1745 1750 1755 1760
 Asn Tyr Ser Lys Gln Asp Leu Tyr Asn Leu Phe Pro Ile Val Val Ile
 1765 1770 1775
 Asp Arg Ile Ile Asp His Ser Gly Asn Thr Ala Lys Ser Asn Gln Leu
 1780 1785 1790

- 327 -

Tyr Thr Thr Thr Ser His Gln Thr Ser Leu Val Arg Asn Ser Ala Ser
 1795 1800 1805
 Leu Tyr Cys Met Leu Pro Trp His His Val Asn Arg Phe Asn Phe Val
 1810 1815 1820
 Phe Ser Ser Thr Gly Cys Lys Ile Ser Ile Glu Tyr Ile Leu Lys Asp
 1825 1830 1835 1840
 Leu Lys Ile Lys Asp Pro Ser Cys Ile Ala Phe Ile Gly Glu Gly Ala
 1845 1850 1855
 Gly Asn Leu Leu Leu Arg Thr Val Val Glu Leu His Pro Asp Ile Arg
 1860 1865 1870
 Tyr Ile Tyr Arg Ser Leu Lys Asp Cys Asn Asp His Ser Leu Pro Ile
 1875 1880 1885
 Glu Phe Leu Arg Leu Tyr Asn Gly His Ile Asn Ile Asp Tyr Gly Glu
 1890 1895 1900
 Asn Leu Thr Ile Pro Ala Thr Asp Ala Thr Asn Asn Ile His Trp Ser
 1905 1910 1915 1920
 Tyr Leu His Ile Lys Phe Ala Glu Pro Ile Ser Ile Phe Val Cys Asp
 1925 1930 1935
 Ala Glu Leu Pro Val Thr Ala Asn Trp Ser Lys Ile Ile Ile Glu Trp
 1940 1945 1950
 Ser Lys His Val Arg Lys Cys Lys Tyr Cys Ser Ser Val Asn Arg Cys
 1955 1960 1965
 Ile Leu Ile Ala Lys Tyr His Ala Gln Asp Asp Ile Asp Phe Lys Leu
 1970 1975 1980
 Asp Asn Ile Thr Ile Leu Lys Thr Tyr Val Cys Leu Gly Ser Lys Leu
 1985 1990 1995 2000
 Lys Gly Ser Glu Val Tyr Leu Val Leu Thr Ile Gly Pro Ala Asn Ile
 2005 2010 2015
 Leu Pro Val Phe Asn Val Val Gln Asn Ala Lys Leu Ile Leu Ser Arg
 2020 2025 2030
 Thr Lys Asn Phe Ile Met Pro Lys Lys Thr Asp Lys Glu Ser Ile Asp
 2035 2040 2045
 Ala Asn Ile Lys Ser Leu Ile Pro Phe Leu Cys Tyr Pro Ile Thr Lys
 2050 2055 2060
 Lys Gly Ile Lys Thr Ser Leu Ser Lys Leu Lys Ser Val Val Ser Gly

- 328 -

2065	2070	2075	2080
Asp Ile Leu Ser Tyr Ser Ile Ala Gly Arg Asn Glu Val Phe Ser Asn			
2085	2090	2095	
Lys Leu Ile Asn His Lys His Met Asn Ile Leu Lys Trp Leu Asp His			
2100	2105	2110	
Val Leu Asn Phe Arg Ser Ala Glu Leu Asn Tyr Asn His Leu Tyr Met			
2115	2120	2125	
Ile Glu Ser Thr Tyr Pro Tyr Leu Ser Glu Leu Leu Asn Ser Leu Thr			
2130	2135	2140	
Thr Asn Glu Leu Lys Lys Leu Ile Lys Ile Thr Gly Ser Val Leu Tyr			
2145	2150	2155	2160
Asn Leu Pro Asn Glu Gln			
2165			

(2) INFORMATION FOR SEQ ID NO:27:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 15219 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: RNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:27:

ACGGGAAAAA AATGCGTACT ACAAACTGTC ACATTCGAAA AAAATGGGGC AAATAAGAAC	60
TTGATAAGTG CTATTTAAGT CTAACCTTTT CAATCAGAAA TGGGGTGCAA TTTACTGAGC	120
ATGATAAAGG TTAGATTACA AAATTTATTT GACAATGACG AAGTAGCATT GTTAAAAATA	180
ACATGTTATA CTGATAAATT AATTCTTCTG ACCAATGCAT TAGCCAAAGC AGCAATACAT	240
ACAATTAAAT TAAACGGCAT AGTTTTTATA CATGTTATAA CAAGCAGTGA AGTGTGCCCT	300
GATAACAATA TTGTAGTGAA ATCTAACTTT ACAACAATGC CAATACTACA AAATGGAGGA	360
TACATATGGG AATTGATTGA GTTGACACAC TGCTCTCAAT TAAACGGTTT AATGGATGAT	420
AATTGTGAAA TCAAATTTTC TAAAAGACTA AGTGACTCAG TAATGACTAA TTATATGAAT	480
CAAATATCTG ACTTACTTGG GCTTGATCTC AATTCATGAA TTATGTTTAG TCTAATTCAA	540

- 329 -

TAGACATGTG TTTATTACCA TTTTAGTTAA TATAAAAACT CATCAAAGGG AAATGGGGCA	600
AATAAACTCA CCTAATCAAT CAAACCATGA GCACTACAAA TGACAACACT ACTATGCAAA	660
GATTGATGAT CACAGACATG AGACCCCTGT CAATGGATTG AATAATAACA TCTCTTACCA	720
AAGAAATCAT CACACACAAA TTCATATACT TGATAAACAA TGAATGTATT GTAAGAAAAC	780
TTGATGAAAG ACAAGCTACA TTTACATTCT TAGTCAATTA TGAGATGAAG CTAAGTGCACA	840
AAGTAGGGAG TACCAAATAC AAAAAATACA CTGAATATAA TACAAAATAT GGCACCTTCC	900
CCATGCCTAT ATTTATCAAT CACGGCGGGT TTCTAGAATG TATTGGCATT AAGCCTACAA	960
AACACACTCC TATAATATAC AAATATGACC TCAACCCGTG AATTCCAACA AAAAAACCAA	1020
CCCAACCAA CCAAACTATT CCTCAAACAA CAGTGCTCAA TAGTTAAGAA GGAGCTAATC	1080
CATTTTAGTA ATTA AAAATA AAAGTAAAGC CAATAACATA AATTGGGGCA AATACAAAGA	1140
TGGCTCTTAG CAAAGTCAAG TTGAATGATA CATTAAATAA GGATCAGCTG CTGTCATCCA	1200
GCAAATACAC TATTCAACGT AGTACAGGAG ATAATATTGA CACTCCCAAT TATGATGTGC	1260
AAAAACACCT AAACAACTA TGTGGTATGC TATTAATCAC TGAAGATGCA AATCATAAAT	1320
TCACAGGATT AATAGGTATG TTATATGCTA TGTCAGGTT AGGAAGGGAA GACACTATAA	1380
AGATACTTAA AGATGCTGGA TATCATGTTA AAGCTAATGG AGTAGATATA ACAACATATC	1440
GTCAAGATAT AAATGGAAAG GAAATGAAAT TCGAAGTATT AACATTATCA AGCTTGACAT	1500
CAGAAATACA AGTCAATATT GAGATAGAAT CTAGAAAGTC CTACAAAAAA ATGCTAAAAG	1560
AGATGGGAGA AGTGGCTCCA GAATATAGGC ATGATTCTCC AGACTGTGGG ATGATAATAC	1620
TGTGTATAGC TGCACTTGTG ATAACCAAAT TAGCAGCAGG AGACAGATCA GGTCTTACAG	1680
CAGTAATTAG GAGGGCAAAC AATGTCTTAA AAAACGAAAT AAAACGATAC AAGGGCCTCA	1740
TACCAAAGGA TATAGCTAAC AGTTTTTATG AAGTGTTTGA AAAACACCCT CATCTTATAG	1800
ATGTTTTCGT GCACTTTGGC ATTGCACAAT CATCCACAAG AGGGGGTAGT AGAGTTGAAG	1860
GAATCTTTGC AGGATTGTTT ATGAATGCCT ATGGTTCAGG GCAAGTAATG CTAAGATGGG	1920
GAGTTTTAGC CAAATCTGTA AAAAAATACA TGCTAGGACA TGCTAGTGTC CAGGCAGAAA	1980
TGGAGCAAGT TGTGGAAGTC TATGAGTATG CACAGAAGTT GGGAGGAGAA GCTGGATTCT	2040
ACCATATATT GAACAATCCA AAAGCATCAT TGCTGTCATT AACTCAATTT CCCAACTTCT	2100

- 330 -

CAAGTGTGGT CCTAGGCAAT GCAGCAGGTC TAGGCATAAT GGGAGAGTAT AGAGGTACAC 2160
CAAGAAACCA GGATCTTTAT GATGCAGCTA AAGCATATGC AGAGCAACTC AAAGAAAATG 2220
GAGTAATAAA CTACAGTGTA TTAGACTTAA CAGCAGAAGA ATTGGAAGCC ATAAAGCATC 2280
AACTCAACCC CAAAGAAGAT GATGTAGAGC TTAAAGTTAA CAAAAATAC GGGGCAAATA 2340
AGTCAACATG GAGAAGTTTG CACCTGAATT TCATGGAGAA GATGCAAATA ACAAAGCTAC 2400
CAAATTCCTA GAATCAATAA AGGGCAAGTT CGCATCATCC AAAGATCCTA AGAAGAAAGA 2460
TAGCATAATA TCTGTAACT CAATAGATAT AGAAGTAACT AAAGAGAGCC CGATAACATC 2520
TGGCACCAAC ATCATCAATC CAACAAGTGA AGCCGACAGT ACCCCAGAAA CAAAAGCCAA 2580
CTACCCAAGA AAACCCCTAG TAAGCTTCAA AGAAGATCTC ACCCCAAGTG ACAACCTTT 2640
TTCTAAGTTG TACAAGGAAA CAATAGAAAC ATTTGATAAC AATGAAGAAG AATCTAGCTA 2700
CTCATATGAA GAGATAAATG ATCAAACAAA TGACAACATT ACAGCAAGAC TAGATAGAAT 2760
TGATGAAAAA TTAAGTGAAA TATTAGGAAT GCTCCATACA TTAGTAGTTG CAAGTGCAGG 2820
ACCCACTTCA GCTCGCGATG GAATAAGAGA TGCTATGGTT GGTCTAAGAG AAGAGATGAT 2880
AGAAAAATA AGAGCGGAAG CATTAATGAC CAATGATAGG TTAGAGGCTA TGGCAAGACT 2940
TAGGAATGAG GAAAGCGAAA AAATGGCAA AGACACCTCA GATGAAGTGT CTCTTAATCC 3000
AACTTCCAAA AAATTGAGTG ACTTGTGGA AGACAACGAT AGTGACAATG ATCTATCACT 3060
TGATGATTTT TGATCAGCGA TCAACTCACT CAGCAATCAA CAACATCAAT AAAACAGACA 3120
TCAATCCATT GAATCAACTG CCAGACCGAA CAAACAAACG TCCATCAGTA GAACCACCAA 3180
CCAATCAATC AACCAATTGA TCAATCAGCA ACCCGACAAA ATTAACAATA TAGTAACAAA 3240
AAAAGAACAA GATGGGGCAA ATATGGAAAC ATACGTGAAC AAGCTTCAGG AAGGCTCCAC 3300
ATACACAGCA GCTGTTCACT ACAATGTTCT AGAAAAAGAT GATGATCCTG CATCACTAAC 3360
AATATGGGTG CCTATGTTCC AGTCATCTGT GCCAGCAGAC TTGCTCATAA AAGAACTTGC 3420
AAGCATCAAT ATACTAGTGA AGCAGATCTC TACGCCCAA GGACCTTCAC TACGAGTCAC 3480
GATTAACTCA AGAAGTGCTG TGCTGGCTCA AATGCCTAGT AATTTTCATCA TAAGCGCAAA 3540
TGTATCATTG GATGAAAGAA GCAAATTAGC ATATGATGTA ACTACACCTT GTGAAATCAA 3600
AGCATGCAGT CTAACATGCT TAAAAGTAAA AAGTATGTTA ACTACAGTCA AAGATCTTAC 3660

- 331 -

CATGAAGACA TTCAACCCCA CTCATGAGAT CATTGCTCTA TGTGAATTTG AAAATATTAT	3720
GACATCAAAA AGAGTAATAA TACCAACCTA TCTAAGATCA ATTAGTGTCA AGAACAAGGA	3780
TCTGAACTCA CTAGAAAATA TAGCAACCAC CGAATTCAA AATGCTATCA CCAATGCAAA	3840
AATTATTCCT TATGCAGGAT TAGTGTTAGT TATCACAGTT ACTGACAATA AAGGAGCATT	3900
CAATATATATC AAACCACAGA GTCAATTTAT AGTAGATCTT GGTGCCTACC TAGAAAAAGA	3960
GAGCATATAT TATGTGACTA CTAATTGGAA GCATACAGCT ACACGTTTTT CAATCAAACC	4020
ACTAGAGGAT TAACTTAAT TATCAACACT GAATGACAGG TCCACATATA TCCTCAAACCT	4080
ACACACTATA TCCAAACATC ATAAACATCT ACACTACACA CTTTCATCACA CAAACCAATC	4140
CCACTCAAAA TCCAAAATCA CTACCAGCCA CTATCCGCTA GACCTAGAGT GCGAATAGGC	4200
AAATAAAACC AAAATATGGG GTAAATAGAC ATTAGTTAGA GTTCAATCAA TCTTAACAAC	4260
CATTTATACC GCCAATTCAA CACATATACT ATAAATCTTA AAATGGGAAA TACATCCATC	4320
ACAATAGAAC TCACAAGCAA ATTTTGGCCC TATTTTACAC TAATACATAT GATCTTAACT	4380
CTAATCTTTT TACTAATTAT AATCACTATC ATGATTGCAA CACTAAATAA GCTAAGTGAA	4440
CACAAAGCAT TCTGCAACAA AACTCTTGAA CTAGGACAGA TGTACCAAAT CAACACACAG	4500
AGTTCCACCA TTATGCTGTG TCAAACCATA ATCCTGTATA TACAAACAAA CAAATCCAAT	4560
CCTCTCACAG AGTCACGGTG TCGCAAAACC ACGCTAACCA TCATGGTAGC ATAGAGTAGT	4620
TATTTAAAAA TTAACATAAT GATGAATTGT TAGTATGAGA TCAAAAACAA CATTGGGGCA	4680
AATGCAACCA TGTCCAAACA CAAGAATCAA CGCACTGCCA GGACTCTAGA AAAGACCTGG	4740
GATACTCTTA ATCATCTAAT TGTAATATCC TCTTGTTTAT ACAGATTAAA TTTAAAATCT	4800
ATAGCACAAA TAGCACTATC AGTTTTGGCA ATGATAATCT CAACCTCTCT CATAATTGCA	4860
GCCATAATAT TCATCATCTC TGCCAATCAC AAAGTTACAC TAACAACGGT CACAGTTCAA	4920
ACAATAAAAA ACCCACTGA AAAAAACATC ACCACCTACC CTACTCAAGT CTCACCAGAA	4980
AGGGTTAGTT CATCCAAGCA ACCCACAACC ACATCACCAA TCCACACAAG TTCAGCTACA	5040
ACATCACCCA ATACAAAATC AGAAACACAC CATACAACAG CACAAACCAA AGGCAGAACC	5100
ACCACTTCAA CACAGACCAA CAAGCCAAGC ACAAACCAC GTCCAAAAAA TCCACCAAAA	5160
AAAGATGATT ACCATTTTGA AGTGTTCAAC TTCGTTCCCT GCAGTATATG TGGCAACAAT	5220

- 332 -

CAACTTTGCA AATCCATCTG CAAAACAATA CCAAGCAACA AACCAAAGAA GAAACCAACC	5280
ATCAAACCCA CAAACAAACC AACCACCAAA ACCACAAACA AAAGAGACCC AAAAACACCA	5340
GCCAAAACGA CGAAAAAAGA AACTACCACC AACCCAACAA AAAAATAAC CCTCAAGACC	5400
ACAGAAAGAG ACACCAGCAC CTCACAATCC ACTGCACTCG ACACAACCAC ATTAATAACAC	5460
ACAGTCCAAC AGCAATCCCT CCTCTCAACC ACCCCCGAAA ACACACCCAA CTCCACACAA	5520
ACACCCACAG CATCCGAGCC CTCCACACCA AACTCCACCC AAAAACCCA GCCACATGCT	5580
TAGTTATTCA AAAACTACAT CTTAGCAGAG AACCGTGATC TATCAAGCAA GAACGAAATT	5640
AAACCTGGGG CAAATAACCA TGGAGTTGAT GATCCACAAG TCAAGTGCAA TCTTCCTAAC	5700
TCTTGCTATT AATGCATTGT ACCTCACCTC AAGTCAGAAC ATAAGTGAGG AGTTTTACCA	5760
ATCGACATGT AGTGCAGTTA GCAGAGGTTA TTTTAGTGCT TTAAGAACAG GTTGGTATAC	5820
TAGTGTCATA ACAATAGAAT TAAGTAATAT AAAAGAAACC AAATGCAATG GAACTGACAC	5880
TAAAGTAAAA CTTATGAAAC AAGAATTAGA TAAGTATAAG AATGCAGTAA CAGAATTACA	5940
GCTACTTATG CAAACACAC CAGCTGTCAA CAACCGGGCC AGAAGAGAAG CACCACAGTA	6000
TATGAACTAC ACAATCAATA CCACTAAAAA CCTAAATGTA TCAATAAGCA AGAAGAGGAA	6060
ACGAAGATTT CTAGGCTTCT TGTTAGGTGT GGGATCTGCA ATAGCAAGTG GTATAGCTGT	6120
ATCAAAAGTT CTACACCTTG AAGGAGAAGT GAACAAGATC AAAAATGCTT TGTGTCTAC	6180
AAACAAAGCT GTAGTCAGTT TATCAAATGG GGTCAAGTGT TTAACCAGCA AAGTGTTAGA	6240
TCTCAAGAAT TACATAAATA ACCAATTATT ACCCATAGTA AATCAACAGA GCTGTCGCAT	6300
CTCCAACATT GAAACAGTTA TAGAATTCCA GCAGAAGAAC AGCAGATTGT TGGAAATCAC	6360
CAGAGAATTT AGTGTCAATG CAGGTGTAAC AACACCTTTA AGCACTTACA TGTGACAAA	6420
CAGTGAGTTA CTATCATTAA TCAATGATAT GCCTATAACA AATGATCAGA AAAAATTAAT	6480
GTCAAGCAAT GTTCAGATAG TAAGGCAACA AAGTTATTCC ATCATGTCTA TAATAAAGGA	6540
AGAAGTCCTT GCATATGTTG TACAGCTGCC TATCTATGGT GTAATAGATA CACCTTGCTG	6600
GAAATTGCAC ACATCGCCTC TATGCACTAC CAACATCAAA GAAGGATCAA ATATTTGTTT	6660
AACAAGGACT GATAGAGGAT GGTATTGTGA TAATGCAGGA TCAGTATCCT TCTTTCCACA	6720
GGCTGACACT TGTAAGTAC AGTCCAATCG AGTATTTTGT GACACTATGA ACAGTTTGAC	6780

- 333 -

ATTACCAAGT GAAGTCAGCC TTTGTAACAC TGACATATTC AATTCCAAGT ATGACTGCAA	6840
AATTATGACA TCAAAAACAG ACATAAGCAG CTCAGTAATT ACTTCTCTTG GAGCTATAGT	6900
GTCATGCTAT GGTAAACTA AATGCACTGC ATCCAACAAA AATCGTGGGA TTATAAGAC	6960
ATTTTCTAAT GGTGTGACT ATGTGTCAA CAAAGGAGTA GATACTGTGT CAGTGGGCAA	7020
CACTTTATAC TATGTAAACA AGCTGGAAGG CAAGAACCTT TATGTAAAAG GGAACCTAT	7080
AATAAATTAC TATGACCCTC TAGTGTTTCC TTCTGATGAG TTTGATGCAT CAATATCTCA	7140
AGTCAATGAA AAAATCAATC AAAGTTTAGC TTTTATTCGT AGATCTGATG AATTACTACA	7200
TAATGTAAAT ACTGGCAAAT CTACTACAAA TATTATGATA ACTACAATTA TTATAGTAAT	7260
CATTGTAGTA TTGTTATCAT TAATAGCTAT TGGTTTACTG TTGTATTGTA AAGCCAAAAA	7320
CACACCAGTT AACTAAGCA AAGACCAACT AAGTGAATC AATAATATTG CATTACAGCA	7380
ATAGACAAAA AACCACCTGA TCATGTTTCA ACAACAATCT GCTGACCACC AATCCCAAAT	7440
CAACTTACAA CAAATATTTC AACATCACAG TACAGGCTGA ATCATTTCCT CACATCATGC	7500
TACCCACATA ACTAAGCTAG ATCCTTAACT TATAGTTACA TAAAAACCTC AAGTATCACA	7560
ATCAACCACT AAATCAACAC ATCATTACACA AAATTAACAG CTGGGGCAAA TATGTCGCGA	7620
AGAAATCCTT GTAAATTGA GATTAGAGGT CATTGCTTGA ATGGTAGAAG ATGTCACTAC	7680
AGTCATAATT ACTTTGAATG GCCTCCTCAT GCATTACTAG TGAGGCAAAA CTTCATGTTA	7740
AACAAGATAC TCAAGTCAAT GGACAAAAGC ATAGACACTT TGTCTGAAAT AAGTGGAGCT	7800
GCTGAACTGG ATAGAACAGA AGAATATGCT CTTGGTATAG TTGGAGTGCT AGAGAGTTAC	7860
ATAGGATCTA TAAACAACAT AACAAAACAA TCAGCATGTG TTGCTATGAG TAACTTCTT	7920
ATTGAGATCA ATAGTGATGA CATTAAAAAG CTTAGAGATA ATGAAGAACC CAATTCACCT	7980
AAGATAAGAG TGTACAATAC TGTTATATCA TACATTGAGA GCAATAGAAA AAACAACAAG	8040
CAAACCATCC ATCTGCTCAA GAGACTACCA GCAGACGTGC TGAAGAAGAC AATAAAGAAC	8100
ACATTAGATA TCCACAAAAG CATAACCATA AGCAATCCAA AAGAGTCAAC TGTGAATGAT	8160
CAAAATGACC AAACCAAAAA TAATGATATT ACCGGATAAA TATCCTTGTA GTATATCATC	8220
CATATTGATC TCAAGTGAAA GCATGGTTGC TACATTCAAT CATAAAAACA TATTACAATT	8280
TAACCATAAC TATTTGGATA ACCACCAGCG TTTATTAAAT CATATATTTG ATGAAATTCA	8340

- 334 -

TTGGACACCT AAAA	ACTTAT TAGATGCCAC	TCAACAATTT CTCCAACATC	TTAACATCCC	8400
TGAAGATATA TATACAGTAT	ATATATTAGT GTCATAATGC	TTGACCATAA CGACTCTATG		8460
TCATCCAACC ATAAAACTAT	TTTGATAAGG TTATGGGACA	AAATGGATCC CATTATTAAT		8520
GGAAACTCTG CTAATGTGTA	TCTAACTGAT AGTTATTTAA	AAGGTGTTAT CTCTTTTTCA		8580
GAGTGTAATG CTTTAGGGAG	TTATCTTTTT AACGGCCCTT	ATCTTAAAAA TGATTACACC		8640
AACTTAATTA GTAGACAAAG	CCCACTACTA GAGCATATGA	ATCTTAAAAA ACTAACTATA		8700
ACACAGTCAT TAATATCTAG	ATATCATAAA GGTGAACTGA	AATTAGAAGA ACCAACTTAT		8760
TTCCAGTCAT TACTTATGAC	ATATAAAAGT ATGTCCTCGT	CTGAACAAAT TGCTACAAC		8820
AACTTACTTA AAAAAATAAT	ACGAAGAGCC ATAGAAATAA	GTGATGTAAA GGTGTACGCC		8880
ATCTTGAATA AACTAGGATT	AAAGGAAAAG GACAGAGTTA	AGCCCAACAA TAATTCAGGT		8940
GATGAAACT CAGTACTTAC	AACCATAATT AAAGATGATA	TACTTTCGGC TGTGGAAAAC		9000
AATCAATCAT ATACAAATTC	AGACAAAAGT CACTCAGTAA	ATCAAAATAT CACTATCAAA		9060
ACAACACTCT TGAAAAAATT	GATGTGTTCA ATGCAACATC	CTCCATCATG GTTAATACAC		9120
TGGTTCAATT TATATACAAA	ATTAAATAAC ATATTAACAC	AATATCGATC AAATGAGGTA		9180
AAAAGTCATG GGGTTATATT	AATAGATAAT CAACTTTTAA	GTGGTTTTCA GTTTATTTTA		9240
AATCAATATG GTTGTATCGT	TTATCATAAA GGACTCAAAA	AAATCACAAC TACTACTTAC		9300
AATCAATTTT TGACATGGAA	AGACATCAGC CTTAGCAGAT	TAAATGTTTG CTTAATTACT		9360
TGGATAAGTA ATTGTTTAAA	TACATTAAAC AAAAGCTTAG	GGCTGAGATG TGGATTCAAT		9420
AATGTGTGT TATCACAATT	ATTTCTTTAT GGAGATTGTA	TACTGAAATT ATTTCATAAT		9480
GAAGGCTTCT ACATAATAAA	AGAAGTAGAG GGATTTATTA	TGTCTTTAAT TCTAAACATA		9540
ACAGAAGAAG ATCAATTTAA	GAAACGATTT TATAATAGCA	TGCTAAATAA CATCACAGAT		9600
GCAGCTATTA AGGCTCAAAA	GGACCTACTA TCAAGAGTAT	GTCACACTTT ATTAGACAAG		9660
ACAGTGTCTG ATAATATCAT	AAATGGTAAA TGGATAATCC	TATTAAGTAA ATTTCTTAAA		9720
TTGATTAAGC TTGCAGGTGA	TAATAATCTC AATAACTTGA	GTGAGCTATA TTTTCTCTTC		9780
AGAATCTTTG GACATCCAAT	GGTCGATGAA AGACAAGCAA	TGGATTCTGT AAGAATTAAC		9840
TGTAATGAAA CTAGGTTCTA	CTTATTAAGT AGTCTAAGTA	CATTAAGAGG TGCTTTCATT		9900

- 335 -

TATAGAATCA TAAAAGGGTT TGTAATACC TACAACAGAT GGCCACCTT AAGGAATGCT	9960
ATTGTCCTAC CTCTAAGATG GTTAACTAC TATAAACTTA ATACTTATCC ATCTCTACTT	10020
GAAATCACAG AAAATGATTT GATTATTTTA TCAGGATTGC GGTTCTATCG TGAGTTTCAT	10080
CTGCCTAAAA AAGTGGATCT TGAAATGATA ATAAATGACA AAGCCATTTC ACCTCCAAAA	10140
GATCTAATAT GGACTAGTTT TCCTAGAAAT TACATGCCAT CACATATACA AAATTATATA	10200
GAACATGAAA AGTTGAAGTT CTCTGAAAGC GACAGATCGA GAAGAGTACT AGAGTATTAC	10260
TTGAGAGATA ATAAATTCAA TGAATGCGAT CTATACAATT GTGTAGTCAA TCAAAGCTAT	10320
CTCAACAACT CTAATCACGT GGTATCACTA ACTGGTAAAG AAAGAGAGCT CAGTGTAGGT	10380
AGAATGTTTG CTATGCAACC AGGTATGTTT AGGCAAATCC AAATCTTAGC AGAGAAAATG	10440
ATAGCTGAAA ATATTTTACA ATTCTTCCCT GAGAGTTTGA CAAGATATGG TGATCTAGAG	10500
CTTCAAAAGA TATTAGAATT AAAAGCAGGA ATAAGCAACA AGTCAAATCG TTATAATGAT	10560
AACTACAACA ATTATATCAG TAAATGTTCT ATCATTACAG ATCTTAGCAA ATTCAATCAG	10620
GCATTTAGAT ATGAAACATC ATGTATCTGC AGTGATGTAT TAGATGAACT GCATGGAGTA	10680
CAATCTCTGT TCTCTTGGTT GCATTTAACA ATACCTCTTG TCACAATAAT ATGTACATAT	10740
AGACATGCAC CTCCTTTCAT AAAGGATCAT GTTGTTAATC TTAATGAGGT TGATGAACAA	10800
AGTGGATTAT ACAGATATCA TATGGGTGGT ATTGAGGGCT GGTGTCAAAA ACTGTGGACC	10860
ATTGAAGCTA TATCATTATT AGATCTAATA TCTCTCAAAG GGAAATTCTC TATCACAGCT	10920
CTGATAAATG GTGATAATCA GTCAATTGAT ATAAGCAAAC CAGTTAGACT TATAGAGGGT	10980
CAGACCCATG CACAAGCAGA TTATTTGTTA GCATTAAATA GCCTTAAATT GTTATATAAA	11040
GAGTATGCAG GTATAGGCCA TAAGCTTAAG GGAACAGAGA CCTATATATC CCGAGATATG	11100
CAGTTCATGA GCAAAACAAT CCAGCACAAT GGAGTGTAAT ATCCAGCCAG TATCAAAAAA	11160
GTCCTGAGAG TAGGTCCATG GATAAACACG ATACTTGATG ATTTTAAAGT TAGTTTAGAA	11220
TCTATAGGCA GCTTAACACA GGAGTTAGAA TACAGAGGAG AAAGCTTATT ATGCAGTTTA	11280
ATATTTAGGA ACATTTGGTT ATACAATCAA ATTGCTTTGC AACTCCGAAA TCATGCATTA	11340
TGTAACAATA AGCTATATTT AGATATATTG AAAGTATTAA AACACTTAAA AACTTTTTTT	11400
AATCTTGATA GCATTGATAT GGCTTTATCA TTGTATATGA ATTTGCCTAT GCTGTTTGGT	11460

- 336 -

GGTGGTGATC CTAATTTGTT ATATCGAAGC TTTTATAGGA GAACTCCAGA CTTCCCTTACA 11520
GAAGCTATAG TACATTCAGT GTTGTGTGTTG AGCTATTATA CTGGTCACGA TTTACAAGAT 11580
AAGCTCCAGG ATCTTCCAGA TGATAGACTG AACAAATTCT TGACATGTGT CATCACATT 11640
GATAAAATC CCAATGCCGA GTTGTGAACA TTGATGAGGG ATCCACAGGC TTTAGGGTCT 11700
GAAAGGCAAG CTAAAATTAC TAGTGAGATT AATAGATTAG CAGTAACAGA AGTCTTAAGT 11760
ATAGCCCCAA ACAAATATT TTCTAAAAGT GCACAACATT ATACTACCAC TGAGATTGAT 11820
CTAAATGACA TTATGCAAAA TATAGAACCA ACTTACCCTC ATGGATTAAG AGTTGTTTAT 11880
GAAAGTTTAC CTTTTTATAA AGCAGAAAAA ATAGTTAATC TTATATCAGG AACAAAATCC 11940
ATAACTAATA TACTTGAAAA AACATCAGCA ATAGATACAA CTGATATTAA TAGGGCTACT 12000
GATATGATGA GGAAAAATAT AACTTTACTT ATAAGGATAC TTCCACTAGA TTGTAACAAA 12060
GACAAAAGAG AGTTATTAAG TTTAGAAAAT CTTAGTATAA CTGAATTAAG CAAGTATGTA 12120
AGAGAAAGAT CTTGGTCATT ATCCAATATA GTAGGAGTAA CATCGCCAAG TATTATGTTC 12180
ACAATGAACA TTAAATATAC AACTAGCACT ATAGCCAGTG GTATAATAAT AGAAAAATAT 12240
AATGTTAATA GTTTAACTCG TGGTGAAAGA GGACCCACCA AGCCATGGGT AGGCTCATCC 12300
ACGCAGGAGA AAAAAACAAT GCCAGTGATC AACAGACAAG TTTTAACCAA AAAGCAAAGA 12360
GACCAAATAG ATTTATTAGC AAAATTAGAC TGGGTATATG CATCCATAGA CAACAAAGAT 12420
GAATTCATGG AAGAACTGAG TACTGGAACA CTTGGACTGT CATATGAAAA AGCCAAAAAG 12480
TTGTTTCCAC AATATCTAAG TGTCAATTAT TTACACCGTT TAACAGTCAG TAGTAGACCA 12540
TGTGAATTCC CTGCATCAAT ACCAGCTTAT AGAACAACAA ATTATCATTT TGATACTAGT 12600
CCTATCAATC ATGTATTAAC AGAAAAGTAT GGAGATGAAG ATATCGACAT TGTGTTTCAA 12660
AATTGCATAA GTTTTGGTCT TAGCCTGATG TCGGTTGTGG AACAATTCAC AAACATATGT 12720
CCTAATAGAA TTATTCTCAT ACCGAAGCTG AATGAGATAC ATTTGATGAA ACCTCCTATA 12780
TTTACAGGAG ATGTTGATAT CATCAAGTTG AAGCAAGTGA TACAAAAGCA GCACATGTTC 12840
CTACCAGATA AAATAAGTTT AACCCAATAT GTAGAATTAT TCTTAAGTAA CAAAGCACTT 12900
AAATCTGGAT CTCACATCAA CTCTAATTTA ATATTAGTAC ATAAAATGTC TGATTATTTT 12960
CATAATGCTT ATATTTTAAG TACTAATTTA GCTGGACATT GGATTCTGAT TATTCAACTT 13020

- 337 -

ATGAAAGATT CAAAAGGTAT TTTTGAAAAA GATTGGGGAG AGGGGTACAT AACTGATCAT 13080
ATGTTTCATTA ATTTGAATGT TTTCTTTAAT GCTTATAAGA CTTATTGCT ATGTTTTTCAT 13140
AAAGGTTATG GTAAAGCAAA ATTAGAATGT GATATGAACA CTTGAGATCT TCTTTGTGTT 13200
TTGGAGTTAA TAGACAGTAG CTAAGGAAA TCTATGTCTA AAGTTTTCCT AGAACAAAAA 13260
GTCATAAAAT ACATAGTCAA TCAAGACACA AGTTTGCCTA GAATAAAAGG CTGTCACAGT 13320
TTTAAGTTGT GGTTTTTTAAA ACGCCTTAAT AATGCTAAAT TTACCGTATG CCCTTGGGTT 13380
GTTAACATAG ATTATCACCC AACACACATG AAAGCTATAT TATCTTACAT AGATTTAGTT 13440
AGAATGGGGT TAATAAATGT AGATAAATTA ACCATTAAAA ATAAAAACAA ATTCAATGAT 13500
GAATTTTACA CATCAAATCT CTTTTACATT AGTTATAACT TTTCAGACAA CACTCATTTG 13560
CTAACAAAAC AAATAAGAAT TGCTAATTCA GAATTAGAAG ATAATTATAA CAACTATAT 13620
CACCCAACCC CAGAACTTT AGAAAATATG TCATTAATTC CTGTTAAAAG TAATAATAGT 13680
AACAAACCTA AATTTTGTAT AAGTGGAAAT ACCGAATCTA TGATGATGTC AACATTCTCT 13740
AGTAAATGC ATATTAAATC TTCCACTGTT ACCACAAGAT TCAATTATAG CAAACAAGAC 13800
TTGTACAATT TATTTCCAAT TGTGTGATA GACAAGATTA TAGATCATTC AGGTAATACA 13860
GCAAAATCTA ACCAACTTTA CACCACCACT TCACATCAGA CATCTTTAGT AAGGAATAGT 13920
GCATCACTTT ATTGCATGCT TCCTTGGCAT CATGTCAATA GATTTAACTT TGTATTTAGT 13980
TCCACAGGAT GCAAGATCAG TATAGAGTAT ATTTTAAAAG ATCTTAAGAT TAAGGACCCC 14040
AGTTGTATAG CATTATAGG TGAAGGAGCT GGTAACTTAT TATTACGTAC GGTAGTAGAA 14100
CTTCATCCAG ACATAAGATA CATTTACAGA AGTTTAAAAG ATTGCAATGA TCATAGTTTA 14160
CCTATTGAAT TTCTAAGGT ATACAACGGG CATATAAACA TAGATTATGG TGAGAATTTA 14220
ACCATTCCTG CTACAGATGC AACTAATAAC ATTCATTGGT CTTATTTACA TATAAAATTT 14280
GCAGAACCTA TTAGCATCTT TGTCTGCGAT GCTGAATTAC CTGTTACAGC CAATTGGAGT 14340
AAAATTATAA TTGAATGGAG TAAGCATGTA AGAAAGTGCA AGTACTGTTT TTCTGTAAAT 14400
AGATGCATTT TAATTGCAAA ATATCATGCT CAAGATGACA TTGATTTCAA ATTAGATAAC 14460
ATTACTATAT TAAAACTTA CGTGTGCCTA GGTAGCAAGT TAAAAGGATC TGAAGTTTAC 14520
TTAATCCTTA CAATAGGCCC TGCAAATATA CTTCTGTTT TTGATGTTGT ACAAATGCT 14580

- 338 -

```

AAATTGATAC TTTCAAGAAC TAAAAATTTT ATTATGCCTA AAAAAACTGA CAAGGAATCT 14640
ATCGATGCAA ATATTAAAAG CTTAATACCT TTCCTTTGTT ACCCTATAAC AAAAAAAGGA 14700
ATTAAGACTT CATTGTCAAA ATTGAAGAGT GTAGTTAATG GAGATATATT ATCATATTCT 14760
ATAGCTGGAC GTAATGAAGT ATTCAGCAAC AAGCTTATAA ACCACAAGCA TATGAATATC 14820
CTAAAATGGC TAGATCATGT TTAAATTTT AGATCAGCTG AACTTAATTA CAATCATTTA 14880
TACATGATAG AGTCCACATA TCCTTACTTA AGTGAATTGT TAAATAGTTT AACAAACCAAT 14940
GAGCTCAAGA AGCTGATTAA AATAACAGGT AGTGTGCTAT ACAACCTTCC CAACGAACAG 15000
TAGTTTAAAA TATCATTAAC AAGTTTGGTC AAATTTAGAT GCTAACACAT CATTATATTA 15060
TAGTTATTAA AGAATATACA AACTTTTCAA TAATTTAGCA TATTGATTCC AAAATTATCA 15120
TTTAGTCTT AAGGGGTTAA ATAAAAGTCT AAACTAACA ATTATACATG TGCATTCACA 15180
ACACAACGAG ACATTAGTTT TTGACACTTT TTTCTCGT 15219

```

(2) INFORMATION FOR SEQ ID NO:28:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 2166 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:28:

```

Met Asp Pro Ile Ile Asn Gly Asn Ser Ala Asn Val Tyr Leu Thr Asp
1           5           10           15

Ser Tyr Leu Lys Gly Val Ile Ser Phe Ser Glu Cys Asn Ala Leu Gly
20           25           30

Ser Tyr Leu Phe Asn Gly Pro Tyr Leu Lys Asn Asp Tyr Thr Asn Leu
35           40           45

Ile Ser Arg Gln Ser Pro Leu Leu Glu His Met Asn Leu Lys Lys Leu
50           55           60

Thr Ile Thr Gln Ser Leu Ile Ser Arg Tyr His Lys Gly Glu Leu Lys
65           70           75           80

```

Leu	Glu	Glu	Pro	Thr	Tyr	Phe	Gln	Ser	Leu	Leu	Met	Thr	Tyr	Lys	Ser	85	90	95
Met	Ser	Ser	Ser	Glu	Gln	Ile	Ala	Thr	Thr	Asn	Leu	Leu	Lys	Lys	Ile	100	105	110
Ile	Arg	Arg	Ala	Ile	Glu	Ile	Ser	Asp	Val	Lys	Val	Tyr	Ala	Ile	Leu	115	120	125
Asn	Lys	Leu	Gly	Leu	Lys	Glu	Lys	Asp	Arg	Val	Lys	Pro	Asn	Asn	Asn	130	135	140
Ser	Gly	Asp	Glu	Asn	Ser	Val	Leu	Thr	Thr	Ile	Ile	Lys	Asp	Asp	Ile	145	150	160
Leu	Ser	Ala	Val	Glu	Asn	Asn	Gln	Ser	Tyr	Thr	Asn	Ser	Asp	Lys	Ser	165	170	175
His	Ser	Val	Asn	Gln	Asn	Ile	Thr	Ile	Lys	Thr	Thr	Leu	Leu	Lys	Lys	180	185	190
Leu	Met	Cys	Ser	Met	Gln	His	Pro	Pro	Ser	Trp	Leu	Ile	His	Trp	Phe	195	200	205
Asn	Leu	Tyr	Thr	Lys	Leu	Asn	Asn	Ile	Leu	Thr	Gln	Tyr	Arg	Ser	Asn	210	215	220
Glu	Val	Lys	Ser	His	Gly	Phe	Ile	Leu	Ile	Asp	Asn	Gln	Thr	Leu	Ser	225	230	235
Gly	Phe	Gln	Phe	Ile	Leu	Asn	Gln	Tyr	Gly	Cys	Ile	Val	Tyr	His	Lys	245	250	255
Gly	Leu	Lys	Lys	Ile	Thr	Thr	Thr	Thr	Tyr	Asn	Gln	Phe	Leu	Thr	Trp	260	265	270
Lys	Asp	Ile	Ser	Leu	Ser	Arg	Leu	Asn	Val	Cys	Leu	Ile	Thr	Trp	Ile	275	280	285
Ser	Asn	Cys	Leu	Asn	Thr	Leu	Asn	Lys	Ser	Leu	Gly	Leu	Arg	Cys	Gly	290	295	300
Phe	Asn	Asn	Val	Val	Leu	Ser	Gln	Leu	Phe	Leu	Tyr	Gly	Asp	Cys	Ile	305	310	315
Leu	Lys	Leu	Phe	His	Asn	Glu	Gly	Phe	Tyr	Ile	Ile	Lys	Glu	Val	Glu	325	330	335
Gly	Phe	Ile	Met	Ser	Leu	Ile	Leu	Asn	Ile	Thr	Glu	Glu	Asp	Gln	Phe	340	345	350

- 340 -

Lys Lys Arg Phe Tyr Asn Ser Met Leu Asn Asn Ile Thr Asp Ala Ala
 355 360 365
 Ile Lys Ala Gln Lys Asp Leu Leu Ser Arg Val Cys His Thr Leu Leu
 370 375 380
 Asp Lys Thr Val Ser Asp Asn Ile Ile Asn Gly Lys Trp Ile Ile Leu
 385 390 395 400
 Leu Ser Lys Phe Leu Lys Leu Ile Lys Leu Ala Gly Asp Asn Asn Leu
 405 410 415
 Asn Asn Leu Ser Glu Leu Tyr Phe Leu Phe Arg Ile Phe Gly His Pro
 420 425 430
 Met Val Asp Glu Arg Gln Ala Met Asp Ser Val Arg Ile Asn Cys Asn
 435 440 445
 Glu Thr Arg Phe Tyr Leu Leu Ser Ser Leu Ser Thr Leu Arg Gly Ala
 450 455 460
 Phe Ile Tyr Arg Ile Ile Lys Gly Phe Val Asn Thr Tyr Asn Arg Trp
 465 470 475 480
 Pro Thr Leu Arg Asn Ala Ile Val Leu Pro Leu Arg Trp Leu Asn Tyr
 485 490 495
 Tyr Lys Leu Asn Thr Tyr Pro Ser Leu Leu Glu Ile Thr Glu Asn Asp
 500 505 510
 Leu Ile Ile Leu Ser Gly Leu Arg Phe Tyr Arg Glu Phe His Leu Pro
 515 520 525
 Lys Lys Val Asp Leu Glu Met Ile Ile Asn Asp Lys Ala Ile Ser Pro
 530 535 540
 Pro Lys Asp Leu Ile Trp Thr Ser Phe Pro Arg Asn Tyr Met Pro Ser
 545 550 555 560
 His Ile Gln Asn Tyr Ile Glu His Glu Lys Leu Lys Phe Ser Glu Ser
 565 570 575
 Asp Arg Ser Arg Arg Val Leu Glu Tyr Tyr Leu Arg Asp Asn Lys Phe
 580 585 590
 Asn Glu Cys Asp Leu Tyr Asn Cys Val Val Asn Gln Ser Tyr Leu Asn
 595 600 605
 Asn Ser Asn His Val Val Ser Leu Thr Gly Lys Glu Arg Glu Leu Ser
 610 615 620
 Val Gly Arg Met Phe Ala Met Gln Pro Gly Met Phe Arg Gln Ile Gln

- 341 -

625	630	635	640
Ile Leu Ala Glu Lys Met Ile Ala Glu Asn Ile Leu Gln Phe Phe Pro	645	650	655
Glu Ser Leu Thr Arg Tyr Gly Asp Leu Glu Leu Gln Lys Ile Leu Glu	660	665	670
Leu Lys Ala Gly Ile Ser Asn Lys Ser Asn Arg Tyr Asn Asp Asn Tyr	675	680	685
Asn Asn Tyr Ile Ser Lys Cys Ser Ile Ile Thr Asp Leu Ser Lys Phe	690	695	700
Asn Gln Ala Phe Arg Tyr Glu Thr Ser Cys Ile Cys Ser Asp Val Leu	705	710	715
Asp Glu Leu His Gly Val Gln Ser Leu Phe Ser Trp Leu His Leu Thr	725	730	735
Ile Pro Leu Val Thr Ile Ile Cys Thr Tyr Arg His Ala Pro Pro Phe	740	745	750
Ile Lys Asp His Val Val Asn Leu Asn Glu Val Asp Glu Gln Ser Gly	755	760	765
Leu Tyr Arg Tyr His Met Gly Gly Ile Glu Gly Trp Cys Gln Lys Leu	770	775	780
Trp Thr Ile Glu Ala Ile Ser Leu Leu Asp Leu Ile Ser Leu Lys Gly	785	790	795
Lys Phe Ser Ile Thr Ala Leu Ile Asn Gly Asp Asn Gln Ser Ile Asp	805	810	815
Ile Ser Lys Pro Val Arg Leu Ile Glu Gly Gln Thr His Ala Gln Ala	820	825	830
Asp Tyr Leu Leu Ala Leu Asn Ser Leu Lys Leu Leu Tyr Lys Glu Tyr	835	840	845
Ala Gly Ile Gly His Lys Leu Lys Gly Thr Glu Thr Tyr Ile Ser Arg	850	855	860
Asp Met Gln Phe Met Ser Lys Thr Ile Gln His Asn Gly Val Tyr Tyr	865	870	875
Pro Ala Ser Ile Lys Lys Val Leu Arg Val Gly Pro Trp Ile Asn Thr	885	890	895
Ile Leu Asp Asp Phe Lys Val Ser Leu Glu Ser Ile Gly Ser Leu Thr	900	905	910

- 342 -

Gln Glu Leu Glu Tyr Arg Gly Glu Ser Leu Leu Cys Ser Leu Ile Phe
 915 920 925
 Arg Asn Ile Trp Leu Tyr Asn Gln Ile Ala Leu Gln Leu Arg Asn His
 930 935 940
 Ala Leu Cys Asn Asn Lys Leu Tyr Leu Asp Ile Leu Lys Val Leu Lys
 945 950 955 960
 His Leu Lys Thr Phe Phe Asn Leu Asp Ser Ile Asp Met Ala Leu Ser
 965 970 975
 Leu Tyr Met Asn Leu Pro Met Leu Phe Gly Gly Gly Asp Pro Asn Leu
 980 985 990
 Leu Tyr Arg Ser Phe Tyr Arg Arg Thr Pro Asp Phe Leu Thr Glu Ala
 995 1000 1005
 Ile Val His Ser Val Phe Val Leu Ser Tyr Tyr Thr Gly His Asp Leu
 1010 1015 1020
 Gln Asp Lys Leu Gln Asp Leu Pro Asp Asp Arg Leu Asn Lys Phe Leu
 1025 1030 1035 1040
 Thr Cys Val Ile Thr Phe Asp Lys Asn Pro Asn Ala Glu Phe Val Thr
 1045 1050 1055
 Leu Met Arg Asp Pro Gln Ala Leu Gly Ser Glu Arg Gln Ala Lys Ile
 1060 1065 1070
 Thr Ser Glu Ile Asn Arg Leu Ala Val Thr Glu Val Leu Ser Ile Ala
 1075 1080 1085
 Pro Asn Lys Ile Phe Ser Lys Ser Ala Gln His Tyr Thr Thr Thr Glu
 1090 1095 1100
 Ile Asp Leu Asn Asp Ile Met Gln Asn Ile Glu Pro Thr Tyr Pro His
 1105 1110 1115 1120
 Gly Leu Arg Val Val Tyr Glu Ser Leu Pro Phe Tyr Lys Ala Glu Lys
 1125 1130 1135
 Ile Val Asn Leu Ile Ser Gly Thr Lys Ser Ile Thr Asn Ile Leu Glu
 1140 1145 1150
 Lys Thr Ser Ala Ile Asp Thr Thr Asp Ile Asn Arg Ala Thr Asp Met
 1155 1160 1165
 Met Arg Lys Asn Ile Thr Leu Leu Ile Arg Ile Leu Pro Leu Asp Cys
 1170 1175 1180

- 343 -

Asn Lys Asp Lys Arg Glu Leu Leu Ser Leu Glu Asn Leu Ser Ile Thr
 1185 1190 1195 1200
 Glu Leu Ser Lys Tyr Val Arg Glu Arg Ser Trp Ser Leu Ser Asn Ile
 1205 1210 1215
 Val Gly Val Thr Ser Pro Ser Ile Met Phe Thr Met Asn Ile Lys Tyr
 1220 1225 1230
 Thr Thr Ser Thr Ile Ala Ser Gly Ile Ile Ile Glu Lys Tyr Asn Val
 1235 1240 1245
 Asn Ser Leu Thr Arg Gly Glu Arg Gly Pro Thr Lys Pro Trp Val Gly
 1250 1255 1260
 Ser Ser Thr Gln Glu Lys Lys Thr Met Pro Val Tyr Asn Arg Gln Val
 1265 1270 1275 1280
 Leu Thr Lys Lys Gln Arg Asp Gln Ile Asp Leu Leu Ala Lys Leu Asp
 1285 1290 1295
 Trp Val Tyr Ala Ser Ile Asp Asn Lys Asp Glu Phe Met Glu Glu Leu
 1300 1305 1310
 Ser Thr Gly Thr Leu Gly Leu Ser Tyr Glu Lys Ala Lys Lys Leu Phe
 1315 1320 1325
 Pro Gln Tyr Leu Ser Val Asn Tyr Leu His Arg Leu Thr Val Ser Ser
 1330 1335 1340
 Arg Pro Cys Glu Phe Pro Ala Ser Ile Pro Ala Tyr Arg Thr Thr Asn
 1345 1350 1355 1360
 Tyr His Phe Asp Thr Ser Pro Ile Asn His Val Leu Thr Glu Lys Tyr
 1365 1370 1375
 Gly Asp Glu Asp Ile Asp Ile Val Phe Gln Asn Cys Ile Ser Phe Gly
 1380 1385 1390
 Leu Ser Leu Met Ser Val Val Glu Gln Phe Thr Asn Ile Cys Pro Asn
 1395 1400 1405
 Arg Ile Ile Leu Ile Pro Lys Leu Asn Glu Ile His Leu Met Lys Pro
 1410 1415 1420
 Pro Ile Phe Thr Gly Asp Val Asp Ile Ile Lys Leu Lys Gln Val Ile
 1425 1430 1435 1440
 Gln Lys Gln His Met Phe Leu Pro Asp Lys Ile Ser Leu Thr Gln Tyr
 1445 1450 1455
 Val Glu Leu Phe Leu Ser Asn Lys Ala Leu Lys Ser Gly Ser His Ile

- 344 -

1460					1465					1470					
Asn	Ser	Asn	Leu	Ile	Leu	Val	His	Lys	Met	Ser	Asp	Tyr	Phe	His	Asn
		1475					1480					1485			
Ala	Tyr	Ile	Leu	Ser	Thr	Asn	Leu	Ala	Gly	His	Trp	Ile	Leu	Ile	Ile
		1490					1495					1500			
Gln	Leu	Met	Lys	Asp	Ser	Lys	Gly	Ile	Phe	Glu	Lys	Asp	Trp	Gly	Glu
		1505					1510					1515			1520
Gly	Tyr	Ile	Thr	Asp	His	Met	Phe	Ile	Asn	Leu	Asn	Val	Phe	Phe	Asn
				1525					1530						1535
Ala	Tyr	Lys	Thr	Tyr	Leu	Leu	Cys	Phe	His	Lys	Gly	Tyr	Gly	Lys	Ala
				1540					1545						1550
Lys	Leu	Glu	Cys	Asp	Met	Asn	Thr	Ser	Asp	Leu	Leu	Cys	Val	Leu	Glu
				1555					1560						1565
Leu	Ile	Asp	Ser	Ser	Tyr	Trp	Lys	Ser	Met	Ser	Lys	Val	Phe	Leu	Glu
				1570					1575						1580
Gln	Lys	Val	Ile	Lys	Tyr	Ile	Val	Asn	Gln	Asp	Thr	Ser	Leu	Arg	Arg
				1585					1590						1600
Ile	Lys	Gly	Cys	His	Ser	Phe	Lys	Leu	Trp	Phe	Leu	Lys	Arg	Leu	Asn
				1605					1610						1615
Asn	Ala	Lys	Phe	Thr	Val	Cys	Pro	Trp	Val	Val	Asn	Ile	Asp	Tyr	His
				1620					1625						1630
Pro	Thr	His	Met	Lys	Ala	Ile	Leu	Ser	Tyr	Ile	Asp	Leu	Val	Arg	Met
				1635					1640						1645
Gly	Leu	Ile	Asn	Val	Asp	Lys	Leu	Thr	Ile	Lys	Asn	Lys	Asn	Lys	Phe
				1650					1655						1660
Asn	Asp	Glu	Phe	Tyr	Thr	Ser	Asn	Leu	Phe	Tyr	Ile	Ser	Tyr	Asn	Phe
				1665					1670						1680
Ser	Asp	Asn	Thr	His	Leu	Leu	Thr	Lys	Gln	Ile	Arg	Ile	Ala	Asn	Ser
				1685					1690						1695
Glu	Leu	Glu	Asp	Asn	Tyr	Asn	Lys	Leu	Tyr	His	Pro	Thr	Pro	Glu	Thr
				1700					1705						1710
Leu	Glu	Asn	Met	Ser	Leu	Ile	Pro	Val	Lys	Ser	Asn	Asn	Ser	Asn	Lys
				1715					1720						1725
Pro	Lys	Phe	Cys	Ile	Ser	Gly	Asn	Thr	Glu	Ser	Met	Met	Met	Ser	Thr
				1730					1735						1740

- 345 -

Phe Ser Ser Lys Met His Ile Lys Ser Ser Thr Val Thr Thr Arg Phe
 1745 1750 1755 1760

Asn Tyr Ser Lys Gln Asp Leu Tyr Asn Leu Phe Pro Ile Val Val Ile
 1765 1770 1775

Asp Lys Ile Ile Asp His Ser Gly Asn Thr Ala Lys Ser Asn Gln Leu
 1780 1785 1790

Tyr Thr Thr Thr Ser His Gln Thr Ser Leu Val Arg Asn Ser Ala Ser
 1795 1800 1805

Leu Tyr Cys Met Leu Pro Trp His His Val Asn Arg Phe Asn Phe Val
 1810 1815 1820

Phe Ser Ser Thr Gly Cys Lys Ile Ser Ile Glu Tyr Ile Leu Lys Asp
 1825 1830 1835 1840

Leu Lys Ile Lys Asp Pro Ser Cys Ile Ala Phe Ile Gly Glu Gly Ala
 1845 1850 1855

Gly Asn Leu Leu Leu Arg Thr Val Val Glu Leu His Pro Asp Ile Arg
 1860 1865 1870

Tyr Ile Tyr Arg Ser Leu Lys Asp Cys Asn Asp His Ser Leu Pro Ile
 1875 1880 1885

Glu Phe Leu Arg Leu Tyr Asn Gly His Ile Asn Ile Asp Tyr Gly Glu
 1890 1895 1900

Asn Leu Thr Ile Pro Ala Thr Asp Ala Thr Asn Asn Ile His Trp Ser
 1905 1910 1915 1920

Tyr Leu His Ile Lys Phe Ala Glu Pro Ile Ser Ile Phe Val Cys Asp
 1925 1930 1935

Ala Glu Leu Pro Val Thr Ala Asn Trp Ser Lys Ile Ile Ile Glu Trp
 1940 1945 1950

Ser Lys His Val Arg Lys Cys Lys Tyr Cys Ser Ser Val Asn Arg Cys
 1955 1960 1965

Ile Leu Ile Ala Lys Tyr His Ala Gln Asp Asp Ile Asp Phe Lys Leu
 1970 1975 1980

Asp Asn Ile Thr Ile Leu Lys Thr Tyr Val Cys Leu Gly Ser Lys Leu
 1985 1990 1995 2000

Lys Gly Ser Glu Val Tyr Leu Ile Leu Thr Ile Gly Pro Ala Asn Ile
 2005 2010 2015

- 346 -

Leu Pro Val Phe Asp Val Val Gln Asn Ala Lys Leu Ile Leu Ser Arg
 2020 2025 2030
 Thr Lys Asn Phe Ile Met Pro Lys Lys Thr Asp Lys Glu Ser Ile Asp
 2035 2040 2045
 Ala Asn Ile Lys Ser Leu Ile Pro Phe Leu Cys Tyr Pro Ile Thr Lys
 2050 2055 2060
 Lys Gly Ile Lys Thr Ser Leu Ser Lys Leu Lys Ser Val Val Asn Gly
 2065 2070 2075 2080
 Asp Ile Leu Ser Tyr Ser Ile Ala Gly Arg Asn Glu Val Phe Ser Asn
 2085 2090 2095
 Lys Leu Ile Asn His Lys His Met Asn Ile Leu Lys Trp Leu Asp His
 2100 2105 2110
 Val Leu Asn Phe Arg Ser Ala Glu Leu Asn Tyr Asn His Leu Tyr Met
 2115 2120 2125
 Ile Glu Ser Thr Tyr Pro Tyr Leu Ser Glu Leu Leu Asn Ser Leu Thr
 2130 2135 2140
 Thr Asn Glu Leu Lys Lys Leu Ile Lys Ile Thr Gly Ser Val Leu Tyr
 2145 2150 2155 2160
 Asn Leu Pro Asn Glu Gln
 2165

(2) INFORMATION FOR SEQ ID NO:29:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 15219 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: RNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:29:

ACGGGAAAAA AATGCGTACT ACAAACTTGC ACATTCGAAA AAAATGGGGC AAATAAGAAC	60
TTGATAAGTG CTATTAAAGT CTAACCTTTT CAATCAGAAA TGGGGTGCAA TTTACTGAGC	120
ATGATAAAGG TTAGATTACA AAATTTATTT GACAATGACG AAGTAGCATT GTTAAAAATA	180
ACATGTTATA CTGATAAATT AATTCTTCTG ACCAATGCAT TAGCCAAAGC AGCAATACAT	240

- 347 -

ACAATTAAAT TAAACGGCAT AGTTTTTATA CATGTTATAA CAAGCAGTGA AGTGTGCCCT	300
GATAACAATA TTGTAGTGAA ATCTAACTTT ACAACAATGC CAATACTACA AAATGGAGGA	360
TACATATGGG AATTGATTGA GTTGACACAC TGCTCTCAAT TAAACGGTTT AATGGATGAT	420
AATTGTGAAA TCAAATTTTC TAAAAGACTA AGTGACTCAG TAATGACTAA TTATATGAAT	480
CAAAATATCTG ACTTACTTGG GCTTGATCTC AATTCATGAA TTATGTTTAG TCTAATTCAA	540
TAGACATGTG TTTATTACCA TTTTAGTTAA TATAAAACT CATCAAAGGG AAATGGGGCA	600
AATAAACTCA CCTAATCAAT CAAACCATGA GCACTACAAA TGACAACACT ACTATGCAAA	660
GATTGATGAT CACAGACATG AGACCCCTGT CAATGGATTC AATAATAACA TCTCTTACCA	720
AAGAAATCAT CACACACAAA TTCATATACT TGATAAACAA TGAATGTATT GTAAGAAAC	780
TTGATGAAAG ACAAGCTACA TTTACATTCT TAGTCAATTA TGAGATGAAG CTAAGTGCACA	840
AAGTAGGGAG TACCAAATAC AAAAAATACA CTGAATATAA TACAAAATAT GGCACCTTCC	900
CCATGCCTAT ATTTATCAAT CACGGCGGGT TTCTAGAATG TATTGGCATT AAGCCTACAA	960
AACACACTCC TATAATATAC AAATATGACC TCAACCCGTG AATTCCAACA AAAAAACCA	1020
CCCAACCAAA CCAAATATT CCTCAAACAA CAGTGCTCAA TAGTTAAGAA GGAGCTAATC	1080
CATTTTAGTA ATTAAAAATA AAAGTAAAGC CAATAACATA AATTGGGGCA AATACAAAGA	1140
TGGCTCTTAG CAAAGTCAAG TTGAATGATA CATTAAATAA GGATCAGCTG CTGTCATCCA	1200
GCAAATACAC TATTCAACGT AGTACAGGAG ATAATATTGA CACTCCCAAT TATGATGTGC	1260
AAAAACACCT AAACAACTA TGTGGTATGC TATTAATCAC TGAAGATGCA AATCATAAAT	1320
TCACAGGATT AATAGGTATG TTATATGCTA TGTCCAGGTT AGGAAGGGAA GACACTATAA	1380
AGATACTTAA AGATGCTGGA TATCATGTTA AAGCTAATGG AGTAGATATA ACAACATATC	1440
GTCAAGATAT AAATGGAAAG GAAATGAAAT TCGAAGTATT AACATTATCA AGCTTGACAT	1500
CAGAAATACA AGTCAATATT GAGATAGAAT CTAGAAAGTC CTACAAAAAA ATGCTAAAAG	1560
AGATGGGAGA AGTGGCTCCA GAATATAGGC ATGATTCTCC AGACTGTGGG ATGATAATAC	1620
TGTGTATAGC TGCACTTGTG ATAACCAAAT TAGCAGCAGG AGACAGATCA GGTCTTACAG	1680
CAGTAATTAG GAGGGCAAAC AATGTCTTAA AAAACGAAAT AAAACGATAC AAGGGCCTCA	1740
TACCAAAGGA TATAGCTAAC AGTTTTTATG AAGTGTGTTGA AAAACACCCT CATCTTATAG	1800

- 348 -

ATGTTTTTCGT	GCACTTTGGC	ATTGCACAAT	CATCCACAAG	AGGGGGTAGT	AGAGTTGAAG	1860
GAATCTTTGC	AGGATTGTTT	ATGAATGCCT	ATGGTTCAGG	GCAAGTAATG	CTAAGATGGG	1920
GAGTTTTAGC	CAAATCTGTA	AAAAATATCA	TGCTAGGACA	TGCTAGTGTC	CAGGCAGAAA	1980
TGGAGCAAGT	TGTGGAAGTC	TATGAGTATG	CACAGAAGTT	GGGAGGAGAA	GCTGGATTCT	2040
ACCATATATT	GAACAATCCA	AAAGCATCAT	TGCTGTCATT	AACTCAATTT	CCCAACTTCT	2100
CAAGTGTGGT	CCTAGGCAAT	GCAGCAGGTC	TAGGCATAAT	GGGAGAGTAT	AGAGGTACAC	2160
CAAGAAACCA	GGATCTTTAT	GATGCAGCTA	AAGCATATGC	AGAGCAACTC	AAAGAAAATG	2220
GAGTAATAAA	CTACAGTGTA	TTAGACTTAA	CAGCAGAAGA	ATTGGAAGCC	ATAAAGCATC	2280
AACTCAACCC	CAAAGAAGAT	GATGTAGAGC	TTTAAGTTAA	CAAAAAATAC	GGGGCAAATA	2340
AGTCAACATG	GAGAAGTTTG	CACCTGAATT	TCATGGAGAA	GATGCAAATA	ACAAAGCTAC	2400
CAAATTCCTA	GAATCAATAA	AGGGCAAGTT	CGCATCATCC	AAAGATCCTA	AGAAGAAAGA	2460
TAGCATAATA	TCTGTAACT	CAATAGATAT	AGAAGTAACT	AAAGAGAGCC	CGATAACATC	2520
TGGCACCAAC	ATCATCAATC	CAACAAGTGA	AGCCGACAGT	ACCCAGAGAA	CAAAAGCCAA	2580
CTACCCAAGA	AAACCCCTAG	TAAGCTTCAA	AGAAGATCTC	ACCCCAAGTG	ACAACCCTTT	2640
TTCTAAGTTG	TACAAGGAAA	CAATAGAAAC	ATTTGATAAC	AATGAAGAAG	AATCTAGCTA	2700
CTCATATGAA	GAGATAAATG	ATCAAACAAA	TGACAACATT	ACAGCAAGAC	TAGATAGAAT	2760
TGATGAAAAA	TTAAGTGAAA	TATTAGGAAT	GCTCCATACA	TTAGTAGTTG	CAAGTGCAGG	2820
ACCCACTTCA	GCTCGCGATG	GAATAAGAGA	TGCTATGGTT	GGTCTAAGAG	AAGAGATGAT	2880
AGAAAAATA	AGAGCGGAAG	CATTAATGAC	CAATGATAGG	TTAGAGGCTA	TGGCAAGACT	2940
TAGGAATGAG	GAAAGCGAAA	AAATGGCAAA	AGACACCTCA	GATGAAGTGT	CTCTTAATCC	3000
AACTTCCAAA	AAATTGAGTG	ACTTGTTGGA	AGACAACGAT	AGTGACAATG	ATCTATCACT	3060
TGATGATTTT	TGATCAGCGA	TCAACTCACT	CAGCAATCAA	CAACATCAAT	AAAACAGACA	3120
TCAATCCATT	GAATCAACTG	CCAGACCGAA	CAACAAACG	TCCATCAGTA	GAACCACCAA	3180
CCAATCAATC	AACCAATTGA	TCAATCAGCA	ACCCGACAAA	ATTAACAATA	TAGTAACAAA	3240
AAAAGAACAA	GATGGGGCAA	ATATGGAAAC	ATACGTGAAC	AAGCTTCACG	AAGGCTCCAC	3300
ATACACAGCA	GCTGTTTCAGT	ACAATGTTCT	AGAAAAAGAT	GATGATCCTG	CATCACTAAC	3360

- 349 -

AATATGGGTG CCTATGTTCC AGTCATCTGT GCCAGCAGAC TTGCTCATAA AAGAACTTGC	3420
AAGCATCAAT ATACTAGTGA AGCAGATCTC TACGCCCCAA GGACCTTCAC TACGAGTCAC	3480
GATTAAGTCA AGAAGTGCTG TGCTGGCTCA AATGCCTAGT AATTTCATCA TAAGCGCAAA	3540
TGTATCATTG GATGAAAGAA GCAAATTAGC ATATGATGTA ACTACACCTT GTGAAATCAA	3600
AGCATGCAGT CTAACATGCT TAAAAGTAAA AAGTATGTTA ACTACAGTCA AAGATCTTAC	3660
CATGAAGACA TTCAACCCCA CTCATGAGAT CATTGCTCTA TGTGAATTTG AAAATATTAT	3720
GACATCAAAA AGAGTAATAA TACCAACCTA TCTAAGATCA ATTAGTGTCA AGAACAAGGA	3780
TCTGAACTCA CTAGAAAATA TAGCAACCAC CGAATTCAAA AATGCTATCA CCAATGCAAA	3840
AATTATTCCT TATGCAGGAT TAGTGTTAGT TATCAGCTT ACTGACAATA AAGGAGCATT	3900
CAATATATC AAACCACAGA GTCAATTTAT AGTAGATCTT GGTGCCTACC TAGAAAAAGA	3960
GAGCATATAT TATGTGACTA CTAATTGGAA GCATACAGCT ACACGTTTTT CAATCAAACC	4020
ACTAGAGGAT TAACTTAAT TATCAACACT GAATGACAGG TCCACATATA TCCTCAAAC	4080
ACACACTATA TCCAAACATC ATAAACATCT AACTACACA CTTATCACA CAAACCAATC	4140
CCACTCAAAA TCCAAATCA CTACCAGCCA CTATCTGCTA GACCTAGAGT GCGAATAGGT	4200
AAATAAAACC AAAATATGGG GTAAATAGAC ATTAGTTAGA GTTCAATCAA TCTTAACAAC	4260
CATTTATACC GCCAATTCAA CACATATACT ATAAATCTTA AAATGGGAAA TACATCCATC	4320
ACAATAGAAT TCACAAGCAA ATTTTGGCCC TATTTTACAC TAATACATAT GATCTTAACT	4380
CTAATCTTTT TACTAATTAT AATCACTATT ATGATTGCAA TACTAAATAA GCTAAGTGAA	4440
CATAAGCAT TCTGTAACAA AACTCTTGAA CTAGGACAGA TGTATCAAAT CAACACATAG	4500
AGTTCTACCA TTATGCTGTG TCAAATTATA ATCCTGTATA TATAAACAAA CAAATCCAAT	4560
CTTCTCACAG AGTCATGGTG TCGCAAAACC ACGCTAACTA TCATGGTAGC ATAGAGTAGT	4620
TATTTAAAAA TTAACATAAT GATGAATTGT TAGTATGAGA TCAAAAACAA CATTGGGGCA	4680
AATGCAACCA TGTCCAAACA CAAGAATCAA CGCACTGCCA GGACTCTAGA AAAGACCTGG	4740
GATACTCTTA ATCATCTAAT TGTAATATCC TCTTGTTTAT ACAGATTAAA TTTAAATCT	4800
ATAGCACAAA TAGCACTATC AGTTTTGGCA ATGATAATCT CAACCTCTCT CATAATTGCA	4860
GCCATAATAT TCATCATCTC TGCCAATCAC AAAGTTACAC TAACAACGGT CACAGTTCAA	4920

- 350 -

ACAATAAAAA	ACCACACTGA	AAAAACATC	ACCACCTACC	CTACTCAAGT	CTCACCAGAA	4980
AGGGTTAGTT	CATCCAAGCA	ACCCACAACC	ACATCACCAA	TCCACACAAG	TTCAGCTACA	5040
ACATCACCCA	ATACAAAATC	AGAAACACAC	CATACAACAG	CACAAACCAA	AGGCAGAACC	5100
ACCACTTCAA	CACAGACCAA	CAAGCCAAGC	ACAAAACCAC	GTCCAAAAAA	TCCACCAAAA	5160
AAAGATGATT	ACCATTTTGA	AGTGTTC AAC	TTCGTTCCCT	GCAGTATATG	TGGCAACAAT	5220
CAACTTTGCA	AATCCATCTG	CAAAACAATA	CCAAGCAACA	AACCAAAGAA	GAAACCAACC	5280
ATCAAACCCA	CAAAACAACC	AACCACCAAA	ACCACAAACA	AAAGAGACCC	AAAAACACCA	5340
GCCAAAACGA	CGAAAAAAGA	AACTACCACC	AACCCAACAA	AAAAACTAAC	CCTCAAGACC	5400
ACAGAAAGAG	ACACCAGCAC	CTCACAATCC	ACTGCACTCG	ACACAACCAC	ATTAAACAC	5460
ACAGTCCAAC	AGCAATCCCT	CCTCTCAACC	ACCCCGGAAA	ACACACCCAA	CTCCACACAA	5520
ACACCCACAG	CATCCGAGCC	CTCCACACCA	AACTCCACCC	AAAAAACCCA	GCCACATGCT	5580
TAGTTATTCA	AAACTACAT	CTTAGCAGAG	AACCGTGATC	TATCAAGCAA	GAACGAAATT	5640
AAACCTGGGG	CAAATAACCA	TGGAGTTGAT	GATCCACAAG	TCAAGTGCAA	TCTTCCTAAC	5700
TCTTGCTATT	AATGCATTGT	ACCTCACCTC	AAGTCAGAAC	ATAACTGAGG	AGTTTTACCA	5760
ATCGACATGT	AGTGCAGTTA	GCAGAGGTTA	TTTTAGTGCT	TTAAGAACAG	GTTGGTATAC	5820
TAGTGTCATA	ACAATAGAAT	TAAGTAATAT	AAAAGAAACC	AAATGCAATG	GAACTGACAC	5880
TAAAGTAAAA	CTTATGAAAC	AAGAATTAGA	TAAGTATAAG	AATGCAGTAA	CAGAATTACA	5940
GCTACTTATG	CAAAACACAC	CAGCTGTCAA	CAACCGGGCC	AGAAGAGAAG	CACCACAGTA	6000
TATGAACTAC	ACAATCAATA	CCACTAAAAA	CCTAAATGTA	TCAATAAGCA	AGAAGAGGAA	6060
ACGAAGATTT	CTAGGCTTCT	TGTTAGGTGT	GGGATCTGCA	ATAGCAAGTG	GTATAGCTGT	6120
ATCAAAAGTT	CTACACCTTG	AAGGAGAAGT	GAACAAGATC	AAAAATGCTT	TGTTGTCTAC	6180
AAACAAAGCT	GTAGTCAGTT	TATCAAATGG	GGTCAGTGTT	TTAACCAGCA	AAGTGTTAGA	6240
TCTCAAGAAT	TACATAAATA	ACCAATTATT	ACCCATAGTA	AATCAACAGA	GCTGTGCGAT	6300
CTCCAACATT	GAAACAGTTA	TAGAATTCCA	GCAGAAGAAC	AGCAGATTGT	TGGAAATCAC	6360
CAGAGAATTT	AGTGTC AATG	CAGGTGTAAC	AACACCTTTA	AGCACTTACA	TGTTGACAAA	6420
CAGTGAGTTA	CTATCATTA	TCAATGATAT	GCCTATAACA	AATGATCAGA	AAAAATTAAT	6480

- 351 -

GTCAAGCAAT GTTCAGATAG TAAGGCAACA AAGTTATTCC ATCATGTCTA TAATAAAGGA	6540
AGAAGTCCTT GCATATGTTG TACAGCTGCC TATCTATGGT GTAATAGATA CACCTTGCTG	6600
GAAATTGCAC ACATCGCCTC TATGCACTAC CAACATCAAA GAAGGATCAA ATATTTGTTT	6660
AACAAGGACT GATAGAGGAT GGTATTGTGA TAATGCAGGA TCAGTATCCT TCTTTCCACA	6720
GGCTGACACT TGTAAGTAC AGTCCAATCG AGTATTTTGT GACACTATGA ACAGTTTGAC	6780
ATTACCAAGT GAAGTCAGCC TTTGTAACAC TGACATATTC AATTCCAAGT ATGACTGCAA	6840
AATTATGACA TCAAAAACAG ACATAAGCAG CTCAGTAATT ACTTCTCTTG GAGCTATAGT	6900
GTCATGCTAT GGTA-AACTA AATGCACTGC ATCCAACAAA AATCGTGGGA TTATAAGAC	6960
ATTTTCTAAT GGTGTGACT ATGTGTCAA CAAAGGAGTA GATACTGTGT CAGTGGGCAA	7020
CACTTTATAC TATGTAAACA AGCTGGAAGG CAAGAACCTT TATGTAAAAG GGGAACCTAT	7080
AATAAATTAC TATGACCCTC TAGTGTTC TTTCTGATGAG TTTGATGCAT CAATATCTCA	7140
AGTCAATGAA AAAATCAATC AAAGTTTAGC TTTTATTCGT AGATCTGATG AATTACTACA	7200
TAATGTAAAT ACTGGCAAAT CTACTACAAA TATTATGATA ACTACAATTA TTATAGTAAT	7260
CATTGTAGTA TTGTTATCAT TAATAGCTAT TGGTTTACTG TTGTATTGTA AAGCCAAAAA	7320
CACACCAGTT AACTAAGCA AAGACCAACT AAGTGGAATC AATAATATTG CATTGAGCAA	7380
ATAGACAAAA AACCACCTGA TCATGTTTCA ACAACAATCT GCTGACCACC AATCCCAAAT	7440
CAACTTACAA CAAATATTTT AACATCACAG TACAGGCTGA ATCATTTCCT CACATCATGC	7500
TACCCACATA ACTAAGCTAG ATCCTTAACT TATAGTTACA TAAAAACCTC AAGTATCACA	7560
ATCAACCACT AAATCAACAC ATCATTACAA AAATTAACAG CTGGGGCAAA TATGTCGCGA	7620
AGAAATCCTT GTAAATTTGA GATTAGAGGT CATTGCTTGA ATGGTAGAAG ATGTCCTAC	7680
AGTCATAATT ACTTTGAATG GCCTCCTCAT GCATTACTAG TGAGGCAAAA CTTGATGTTA	7740
AACAAGATAC TCAAGTCAAT GGACAAAAGC ATAGACACTT TGTCTGAAAT AAGTGGAGCT	7800
GCTGAACTGG ATAGAACAGA AGAATATGCT CTTGGTATAG TTGGAGTGCT AGAGAGTTAC	7860
ATAGGATCTA TAAACAACAT AACAAAACAA TCAGCATGTG TTGCTATGAG TAACTTCTT	7920
ATTGAGATCA ATAGTGATGA CATTAAAAAG CTTAGAGATA ATGAAGAACC CAATTCACCT	7980
AAGATAAGAG TGTACAATAC TGTTATATCA TACATTGAGA GCAATAGAAA AAACAACAAG	8040

- 352 -

CAAACCATCC	ATCTGCTCAA	GAGACTACCA	GCAGACGTGC	TGAAGAAGAC	AATAAAGAAC	8100
ACATTAGATA	TCCACAAAAG	CATAACCATA	AGCAATCCAA	AAGAGTCAAC	TGTGAATGAT	8160
CAAAATGACC	AAACCAGAAA	TAATGATATT	ACCGGATAAA	TATCCTTGTA	GTATATCATC	8220
CATATTGATC	TCAAGTGAAA	GCATGGTTGC	TACATTCAAT	CATAAAAACA	TATTACAATT	8280
TAACCATAAC	TATTTGGATA	ACCACCAGCG	TTTATTAAAT	CATATATTTG	ATGAAATTCA	8340
TTGGACACCT	AAAACTTAT	TAGATGCCAC	TCAACAATTT	CTCCAACATC	TTAACATCCC	8400
TGAAGATATA	TATACAGTAT	ATATATTAGT	GTCATAATGC	TTGACCATAA	CGACTCTATG	8460
TCATCCAACC	ATAAACTAT	TTTGATAAGG	TTATGGGACA	AAATGGATCC	CATTATTAAT	8520
GGAAACTCTG	CTAATGTGTA	TCTAACTGAT	AGTTATTTAA	AAGGTGTTAT	CTCTTTTTC	8580
GAGTGTAATG	CTTTAGGGAG	TTATCTTTTT	AACGGCCCTT	ATCTTAAAAA	TGATTACACC	8640
AACTTAATTA	GTAGACAAAG	CCCACTACTA	GAGCATATGA	ATCTTAAAAA	ACTAACTATA	8700
ACACAGTCAT	TAATATCTAG	ATATCATAAA	GGTGAACCTGA	AATTAGAAGA	ACCAACTTAT	8760
TTCCAGTCAT	TACTTATGAC	ATATAAAAGT	ATGTCCTCGT	CTGAACAAAT	TGCTACAAC	8820
AACTTACTTA	AAAAAATAAT	ACGAAGAGCC	ATAGAAATAA	GTGATGTAAA	GGTGTACGCC	8880
ATCTTGAATA	AACTAGGATT	AAAGGAAAAG	GACAGAGTTA	AGCCCAACAA	TAATTCAGGT	8940
GATGAAAAC	CAGTACTTAC	AACTATAATT	AAAGATGATA	TACTTTCGGC	TGTGGAAAAC	9000
AATCAATCAT	ATACAAATTC	AGACAAAAGT	CACTCAGTAA	ATCAAAATAT	CACTATCAAA	9060
ACAACACTCT	TGAAAAAATT	GATGTGTTCA	ATGCAACATC	CTCCATCATG	GTTAATACAC	9120
TGGTTCAATT	TATATACAAA	ATTAAATAAC	ATATTAACAC	AATATCGATC	AAATGAGGTA	9180
AAAAGTCATG	GGTTTATATT	AATAGATAAT	CAAACTTTAA	GTGGTTTTCA	GTTTATTTTA	9240
AATCAATATG	GTTGTATCGT	TTATCATAAA	GGACTCAAAA	AAATCACAAC	TACTACTTAC	9300
AATCAATTTT	TGACATGGAA	AGACATCAGC	CTTAGCAGAT	TAAATGTTTG	CTTAATTACT	9360
TGGATAAGTA	ATTGTTTAAA	TACATTAAAC	AAAAGCTTAG	GGCTGAGATG	TGGATTCAAT	9420
AATGTTGTGT	TATCACAATT	ATTTCTTTAT	GGAGATTGTA	TACTGAAATT	ATTTTCATAAT	9480
GAAGGCTTCT	ACATAATAAA	AGAAGTAGAG	GGATTTATTA	TGTCTTTAAT	TCTAAACATA	9540
ACAGAAGAAG	ATCAATTTAG	GAAACGATTT	TATAATAGCA	TGCTAAATAA	CATCACAGAT	9600

- 353 -

GCAGCTATTA	AGGCTCAAAA	GGACCTACTA	TCAAGAGTAT	GTCACACTTT	ATTAGACAAG	9660
ACAGTGTCTG	ATAATATCAT	AAATGGTAAA	TGGATAATCC	TATTAAGTAA	ATTTCTTAAA	9720
TTGATTAAGC	TTGCAGGTGA	TAATAATCTC	AATAACTTGA	GTGAGCTATA	TTTTCTCTTC	9780
AGAATCTTTG	GACATCCAAT	GGTCGATGAA	AGACAAGCAA	TGGATTCTGT	AAGAATTAAC	9840
TGTAATGAAA	CTAAGTTCTA	CTTATTAAGT	AGTCTAAGTA	CATTAAGAGG	TGCTTTCATT	9900
TATAGAATCA	TAAAAGGGTT	TGTAAATACC	TACAACAGAT	GGCCACCTT	AAGGAATGCT	9960
ATTGTCCTAC	CTCTAAGATG	GTTAAACTAC	TATAAACTTA	ATACTTATCC	ATCTCTACTT	10020
GAAATCACAG	AAAATGATTT	GATTATTTTA	TCAGGATTGC	GGTTCTATCG	TGAGTTTCAT	10080
CTGCCTAAAA	AAGTGGATCT	TGAAATGATA	ATAAATGACA	AAGCCATTTC	ACCTCCAAAA	10140
GATCTAATAT	GGACTAGTTT	TCCTAGAAAT	TACATGCCAT	CACATATACA	AAATTATATA	10200
GAACATGAAA	AGTTGAAGTT	CTCTGAAAGC	GACAGATCGA	GAAGAGTACT	AGAGTATTAC	10260
TTGAGAGATA	ATAAATTCAA	TGAATGCGAT	CTATACAATT	GTGTAGTCAA	TCAAAGCTAT	10320
CTCAACAAC	CTAATCACGT	GGTATCACTA	ACTGGTAAAG	AAAGAGAGCT	CAGTGTAGGT	10380
AGAATGTTTG	CTATGCAACC	AGGTATGTTT	AGGCAAATCC	AAATCTTAGC	AGAGAAAATG	10440
ATAGCTGAAA	ATATTTTACA	ATTCTTCCCT	GAGAGTTTGA	CAAGATATGG	TGATCTAGAG	10500
CTTCAAAAGA	TATTAGAATT	AAAAGCAGGA	ATAAGCAACA	AGTCAAATCG	TTATAATGAT	10560
AACTACAACA	ATTATATCAG	TAAATGTTCT	ATCATTACAG	ATCTTAGCAA	ATTCAATCAG	10620
GCATTTAGAT	ATGAAACATC	ATGTATCTGC	AGTGATGTAT	TAGATGAACT	GCATGGAGTA	10680
CAATCTCTGT	TCTCTTGGTT	GCATTTAACA	ATACCTCTTG	TCACAATAAT	ATGTACATAT	10740
AGACATGCAC	CTCCTTTCAT	AAAGGATCAT	GTTGTTAATC	TTAATGAGGT	TGATGAACAA	10800
AGTGGATTAT	ACAGATATCA	TATGGGTGGT	ATTGAGGGCT	GGTGTCAAAA	ACTGTGGACC	10860
ATTGAAGCTA	TATCATTATT	AGATCTAATA	TCTCTCAAAG	GGAAATTCTC	TATCACAGCT	10920
CTGATAAATG	GTGATAATCA	GTCAATTGAT	ATAAGCAAAC	CAGTTAGACT	TATAGAGGGT	10980
CAGACCCATG	CACAAGCAGA	TTATTTGTTA	GCATTAAATA	GCCTTAAATT	GTTATATAAA	11040
GAGTATGCAG	GTATAGGCCA	TAAGCTTAAG	GGAACAGAGA	CCTATATATC	CCGAGATATG	11100
CAGTTCATGA	GCAAAACAAT	CCAGCACAAT	GGAGTGTAAT	ATCCAGCCAG	TATCAAAAAA	11160

- 354 -

GTCCTGAGAG TAGGTCCATG GATAAACACG ATACTTGATG ATTTTAAAGT TAGTTTAGAA 11220
TCTATAGGCA GCTTAACACA GGAGTTAGAA TACAGAGGAG AAAGCTTATT ATGCAGTTTA 11280
ATATTTAGGA ACATTTGGTT ATACAATCAA ATTGCTTTGC AACTCCGAAA TCATGCATTA 11340
TGTAACAATA AGCTATATTT AGATATATTG AAAGTATTAA AACACTTAAA AACTTTTTTTT 11400
AATCTTGATA GCATTGATAT GGCTTTATCA TTGTATATGA ATTTGCCTAT GCTGTTTGGT 11460
GGTGGTGATC CTAATTTGTT ATATCGAAGC TTTTATAGGA GAACTCCAGA CTTCTTACA 11520
GAAGCTATAG TACATTCAGT GTTTGTGTTG AGCTATTATA CTGGTCACGA TTTACAAGAT 11580
AAGCTCCAGG ATCTTCCAGA TGATAGACTG AACAAATTCT TGACATGTGT CATCACATTT 11640
GATAAAAATC CCAATGCCGA GTTTGTAACA TTGATGAGGG ATCCACAGGC TTTAGGGTCT 11700
GAAAGGCAAG CTAAAATTAC TAGTGAGATT AATAGATTAG CAGTAACAGA AGTCTTAAGT 11760
ATAGCCCCAA ACAAATATT TTCTAAAAGT GCACAACATT ATACTACCAC TGAGATTGAT 11820
CTAAATGACA TTATGCAAAA TATAGAACCA ACTTACCCTC ATGGATTAAG AGTTGTTTAT 11880
GAAAGTTTAC CTTTTTATAA AGCAGAAAAA ATAGTTAATC TTATATCAGG AACAAAATCC 11940
ATAACTAATA TACTTGAAAA AACATCAGCA ATAGATACAA CTGATATTAA TAGGGCTACT 12000
GATATGATGA GGAAAAATAT AACTTTACTT ATAAGGATAC TTCCACTAGA TTGTAACAAA 12060
GACAAAAGAG AGTTATTAAG TTTAGAAAAT CTTAGTATAA CTGAATTAAG CAAGTATGTA 12120
AGAGAAAGAT CTTGATCATT ATCCAATATA GTAGGAGTAA CATCGCCAAG TATTATGTTC 12180
ACAATGGACA TTAAATATAC AACTAGCACT ATAGCCAGTG GTATAATAAT AGAAAAATAT 12240
AATGTTAATA GTTTAACTCG TGGTGAAAGA GGACCCACCA AGCCATGGGT AGGCTCATCC 12300
ACGCAGGAGA AAAAAACAAT GCCAGTGATC AACAGACAAG TTTTAACCAA AAAGCAAAGA 12360
GACCAAATAG ATTTATTAGC AAAATTAGAC TGGGTATATG CATCCATAGA CAACAAAGAT 12420
GAATTCATGG AAGAACTGAG TACTGGAACA CTTGGACTGT CATATGAAAA AGCCAAAAAG 12480
TTGTTTCCAC AATATCTAAG TGTCAATTAT TTACACCGTT TAACAGTCAG TAGTAGACCA 12540
TGTGAATTCC CTGCATCAAT ACCAGCTTAT AGAACAACAA ATTATCATTT TGATACTAGT 12600
CCTATCAATC ATGTATTAAC AGAAAAGTAT GGAGATGAAG ATATCGACAT TGTGTTTCAA 12660
AATTGCATAA GTTTTGGTCT TAGCCTGATG TCGGTTGTGG AACAAATTCAC AAACATATGT 12720

- 355 -

CCTAATAGAA TTATTCTCAT ACCGAAGCTG AATGAGATAC ATTTGATGAA ACCTCCTATA	12780
TTTACAGGAG ATGTTGATAT CATCAAGTTG AAGCAAGTGA TACAAAAGCA GCACATGTTT	12840
CTACCAGATA AAATAAGTTT AACCCAATAT GTAGAATTAT TCTTAAGTAA CAAAGCACTT	12900
AAATCTGGAT CTCACATCAA CTCTAATTTA ATATTAGTAC ATAAAATGTC TGATTATTTT	12960
CATAATGCTT ATATTTTAAG TACTAATTTA GCTGGACATT GGATTCTGAT TATTCAACTT	13020
ATGAAAGATT CAAAAGGTAT TTTTGAAAAA GATTGGGGAG AGGGGTACAT AACTGATCAT	13080
ATGTTTATTA ATTTGAATGT TTTCTTTAAT GCTTATAAGA CTTATTTGCT ATGTTTTTCAT	13140
AAAGGTTATG GTAAAGCAAA ATTAGAATGT GATATGAACA CTTGAGATCT TCTTTGTGTT	13200
TTGGAGTTAA TAGACAGTAG CTAAGGAAA TCTATGTCTA AAGTTTTCCT AGAACAAAAA	13260
GTCATAAAAT ACATAGTCAA TCAAGACACA AGTTTGCGTA GAATAAAAGG CTGTCACAGT	13320
TTTAAGTTGT GGTTTTTTAAA ACGCCTTAAT AATGCTAAAT TTACCGTATG CCCTTGGGTT	13380
GTTAACATAG ATTATCACCC AACACACATG AAAGCTATAT TATCTTACAT AGATTTAGTT	13440
AGAATGGGGT TAATAAATGT AGATAAATTA ACCATTAAAA ATAAAAACAA ATTCAATGAT	13500
GAATTTTACA CATCAAATCT CTTTTACATT AGTTATAACT TTTCAGACAA CACTCATTTG	13560
CTAACAAAAC AAATAAGAAT TGCTAATTCA GAATTAGAAG ATAATTATAA CAACTATAT	13620
CACCCAACCC CAGAACTTT AGAAAATATG TCATTAATTC CTGTTAAAAG TAATAATAGT	13680
AACAAACCTA AATTTTGTAT AAGTGGAAT ACCGAATCTA TGATGATGTC AACATTCTCT	13740
AGTAAATGTC ATATTAAATC TTCCACTGTT ACCACAAGAT TCAATTATAG CAAACAAGAC	13800
TTGTACAATT TATTTCCAAT TGTTGTGATA GACAAGATTA TAGATCATTC AGGTAATACA	13860
GCAAAATCTA ACCAACTTTA CACCACCACT TCACATCAGA CATCTTTAGT AAGGAATAGT	13920
GCATCACTTT ATTGCATGCT TCCTTGGCAT CATGTCAATA GATTTAACTT TGTATTTAGT	13980
TCCACAGGAT GCAAGATCAG TATAGAGTAT ATTTTAAAAG ATCTTAAGAT TAAGGACCCC	14040
AGTTGTATAG CATTCATAGG TGAAGGAGCT GGTAACCTAT TATTACGTAC GGTAGTAGAA	14100
CTTCATCCAG ACATAAGATA CATTTACAGA AGTTTAAAAG ATTGCAATGA TCATAGTTTA	14160
CCTATTGAAT TTCTAAGGTT ATACAACGGG CATATAAACA TAGATTATGG TGAGAATTTA	14220
ACCATTCTG CTACAGATGC AACTAATAAC ATTCATTGGT CTTATTTACA TATAAAATTT	14280

- 356 -

GCAGAACCTA TTAGCATCTT TGTCTGCGAT GCTGAATTAC CTGTTACAGC CAATTGGAGT 14340
 AAAATTATAA TTGAATGGAG TAAGCATGTA AGAAAGTGCA AGTACTGTTT TTCTGTAAAT 14400
 AGATGCATTT TAATTGCAAA ATATCATGCT CAAGATGACA TTGATTTCAA ATTAGATAAC 14460
 ATTACTATAT TAAAACTTA CGTGTGCCTA GGTAGCAAGT TAAAAGGATC TGAAGTTTAC 14520
 TTAATCCTTA CAATAGGCCC TGCAAATATA CTTCTGTGTT TTGATGTTGT ACAAATGCT 14580
 AAATTGATAC TTTCAAGAAC TAAAAATTTT ATTATGCCTA AAAAACTGA CAAGGAATCT 14640
 ATCGATGCAG ATATTAAAAG CTTAATACCT TTCCTTTGTT ACCCTATAAC AAAAAAGGA 14700
 ATTAAGACTT CATTGTCAAA ATTGAAGAGT GTAGTTAATG GAGATATATT ATCATATTCT 14760
 ATAGCTGGAC GTAATGAAGT ATTCAGCAAC AAGCTTATAA ACCACAAGCA TATGAATATC 14820
 CTAAATGGC TAGATCATGT TTTAAATTTT AGATCAGCTG AACTTAATTA CAATCATTTA 14880
 TACATGATAG AGTCCACATA TCCTTACTTA AGTGAATTGT TAAATAGTTT AACAACCAAT 14940
 GAGCTCAAGA AGCTGATTAA AATAACAGGT AGTGTGCTAT ACAACCTTCC CAACGAACAG 15000
 TAGTTTAAAA TATCATTAAC AAGTTTGGTC AAATTTAGAT GCTAACACAT CATTATATTA 15060
 TAGTTATTAA AAAATATACA AACTTTTCAA TAATTTAGCA TATTGATTCC AAAATTATCA 15120
 TTTTAGTCTT AAGGGGTAA ATAAAAGTCT AAAACTAACA ATTATACATG TGCATTACCA 15180
 ACACAACGAG ACATTAGTTT TTGACACTTT TTTTCTCGT 15219

(2) INFORMATION FOR SEQ ID NO:30:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 2166 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:30:

Met Asp Pro Ile Ile Asn Gly Asn Ser Ala Asn Val Tyr Leu Thr Asp
 1 5 10 15
 Ser Tyr Leu Lys Gly Val Ile Ser Phe Ser Glu Cys Asn Ala Leu Gly

- 357 -

20	25	30
Ser Tyr Leu Phe Asn Gly Pro Tyr Leu Lys Asn Asp Tyr Thr Asn Leu		
35	40	45
Ile Ser Arg Gln Ser Pro Leu Leu Glu His Met Asn Leu Lys Lys Leu		
50	55	60
Thr Ile Thr Gln Ser Leu Ile Ser Arg Tyr His Lys Gly Glu Leu Lys		
65	70	75
80		
Leu Glu Glu Pro Thr Tyr Phe Gln Ser Leu Leu Met Thr Tyr Lys Ser		
85	90	95
Met Ser Ser Ser Glu Gln Ile Ala Thr Thr Asn Leu Leu Lys Lys Ile		
100	105	110
Ile Arg Arg Ala Ile Glu Ile Ser Asp Val Lys Val Tyr Ala Ile Leu		
115	120	125
Asn Lys Leu Gly Leu Lys Glu Lys Asp Arg Val Lys Pro Asn Asn Asn		
130	135	140
Ser Gly Asp Glu Asn Ser Val Leu Thr Thr Ile Ile Lys Asp Asp Ile		
145	150	155
160		
Leu Ser Ala Val Glu Asn Asn Gln Ser Tyr Thr Asn Ser Asp Lys Ser		
165	170	175
His Ser Val Asn Gln Asn Ile Thr Ile Lys Thr Thr Leu Leu Lys Lys		
180	185	190
Leu Met Cys Ser Met Gln His Pro Pro Ser Trp Leu Ile His Trp Phe		
195	200	205
Asn Leu Tyr Thr Lys Leu Asn Asn Ile Leu Thr Gln Tyr Arg Ser Asn		
210	215	220
Glu Val Lys Ser His Gly Phe Ile Leu Ile Asp Asn Gln Thr Leu Ser		
225	230	235
240		
Gly Phe Gln Phe Ile Leu Asn Gln Tyr Gly Cys Ile Val Tyr His Lys		
245	250	255
Gly Leu Lys Lys Ile Thr Thr Thr Tyr Asn Gln Phe Leu Thr Trp		
260	265	270
Lys Asp Ile Ser Leu Ser Arg Leu Asn Val Cys Leu Ile Thr Trp Ile		
275	280	285
Ser Asn Cys Leu Asn Thr Leu Asn Lys Ser Leu Gly Leu Arg Cys Gly		
290	295	300

- 358 -

Phe Asn Asn Val Val Leu Ser Gln Leu Phe Leu Tyr Gly Asp Cys Ile
 305 310 315 320
 Leu Lys Leu Phe His Asn Glu Gly Phe Tyr Ile Ile Lys Glu Val Glu
 325 330 335
 Gly Phe Ile Met Ser Leu Ile Leu Asn Ile Thr Glu Glu Asp Gln Phe
 340 345 350
 Arg Lys Arg Phe Tyr Asn Ser Met Leu Asn Asn Ile Thr Asp Ala Ala
 355 360 365
 Ile Lys Ala Gln Lys Asp Leu Leu Ser Arg Val Cys His Thr Leu Leu
 370 375 380
 Asp Lys Thr Val Ser Asp Asn Ile Ile Asn Gly Lys Trp Ile Ile Leu
 385 390 395 400
 Leu Ser Lys Phe Leu Lys Leu Ile Lys Leu Ala Gly Asp Asn Asn Leu
 405 410 415
 Asn Asn Leu Ser Glu Leu Tyr Phe Leu Phe Arg Ile Phe Gly His Pro
 420 425 430
 Met Val Asp Glu Arg Gln Ala Met Asp Ser Val Arg Ile Asn Cys Asn
 435 440 445
 Glu Thr Lys Phe Tyr Leu Leu Ser Ser Leu Ser Thr Leu Arg Gly Ala
 450 455 460
 Phe Ile Tyr Arg Ile Ile Lys Gly Phe Val Asn Thr Tyr Asn Arg Trp
 465 470 475 480
 Pro Thr Leu Arg Asn Ala Ile Val Leu Pro Leu Arg Trp Leu Asn Tyr
 485 490 495
 Tyr Lys Leu Asn Thr Tyr Pro Ser Leu Leu Glu Ile Thr Glu Asn Asp
 500 505 510
 Leu Ile Ile Leu Ser Gly Leu Arg Phe Tyr Arg Glu Phe His Leu Pro
 515 520 525
 Lys Lys Val Asp Leu Glu Met Ile Ile Asn Asp Lys Ala Ile Ser Pro
 530 535 540
 Pro Lys Asp Leu Ile Trp Thr Ser Phe Pro Arg Asn Tyr Met Pro Ser
 545 550 555 560
 His Ile Gln Asn Tyr Ile Glu His Glu Lys Leu Lys Phe Ser Glu Ser
 565 570 575

- 359 -

Asp Arg Ser Arg Arg Val Leu Glu Tyr Tyr Leu Arg Asp Asn Lys Phe
 580 585 590
 Asn Glu Cys Asp Leu Tyr Asn Cys Val Val Asn Gln Ser Tyr Leu Asn
 595 600 605
 Asn Ser Asn His Val Val Ser Leu Thr Gly Lys Glu Arg Glu Leu Ser
 610 615 620
 Val Gly Arg Met Phe Ala Met Gln Pro Gly Met Phe Arg Gln Ile Gln
 625 630 635 640
 Ile Leu Ala Glu Lys Met Ile Ala Glu Asn Ile Leu Gln Phe Phe Pro
 645 650 655
 Glu Ser Leu Thr Arg Tyr Gly Asp Leu Glu Leu Gln Lys Ile Leu Glu
 660 665 670
 Leu Lys Ala Gly Ile Ser Asn Lys Ser Asn Arg Tyr Asn Asp Asn Tyr
 675 680 685
 Asn Asn Tyr Ile Ser Lys Cys Ser Ile Ile Thr Asp Leu Ser Lys Phe
 690 695 700
 Asn Gln Ala Phe Arg Tyr Glu Thr Ser Cys Ile Cys Ser Asp Val Leu
 705 710 715 720
 Asp Glu Leu His Gly Val Gln Ser Leu Phe Ser Trp Leu His Leu Thr
 725 730 735
 Ile Pro Leu Val Thr Ile Ile Cys Thr Tyr Arg His Ala Pro Pro Phe
 740 745 750
 Ile Lys Asp His Val Val Asn Leu Asn Glu Val Asp Glu Gln Ser Gly
 755 760 765
 Leu Tyr Arg Tyr His Met Gly Gly Ile Glu Gly Trp Cys Gln Lys Leu
 770 775 780
 Trp Thr Ile Glu Ala Ile Ser Leu Leu Asp Leu Ile Ser Leu Lys Gly
 785 790 795 800
 Lys Phe Ser Ile Thr Ala Leu Ile Asn Gly Asp Asn Gln Ser Ile Asp
 805 810 815
 Ile Ser Lys Pro Val Arg Leu Ile Glu Gly Gln Thr His Ala Gln Ala
 820 825 830
 Asp Tyr Leu Leu Ala Leu Asn Ser Leu Lys Leu Leu Tyr Lys Glu Tyr
 835 840 845
 Ala Gly Ile Gly His Lys Leu Lys Gly Thr Glu Thr Tyr Ile Ser Arg

- 360 -

850	855	860
Asp Met Gln Phe Met Ser Lys Thr Ile Gln His Asn Gly Val Tyr Tyr		
865	870	875 880
Pro Ala Ser Ile Lys Lys Val Leu Arg Val Gly Pro Trp Ile Asn Thr		
	885	890 895
Ile Leu Asp Asp Phe Lys Val Ser Leu Glu Ser Ile Gly Ser Leu Thr		
	900	905 910
Gln Glu Leu Glu Tyr Arg Gly Glu Ser Leu Leu Cys Ser Leu Ile Phe		
	915	920 925
Arg Asn Ile Trp Leu Tyr Asn Gln Ile Ala Leu Gln Leu Arg Asn His		
	930	935 940
Ala Leu Cys Asn Asn Lys Leu Tyr Leu Asp Ile Leu Lys Val Leu Lys		
	945	950 955 960
His Leu Lys Thr Phe Phe Asn Leu Asp Ser Ile Asp Met Ala Leu Ser		
	965	970 975
Leu Tyr Met Asn Leu Pro Met Leu Phe Gly Gly Gly Asp Pro Asn Leu		
	980	985 990
Leu Tyr Arg Ser Phe Tyr Arg Arg Thr Pro Asp Phe Leu Thr Glu Ala		
	995	1000 1005
Ile Val His Ser Val Phe Val Leu Ser Tyr Tyr Thr Gly His Asp Leu		
	1010	1015 1020
Gln Asp Lys Leu Gln Asp Leu Pro Asp Asp Arg Leu Asn Lys Phe Leu		
	1025	1030 1035 1040
Thr Cys Val Ile Thr Phe Asp Lys Asn Pro Asn Ala Glu Phe Val Thr		
	1045	1050 1055
Leu Met Arg Asp Pro Gln Ala Leu Gly Ser Glu Arg Gln Ala Lys Ile		
	1060	1065 1070
Thr Ser Glu Ile Asn Arg Leu Ala Val Thr Glu Val Leu Ser Ile Ala		
	1075	1080 1085
Pro Asn Lys Ile Phe Ser Lys Ser Ala Gln His Tyr Thr Thr Thr Glu		
	1090	1095 1100
Ile Asp Leu Asn Asp Ile Met Gln Asn Ile Glu Pro Thr Tyr Pro His		
	1105	1110 1115 1120
Gly Leu Arg Val Val Tyr Glu Ser Leu Pro Phe Tyr Lys Ala Glu Lys		
	1125	1130 1135

- 361 -

Ile Val Asn Leu Ile Ser Gly Thr Lys Ser Ile Thr Asn Ile Leu Glu
 1140 1145 1150
 Lys Thr Ser Ala Ile Asp Thr Thr Asp Ile Asn Arg Ala Thr Asp Met
 1155 1160 1165
 Met Arg Lys Asn Ile Thr Leu Leu Ile Arg Ile Leu Pro Leu Asp Cys
 1170 1175 1180
 Asn Lys Asp Lys Arg Glu Leu Leu Ser Leu Glu Asn Leu Ser Ile Thr
 1185 1190 1195 1200
 Glu Leu Ser Lys Tyr Val Arg Glu Arg Ser Trp Ser Leu Ser Asn Ile
 1205 1210 1215
 Val Gly Val Thr Ser Pro Ser Ile Met Phe Thr Met Asp Ile Lys Tyr
 1220 1225 1230
 Thr Thr Ser Thr Ile Ala Ser Gly Ile Ile Ile Glu Lys Tyr Asn Val
 1235 1240 1245
 Asn Ser Leu Thr Arg Gly Glu Arg Gly Pro Thr Lys Pro Trp Val Gly
 1250 1255 1260
 Ser Ser Thr Gln Glu Lys Lys Thr Met Pro Val Tyr Asn Arg Gln Val
 1265 1270 1275 1280
 Leu Thr Lys Lys Gln Arg Asp Gln Ile Asp Leu Leu Ala Lys Leu Asp
 1285 1290 1295
 Trp Val Tyr Ala Ser Ile Asp Asn Lys Asp Glu Phe Met Glu Glu Leu
 1300 1305 1310
 Ser Thr Gly Thr Leu Gly Leu Ser Tyr Glu Lys Ala Lys Lys Leu Phe
 1315 1320 1325
 Pro Gln Tyr Leu Ser Val Asn Tyr Leu His Arg Leu Thr Val Ser Ser
 1330 1335 1340
 Arg Pro Cys Glu Phe Pro Ala Ser Ile Pro Ala Tyr Arg Thr Thr Asn
 1345 1350 1355 1360
 Tyr His Phe Asp Thr Ser Pro Ile Asn His Val Leu Thr Glu Lys Tyr
 1365 1370 1375
 Gly Asp Glu Asp Ile Asp Ile Val Phe Gln Asn Cys Ile Ser Phe Gly
 1380 1385 1390
 Leu Ser Leu Met Ser Val Val Glu Gln Phe Thr Asn Ile Cys Pro Asn
 1395 1400 1405

- 362 -

Arg Ile Ile Leu Ile Pro Lys Leu Asn Glu Ile His Leu Met Lys Pro
 1410 1415 1420
 Pro Ile Phe Thr Gly Asp Val Asp Ile Ile Lys Leu Lys Gln Val Ile
 1425 1430 1435 1440
 Gln Lys Gln His Met Phe Leu Pro Asp Lys Ile Ser Leu Thr Gln Tyr
 1445 1450 1455
 Val Glu Leu Phe Leu Ser Asn Lys Ala Leu Lys Ser Gly Ser His Ile
 1460 1465 1470
 Asn Ser Asn Leu Ile Leu Val His Lys Met Ser Asp Tyr Phe His Asn
 1475 1480 1485
 Ala Tyr Ile Leu Ser Thr Asn Leu Ala Gly His Trp Ile Leu Ile Ile
 1490 1495 1500
 Gln Leu Met Lys Asp Ser Lys Gly Ile Phe Glu Lys Asp Trp Gly Glu
 1505 1510 1515 1520
 Gly Tyr Ile Thr Asp His Met Phe Ile Asn Leu Asn Val Phe Phe Asn
 1525 1530 1535
 Ala Tyr Lys Thr Tyr Leu Leu Cys Phe His Lys Gly Tyr Gly Lys Ala
 1540 1545 1550
 Lys Leu Glu Cys Asp Met Asn Thr Ser Asp Leu Leu Cys Val Leu Glu
 1555 1560 1565
 Leu Ile Asp Ser Ser Tyr Trp Lys Ser Met Ser Lys Val Phe Leu Glu
 1570 1575 1580
 Gln Lys Val Ile Lys Tyr Ile Val Asn Gln Asp Thr Ser Leu Arg Arg
 1585 1590 1595 1600
 Ile Lys Gly Cys His Ser Phe Lys Leu Trp Phe Leu Lys Arg Leu Asn
 1605 1610 1615
 Asn Ala Lys Phe Thr Val Cys Pro Trp Val Val Asn Ile Asp Tyr His
 1620 1625 1630
 Pro Thr His Met Lys Ala Ile Leu Ser Tyr Ile Asp Leu Val Arg Met
 1635 1640 1645
 Gly Leu Ile Asn Val Asp Lys Leu Thr Ile Lys Asn Lys Asn Lys Phe
 1650 1655 1660
 Asn Asp Glu Phe Tyr Thr Ser Asn Leu Phe Tyr Ile Ser Tyr Asn Phe
 1665 1670 1675 1680
 Ser Asp Asn Thr His Leu Leu Thr Lys Gln Ile Arg Ile Ala Asn Ser

- 363 -

1685	1690	1695
Glu Leu Glu Asp Asn Tyr Asn Lys Leu Tyr His Pro Thr		Pro Glu Thr
1700	1705	1710
Leu Glu Asn Met Ser Leu Ile Pro Val Lys Ser Asn Asn Ser Asn Lys		
1715	1720	1725
Pro Lys Phe Cys Ile Ser Gly Asn Thr Glu Ser Met Met Met Ser Thr		
1730	1735	1740
Phe Ser Ser Lys Met His Ile Lys Ser Ser Thr Val Thr Thr Arg Phe		
1745	1750	1755
		1760
Asn Tyr Ser Lys Gln Asp Leu Tyr Asn Leu Phe Pro Ile Val Val Ile		
1765	1770	1775
Asp Lys Ile Ile Asp His Ser Gly Asn Thr Ala Lys Ser Asn Gln Leu		
1780	1785	1790
Tyr Thr Thr Thr Ser His Gln Thr Ser Leu Val Arg Asn Ser Ala Ser		
1795	1800	1805
Leu Tyr Cys Met Leu Pro Trp His His Val Asn Arg Phe Asn Phe Val		
1810	1815	1820
Phe Ser Ser Thr Gly Cys Lys Ile Ser Ile Glu Tyr Ile Leu Lys Asp		
1825	1830	1835
		1840
Leu Lys Ile Lys Asp Pro Ser Cys Ile Ala Phe Ile Gly Glu Gly Ala		
1845	1850	1855
Gly Asn Leu Leu Leu Arg Thr Val Val Glu Leu His Pro Asp Ile Arg		
1860	1865	1870
Tyr Ile Tyr Arg Ser Leu Lys Asp Cys Asn Asp His Ser Leu Pro Ile		
1875	1880	1885
Glu Phe Leu Arg Leu Tyr Asn Gly His Ile Asn Ile Asp Tyr Gly Glu		
1890	1895	1900
Asn Leu Thr Ile Pro Ala Thr Asp Ala Thr Asn Asn Ile His Trp Ser		
1905	1910	1915
		1920
Tyr Leu His Ile Lys Phe Ala Glu Pro Ile Ser Ile Phe Val Cys Asp		
1925	1930	1935
Ala Glu Leu Pro Val Thr Ala Asn Trp Ser Lys Ile Ile Ile Glu Trp		
1940	1945	1950
Ser Lys His Val Arg Lys Cys Lys Tyr Cys Ser Ser Val Asn Arg Cys		
1955	1960	1965

- 364 -

Ile Leu Ile Ala Lys Tyr His Ala Gln Asp Asp Ile Asp Phe Lys Leu
 1970 1975 1980

Asp Asn Ile Thr Ile Leu Lys Thr Tyr Val Cys Leu Gly Ser Lys Leu
 1985 1990 1995 2000

Lys Gly Ser Glu Val Tyr Leu Ile Leu Thr Ile Gly Pro Ala Asn Ile
 2005 2010 2015

Leu Pro Val Phe Asp Val Val Gln Asn Ala Lys Leu Ile Leu Ser Arg
 2020 2025 2030

Thr Lys Asn Phe Ile Met Pro Lys Lys Thr Asp Lys Glu Ser Ile Asp
 2035 2040 2045

Ala Asp Ile Lys Ser Leu Ile Pro Phe Leu Cys Tyr Pro Ile Thr Lys
 2050 2055 2060

Lys Gly Ile Lys Thr Ser Leu Ser Lys Leu Lys Ser Val Val Asn Gly
 2065 2070 2075 2080

Asp Ile Leu Ser Tyr Ser Ile Ala Gly Arg Asn Glu Val Phe Ser Asn
 2085 2090 2095

Lys Leu Ile Asn His Lys His Met Asn Ile Leu Lys Trp Leu Asp His
 2100 2105 2110

Val Leu Asn Phe Arg Ser Ala Glu Leu Asn Tyr Asn His Leu Tyr Met
 2115 2120 2125

Ile Glu Ser Thr Tyr Pro Tyr Leu Ser Glu Leu Leu Asn Ser Leu Thr
 2130 2135 2140

Thr Asn Glu Leu Lys Lys Leu Ile Lys Ile Thr Gly Ser Val Leu Tyr
 2145 2150 2155 2160

Asn Leu Pro Asn Glu Gln
 2165

(2) INFORMATION FOR SEQ ID NO:31:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 15219 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: RNA (genomic)

- 365 -

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:31:

ACGGGAAAAA AATGCGTACT ACAAACCTTGC ACATTCGAAA AAAATGGGGC AAATAAGAAC	60
TTGATAAGTG CTATTTAAGT CTAACCTTTT CAATCAGAAA TGGGGTGCAA TTCACTGAGC	120
ATGATAAAGG TTAGATTACA AAATTTATTT GACAATGACG AAGTAGCATT GTTAAAAATA	180
ACATGTTATA CTGATAAATT AATTCTTCTG ACCAATGCAT TAGCCAAAGC AGCAATACAT	240
ACAATTAAAT TAAACGGCAT AGTTTTTATA CATGTTATAA CAAGCAGTGA AGTGTGCCCT	300
GATAACAATA TTGTAGTGAA ATCTAACTTT ACAACAATGC CAATACTACA AAATGGAGGA	360
TACATATGGG AATTGATTGA GTTGACACAC TGCTCTCAAT TAAACGGTTT AATGGATGAT	420
AATTGTGAAA TCAAATTTTC TAAAAGACTA AGTGACTCAG TAATGACTAA TTATATGAAT	480
CAAATATCTG ACTTACTTGG GCTTGATCTC AATTCATGAA TTATGTTTAG TCTAATTCAA	540
TAGACATGTG TTTATTACCA TTTTAGTTAA TATAAAACT CATCAAAGGG AAATGGGGCA	600
AATAAACTCA CCTAATCAAT CAAACCATGA GCACTACAAA TGACAACACT ACTATGCAAA	660
GATTGATGAT CACAGACATG AGACCCCTGT CAATGGATTC AATAATAACA TCTCTTACCA	720
AAGAAATCAT CACACACAAA TTCATATACT TGATAAACAA TGAATGTATT GTAAGAAAAC	780
TTGATGAAAG ACAAGCTACA TTTACATTCT TAGTCAATTA TGAGATGAAG CTAAGTGCACA	840
AAGTAGGGAG TACCAAATAC AAAAAATACA CTGAATATAA TACAAAATAT GGCACCTTCC	900
CCATGCCTAT ATTTATCAAT CACGGCGGGT TTCTAGAATG TATTGGCATT AAGCCTACAA	960
AACACACTCC TATAATATAC AAATATGACC TCAACCCGTG AATTCCAACA AAAAAACCAA	1020
CCCAACCAAA CCAAATATT CCTCAAACA CAGTGCTCAA TAGTTAAGAA GGAGCTAATC	1080
CATTTTAGTA ATTAATAATA AAAGTAAAGC CAATAACATA AATTGGGGCA AATACAAAGA	1140
TGGCTCTTAG CAAAGTCAAG TTGAATGATA CATTAAATAA GGATCAGCTG CTGTCATCCA	1200
GCAAATACAC TATTCAACGT AGTACAGGAG ATAATATTGA CACTCCCAAT TATGATGTGC	1260
AAAAACACCT AAACAACTA TGTGGTATGC TATTAATCAC TGAAGATGCA AATCATAAAT	1320
TCACAGGATT AATAGGTATG TTATATGCTA TGTCCAGGTT AGGAAGGGAA GACACTATAA	1380
AGATACTTAA AGATGCTGGA TATCATGTTA AAGCTAATGG AGTAGATATA ACAACATATC	1440
GTCAAGATAT AAATGGAAG GAAATGAAAT TCGAAGTATT AACATTATCA AGCTTGACAT	1500

- 366 -

CAGAAATACA	AGTCAATATT	GAGATAGAAT	CTAGAAAGTC	CTACAAAAAA	ATGCTAAAAG	1560
AGATGGGAGA	AGTGGCTCCA	GAATATAGGC	ATGATTCTCC	AGACTGTGGG	ATGATAATAC	1620
TGTGTATAGC	TGCACTTGTG	ATAACCAAAT	TAGCAGCAGG	AGACAGATCA	GGTCTTACAG	1680
CAGTAATTAG	GAGGGCAAAC	AATGTCTTAA	AAAACGAAAT	AAAACGATAC	AAGGGCCTCA	1740
TACCAAAGGA	TATAGCTAAC	AGTTTTTATG	AAGTGTTTGA	AAAACACCCT	CATCTTATAG	1800
ATGTTTTTCG	GCACTTTGGC	ATTGCACAAT	CATCCACAAG	AGGGGGTAGT	AGAGTTGAAG	1860
GAATCTTTGC	AGGATTGTTT	ATGAATGCCT	ATGGTTCAGG	GCAAGTAATG	CTAAGATGGG	1920
GAGTTTTTAG	CAATCTGTA	AAAAATATCA	TGCTAGGACA	TGCTAGTGTC	CAGGCAGAAA	1980
TGGAGCAAGT	TGTGGAAGTC	TATGAGTATG	CACAGAAGTT	GGGAGGAGAA	GCTGGATTCT	2040
ACCATATATT	GAACAATCCA	AAAGCATCAT	TGCTGTCATT	AACTCAATTT	CCCAACTTCT	2100
CAAGTGTGGT	CCTAGGCAAT	GCAGCAGGTC	TAGGCATAAT	GGGAGAGTAT	AGAGGTACAC	2160
CAAGAAACCA	GGATCTTTAT	GATGCAGCTA	AAGCATATGC	AGAGCAACTC	AAAGAAAATG	2220
GAGTAATAAA	CTACAGTGTA	TTAGACTTAA	CAGCAGAAGA	ATTGGAAGCC	ATAAAGCATC	2280
AACTCAACCC	CAAAGAAGAT	GATGTAGAGC	TTTAAGTTAA	CAAAAAATAC	GGGGCAAATA	2340
AGTCAACATG	GAGAAGTTTG	CACCTGAATT	TCATGGAGAA	GATGCAAATA	ACAAAGCTAC	2400
CAAATTCCTA	GAATCAATAA	AGGGCAAGTT	CGCATCATCC	AAAGATCCTA	AGAAGAAAGA	2460
TAGCATAATA	TCTGTTAACT	CAATAGATAT	AGAAGTAACT	AAAGAGAGCC	CGATAACATC	2520
TGGCACCAAC	ATCATCAATC	CAACAAGTGA	AGCCGACAGT	ACCCCAGAAA	CAAAAGCCAA	2580
CTACCCAAGA	AAACCCCTAG	TAAGCTTCAA	AGAAGATCTC	ACCCCAAGTG	ACAACCCCTT	2640
TTCTAAGTTG	TACAAGGAAA	CAATAGAAAC	ATTTGATAAC	AATGAAGAAG	AATCTAGCTA	2700
CTCATATGAA	GAGATAAATG	ATCAAACAAA	TGACAACATT	ACAGCAAGAC	TAGATAGAAT	2760
TGATGAAAAA	TTAAGTGAAA	TATTAGGAAT	GCTCCATACA	TTAGTAGTTG	CAAGTGCAGG	2820
ACCCACTTCA	GCTCGCGATG	GAATAAGAGA	TGCTATGGTT	GGTCTAAGAG	AAGAGATGAT	2880
AGAAAAAATA	AGAGCGGAAG	CATTAATGAC	CAATGATAGG	TTAGAGGCTA	TGGCAAGACT	2940
TAGGAATGAG	GAAAGCGAAA	AAATGGCAAA	AGACACCTCA	GATGAAGTGT	CTCTTAATCC	3000
AACTTCCAAA	AAATTGAGTG	ACTTGTTGGA	AGACAACGAT	AGTGACAATG	ATCTATCAC	3060

- 367 -

TGATGATTTT	TGATCAGCGA	TCAACTCACT	CAGCAATCAA	CAACATCAAT	AAAACAGACA	3120
TCAATCCATT	GAATCAACTG	CCAGACCGAA	CAAACAAACG	TCCATCAGTA	GAACCACCAA	3180
CCAATCAATC	AACCAATTGA	TCAATCAGCA	ACCCGACAAA	ATTAACAATA	TAGTAACAAA	3240
AAAAGAACAA	GATGGGGCAA	ATATGGAAAC	ATACGTGAAC	AAGCTTCACG	AAGGCTCCAC	3300
ATACACAGCA	GCTGTTCACT	ACAATGTTCT	AGAAAAAGAT	GATGATCCTG	CATCACTAAC	3360
AATATGGGTG	CCTATGTTCC	AGTCATCTGT	GCCAGCAGAC	TTGCTCATAA	AAGAACTTGC	3420
AAGCATCAAT	ATACTAGTGA	AGCAGATCTC	TACGCCCCAA	GGACCTTCAC	TACGAGTCAC	3480
GATTAAGTCA	AGAAGTGCTG	TGCTGGCTCA	AATGCCTAGT	AATTTTCATCA	TAAGCGCAAA	3540
TGTATCATT	GATGAAAGAA	GCAAATTAGC	ATATGATGTA	ACTACACCTT	GTGAAATCAA	3600
AGCATGCAGT	CTAACATGCT	TAAAAGTAAA	AAGTATGTTA	ACTACAGTCA	AAGATCTTAC	3660
CATGAAGACA	TTCAACCCCA	CTCATGAGAT	CATTGCTCTA	TGTGAATTTG	AAAATATTAT	3720
GACATCAAAA	AGAGTAATAA	TACCAACCTA	TCTAAGATCA	ATTAGTGTCA	AGAACAAGGA	3780
TCTGAACTCA	CTAGAAAATA	TAGCAACCAC	CGAATTCAAA	AATGCTATCA	CCAATGCAAA	3840
AATTATTCCT	TATGCAGGAT	TAGTGTTAGT	TATCACAGTT	ACTGACAATA	AAGGAGCATT	3900
CAAATATATC	AAACCACAGA	GTCAATTTAT	AGTAGATCTT	GGTGCCTACC	TAGAAAAAGA	3960
GAGCATATAT	TATGTGACTA	CTAATTGGAA	GCATACAGCT	ACACGTTTTT	CAATCAAACC	4020
ACTAGAGGAT	TAACTTAAT	TATCAACACT	GAATGACAGG	TCCACATATA	TCCTCAAAC	4080
ACACACTATA	TCCAAACATC	ATAAACATCT	ACACTACACA	CTTCATCACA	CAAACCAATC	4140
CCACTCAAAA	TCCAAATCA	CTACCAGCCA	CTATCCGCTA	GACCTAGAGT	GCGAATAGGC	4200
AAATAAAACC	AAAATATGGG	GTAAATAGAC	ATTAGTTAGA	GTTCAATCAA	TCTTAACAAC	4260
CATTTATACC	GCCAATTCAA	CACATATACT	ATAAATCTTA	AAATGGGAAA	TACATCCATC	4320
ACAATAGAAC	TCACAAGCAA	ATTTTGGCCC	TATTTTACAC	TAATACATAT	GATCTTAACT	4380
CTAATCTTTT	TACTAATTAT	AATCACTATC	ATGATTGCAA	CACTAAATAA	GCTAAGTGAA	4440
CACAAAGCAT	TCTGCAACAA	AACTCTTGAA	CTAGGACAGA	TGTACCAAAT	CAACACACAG	4500
AGTTCCACCA	TTATGCTGTG	TCAAACCATA	ATCCTGTATA	TACAAACAAA	CAAATCCAAT	4560
CCTCTCACAG	AGTCACGGTG	TCGCAAAACC	ACGCTAACCA	TCATGGTAGC	ATAGAGTAGT	4620

- 368 -

TATTTAAAAA	TTAACATAAT	GATGAATTGT	TAGTATGAGA	TCAAAAACAA	CATTGGGGCA	4680
AATGCAACCA	TGTCCAAACA	CAAGAATCAA	CGCACTGCCA	GGACTCTAGA	AAAGACCTGG	4740
GATACTCTTA	ATCATCTAAT	TGTAATATCC	TCTTGTTTAT	ACAGATTAAA	TTTAAAATCT	4800
ATAGCACAAA	TAGCACTATC	AGTTTTTGCA	ATGATAATCT	CAACCTCTCT	CATAATTGCA	4860
GCCATAATAT	TCATCATCTC	TGCCAATCAC	AAAGTTACAC	TAACAACGGT	CACAGTTCAA	4920
ACAATAAAAA	ACCACACTGA	AAAAAACATC	ACCACCTACC	CTACTCAAGT	CTCACCAGAA	4980
AGGGTTAGTT	CATCCAAGCA	ACCCACAACC	ACATCACCAA	TCCACACAAG	TTCAGCTACA	5040
ACATCACCCA	ATACAAAATC	AGAAACACAC	CATACAACAG	CACAAACCAA	AGGCAGAACC	5100
ACCACTTCAA	CACAGACCAA	CAAGCCAAGC	ACAAAACCAC	GTCCAAAAAA	TCCACCAAAA	5160
AAAGATGATT	ACCATTTTGA	AGTGTTCAAC	TTCGTTCCCT	GCAGTATATG	TGGCAACAA	5220
CAACTTTGCA	AATCCATCTG	CAAAACAATA	CCAAGCAACA	AACCAAAGAA	GAAACCAACC	5280
ATCAAACCCA	CAAACAAACC	AACCACCAAA	ACCACAAACA	AAAGAGACCC	AAAAACACCA	5340
GCCAAAACGA	CGAAAAAAGA	AACTACCACC	AACCCAACAA	AAAAACTAAC	CCTCAAGACC	5400
ACAGAAAGAG	ACACCAGCAC	CTCACAATCC	ACTGCACTCG	ACACAACCAC	ATTAAAAACAC	5460
ACAGTCCAAC	AGCAATCCCT	CCTCTCAACC	ACCCCGGAAA	ACACACCCAA	CTCCACACAA	5520
ACACCCACAG	CATCCGAGCC	CTCCACACCA	AACTCCACCC	AAAAAACCCA	GCCACATGCT	5580
TAGTTATTCA	AAAACCTACAT	CTTAGCAGAG	AACCGTGATC	TATCAAGCAA	GAACGAAATT	5640
AAACCTGGGG	CAAATAACCA	TGGAGTTGAT	GATCCACAAG	TCAAGTGCAA	TCTTCCTAAC	5700
TCTTGCTATT	AATGCATTGT	ACCTCACCTC	AAGTCAGAAC	ATAACTGAGG	AGTTTTACCA	5760
ATCGACATGT	AGTGCAGTTA	GCAGAGGTTA	TTTTAGTGCT	TTAAGAACAG	GTTGGTATAC	5820
TAGTGTCATA	ACAATAGAAT	TAAGTAATAT	AAAAGAAACC	AAATGCAATG	GAACTGACAC	5880
TAAAGTAAAA	CTTATGAAAC	AAGAATTAGA	TAAGTATAAG	AATGCAGTAA	CAGAAATTACA	5940
GCTACTTATG	CAAAACACAC	CAGCTGTCAA	CAACCGGGCC	AGAAGAGAAG	CACCACAGTA	6000
TATGAACTAC	ACAATCAATA	CCACTAAAAA	CCTAAATGTA	TCAATAAGCA	AGAAGAGGAA	6060
ACGAAGATTT	CTAGGCTTCT	TGTTAGGTGT	GGGATCTGCA	ATAGCAAGTG	GTATAGCTGT	6120
ATCAAAAGTT	CTACACCTTG	AAGGAGAAGT	GAACAAGATC	AAAAATGCTT	TGTTGTCTAC	6180

- 369 -

AAACAAAGCT GTAGTCAGTT TATCAAATGG GGTCAAGTGT TTAACCAGCA AAGTGTTAGA	6240
TCTCAAGAAT TACATAAATA ACCAATTATT ACCCATAGTA AATCAACAGA GCTGTCGCAT	6300
CTCCAACATT GAAACAGTTA TAGAATTCCA GCAGAAGAAC AGCAGATTGT TGGAAATCAC	6360
CAGAGAATTT AGTGTCAATG CAGGTGTAAC AACACCTTTA AGCACTTACA TGTGACAAA	6420
CAGTGAGTTA CTATCATTAA TCAATGATAT GCCTATAACA AATGATCAGA AAAAATTAAT	6480
GTCAAGCAAT GTTCAGATAG TAAGGCAACA AAGTTATTCC ATCATGTCTA TAATAAAGGA	6540
AGAAGTCCTT GCATATGTTG TACAGCTGCC TATCTATGGT GTAATAGATA CACCTTGCTG	6600
GAAATTGCAC ACATCGCCTC TATGCACTAC CAACATCAAA GAAGGATCAA ATATTTGTTT	6660
AACAAGGACT GATAGAGGAT GGTATTGTGA TAATGCAGGA TCAGTATCCT TCTTTCCACA	6720
GGCTGACACT TGTAAGTAC AGTCCAATCG AGTATTTTGT GACACTATGA ACAGTTTGAC	6780
ATTACCAAGT GAAGTCAGCC TTTGTAACAC TGACATATTC AATTCCAAGT ATGACTGCAA	6840
AATTATGACA TCAAAAACAG ACATAAGCAG CTCAGTAATT ACTTCTCTTG GAGCTATAGT	6900
GTCTATGCTAT GGTAAACTA AATGCACTGC ATCCAACAAA AATCGTGGGA TTATAAGAC	6960
ATTTTCTAAT GGTGTGACT ATGTGTCAA CAAAGGAGTA GATACTGTGT CAGTGGGCAA	7020
CACTTTATAC TATGTAAACA AGCTGGAAGG CAAGAACCTT TATGTAAAAG GGGAACCTAT	7080
AATAAATTAC TATGACCCTC TAGTGTTC TTTCTGATGAG TTTGATGCAT CAATATCTCA	7140
AGTCAATGAA AAAATCAATC AAAGTTTAGC TTTTATTCGT AGATCTGATG AATTACTACA	7200
TAATGTAAAT ACTGGCAAAT CTAATAACAA TATTATGATA ACTACAATTA TTATAGTAAT	7260
CATTGTAGTA TTGTTATCAT TAATAGCTAT TGGTTTACTG TTGTATTGTA AAGCCAAAAA	7320
CACACCAGTT AACTAAGCA AAGACCAACT AAGTGGAATC AATAATATTG CATTAGCAA	7380
ATAGACAAAA AACCACCTGA TCATGTTTCA ACAACAATCT GCTGACCACC AATCCCAAAT	7440
CAACTTACAA CAAATATTTT AACATCACAG TACAGGCTGA ATCATTTCCT CACATCATGC	7500
TACCCACATA ACTAAGCTAG ATCCTTAACT TATAGTTACA TAAAAACCTC AAGTATCACA	7560
ATCAACCACT AAATCAACAC ATCATTACAA AAATTAACAG CTGGGGCAAA TATGTCGCGA	7620
AGAAATCCTT GTAAATTGTA GATTAGAGGT CATTGCTTGA ATGGTAGAAG ATGTCACTAC	7680
AGTCATAATT ACTTTGAATG GCCTCCTCAT GCATTACTAG TGAGGCAAAA CTTTCATGTTA	7740

- 370 -

AACAAGATAC	TCAAGTCAAT	GGACAAAAGC	ATAGACACTT	TGTCTGAAAT	AAGTGGAGCT	7800
GCTGAACTGG	ATAGAACAGA	AGAATATGCT	CTTGGTATAG	TTGGAGTGCT	AGAGAGTTAC	7860
ATAGGATCTA	TAAACAACAT	AACAAAACAA	TCAGCATGTG	TTGCTATGAG	TAAACTTCTT	7920
ATTGAGATCA	ATAGTGATGA	CATTAAAAAG	CTTAGAGATA	ATGAAGAACC	CAATTCACCT	7980
AAGATAAGAG	TGTACAATAC	TGTTATATCA	TACATTGAGA	GCAATAGAAA	AAACAACAAG	8040
CAACCATCC	ATCTGCTCAA	GAGACTACCA	GCAGACGTGC	TGAAGAAGAC	AATAAAGAAC	8100
ACATTAGATA	TCCACAAAAG	CATAACCATA	AGCAATCCAA	AAGAGTCAAC	TGTGAATGAT	8160
CAAAATGACC	AAACCAAAAA	TAATGATATT	ACCGGATAAA	TATCCTTGTA	GTATATCATC	8220
CATATTGATC	TCAAGTGAAA	GCATGGTTGC	TACATTCAAT	CATAAAAACA	TATTACAATT	8280
TAACCATAAC	TATTTGGATA	ACCACCAGCG	TTTATTAAAT	CATATATTTG	ATGAAATTCA	8340
TTGGACACCT	AAAAACTTAT	TAGATGCCAC	TCAACAATTT	CTCCAACATC	TTAACATCCC	8400
TGAAGATATA	TATACAGTAT	ATATATTAGT	GTCATAATGC	TTGACCATAA	CGACTCTATG	8460
TCATCCAACC	ATAAACTAT	TTTGATAAGG	TTATGGGACA	AAATGGATCC	CATTATTAAT	8520
GGAAACTCTG	CTAATGTGTA	TCTAACTGAT	AGTTATTTAA	AAGGTGTTAT	CTCTTTTTC	8580
GAGTGTAATG	CTTTAGGGAG	TTATCTTTTT	AACGGCCCTT	ATCTTAAAAA	TGATTACACC	8640
AACTTAATTA	GTAGACAAAG	CCCACTACTA	GAGCATATGA	ATCTTAAAAA	ACTAACTATA	8700
ACACAGTCAT	TAATATCTAG	ATATCATAAA	GGTGAACTGA	AATTAGAAGA	ACCAACTTAT	8760
TTCCAGTCAT	TACTTATGAC	ATATAAAAGT	ATGTCCTCGT	CTGAACAAAT	TGCTACAACT	8820
AACTTACTTA	AAAAAATAAT	ACGAAGAGCC	ATAGAAATAA	GTGATGTAAA	GGTGTACGCC	8880
ATCTTGAATA	AACTAGGATT	AAAGGAAAAG	GACAGAGTTA	AGCCCAACAA	TAATTCAGGT	8940
GATGAAAAC	CAGTACTTAC	AACCATAATT	AAAGATGATA	TACTTTCGGC	TGTGGAAAAC	9000
AATCAATCAT	ATACAAATTC	AGACAAAAGT	CACTCAGTAA	ATCAAAATAT	CACTATCAAA	9060
ACAACACTCT	TGAAAAAATT	GATGTGTTCA	ATGCAACATC	CTCCATCATG	GTTAATACAC	9120
TGGTTCAATT	TATATACAAA	ATTAAATAAC	ATATTAACAC	AATATCGATC	AAATGAGGTA	9180
AAAAGTCATG	GGTTTATATT	AATAGATAAT	CAACTTTTAA	GTGGTTTTC	GTTTATTTTA	9240
AATCAATATG	GTTGTATCGT	TTATCATAAA	GGACTCAAAA	AAATCACAAC	TACTACTTAC	9300

- 371 -

AATCAATTTT TGACATGGAA AGACATCAGC CTTAGCAGAT TAAATGTTTG CTTAATTACT	9360
TGGATAAGTA ATTGTTTAAA TACATTAAAC AAAAGCTTAG GGCTGAGATG TGGATTCAAT	9420
AATGTTGTGT TATCACAATT ATTTCTTTAT GGAGATTGTA TACTGAAATT ATTCATAAT	9480
GAAGGCTTCT ACATAATAAA AGAAGTAGAG GGATTTATTA TGTCTTTAAT TCTAAACATA	9540
ACAGAAGAAG ATCAATTTAA GAAACGATTT TATAATAGCA TGCTAAATAA CATCACAGAT	9600
GCAGCTATTA AGGCTCAAAA GGACCTACTA TCAAGAGTAT GTCACACTTT ATTAGACAAG	9660
ACAGTGTCTG ATAATATCAT AAATGGTAAA TGGATAATCC TATTAAGTAA ATTTCTTAAA	9720
TTGATTAAGC TTGCAGGTGA TAATAATCTC AATAACTTGA GTGAGCTATA TTTTCTCTTC	9780
AGAATCTTTG GACATCCAAT GGTGCGATGAA AGACAAGCAA TGGATTCTGT AAGAATTAAC	9840
TGTAATGAAA CTAAGTTCTA CTTATTAAGT AGTCTAAGTA CATTAGAGG TGCTTTCATT	9900
TATAGAATCA TAAAAGGGTT TGTAATACC TACAACAGAT GGCCACCTT AAGGAATGCT	9960
ATTGTCCTAC CTCTAAGATG GTTAACTAC TATAACTTA ATACTTATCC ATCTCTACTT	10020
GAAATCACAG AAAATGATTT GATTATTTTA TCAGGATTGC GGTTCTATCG TGAGTTTCAT	10080
CTGCCTAAAA AAGTGGATCT TGAAATGATA ATAAATGACA AAGCCATTTC ACCTCCAAAA	10140
GATCTAATAT GGACTAGTTT TCCTAGAAAT TACATGCCAT CACATATACA AAATTATATA	10200
GAACATGAAA AGTTGAAGTT CTCTGAAAGC GACAGATCGA GAAGAGTACT AGAGTATTAC	10260
TTGAGAGATA ATAAATTCAA TGAATGCGAT CTATACAATT GTGTAGTCAA TCAAAGCTAT	10320
CTCAACAACT CTAATCACGT GGTATCACTA ACTGGTAAAG AAAGAGAGCT CAGTGTAGGT	10380
AGAATGTTTG CTATGCAACC AGGTATGTTT AGGCAAATCC AAATCTTAGC AGAGAAAATG	10440
ATAGCTGAAA ATATTTTACA ATTCTTCCCT GAGAGTTTGA CAAGATATGG TGATCTAGAG	10500
CTTCAAAAGA TATTAGAATT AAAAGCAGGA ATAAGCAACA AGTCAAATCG TTATAATGAT	10560
AACTACAACA ATTATATCAG TAAATGTTCT ATCATTACAG ATCTTAGCAA ATTCAATCAG	10620
GCATTTAGAT ATGAAACATC ATGTATCTGC AGTGATGTAT TAGATGAACT GCATGGAGTA	10680
CAATCTCTGT TCTCTGGTT GCATTTAACA ATACCTCTTG TCACAATAAT ATGTACATAT	10740
AGACATGCAC CTCCTTTCAT AAAGGATCAT GTTGTTAATC TTAATGAGGT TGATGAACAA	10800
AGTGGATTAT ACAGATATCA TATGGGTGGT ATTGAGGGCT GGTGTCAAAA ACTGTGGACC	10860

- 372 -

ATTGAAGCTA	TATCATTATT	AGATCTAATA	TCTCTCAAAG	GGAAATTCTC	TATCACAGCT	10920
CTGATAAATG	GTGATAATCA	GTCAATTGAT	ATAAGCAAAC	CAGTTAGACT	TATAGAGGGT	10980
CAGACCCATG	CACAAGCAGA	TTATTTGTTA	GCATTAAATA	GCCTTAAATT	GTTATATAAA	11040
GAGTATGCAG	GTATAGGCCA	TAAGCTTAAG	GGAACAGAGA	CCTATATATC	CCGAGATATG	11100
CAGTTCATGA	GCAAAACAAT	CCAGCACAAAT	GGAGTGTACT	ATCCAGCCAG	TATCAAAAAA	11160
GTCCTGAGAG	TAGGTCCATG	GATAAACACG	ATACTTGATG	ATTTTAAAGT	TAGTTTAGAA	11220
TCTATAGGCA	GCTTAACACA	GGAGTTAGAA	TACAGAGGAG	AAAGCTTATT	ATGCAGTTTA	11280
ATATTTAGGA	ACATTTGGTT	ATACAATCAA	ATTGCTTTGC	AACTCCGAAA	TCATGCATTA	11340
TGTAACAATA	AGCTATATTT	AGATATATTG	AAAGTATTAA	AACACTTAAA	AACTTTTTTT	11400
AATCTTGATA	GCATTGATAT	GGCTTTATCA	TTGTATATGA	ATTTGCCTAT	GCTGTTTGGT	11460
GGTGGTGATC	CTAATTTGTT	ATATCGAAGC	TTTTATAGGA	GAACTCCAGA	CTTCCTTACA	11520
GAAGCTATAG	TACATTCAGT	GTTTGTGTTG	AGCTATTATA	CTGGTCACGA	TTTACAAGAT	11580
AAGCTCCAGG	ATCTTCCAGA	TGATAGACTG	AACAAATTCT	TGACATGTGT	CATCACATTT	11640
GATAAAAATC	CCAATGCCGA	GTTTGTAACA	TTGATGAGGG	ATCCACAGGC	TTTAGGGTCT	11700
GAAAGGCAAG	CTAAAATTAC	TAGTGAGATT	AATAGATTAG	CAGTAACAGA	AGTCTTAAGT	11760
ATAGCCCCAA	ACAAAATATT	TTCTAAAAGT	GCACAACATT	ATACTACCAC	TGAGATTGAT	11820
CTAAATGACA	TTATGCAAAA	TATAGAACCA	ACTTACCCTC	ATGGATTAAG	AGTTGTTTAT	11880
GAAAGTTTAC	CTTTTATAA	AGCAGAAAAA	ATAGTTAATC	TTATATCAGG	AACAAAATCC	11940
ATAACTAATA	TACTTGAAAA	AACATCAGCA	ATAGATACAA	CTGATATTAA	TAGGGCTACT	12000
GATATGATGA	GGAAAAATAT	AACTTTACTT	ATAAGGATAC	TTCCACTAGA	TTGTAACAAA	12060
GACAAAAGAG	AGTTATTAAG	TTTAGAAAAT	CTTAGTATAA	CTGAATTAAG	CAAGTATGTA	12120
AGAGAAAGAT	CTTGGTCATT	ATCCAATATA	GTAGGAGTAA	CATCGCCAAG	TATTATGTTT	12180
ACAATGAACA	TTAAATATAC	AACTAGCACT	ATAGCCAGTG	GTATAATAAT	AGAAAAATAT	12240
AATGTTAATA	GTTTAACTCG	TGGTGAAAGA	GGACCCACCA	AGCCATGGGT	AGGCTCATCC	12300
ACGCAGGAGA	AAAAAACAAT	GCCAGTGATC	AACAGACAAG	TTTTAACCAG	AAAGCAAAGA	12360
GACCAAATAG	ATTTATTAGC	AAAATTAGAC	TGGGTATATG	CATCCATAGA	CAACAAAGAT	12420

JP009927

B01 WO9813501.pdf
01/30/07 09:38 AM



- 373 -

GAATTCATGG AAGAACTGAG TACTGGAACA CTTGGACTGT CATATGAAAA AGCCAAAAAG	12480
TTGTTTCCAC AATATCTAAG TGTCAATTAT TTACACCGTT TAACAGTCAG TAGTAGACCA	12540
TGTGAATTCC CTGCATCAAT ACCAGCTTAT AGAACAACAA ATTATCATTT TGATACTAGT	12600
CCTATCAATC ATGTATTAAC AGAAAAGTAT GGAGATGAAG ATATCGACAT TGTGTTTCAA	12660
AATTGCATAA GTTTTGGTCT TAGCCTGATG TCGGTTGTGG AACAATTCAC AAACATATGT	12720
CCTAATAGAA TTATTCTCAT ACCGAAGCTG AATGAGATAC ATTTGATGAA ACCTCCTATA	12780
TTTACAGGAG ATGTTGATAT CATCAAGTTG AAGCAAGTGA TACAAAAGCA GCACATGTTC	12840
CTACCAGATA AAATAAGTTT AACCCAATAT GTAGAATTAT TCTTAAGTAA CAAAGCACTT	12900
AAATCTGGAT CTCACATCAA CTCTAATTTA ATATTAGTAC ATAAAATGTC TGATTATTTT	12960
CATAATGCTT ATATTTTAAG TACTAATTTA GCTGGACATT GGATTCTGAT TATTCAACTT	13020
ATGAAAGATT CAAAAGGTAT TTTTGAAAAA GATTGGGGAG AGGGGTACAT AACTGATCAT	13080
ATGTTTCATTA ATTTGAATGT TTTCTTTAAT GCTTATAAGA CTTATTTGCT ATGTTTTCAT	13140
AAAGGTTATG GTAAAGCAAA ATTAGAATGT GATATGAACA CTTCAGATCT TCTTTGTGTT	13200
TTGGAGTTAA TAGACAGTAG CTA CTACTGGAAA TCTATGTCTA AAGTTTTCTT AGAACAAAAA	13260
GTCATAAAAT ACATAGTCAA TCAAGACACA AGTTTGCGTA GAATAAAAGG CTGTCACAGT	13320
TTTAAGTTGT GGTTTTTTAAA ACGCCTTAAT AATGCTAAAT TTACCGTATG CCCTTGGGTT	13380
GTAAACATAG ATTATCACCC AACACACATG AAAGCTATAT TATCTTACAT AGATTTAGTT	13440
AGAATGGGGT TAATAAATGT AGATAAATTA ACCATTAAAA ATAAAAACAA ATTCAATGAT	13500
GAATTTTACA CATCAAATCT CTTTTACATT AGTTATAACT TTTCAGACAA CACTCATTTG	13560
CTAACAAAAC AAATAAGAAT TGCTAATTCA GAATTAGAAG ATAATTATAA CAAACTATAT	13620
CACCCAACCC CAGAACTTT AGAAAATATG TCATTAATTC CTGTTAAAAG TAATAATAGT	13680
AACAAACCTA AATTTTGTAT AAGTGGAAAT ACCGAATCTA TGATGATGTC AACATTCTCT	13740
AGTAAAATGC ATATTAAATC TTCCACTGTT ACCACAAGAT TCAATTATAG CAAACAAGAC	13800
TTGTACAATT TATTTCCAAT TGTGTGATA GACAAGATTA TAGATCATTC AGGTAATACA	13860
GCAAAATCTA ACCAACTTTA CACCACCACT TCACATCAGA CATCTTTAGT AAGGAATAGT	13920
GCATCACTTT ATTGCATGCT TCCTTGGCAT CATGTCAATA GATTTAACTT TGTATTTAGT	13980

- 374 -

TCCACAGGAT	GCAAGATCAG	TATAGAGTAT	ATTTTAAAAG	ATCTTAAGAT	TAAGGACCCC	14040
AGTTGTATAG	CATTCATAGG	TGAAGGAGCT	GGTAACTTAT	TATTACGTAC	GGTAGTAGAA	14100
CTTCATCCAG	ACATAAGATA	CATTACAGA	AGTTTAAAAG	ATTGCAATGA	TCATAGTTTA	14160
CCTATTGAAT	TTCTAAGGTT	ATACAACGGG	CATATAAACA	TAGATTATGG	TGAGAATTTA	14220
ACCATTCCCTG	CTACAGATGC	AACTAATAAC	ATTCATTGGT	CTTATTTACA	TATAAAATTT	14280
GCAGAACCTA	TTAGCATCTT	TGTCTGCGAT	GCTGAATTAC	CTGTTACAGC	CAATTGGAGT	14340
AAAATTATAA	TTGAATGGAG	TAAGCATGTA	AGAAAGTGCA	AGTACTGTTC	TTCTGTAAAT	14400
AGATGCATTT	TAATTGCAAA	ATATCATGCT	CAAGATGACA	TTGATTTCAA	ATTAGATAAC	14460
ATTACTATAT	TAAAACTTA	CGTGTGCCTA	GGTAGCAAGT	TAAAAGGATC	TGAAGTTTAC	14520
TTAATCCTTA	CAATAGGCCC	TGCAAATATA	CTTCCTGTTT	TTGATGTTGT	ACAAAATGCT	14580
AAATTGATAC	TTTCAAGAAC	TAAAAATTTT	ATTATGCCTA	AAAAAACTGA	CAAGGAATCT	14640
ATCGATGCAA	ATATTAAAAG	CTTAATACCT	TTCCTTTGTT	ACCCTATAAC	AAAAAAAGGA	14700
ATTAAGACTT	CATTGTCAAA	ATTGAAGAGT	GTAGTTAATG	GAGATATATT	ATCATATTCT	14760
ATAGCTGGAC	GTAATGAAGT	ATCAGCAAC	AAGCTTATAA	ACCACAAGCA	TATGAATATC	14820
CTAAAATGGC	TAGATCATGT	TTTAAATTTT	AGATCAGCTG	AACTTAATTA	CAATCATTTA	14880
TACATGATAG	AGTCCACATA	TCCTTACTTA	AGTGAATTGT	TAAATAGTTT	AACAACCAAT	14940
GAGCTCAAGA	AGCTGATTAA	AATAACAGGT	AGTGTGCTAT	ACAACCTTCC	CAACGAACAG	15000
TAGTTTAAAA	TATCATTAAAC	AAGTTTGGTC	AAATTTAGAT	GCTAACACAT	CATTATATTA	15060
TAGTTATTAA	AGAATATACA	AACTTTTCAA	TAATTTAGCA	TATTGATTCC	AAAATTATCA	15120
TTTTAGTCTT	AAGGGGTTAA	ATAAAAGTCT	AAAACAAACA	ATTATACATG	TGCATTACAC	15180
ACACAACGAG	ACATTAGTTT	TTGACACTTT	TTTTCTCGT			15219

(2) INFORMATION FOR SEQ ID NO:32:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 2166 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

- 375 -

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:32:

Met Asp Pro Ile Ile Asn Gly Asn Ser Ala Asn Val Tyr Leu Thr Asp
 1 5 10 15
 Ser Tyr Leu Lys Gly Val Ile Ser Phe Ser Glu Cys Asn Ala Leu Gly
 20 25 30
 Ser Tyr Leu Phe Asn Gly Pro Tyr Leu Lys Asn Asp Tyr Thr Asn Leu
 35 40 45
 Ile Ser Arg Gln Ser Pro Leu Leu Glu His Met Asn Leu Lys Lys Leu
 50 55 60
 Thr Ile Thr Gln Ser Leu Ile Ser Arg Tyr His Lys Gly Glu Leu Lys
 65 70 75 80
 Leu Glu Glu Pro Thr Tyr Phe Gln Ser Leu Leu Met Thr Tyr Lys Ser
 85 90 95
 Met Ser Ser Ser Glu Gln Ile Ala Thr Thr Asn Leu Leu Lys Lys Ile
 100 105 110
 Ile Arg Arg Ala Ile Glu Ile Ser Asp Val Lys Val Tyr Ala Ile Leu
 115 120 125
 Asn Lys Leu Gly Leu Lys Glu Lys Asp Arg Val Lys Pro Asn Asn Asn
 130 135 140
 Ser Gly Asp Glu Asn Ser Val Leu Thr Thr Ile Ile Lys Asp Asp Ile
 145 150 155 160
 Leu Ser Ala Val Glu Asn Asn Gln Ser Tyr Thr Asn Ser Asp Lys Ser
 165 170 175
 His Ser Val Asn Gln Asn Ile Thr Ile Lys Thr Thr Leu Leu Lys Lys
 180 185 190
 Leu Met Cys Ser Met Gln His Pro Pro Ser Trp Leu Ile His Trp Phe
 195 200 205
 Asn Leu Tyr Thr Lys Leu Asn Asn Ile Leu Thr Gln Tyr Arg Ser Asn
 210 215 220
 Glu Val Lys Ser His Gly Phe Ile Leu Ile Asp Asn Gln Thr Leu Ser
 225 230 235 240
 Gly Phe Gln Phe Ile Leu Asn Gln Tyr Gly Cys Ile Val Tyr His Lys

- 376 -

245	250	255
Gly Leu Lys Lys Ile Thr Thr Thr Thr Tyr Asn Gln Phe Leu Thr Trp		
260	265	270
Lys Asp Ile Ser Leu Ser Arg Leu Asn Val Cys Leu Ile Thr Trp Ile		
275	280	285
Ser Asn Cys Leu Asn Thr Leu Asn Lys Ser Leu Gly Leu Arg Cys Gly		
290	295	300
Phe Asn Asn Val Val Leu Ser Gln Leu Phe Leu Tyr Gly Asp Cys Ile		
305	310	315
Leu Lys Leu Phe His Asn Glu Gly Phe Tyr Ile Ile Lys Glu Val Glu		
325	330	335
Gly Phe Ile Met Ser Leu Ile Leu Asn Ile Thr Glu Glu Asp Gln Phe		
340	345	350
Lys Lys Arg Phe Tyr Asn Ser Met Leu Asn Asn Ile Thr Asp Ala Ala		
355	360	365
Ile Lys Ala Gln Lys Asp Leu Leu Ser Arg Val Cys His Thr Leu Leu		
370	375	380
Asp Lys Thr Val Ser Asp Asn Ile Ile Asn Gly Lys Trp Ile Ile Leu		
385	390	395
Leu Ser Lys Phe Leu Lys Leu Ile Lys Leu Ala Gly Asp Asn Asn Leu		
405	410	415
Asn Asn Leu Ser Glu Leu Tyr Phe Leu Phe Arg Ile Phe Gly His Pro		
420	425	430
Met Val Asp Glu Arg Gln Ala Met Asp Ser Val Arg Ile Asn Cys Asn		
435	440	445
Glu Thr Lys Phe Tyr Leu Leu Ser Ser Leu Ser Thr Leu Arg Gly Ala		
450	455	460
Phe Ile Tyr Arg Ile Ile Lys Gly Phe Val Asn Thr Tyr Asn Arg Trp		
465	470	475
Pro Thr Leu Arg Asn Ala Ile Val Leu Pro Leu Arg Trp Leu Asn Tyr		
485	490	495
Tyr Lys Leu Asn Thr Tyr Pro Ser Leu Leu Glu Ile Thr Glu Asn Asp		
500	505	510
Leu Ile Ile Leu Ser Gly Leu Arg Phe Tyr Arg Glu Phe His Leu Pro		
515	520	525

- 377 -

Lys Lys Val Asp Leu Glu Met Ile Ile Asn Asp Lys Ala Ile Ser Pro
 530 535 540
 Pro Lys Asp Leu Ile Trp Thr Ser Phe Pro Arg Asn Tyr Met Pro Ser
 545 550 555 560
 His Ile Gln Asn Tyr Ile Glu His Glu Lys Leu Lys Phe Ser Glu Ser
 565 570 575
 Asp Arg Ser Arg Arg Val Leu Glu Tyr Tyr Leu Arg Asp Asn Lys Phe
 580 585 590
 Asn Glu Cys Asp Leu Tyr Asn Cys Val Val Asn Gln Ser Tyr Leu Asn
 595 600 605
 Asn Ser Asn His Val Val Ser Leu Thr Gly Lys Glu Arg Glu Leu Ser
 610 615 620
 Val Gly Arg Met Phe Ala Met Gln Pro Gly Met Phe Arg Gln Ile Gln
 625 630 635 640
 Ile Leu Ala Glu Lys Met Ile Ala Glu Asn Ile Leu Gln Phe Phe Pro
 645 650 655
 Glu Ser Leu Thr Arg Tyr Gly Asp Leu Glu Leu Gln Lys Ile Leu Glu
 660 665 670
 Leu Lys Ala Gly Ile Ser Asn Lys Ser Asn Arg Tyr Asn Asp Asn Tyr
 675 680 685
 Asn Asn Tyr Ile Ser Lys Cys Ser Ile Ile Thr Asp Leu Ser Lys Phe
 690 695 700
 Asn Gln Ala Phe Arg Tyr Glu Thr Ser Cys Ile Cys Ser Asp Val Leu
 705 710 715 720
 Asp Glu Leu His Gly Val Gln Ser Leu Phe Ser Trp Leu His Leu Thr
 725 730 735
 Ile Pro Leu Val Thr Ile Ile Cys Thr Tyr Arg His Ala Pro Pro Phe
 740 745 750
 Ile Lys Asp His Val Val Asn Leu Asn Glu Val Asp Glu Gln Ser Gly
 755 760 765
 Leu Tyr Arg Tyr His Met Gly Gly Ile Glu Gly Trp Cys Gln Lys Leu
 770 775 780
 Trp Thr Ile Glu Ala Ile Ser Leu Leu Asp Leu Ile Ser Leu Lys Gly
 785 790 795 800

- 378 -

Lys Phe Ser Ile Thr Ala Leu Ile Asn Gly Asp Asn Gln Ser Ile Asp
 805 810 815
 Ile Ser Lys Pro Val Arg Leu Ile Glu Gly Gln Thr His Ala Gln Ala
 820 825 830
 Asp Tyr Leu Leu Ala Leu Asn Ser Leu Lys Leu Leu Tyr Lys Glu Tyr
 835 840 845
 Ala Gly Ile Gly His Lys Leu Lys Gly Thr Glu Thr Tyr Ile Ser Arg
 850 855 860
 Asp Met Gln Phe Met Ser Lys Thr Ile Gln His Asn Gly Val Tyr Tyr
 865 870 875 880
 Pro Ala Ser Ile Lys Lys Val Leu Arg Val Gly Pro Trp Ile Asn Thr
 885 890 895
 Ile Leu Asp Asp Phe Lys Val Ser Leu Glu Ser Ile Gly Ser Leu Thr
 900 905 910
 Gln Glu Leu Glu Tyr Arg Gly Glu Ser Leu Leu Cys Ser Leu Ile Phe
 915 920 925
 Arg Asn Ile Trp Leu Tyr Asn Gln Ile Ala Leu Gln Leu Arg Asn His
 930 935 940
 Ala Leu Cys Asn Asn Lys Leu Tyr Leu Asp Ile Leu Lys Val Leu Lys
 945 950 955 960
 His Leu Lys Thr Phe Phe Asn Leu Asp Ser Ile Asp Met Ala Leu Ser
 965 970 975
 Leu Tyr Met Asn Leu Pro Met Leu Phe Gly Gly Gly Asp Pro Asn Leu
 980 985 990
 Leu Tyr Arg Ser Phe Tyr Arg Arg Thr Pro Asp Phe Leu Thr Glu Ala
 995 1000 1005
 Ile Val His Ser Val Phe Val Leu Ser Tyr Tyr Thr Gly His Asp Leu
 1010 1015 1020
 Gln Asp Lys Leu Gln Asp Leu Pro Asp Asp Arg Leu Asn Lys Phe Leu
 1025 1030 1035 1040
 Thr Cys Val Ile Thr Phe Asp Lys Asn Pro Asn Ala Glu Phe Val Thr
 1045 1050 1055
 Leu Met Arg Asp Pro Gln Ala Leu Gly Ser Glu Arg Gln Ala Lys Ile
 1060 1065 1070
 Thr Ser Glu Ile Asn Arg Leu Ala Val Thr Glu Val Leu Ser Ile Ala

- 379 -

1075	1080	1085
Pro Asn Lys Ile Phe Ser Lys Ser Ala Gln His Tyr Thr Thr Thr Glu 1090	1095	1100
Ile Asp Leu Asn Asp Ile Met Gln Asn Ile Glu Pro Thr Tyr Pro His 1105	1110	1115 1120
Gly Leu Arg Val Val Tyr Glu Ser Leu Pro Phe Tyr Lys Ala Glu Lys 1125	1130	1135
Ile Val Asn Leu Ile Ser Gly Thr Lys Ser Ile Thr Asn Ile Leu Glu 1140	1145	1150
Lys Thr Ser Ala Ile Asp Thr Thr Asp Ile Asn Arg Ala Thr Asp Met 1155	1160	1165
Met Arg Lys Asn Ile Thr Leu Leu Ile Arg Ile Leu Pro Leu Asp Cys 1170	1175	1180
Asn Lys Asp Lys Arg Glu Leu Leu Ser Leu Glu Asn Leu Ser Ile Thr 1185	1190	1195 1200
Glu Leu Ser Lys Tyr Val Arg Glu Arg Ser Trp Ser Leu Ser Asn Ile 1205	1210	1215
Val Gly Val Thr Ser Pro Ser Ile Met Phe Thr Met Asn Ile Lys Tyr 1220	1225	1230
Thr Thr Ser Thr Ile Ala Ser Gly Ile Ile Ile Glu Lys Tyr Asn Val 1235	1240	1245
Asn Ser Leu Thr Arg Gly Glu Arg Gly Pro Thr Lys Pro Trp Val Gly 1250	1255	1260
Ser Ser Thr Gln Glu Lys Lys Thr Met Pro Val Tyr Asn Arg Gln Val 1265	1270	1275 1280
Leu Thr Lys Lys Gln Arg Asp Gln Ile Asp Leu Leu Ala Lys Leu Asp 1285	1290	1295
Trp Val Tyr Ala Ser Ile Asp Asn Lys Asp Glu Phe Met Glu Glu Leu 1300	1305	1310
Ser Thr Gly Thr Leu Gly Leu Ser Tyr Glu Lys Ala Lys Lys Leu Phe 1315	1320	1325
Pro Gln Tyr Leu Ser Val Asn Tyr Leu His Arg Leu Thr Val Ser Ser 1330	1335	1340
Arg Pro Cys Glu Phe Pro Ala Ser Ile Pro Ala Tyr Arg Thr Thr Asn 1345	1350	1355 1360

- 380 -

Tyr His Phe Asp Thr Ser Pro Ile Asn His Val Leu Thr Glu Lys Tyr
 1365 1370 1375
 Gly Asp Glu Asp Ile Asp Ile Val Phe Gln Asn Cys Ile Ser Phe Gly
 1380 1385 1390
 Leu Ser Leu Met Ser Val Val Glu Gln Phe Thr Asn Ile Cys Pro Asn
 1395 1400 1405
 Arg Ile Ile Leu Ile Pro Lys Leu Asn Glu Ile His Leu Met Lys Pro
 1410 1415 1420
 Pro Ile Phe Thr Gly Asp Val Asp Ile Ile Lys Leu Lys Gln Val Ile
 1425 1430 1435 1440
 Gln Lys Gln His Met Phe Leu Pro Asp Lys Ile Ser Leu Thr Gln Tyr
 1445 1450 1455
 Val Glu Leu Phe Leu Ser Asn Lys Ala Leu Lys Ser Gly Ser His Ile
 1460 1465 1470
 Asn Ser Asn Leu Ile Leu Val His Lys Met Ser Asp Tyr Phe His Asn
 1475 1480 1485
 Ala Tyr Ile Leu Ser Thr Asn Leu Ala Gly His Trp Ile Leu Ile Ile
 1490 1495 1500
 Gln Leu Met Lys Asp Ser Lys Gly Ile Phe Glu Lys Asp Trp Gly Glu
 1505 1510 1515 1520
 Gly Tyr Ile Thr Asp His Met Phe Ile Asn Leu Asn Val Phe Phe Asn
 1525 1530 1535
 Ala Tyr Lys Thr Tyr Leu Leu Cys Phe His Lys Gly Tyr Gly Lys Ala
 1540 1545 1550
 Lys Leu Glu Cys Asp Met Asn Thr Ser Asp Leu Leu Cys Val Leu Glu
 1555 1560 1565
 Leu Ile Asp Ser Ser Tyr Trp Lys Ser Met Ser Lys Val Phe Leu Glu
 1570 1575 1580
 Gln Lys Val Ile Lys Tyr Ile Val Asn Gln Asp Thr Ser Leu Arg Arg
 1585 1590 1595 1600
 Ile Lys Gly Cys His Ser Phe Lys Leu Trp Phe Leu Lys Arg Leu Asn
 1605 1610 1615
 Asn Ala Lys Phe Thr Val Cys Pro Trp Val Val Asn Ile Asp Tyr His
 1620 1625 1630

- 381 -

Pro Thr His Met Lys Ala Ile Leu Ser Tyr Ile Asp Leu Val Arg Met
 1635 1640 1645

Gly Leu Ile Asn Val Asp Lys Leu Thr Ile Lys Asn Lys Asn Lys Phe
 1650 1655 1660

Asn Asp Glu Phe Tyr Thr Ser Asn Leu Phe Tyr Ile Ser Tyr Asn Phe
 1665 1670 1675 1680

Ser Asp Asn Thr His Leu Leu Thr Lys Gln Ile Arg Ile Ala Asn Ser
 1685 1690 1695

Glu Leu Glu Asp Asn Tyr Asn Lys Leu Tyr His Pro Thr Pro Glu Thr
 1700 1705 1710

Leu Glu Asn Met Ser Leu Ile Pro Val Lys Ser Asn Asn Ser Asn Lys
 1715 1720 1725

Pro Lys Phe Cys Ile Ser Gly Asn Thr Glu Ser Met Met Met Ser Thr
 1730 1735 1740

Phe Ser Ser Lys Met His Ile Lys Ser Ser Thr Val Thr Thr Arg Phe
 1745 1750 1755 1760

Asn Tyr Ser Lys Gln Asp Leu Tyr Asn Leu Phe Pro Ile Val Val Ile
 1765 1770 1775

Asp Lys Ile Ile Asp His Ser Gly Asn Thr Ala Lys Ser Asn Gln Leu
 1780 1785 1790

Tyr Thr Thr Thr Ser His Gln Thr Ser Leu Val Arg Asn Ser Ala Ser
 1795 1800 1805

Leu Tyr Cys Met Leu Pro Trp His His Val Asn Arg Phe Asn Phe Val
 1810 1815 1820

Phe Ser Ser Thr Gly Cys Lys Ile Ser Ile Glu Tyr Ile Leu Lys Asp
 1825 1830 1835 1840

Leu Lys Ile Lys Asp Pro Ser Cys Ile Ala Phe Ile Gly Glu Gly Ala
 1845 1850 1855

Gly Asn Leu Leu Leu Arg Thr Val Val Glu Leu His Pro Asp Ile Arg
 1860 1865 1870

Tyr Ile Tyr Arg Ser Leu Lys Asp Cys Asn Asp His Ser Leu Pro Ile
 1875 1880 1885

Glu Phe Leu Arg Leu Tyr Asn Gly His Ile Asn Ile Asp Tyr Gly Glu
 1890 1895 1900

Asn Leu Thr Ile Pro Ala Thr Asp Ala Thr Asn Asn Ile His Trp Ser

- 382 -

1905	1910	1915	1920
Tyr Leu His Ile Lys Phe Ala Glu Pro Ile Ser Ile Phe Val Cys Asp			
1925		1930	1935
Ala Glu Leu Pro Val Thr Ala Asn Trp Ser Lys Ile Ile Ile Glu Trp			
1940		1945	1950
Ser Lys His Val Arg Lys Cys Lys Tyr Cys Ser Ser Val Asn Arg Cys			
1955		1960	1965
Ile Leu Ile Ala Lys Tyr His Ala Gln Asp Asp Ile Asp Phe Lys Leu			
1970		1975	1980
Asp Asn Ile Thr Ile Leu Lys Thr Tyr Val Cys Leu Gly Ser Lys Leu			
1985		1990	1995
Lys Gly Ser Glu Val Tyr Leu Ile Leu Thr Ile Gly Pro Ala Asn Ile			
2005		2010	2015
Leu Pro Val Phe Asp Val Val Gln Asn Ala Lys Leu Ile Leu Ser Arg			
2020		2025	2030
Thr Lys Asn Phe Ile Met Pro Lys Lys Thr Asp Lys Glu Ser Ile Asp			
2035		2040	2045
Ala Asn Ile Lys Ser Leu Ile Pro Phe Leu Cys Tyr Pro Ile Thr Lys			
2050		2055	2060
Lys Gly Ile Lys Thr Ser Leu Ser Lys Leu Lys Ser Val Val Asn Gly			
2065		2070	2075
Asp Ile Leu Ser Tyr Ser Ile Ala Gly Arg Asn Glu Val Phe Ser Asn			
2085		2090	2095
Lys Leu Ile Asn His Lys His Met Asn Ile Leu Lys Trp Leu Asp His			
2100		2105	2110
Val Leu Asn Phe Arg Ser Ala Glu Leu Asn Tyr Asn His Leu Tyr Met			
2115		2120	2125
Ile Glu Ser Thr Tyr Pro Tyr Leu Ser Glu Leu Leu Asn Ser Leu Thr			
2130		2135	2140
Thr Asn Glu Leu Lys Lys Leu Ile Lys Ile Thr Gly Ser Val Leu Tyr			
2145		2150	2155
Asn Leu Pro Asn Glu Gln			
2165			

(2) INFORMATION FOR SEQ ID NO:33:

- 383 -

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 15219 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: RNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:33:

ACGGGAAAAA AATGCGTACT ACAAACTTGC ACATTCGAAA AAAATGGGGC AAATAAGAAC	60
TTGATAAGTG CTATTTAAGT CTAACCTTTT CAATCAGAAA TGGGGTGCAA TTCACTGAGC	120
ATGATAAAGG TTAGATTACA AAATTTATTT GACAATGACG AAGTAGCATT GTTAAAAATA	180
ACATGTTATA CTGATAAATT AATTCTTCTG ACCAATGCAT TAGCCAAAGC AGCAATACAT	240
ACAATTAAAT TAAACGGCAT AGTTTTTATA CATGTTATAA CAAGCAGTGA AGTGTGCCCT	300
GATAACAATA TTGTAGTGAA ATCTAACTTT ACAACAATGC CAATACTACA AAATGGAGGA	360
TACATATGGG AATTGATTGA GTTGACACAC TGCTCTCAAT TAAACGGTTT AATGGATGAT	420
AATTGTGAAA TCAAATTTTC TAAAAGACTA AGTGACTCAG TAATGACTAA TTATATGAAT	480
CAAATATCTG ACTTACTTGG GCTTGATCTC AATTCATGAA TTATGTTTAG TCTAATTCAA	540
TAGACATGTG TTTATTACCA TTTTAGTTAA TATAAAAACT CATCAAAGGG AAATGGGGCA	600
AATAAACTCA CCTAATCAAT CAAACCATGA GCACTACAAA TGACAACACT ACTATGCAAA	660
GATTGATGAT CACAGACATG AGACCCCTGT CAATGGATTG AATAATAACA TCTCTTACCA	720
AAGAAATCAT CACACACAAA TTCATATACT TGATAAACAA TGAATGTATT GTAAGAAAAC	780
TTGATGAAAG ACAAGCTACA TTTACATTCT TAGTCAATTA TGAGATGAAG CTA CTG CACA	840
AAGTAGGGAG TACCAAATAC AAAAAATACA CTGAATATAA TACAAAATAT GGCAC TTTCC	900
CCATGCCTAT ATTTATCAAT CACGGCGGGT TTCTAGAATG TATTGGCATT AAGCCTACAA	960
AACACACTCC TATAATATAC AAATATGACC TCAACCCGTG AATTCCAACA AAAAAACCAA	1020
CCCAACCAAA CCAAATATT CCTCAAACAA CAGTGCTCAA TAGTTAAGAA GGAGCTAATC	1080
CATTTTAGTA ATTA AAAATA AAAGTAAAGC CAATAACATA AATTGGGGCA AATACAAAGA	1140
TGGCTCTTAG CAAAGTCAAG TTGAATGATA CATTAAATAA GGATCAGCTG CTGTCATCCA	1200

- 384 -

GCAAATACAC TATTCAACGT AGTACAGGAG ATAATATTGA CACTCCCAAT TATGATGTGC	1260
AAAAACACCT AAACAACTA TGTGGTATGC TATTAATCAC TGAAGATGCA AATCATAAAT	1320
TCACAGGATT AATAGGTATG TTATATGCTA TGTCCAGGTT AGGAAGGGAA GACACTATAA	1380
AGATACTTAA AGATGCTGGA TATCATGTTA AAGCTAATGG AGTAGATATA ACAACATATC	1440
GTCAAGATAT AAATGGAAAG GAAATGAAAT TCGAAGTATT AACATTATCA AGCTTGACAT	1500
CAGAAATACA AGTCAATATT GAGATAGAAT CTAGAAAGTC CTACAAAAAA ATGCTAAAAG	1560
AGATGGGAGA AGTGGCTCCA GAATATAGGC ATGATTCTCC AGACTGTGGG ATGATAATAC	1620
TGTGTATAGC TGCACCTGTG ATAACCAAAT TAGCAGCAGG AGACAGATCA GGTCTTACAG	1680
CAGTAATTAG GAGGGCAAAC AATGTCTTAA AAAACGAAAT AAAACGATAC AAGGGCCTCA	1740
TACCAAAGGA TATAGCTAAC AGTTTTTATG AAGTGTTTGA AAAACACCCT CATCTTATAG	1800
ATGTTTTCGT GCACTTTGGC ATTGCACAAT CATCCACAAG AGGGGGTAGT AGAGTTGAAG	1860
GAATCTTTGC AGGATTGTTT ATGAATGCCT ATGGTTCAGG GCAAGTAATG CTAAGATGGG	1920
GAGTTTTAGC CAAATCTGTA AAAAATATCA TGCTAGGACA TGCTAGTGTC CAGGCAGAAA	1980
TGGAGCAAGT TGTGGAAGTC TATGAGTATG CACAGAAGTT GGGAGGAGAA GCTGGATTCT	2040
ACCATATATT GAACAATCCA AAAGCATCAT TGCTGTCATT AACTCAATTT CCCAACTTCT	2100
CAAGTGTTGGT CCTAGGCAAT GCAGCAGGTC TAGGCATAAT GGGAGAGTAT AGAGGTACAC	2160
CAAGAAACCA GGATCTTTAT GATGCAGCTA AAGCATATGC AGAGCAACTC AAAGAAAATG	2220
GAGTAATAAA CTACAGTGTA TTAGACTTAA CAGCAGAAGA ATTGGAAGCC ATAAAGCATC	2280
AACTCAACCC CAAAGAAGAT GATGTAGAGC TTAAAGTTAA CAAAAAATAC GGGGCAAATA	2340
AGTCAACATG GAGAAGTTTG CACCTGAATT TCATGGAGAA GATGCAAATA ACAAAGCTAC	2400
CAAATTCCTA GAATCAATAA AGGGCAAGTT CGCATCATCC AAAGATCCTA AGAAGAAAGA	2460
TAGCATAATA TCTGTAACT CAATAGATAT AGAAGTAACT AAAGAGAGCC CGATAACATC	2520
TGGCACCAAC ATCATCAATC CAACAAGTGA AGCCGACAGT ACCCCAGAAA CAAAGCCAA	2580
CTACCCAAGA AAACCCCTAG TAAGCTTCAA AGAAGATCTC ACCCCAAGTG ACAACCCTTT	2640
TTCTAAGTTG TACAAGGAAA CAATAGAAAC ATTTGATAAC AATGAAGAAG AATCTAGCTA	2700
CTCATATGAA GAGATAAATG ATCAAACAAA TGACAACATT ACAGCAAGAC TAGATAGAAT	2760

- 385 -

TGATGAAAAA TTAAGTGAAA TATTAGGAAT GCTCCATACA TTAGTAGTTG CAAGTGCAGG	2820
ACCCACTTCA GCTCGCGATG GAATAAGAGA TGCTATGGTT GGTCTAAGAG AAGAGATGAT	2880
AGAAAAATA AGAGCGGAAG CATTAAATGAC CAATGATAGG TTAGAGGCTA TGGCAAGACT	2940
TAGGAATGAG GAAAGCGAAA AAATGGCAAA AGACACCTCA GATGAAGTGT CTCTTAATCC	3000
AACTTCCAAA AAATTGAGTG ACTTGTTGGA AGACAACGAT AGTGACAATG ATCTATCACT	3060
TGATGATTTT TGATCAGCGA TCAACTCACT CAGCAATCAA CAACATCAAT AAAACAGACA	3120
TCAATCCATT GAATCAACTG CCAGACCGAA CAAACAAACG TCCATCAGTA GAACCACCAA	3180
CCAATCAATC AACCAATTGA TCAATCAGCA ACCCGACAAA ATTAACAATA TAGTAACAAA	3240
AAAAGAACAA GATGGGGCAA ATATGGAAAC ATACGTGAAC AAGCTTCACG AAGGCTCCAC	3300
ATACACAGCA GCTGTTCACT ACAATGTTCT AGAAAAAGAT GATGATCCTG CATCACTAAC	3360
AATATGGGTG CCTATGTTCC AGTCATCTGT GCCAGCAGAC TTGCTCATAA AAGAACTTGC	3420
AAGCATCAAT ATACTAGTGA AGCAGATCTC TACGCCCCAA GGACCTTCAC TACGAGTCAC	3480
GATTAECTCA AGAAGTGCTG TGCTGGCTCA AATGCCTAGT AATTTTCATCA TAAGCGCAAA	3540
TGTATCATTG GATGAAAGAA GCAAATTAGC ATATGATGTA ACTACACCTT GTGAAATCAA	3600
AGCATGCAGT CTAACATGCT TAAAAGTAAA AAGTATGTTA ACTACAGTCA AAGATCTTAC	3660
CATGAAGACA TTCAACCCCA CTCATGAGAT CATTGCTCTA TGTGAATTTG AAAATATTAT	3720
GACATCAAAA AGAGTAATAA TACCAACCTA TCTAAGATCA ATTAGTGTCA AGAACAAGGA	3780
TCTGAACTCA CTAGAAAATA TAGCAACCAC CGAATTCAAA AATGCTATCA CCAATGCAAA	3840
AATTATTCTT TATGCAGGAT TAGTGTTAGT TATCACAGTT ACTGACAATA AAGGAGCATT	3900
CAAATATATC AAACCACAGA GTCAATTTAT AGTAGATCTT GGTGCCTACC TAGAAAAAGA	3960
GAGCATATAT TATGTGACTA CTAATTGGAA GCATACAGCT ACACGTTTTT CAATCAAACC	4020
ACTAGAGGAT TAACTTAAT TATCAACACT GAATGACAGG TCCACATATA TCCTCAAAC	4080
ACACACTATA TCCAAACATC ATAAACATCT ACACTACACA CTTATCACA CAAACCAATC	4140
CCACTCAAAA TCCAAAATCA CTACCAGCCA CTATCTGCTA GACCTAGAGT GCGAATAGGT	4200
AAATAAAACC AAAATATGGG GTAAATAGAC ATTAGTTAGA GTTCAATCAA TCTTAACAAC	4260
CATTTATACC GCCAATTCAT CACATATACT ATAAATCTTA AAATGGGAAA TACATCCATC	4320

- 386 -

ACAATAGAAT TCACAAGCAA ATTTTGGCCC TATTTTACAC TAATACATAT GATCTTAACT	4380
CTAATCTTTT TACTAATTAT AATCACTATT ATGATTGCAA TACTAAATAA GCTAAGTGAA	4440
CATAAAGCAT TCTGTAACAA AACTCTTGAA CTAGGACAGA TGTATCAAAT CAACACATAG	4500
AGTTCTACCA TTATGCTGTG TCAAATTATA ATCCTGTATA TATAAACAAA CAAATCCAAT	4560
CTTCTCACAG AGTCATGGTG TCGCAAAACC ACGCTAACTA TCATGGTAGC ATAGAGTAGT	4620
TATTTAAAAA TTAACATAAT GATGAATTGT TAGTATGAGA TCAAAAACAA CATTTGGGGCA	4680
AATGCAACCA TGTCCAAACA CAAGAATCAA CGCACTGCCA GGACTCTAGA AAAGACCTGG	4740
GATACTCTTA ATCATCTAAT TGTAATATCC TCTTGTTTAT ACAGATTAAA TTTAAATCT	4800
ATAGCACAAA TAGCACTATC AGTTTTGGCA ATGATAATCT CAACCTCTCT CATAATTGCA	4860
GCCATAATAT TCATCATCTC TGCCAATCAC AAAGTTACAC TAACAACGGT CACAGTTCAA	4920
ACAATAAAAA ACCCACTGA AAAAAACATC ACCACCTACC CTACTCAAGT CTCACCAGAA	4980
AGGGTTAGTT CATCCAAGCA ACCCACAACC ACATCACCAA TCCACACAAG TTCAGCTACA	5040
ACATCACCCA ATACAAAATC AGAAACACAC CATACAACAG CACAAACCAA AGGCAGAACC	5100
ACCACTTCAA CACAGACCAA CAAGCCAAGC ACAAACCAC GTCCAAAAAA TCCACCAAAA	5160
AAAGATGATT ACCATTTTGA AGTGTTCAAC TTCGTTCCCT GCAGTATATG TGGCAACAAT	5220
CACTTTGCA AATCCATCTG CAAAACAATA CCAAGCAACA AACCAGAGAA GAAACCAACC	5280
ATCAAACCCA CAAACAAACC AACCACCAA ACCACAAACA AAAGAGACCC AAAACACCA	5340
GCCAAAACGA CGAAAAAGA AACTACCACC AACCACAACA AAAAATAAC CCTCAAGACC	5400
ACAGAAAGAG ACACCAGCAC CTCACAATCC ACTGCACTCG ACACAACCAC ATTAAAACAC	5460
ACAGTCCAAC AGCAATCCCT CCTCTCAACC ACCCCCGAAA ACACACCCAA CTCCACACAA	5520
ACACCCACAG CATCCGAGCC CTCCACACCA AACTCCACCC AAAAAACCCA GCCACATGCT	5580
TAGTTATTCA AAAACTACAT CTTAGCAGAG AACCGTGATC TATCAAGCAA GAACGAAATT	5640
AAACCTGGGG CAAATAACCA TGGAGTTGAT GATCCACAAG TCAAGTGCAA TCTTCCTAAC	5700
TCTTGCTATT AATGCATTGT ACCTCACCTC AAGTCAGAAC ATAAGTGAGG AGTTTACCA	5760
ATCGACATGT AGTGAGTTA GCAGAGGTTA TTTTAGTGCT TTAAGAACAG GTTGGTATAC	5820
TAGTGTGATA ACAATAGAAT TAAGTAATAT AAAAGAAACC AAATGCAATG GAACTGACAC	5880

- 387 -

TAAAGTAAAA CTTATGAAAC AAGAATTAGA TAAGTATAAG AATGCAGTAA CAGAATTACA	5940
GCTACTTATG CAAAACACAC CAGCTGTCAA CAACCGGGCC AGAAGAGAAG CACCACAGTA	6000
TATGAACTAC ACAATCAATA CCACTAAAAA CCTAAATGTA TCAATAAGCA AGAAGAGGAA	6060
ACGAAGATTT CTAGGCTTCT TGTAGGTGT GGGATCTGCA ATAGCAAGTG GTATAGCTGT	6120
ATCAAAAGTT CTACACCTTG AAGGAGAAGT GAACAAGATC AAAAATGCTT TGTTGTCTAC	6180
AAACAAAGCT GTAGTCAGTT TATCAAATGG GGTCAGTGTT TTAACCAGCA AAGTGTTAGA	6240
TCTCAAGAAT TACATAAATA ACCAATTATT ACCCATAGTA AATCAACAGA GCTGTCGCAT	6300
CTCCAACATT GAAACAGTTA TAGAATTCCA GCAGAAGAAC AGCAGATTGT TGGAAATCAC	6360
CAGAGAATTT AGTGTCAATG CAGGTGTAAC AACACCTTTA AGCACTTACA TGTTGACAAA	6420
CAGTGAGTTA CTATCATTAA TCAATGATAT GCCTATAACA AATGATCAGA AAAAATTAAAT	6480
GTCAAGCAAT GTTCAGATAG TAAGGCAACA AAGTTATTCC ATCATGTCTA TAATAAAGGA	6540
AGAAGTCCTT GCATATGTTG TACAGCTGCC TATCTATGGT GTAATAGATA CACCTTGCTG	6600
GAAATTGCAC ACATCGCCTC TATGCACTAC CAACATCAAA GAAGGATCAA ATATTTGTTT	6660
AACAAGGACT GATAGAGGAT GGTATTGTGA TAATGCAGGA TCAGTATCCT TCTTTCCACA	6720
GGCTGACACT TGTAAAGTAC AGTCCAATCG AGTATTTTGT GACACTATGA ACAGTTTGAC	6780
ATTACCAAGT GAAGTCAGCC TTTGTAACAC TGACATATTC AATTCCAAGT ATGACTGCAA	6840
AATTATGACA TCAAAAACAG ACATAAGCAG CTCAGTAATT ACTTCTCTTG GAGCTATAGT	6900
GTCAATGCTAT GGTAAACTA AATGCACTGC ATCCAACAAA AATCGTGGA TTATAAAGAC	6960
ATTTTCTAAT GGTTGTGACT ATGTGTCAAA CAAAGGAGTA GATACTGTGT CAGTGGGCAA	7020
CACTTTATAC TATGTAAACA AGCTGGAAGG CAAGAACCTT TATGTAAAAG GGGAACCTAT	7080
AATAAATTAC TATGACCCTC TAGTGTTTCC TTCTGATGAG TTTGATGCAT CAATATCTCA	7140
AGTCAATGAA AAAATCAATC AAAGTTTAGC TTTTATTTCG AGATCTGATG AATTACTACA	7200
TAATGTAAAT ACTGGCAAAT CTAATAAACA TATTATGATA ACTACAATTA TTATAGTAAT	7260
CATTGTAGTA TTGTTATCAT TAATAGCTAT TGGTTTACTG TTGTATTGTA AAGCCAAAAA	7320
CACACCAGTT ACTATAAGCA AAGACCAACT AAGTGGAATC AATAATATTG CATTACAGCA	7380
ATAGACAAAA AACCACCTGA TCATGTTTCA ACAACAATCT GCTGACCACC AATCCCAAAT	7440

- 388 -

CAACTTACAA CAAATATTTC AACATCACAG TACAGGCTGA ATCATTTCCT CACATCATGC	7500
TACCCACATA ACTAAGCTAG ATCCTTAACT TATAGTTACA TAAAAACCTC AAGTATCACA	7560
ATCAACCACT AAATCAACAC ATCATTCAACA AAATTAACAG CTGGGGCAAA TATGTCGCGA	7620
AGAAATCCTT GTAAATTGGA GATTAGAGGT CATTGCTTGA ATGGTAGAAG ATGTCACTAC	7680
AGTCATAATT ACTTTGAATG GCCTCCTCAT GCATTACTAG TGAGGCAAAA CTTCATGTTA	7740
AACAAGATAC TCAAGTCAAT GGACAAAAGC ATAGACACTT TGTCTGAAAT AAGTGGAGCT	7800
GCTGAACTGG ATAGAACAGA AGAATATGCT CTTGGTATAG TTGGAGTGCT AGAGAGTTAC	7860
ATAGGATCTA TAAACAACAT AACAAAACAA TCAGCATGTG TTGCTATGAG TAAACTTCTT	7920
ATTGAGATCA ATAGTGATGA CATTAAAAAG CTTAGAGATA ATGAAGAACC CAATTCACCT	7980
AAGATAAGAG TGTACAATAC TGTATATCA TACATTGAGA GCAATAGAAA AAACAACAAG	8040
CAAACCATCC ATCTGCTCAA GAGACTACCA GCAGACGTGC TGAAGAAGAC AATAAAGAAC	8100
ACATTAGATA TCCACAAAAG CATAACCATA AGCAATCCAA AAGAGTCAAC TGTGAATGAT	8160
CAAAATGACC AAACCAAAAA TAATGATATT ACCGGATAAA TATCCTTGTA GTATATCATC	8220
CATATTGATC TCAAGTGAAA GCATGGTTGC TACATTCAAT CATAAAAACA TATTACAATT	8280
TAACCATAAC TATTTGGATA ACCACCAGCG TTTATTAAAT CATATATTG ATGAAATTCA	8340
TTGGACACCT AAAAATTAT TAGATGCCAC TCAACAATTT CTCCAACATC TTAACATCCC	8400
TGAAGATATA TATACAGTAT ATATATTAGT GTCATAATGC TTGACCATAA CGACTCTATG	8460
TCATCCAACC ATAAAACTAT TTTGATAAGG TTATGGGACA AAATGGATCC CATTATTAAT	8520
GGAAACTCTG CTAATGTGTA TCTAACTGAT AGTTATTTAA AAGGTGTTAT CTCTTTTTCA	8580
GAGTGTAATG CTTTAGGGAG TTATCTTTTT AACGGCCCTT ATCTTAAAAA TGATTACACC	8640
AACTTAATTA GTAGACAAAG CCCACTACTA GAGCATATGA ATCTTAAAAA ACTAACTATA	8700
ACACAGTCAT TAATATCTAG ATATCATAAA GGTGAACTGA AATTAGAAGA ACCAACTTAT	8760
TTCCAGTCAT TACTTATGAC ATATAAAAGT ATGTCCTCGT CTGAACAAAT TGCTACAACT	8820
AACTTACTTA AAAAAATAAT ACGAAGAGCC ATAGAAATAA GTGATGTAAA GGTGTACGCC	8880
ATCTTGAATA AACTAGGATT AAAGGAAAAG GACAGAGTTA AGCCCAACAA TAATTCAGGT	8940
GATGAAAAC CAGTACTTAC AACTATAATT AAAGATGATA TACTTTCGGC TGTGGAAAAC	9000

- 389 -

AATCAATCAT ATACAAATTC AGACAAAAGT CACTCAGTAA ATCAAAATAT CACTATCAAA	9060
ACAACACTCT TGA AAAAATT GATGTGTTCA ATGCAACATC CTCCATCATG GTTAATACAC	9120
TGGTTCAATT TATATACAAA ATTAAATAAC ATATTAACAC AATATCGATC AAATGAGGTA	9180
AAAAGTCATG GGT TTATATT AATAGATAAT CAAACTTTAA GTGGTTTTCA GTTTATTTTA	9240
AATCAATATG GTTGATCGT TTATCATAAA GGACTCAAAA AAATCACAAC TACTACTTAC	9300
AATCAATTTT TGACATGGAA AGACATCAGC CTTAGCAGAT TAAATGTTTG CTTAATTACT	9360
TGGATAAGTA ATTGTTTAAA TACATTAAAC AAAAGCTTAG GGCTGAGATG TGGATTCAAT	9420
AATGTTGTGT TATCACAATT ATTTCTTTAT GGAGATTGTA TACTGAAATT ATTTCATAA	9480
GAAGGCTTCT ACATAATAAA AGAAGTAGAG GGATTTATTA TGTCTTTAAT TCTAAACATA	9540
ACAGAAGAAG ATCAATTTAG GAAACGATTT TATAATAGCA TGCTAAATAA CATCACAGAT	9600
GCAGCTATTA AGGCTCAAAA GGACCTACTA TCAAGAGTAT GTCACACTTT ATTAGACAAG	9660
ACAGTGTCTG ATAATATCAT AAATGGTAAA TGGATAATCC TATTAAGTAA ATTTCTTAAA	9720
TTGATTAAGC TTGCAGGTGA TAATAATCTC AATAACTTGA GTGAGCTATA TTTTCTCTTC	9780
AGAATCTTTG GACATCCAAT GGTCGATGAA AGACAAGCAA TGGATTCTGT AAGAATTAAC	9840
TGTAATGAAA CTAAGTTCTA CTTATTAAGT AGTCTAAGTA CATTAGAGG TGCTTTTCATT	9900
TATAGAATCA TAAAAGGGTT TGTAATACC TACAACAGAT GGCCACCTT AAGGAATGCT	9960
ATTGTCCTAC CTCTAAGATG GTTAACTAC TATAACTTA ATACTTATCC ATCTCTACTT	10020
GAAATCACAG AAAATGATTT GATTATTTTA TCAGGATTGC GGTCTATCG TGAGTTTCAT	10080
CTGCCTAAAA AAGTGGATCT TGAAATGATA ATAAATGACA AAGCCATTC ACCTCCAAAA	10140
GATCTAATAT GGACTAGTTT TCCTAGAAAT TACATGCCAT CACATATACA AAATTATATA	10200
GAACATGAAA AGTTGAAGTT CTCTGAAAGC GACAGATCGA GAAGAGTACT AGAGTATTAC	10260
TTGAGAGATA ATAAATTCOA TGAATGCGAT CTATACAATT GTGTAGTCAA TCAAAGCTAT	10320
CTCAACAACT CTAATCACGT GGTATCACTA ACTGGTAAAG AAAGAGAGCT CAGTGTAGGT	10380
AGAATGTTTG CTATGCAACC AGGTATGTTT AGGCAATCC AAATCTTAGC AGAGAAAATG	10440
ATAGCTGAAA ATATTTTACA ATCTTCCCT GAGAGTTTGA CAAGATATGG TGATCTAGAG	10500
CTTCAAAAAGA TATTAGAATT AAAAGCAGGA ATAAGCAACA AGTCAAATCG TTATAATGAT	10560

- 390 -

AACTACAACA ATTATATCAG TAAATGTTCT ATCATTACAG ATCTTAGCAA ATTCAATCAG	10620
GCATTTAGAT ATGAAACATC ATGTATCTGC AGTGATGTAT TAGATGAACT GCATGGAGTA	10680
CAATCTCTGT TCTCTTGGTT GCATTTAACA ATACCTCTTG TCACAATAAT ATGTACATAT	10740
AGACATGCAC CTCCTTTCAT AAAGGATCAT GTTGTTAATC TTAATGAGGT TGATGAACAA	10800
AGTGGATTAT ACAGATATCA TATGGGTGGT ATTGAGGGCT GGTGTCAAAA ACTGTGGACC	10860
ATTGAAGCTA TATCATTATT AGATCTAATA TCTCTCAAAG GGAAATTCTC TATCACAGCT	10920
CTGATAATG GTGATAATCA GTCAATTGAT ATAAGCAAAC CAGTTAGACT TATAGAGGGT	10980
CAGACCCATG CACAAGCAGA TTATTTGTTA GCATTAAATA GCCTTAAATT GTTATATAAA	11040
GAGTATGCAG GTATAGGCCA TAAGCTTAAG GGAACAGAGA CCTATATATC CCGAGATATG	11100
CAGTTCATGA GCAAAACAAT CCAGCACAAT GGAGTGTACT ATCCAGCCAG TATCAAAAAA	11160
GTCCTGAGAG TAGGTCCATG GATAAACACG ATACTTGATG ATTTTAAAGT TAGTTTAGAA	11220
TCTATAGGCA GCTTAACACA GGAGTTAGAA TACAGAGGAG AAAGCTTATT ATGCAGTTTA	11280
ATATTTAGGA ACATTTGGTT ATACAATCAA ATTGCTTTCG AACTCCGAAA TCATGCATTA	11340
TGTAACAATA AGCTATATTT AGATATATTG AAAGTATTAA AACACTTAAA AACTTTTTTT	11400
AATCTTGATA GCATTGATAT GGCTTTATCA TTGTATATGA ATTTGCCTAT GCTGTTTGGT	11460
GGTGGTGATC CTAATTTGTT ATATCGAAGC TTTTATAGGA GAACTCCAGA CTTCTTACA	11520
GAAGCTATAG TACATTCAGT GTTTGTGTTG AGCTATTATA CTGGTCACGA TTTACAAGAT	11580
AAGCTCCAGG ATCTTCCAGA TGATAGACTG AACAAATTCT TGACATGTGT CATCACATTT	11640
GATAAAAATC CCAATGCCGA GTTTGTAACA TTGATGAGGG ATCCACAGGC TTTAGGGTCT	11700
GAAAGGCAAG CTAAAATTAC TAGTGAGATT AATAGATTAG CAGTAACAGA AGTCTTAAGT	11760
ATAGCCCCAA ACAAATATT TTCTAAAAGT GCACAACATT ATACTACCAC TGAGATTGAT	11820
CTAAATGACA TTATGCAAAA TATAGAACCA ACTTACCCTC ATGGATTAAAG AGTTGTTTAT	11880
GAAAGTTTAC CTTTTTATAA AGCAGAAAAA ATAGTTAATC TTATATCAGG AACAAAATCC	11940
ATAACTAATA TACTTGAAAA AACATCAGCA ATAGATACAA CTGATATTAA TAGGGCTACT	12000
GATATGATGA GGAAAAATAT AACTTTACTT ATAAGGATAC TTCCACTAGA TTGTAACAAA	12060
GACAAAAGAG AGTTATTAAG TTTAGAAAAT CTTAGTATAA CTGAATTAAG CAAGTATGTA	12120

- 391 -

AGAGAAAGAT CTTGGTCATT ATCCAATATA GTAGGAGTAA CATCGCCAAG TATTATGTTC	12180
ACAATGGACA TTAAATATAC AACTAGCACT ATAGCCAGTG GTATAATAAT AGAAAAATAT	12240
AATGTTAATA GTTTAACTCG TGGTGAAAGA GGACCCACCA AGCCATGGGT AGGCTCATCC	12300
ACGCAGGAGA AAAAAACAAT GCCAGTGTAC AACAGACAAG TTTTAACCAA AAAGCAAAGA	12360
GACCAAATAG ATTTATTAGC AAAATTAGAC TGGGTATATG CATCCATAGA CAACAAAGAT	12420
GAATTCATGG AAGAACTGAG TACTGGAACA CTTGGACTGT CATATGAAAA AGCCAAAAAG	12480
TTGTTTCCAC AATATCTAAG TGTCAATTAT TTACACCGTT TAACAGTCAG TAGTAGACCA	12540
TGTGAATTCC CTGCATCAAT ACCAGCTTAT AGAACAACAA ATTATCATTT TGATACTAGT	12600
CCTATCAATC ATGTATTAAC AGAAAAGTAT GGAGATGAAG ATATCGACAT TGTGTTTCAA	12660
AATTGCATAA GTTTTGGTCT TAGCCTGATG TCGGTTGTGG AACAATTCAC AACATATGT	12720
CCTAATAGAA TTATTCTCAT ACCGAAGCTG AATGAGATAC ATTTGATGAA ACCTCCTATA	12780
TTTACAGGAG ATGTTGATAT CATCAAGTTG AAGCAAGTGA TACAAAAGCA GCACATGTTC	12840
CTACCAGATA AAATAAGTTT AACCCAATAT GTAGAATTAT TCTTAAGTAA CAAAGCACTT	12900
AAATCTGGAT CTCACATCAA CTCTAATTTA ATATTAGTAC ATAAAATGTC TGATTATTTT	12960
CATAATGCTT ATATTTTAAG TACTAATTTA GCTGGACATT GGATTCTGAT TATTCAACTT	13020
ATGAAAGATT CAAAAGGTAT TTTTGAAAAA GATTGGGGAG AGGGGTACAT AACTGATCAT	13080
ATGTTCATT AATTGAATGT TTTCTTTAAT GCTTATAAGA CTTATTTGCT ATGTTTTCAT	13140
AAAGGTTATG GTAAAGCAAA ATTAGAATGT GATATGAACA CTTCAGATCT TCTTTGTGTT	13200
TTGGAGTTAA TAGACAGTAG CTAAGGAAA TCTATGTCTA AAGTTTTCTT AGAACAAAAA	13260
GTCATAAAAT ACATAGTCAA TCAAGACACA AGTTTGCCTA GAATAAAAGG CTGTCACAGT	13320
TTTAAGTTGT GGTTTTTAAA ACGCCTTGAT AATGCTAAAT TTACCGTATG CCCTTGGGTT	13380
GTTAACATAG ATTATCACCC AACACACATG AAAGCTATAT TATCTTACAT AGATTTAGTT	13440
AGAATGGGGT TAATAAATGT AGATAAATTA ACCATTAAAA ATAAAAACAA ATTCAATGAT	13500
GAATTTTACA CATCAAATCT CTTTACATT AGTTATAACT TTTCAGACAA CACTCATTG	13560
CTAACAAAAC AAATAAGAAT TGCTAATTCA GAATTAGAAG ATAATTATAA CAACTATAT	13620
CACCCAACCC CAGAAACTTT AGAAAATATG TCATTAATTC CTGTTAAAAG TAATAATAGT	13680

- 392 -

AACAAACCTA	AATTTTGTAT	AAGTGGAAT	ACCGAATCTA	TGATGATGTC	AACATTCTCT	13740
AGTAAATGC	ATATTAAATC	TTCCACTGTT	ACCACAAGAT	TCAATTATAG	CAAACAAGAC	13800
TTGTACAATT	TATTTCCAAT	TGTTGTGATA	GACAAGATTA	TAGATCATT	AGGTAATACA	13860
GCAAAATCTA	ACCAACTTTA	CACCACCACT	TCACATCAGA	CATCTTTAGT	AAGGAATAGT	13920
GCATCACTTT	ATTGCATGCT	TCCTTGCCAT	CATGTCAATA	GATTTAACCT	TGTATTTAGT	13980
TCCACAGGAT	GCAAGATCAG	TATAGAGTAT	ATTTTAAAAG	ATCTTAAGAT	TAAGGACCCC	14040
AGTTGTATAG	CATTCATAGG	TGAAGGAGCT	GGTAACTTAT	TATTACGTAC	GGTAGTAGAA	14100
CTTCATCCAG	ACATAAGATA	CATTTACAGA	AGTTTAAAAG	ATTGCAATGA	TCATAGTTTA	14160
CCTATTGAAT	TTCTAAGGTT	ATACAACGGG	CATATAAACA	TAGATTATGG	TGAGAATTTA	14220
ACCATTCTCT	CTACAGATGC	AACTAATAAC	ATTCATTGGT	CTTATTTACA	TATAAAATTT	14280
GCAGAACCTA	TTAGCATCTT	TGTCTGCGAT	GCTGAATTAC	CTGTTACAGC	CAATTGGAGT	14340
AAAATTATAA	TTGAATGGAG	TAAGCATGTA	AGAAAGTGCA	AGTACTGTTC	TTCTGTAAAT	14400
AGATGCATTT	TAATTGCAA	ATATCATGCT	CAAGATGACA	TTGATTTCAA	ATTAGATAAC	14460
ATTACTATAT	TAAAACTTA	CGTGTGCCTA	GGTAGCAAGT	TAAAAGGATC	TGAAGTTTAC	14520
TTAATCCTTA	CAATAGGCCC	TGCAAATATA	CTTCCTGTTT	TTGATGTTGT	ACAAAATGCT	14580
AAATTGATAC	TTTCAAGAAC	TAAAAATTTT	ATTATGCCTA	AAAAAATCTGA	CAAGGAATCT	14640
ATCGATGCAG	TTATTAAAAG	CTTAATACCT	TTCCTTTGTT	ACCCTATAAC	AAAAAAAGGA	14700
ATTAAGACTT	CATTGTCAA	ATTGAAGAGT	GTAGTTAATG	GAGATATATT	ATCATATTCT	14760
ATAGCTGGAC	GTAATGAAGT	ATTCAGCAAC	AAGCTTATAA	ACCACAAGCA	TATGAATATC	14820
CTAAAATGGC	TAGATCATGT	TTTAAATTTT	AGATCAGCTG	AACTTAATTA	CAATCATTTA	14880
TACATGATAG	AGTCCACATA	TCCTTACTTA	AGTGAATTGT	TAAATAGTTT	AACAACCAAT	14940
GAGCTCAAGA	AGCTGATTAA	AATAACAGGT	AGTGTGCTAT	ACAACCTTCC	CAACGAACAG	15000
TAGTTTAAAA	TATCATTAAC	AAGTTTGGTC	AAATTTAGAT	GCTAACACAT	CATTATATTA	15060
TAGTTATTAA	AAAATATACA	AACTTTTCAA	TAATTTAGCA	TATTGATTCC	AAAATTATCA	15120
TTTTAGTCTT	AAGGGGTTAA	ATAAAAGTCT	AAACTAACA	ATTATACATG	TGCATTCCAA	15180
ACACAACGAG	ACATTAGTTT	TTGACACTTT	TTTTCTCGT			15219

- 393 -

(2) INFORMATION FOR SEQ ID NO:34:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 2166 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:34:

```

Met Asp Pro Ile Ile Asn Gly Asn Ser Ala Asn Val Tyr Leu Thr Asp
1           5           10           15

Ser Tyr Leu Lys Gly Val Ile Ser Phe Ser Glu Cys Asn Ala Leu Gly
          20           25           30

Ser Tyr Leu Phe Asn Gly Pro Tyr Leu Lys Asn Asp Tyr Thr Asn Leu
          35           40           45

Ile Ser Arg Gln Ser Pro Leu Leu Glu His Met Asn Leu Lys Lys Leu
          50           55           60

Thr Ile Thr Gln Ser Leu Ile Ser Arg Tyr His Lys Gly Glu Leu Lys
65           70           75           80

Leu Glu Glu Pro Thr Tyr Phe Gln Ser Leu Leu Met Thr Tyr Lys Ser
          85           90           95

Met Ser Ser Ser Glu Gln Ile Ala Thr Thr Asn Leu Leu Lys Lys Ile
          100          105          110

Ile Arg Arg Ala Ile Glu Ile Ser Asp Val Lys Val Tyr Ala Ile Leu
          115          120          125

Asn Lys Leu Gly Leu Lys Glu Lys Asp Arg Val Lys Pro Asn Asn Asn
          130          135          140

Ser Gly Asp Glu Asn Ser Val Leu Thr Thr Ile Ile Lys Asp Asp Ile
          145          150          155          160

Leu Ser Ala Val Glu Asn Asn Gln Ser Tyr Thr Asn Ser Asp Lys Ser
          165          170          175

His Ser Val Asn Gln Asn Ile Thr Ile Lys Thr Thr Leu Leu Lys Lys
          180          185          190

```

- 394 -

Leu Met Cys Ser Met Gln His Pro Pro Ser Trp Leu Ile His Trp Phe
 195 200 205
 Asn Leu Tyr Thr Lys Leu Asn Asn Ile Leu Thr Gln Tyr Arg Ser Asn
 210 215 220
 Glu Val Lys Ser His Gly Phe Ile Leu Ile Asp Asn Gln Thr Leu Ser
 225 230 235 240
 Gly Phe Gln Phe Ile Leu Asn Gln Tyr Gly Cys Ile Val Tyr His Lys
 245 250 255
 Gly Leu Lys Lys Ile Thr Thr Thr Thr Tyr Asn Gln Phe Leu Thr Trp
 260 265 270
 Lys Asp Ile Ser Leu Ser Arg Leu Asn Val Cys Leu Ile Thr Trp Ile
 275 280 285
 Ser Asn Cys Leu Asn Thr Leu Asn Lys Ser Leu Gly Leu Arg Cys Gly
 290 295 300
 Phe Asn Asn Val Val Leu Ser Gln Leu Phe Leu Tyr Gly Asp Cys Ile
 305 310 315 320
 Leu Lys Leu Phe His Asn Glu Gly Phe Tyr Ile Ile Lys Glu Val Glu
 325 330 335
 Gly Phe Ile Met Ser Leu Ile Leu Asn Ile Thr Glu Glu Asp Gln Phe
 340 345 350
 Arg Lys Arg Phe Tyr Asn Ser Met Leu Asn Asn Ile Thr Asp Ala Ala
 355 360 365
 Ile Lys Ala Gln Lys Asp Leu Leu Ser Arg Val Cys His Thr Leu Leu
 370 375 380
 Asp Lys Thr Val Ser Asp Asn Ile Ile Asn Gly Lys Trp Ile Ile Leu
 385 390 395 400
 Leu Ser Lys Phe Leu Lys Leu Ile Lys Leu Ala Gly Asp Asn Asn Leu
 405 410 415
 Asn Asn Leu Ser Glu Leu Tyr Phe Leu Phe Arg Ile Phe Gly His Pro
 420 425 430
 Met Val Asp Glu Arg Gln Ala Met Asp Ser Val Arg Ile Asn Cys Asn
 435 440 445
 Glu Thr Lys Phe Tyr Leu Leu Ser Ser Leu Ser Thr Leu Arg Gly Ala
 450 455 460
 Phe Ile Tyr Arg Ile Ile Lys Gly Phe Val Asn Thr Tyr Asn Arg Trp

- 395 -

465	470	475	480
Pro Thr Leu Arg Asn Ala Ile Val Leu Pro Leu Arg Trp Leu Asn Tyr	485	490	495
Tyr Lys Leu Asn Thr Tyr Pro Ser Leu Leu Glu Ile Thr Glu Asn Asp	500	505	510
Leu Ile Ile Leu Ser Gly Leu Arg Phe Tyr Arg Glu Phe His Leu Pro	515	520	525
Lys Lys Val Asp Leu Glu Met Ile Ile Asn Asp Lys Ala Ile Ser Pro	530	535	540
Pro Lys Asp Leu Ile Trp Thr Ser Phe Pro Arg Asn Tyr Met Pro Ser	545	550	555
His Ile Gln Asn Tyr Ile Glu His Glu Lys Leu Lys Phe Ser Glu Ser	565	570	575
Asp Arg Ser Arg Arg Val Leu Glu Tyr Tyr Leu Arg Asp Asn Lys Phe	580	585	590
Asn Glu Cys Asp Leu Tyr Asn Cys Val Val Asn Gln Ser Tyr Leu Asn	595	600	605
Asn Ser Asn His Val Val Ser Leu Thr Gly Lys Glu Arg Glu Leu Ser	610	615	620
Val Gly Arg Met Phe Ala Met Gln Pro Gly Met Phe Arg Gln Ile Gln	625	630	635
Ile Leu Ala Glu Lys Met Ile Ala Glu Asn Ile Leu Gln Phe Phe Pro	645	650	655
Glu Ser Leu Thr Arg Tyr Gly Asp Leu Glu Leu Gln Lys Ile Leu Glu	660	665	670
Leu Lys Ala Gly Ile Ser Asn Lys Ser Asn Arg Tyr Asn Asp Asn Tyr	675	680	685
Asn Asn Tyr Ile Ser Lys Cys Ser Ile Ile Thr Asp Leu Ser Lys Phe	690	695	700
Asn Gln Ala Phe Arg Tyr Glu Thr Ser Cys Ile Cys Ser Asp Val Leu	705	710	715
Asp Glu Leu His Gly Val Gln Ser Leu Phe Ser Trp Leu His Leu Thr	725	730	735
Ile Pro Leu Val Thr Ile Ile Cys Thr Tyr Arg His Ala Pro Pro Phe	740	745	750

- 396 -

Ile Lys Asp His Val Val Asn Leu Asn Glu Val Asp Glu Gln Ser Gly
 755 760 765
 Leu Tyr Arg Tyr His Met Gly Gly Ile Glu Gly Trp Cys Gln Lys Leu
 770 775 780
 Trp Thr Ile Glu Ala Ile Ser Leu Leu Asp Leu Ile Ser Leu Lys Gly
 785 790 795 800
 Lys Phe Ser Ile Thr Ala Leu Ile Asn Gly Asp Asn Gln Ser Ile Asp
 805 810 815
 Ile Ser Lys Pro Val Arg Leu Ile Glu Gly Gln Thr His Ala Gln Ala
 820 825 830
 Asp Tyr Leu Leu Ala Leu Asn Ser Leu Lys Leu Leu Tyr Lys Glu Tyr
 835 840 845
 Ala Gly Ile Gly His Lys Leu Lys Gly Thr Glu Thr Tyr Ile Ser Arg
 850 855 860
 Asp Met Gln Phe Met Ser Lys Thr Ile Gln His Asn Gly Val Tyr Tyr
 865 870 875 880
 Pro Ala Ser Ile Lys Lys Val Leu Arg Val Gly Pro Trp Ile Asn Thr
 885 890 895
 Ile Leu Asp Asp Phe Lys Val Ser Leu Glu Ser Ile Gly Ser Leu Thr
 900 905 910
 Gln Glu Leu Glu Tyr Arg Gly Glu Ser Leu Leu Cys Ser Leu Ile Phe
 915 920 925
 Arg Asn Ile Trp Leu Tyr Asn Gln Ile Ala Leu Gln Leu Arg Asn His
 930 935 940
 Ala Leu Cys Asn Asn Lys Leu Tyr Leu Asp Ile Leu Lys Val Leu Lys
 945 950 955 960
 His Leu Lys Thr Phe Phe Asn Leu Asp Ser Ile Asp Met Ala Leu Ser
 965 970 975
 Leu Tyr Met Asn Leu Pro Met Leu Phe Gly Gly Gly Asp Pro Asn Leu
 980 985 990
 Leu Tyr Arg Ser Phe Tyr Arg Arg Thr Pro Asp Phe Leu Thr Glu Ala
 995 1000 1005
 Ile Val His Ser Val Phe Val Leu Ser Tyr Tyr Thr Gly His Asp Leu
 1010 1015 1020

- 397 -

Gln Asp Lys Leu Gln Asp Leu Pro Asp Asp Arg Leu Asn Lys Phe Leu
 1025 1030 1035 1040
 Thr Cys Val Ile Thr Phe Asp Lys Asn Pro Asn Ala Glu Phe Val Thr
 1045 1050 1055
 Leu Met Arg Asp Pro Gln Ala Leu Gly Ser Glu Arg Gln Ala Lys Ile
 1060 1065 1070
 Thr Ser Glu Ile Asn Arg Leu Ala Val Thr Glu Val Leu Ser Ile Ala
 1075 1080 1085
 Pro Asn Lys Ile Phe Ser Lys Ser Ala Gln His Tyr Thr Thr Thr Glu
 1090 1095 1100
 Ile Asp Leu Asn Asp Ile Met Gln Asn Ile Glu Pro Thr Tyr Pro His
 1105 1110 1115 1120
 Gly Leu Arg Val Val Tyr Glu Ser Leu Pro Phe Tyr Lys Ala Glu Lys
 1125 1130 1135
 Ile Val Asn Leu Ile Ser Gly Thr Lys Ser Ile Thr Asn Ile Leu Glu
 1140 1145 1150
 Lys Thr Ser Ala Ile Asp Thr Thr Asp Ile Asn Arg Ala Thr Asp Met
 1155 1160 1165
 Met Arg Lys Asn Ile Thr Leu Leu Ile Arg Ile Leu Pro Leu Asp Cys
 1170 1175 1180
 Asn Lys Asp Lys Arg Glu Leu Leu Ser Leu Glu Asn Leu Ser Ile Thr
 1185 1190 1195 1200
 Glu Leu Ser Lys Tyr Val Arg Glu Arg Ser Trp Ser Leu Ser Asn Ile
 1205 1210 1215
 Val Gly Val Thr Ser Pro Ser Ile Met Phe Thr Met Asp Ile Lys Tyr
 1220 1225 1230
 Thr Thr Ser Thr Ile Ala Ser Gly Ile Ile Ile Glu Lys Tyr Asn Val
 1235 1240 1245
 Asn Ser Leu Thr Arg Gly Glu Arg Gly Pro Thr Lys Pro Trp Val Gly
 1250 1255 1260
 Ser Ser Thr Gln Glu Lys Lys Thr Met Pro Val Tyr Asn Arg Gln Val
 1265 1270 1275 1280
 Leu Thr Lys Lys Gln Arg Asp Gln Ile Asp Leu Leu Ala Lys Leu Asp
 1285 1290 1295
 Trp Val Tyr Ala Ser Ile Asp Asn Lys Asp Glu Phe Met Glu Glu Leu

- 398 -

1300	1305	1310
Ser Thr Gly Thr Leu Gly Leu	Ser Tyr Glu Lys Ala Lys Lys Leu Phe	
1315	1320	1325
Pro Gln Tyr Leu Ser Val Asn Tyr Leu His Arg Leu Thr Val Ser Ser		
1330	1335	1340
Arg Pro Cys Glu Phe Pro Ala Ser Ile Pro Ala Tyr Arg Thr Thr Asn		
1345	1350	1355
		1360
Tyr His Phe Asp Thr Ser Pro Ile Asn His Val Leu Thr Glu Lys Tyr		
1365	1370	1375
Gly Asp Glu Asp Ile Asp Ile Val Phe Gln Asn Cys Ile Ser Phe Gly		
1380	1385	1390
Leu Ser Leu Met Ser Val Val Glu Gln Phe Thr Asn Ile Cys Pro Asn		
1395	1400	1405
Arg Ile Ile Leu Ile Pro Lys Leu Asn Glu Ile His Leu Met Lys Pro		
1410	1415	1420
Pro Ile Phe Thr Gly Asp Val Asp Ile Ile Lys Leu Lys Gln Val Ile		
1425	1430	1435
		1440
Gln Lys Gln His Met Phe Leu Pro Asp Lys Ile Ser Leu Thr Gln Tyr		
1445	1450	1455
Val Glu Leu Phe Leu Ser Asn Lys Ala Leu Lys Ser Gly Ser His Ile		
1460	1465	1470
Asn Ser Asn Leu Ile Leu Val His Lys Met Ser Asp Tyr Phe His Asn		
1475	1480	1485
Ala Tyr Ile Leu Ser Thr Asn Leu Ala Gly His Trp Ile Leu Ile Ile		
1490	1495	1500
Gln Leu Met Lys Asp Ser Lys Gly Ile Phe Glu Lys Asp Trp Gly Glu		
1505	1510	1515
		1520
Gly Tyr Ile Thr Asp His Met Phe Ile Asn Leu Asn Val Phe Phe Asn		
1525	1530	1535
Ala Tyr Lys Thr Tyr Leu Leu Cys Phe His Lys Gly Tyr Gly Lys Ala		
1540	1545	1550
Lys Leu Glu Cys Asp Met Asn Thr Ser Asp Leu Leu Cys Val Leu Glu		
1555	1560	1565
Leu Ile Asp Ser Ser Tyr Trp Lys Ser Met Ser Lys Val Phe Leu Glu		
1570	1575	1580

- 399 -

Gln Lys Val Ile Lys Tyr Ile Val Asn Gln Asp Thr Ser Leu Arg Arg
 1585 1590 1595 1600

Ile Lys Gly Cys His Ser Phe Lys Leu Trp Phe Leu Lys Arg Leu Asp
 1605 1610 1615

Asn Ala Lys Phe Thr Val Cys Pro Trp Val Val Asn Ile Asp Tyr His
 1620 1625 1630

Pro Thr His Met Lys Ala Ile Leu Ser Tyr Ile Asp Leu Val Arg Met
 1635 1640 1645

Gly Leu Ile Asn Val Asp Lys Leu Thr Ile Lys Asn Lys Asn Lys Phe
 1650 1655 1660

Asn Asp Glu Phe Tyr Thr Ser Asn Leu Phe Tyr Ile Ser Tyr Asn Phe
 1665 1670 1675 1680

Ser Asp Asn Thr His Leu Leu Thr Lys Gln Ile Arg Ile Ala Asn Ser
 1685 1690 1695

Glu Leu Glu Asp Asn Tyr Asn Lys Leu Tyr His Pro Thr Pro Glu Thr
 1700 1705 1710

Leu Glu Asn Met Ser Leu Ile Pro Val Lys Ser Asn Asn Ser Asn Lys
 1715 1720 1725

Pro Lys Phe Cys Ile Ser Gly Asn Thr Glu Ser Met Met Met Ser Thr
 1730 1735 1740

Phe Ser Ser Lys Met His Ile Lys Ser Ser Thr Val Thr Thr Arg Phe
 1745 1750 1755 1760

Asn Tyr Ser Lys Gln Asp Leu Tyr Asn Leu Phe Pro Ile Val Val Ile
 1765 1770 1775

Asp Lys Ile Ile Asp His Ser Gly Asn Thr Ala Lys Ser Asn Gln Leu
 1780 1785 1790

Tyr Thr Thr Thr Ser His Gln Thr Ser Leu Val Arg Asn Ser Ala Ser
 1795 1800 1805

Leu Tyr Cys Met Leu Pro Trp His His Val Asn Arg Phe Asn Phe Val
 1810 1815 1820

Phe Ser Ser Thr Gly Cys Lys Ile Ser Ile Glu Tyr Ile Leu Lys Asp
 1825 1830 1835 1840

Leu Lys Ile Lys Asp Pro Ser Cys Ile Ala Phe Ile Gly Glu Gly Ala
 1845 1850 1855

- 400 -

Gly Asn Leu Leu Leu Arg Thr Val Val Glu Leu His Pro Asp Ile Arg
 1860 1865 1870
 Tyr Ile Tyr Arg Ser Leu Lys Asp Cys Asn Asp His Ser Leu Pro Ile
 1875 1880 1885
 Glu Phe Leu Arg Leu Tyr Asn Gly His Ile Asn Ile Asp Tyr Gly Glu
 1890 1895 1900
 Asn Leu Thr Ile Pro Ala Thr Asp Ala Thr Asn Asn Ile His Trp Ser
 1905 1910 1915 1920
 Tyr Leu His Ile Lys Phe Ala Glu Pro Ile Ser Ile Phe Val Cys Asp
 1925 1930 1935
 Ala Glu Leu Pro Val Thr Ala Asn Trp Ser Lys Ile Ile Ile Glu Trp
 1940 1945 1950
 Ser Lys His Val Arg Lys Cys Lys Tyr Cys Ser Ser Val Asn Arg Cys
 1955 1960 1965
 Ile Leu Ile Ala Lys Tyr His Ala Gln Asp Asp Ile Asp Phe Lys Leu
 1970 1975 1980
 Asp Asn Ile Thr Ile Leu Lys Thr Tyr Val Cys Leu Gly Ser Lys Leu
 1985 1990 1995 2000
 Lys Gly Ser Glu Val Tyr Leu Ile Leu Thr Ile Gly Pro Ala Asn Ile
 2005 2010 2015
 Leu Pro Val Phe Asp Val Val Gln Asn Ala Lys Leu Ile Leu Ser Arg
 2020 2025 2030
 Thr Lys Asn Phe Ile Met Pro Lys Lys Thr Asp Lys Glu Ser Ile Asp
 2035 2040 2045
 Ala Val Ile Lys Ser Leu Ile Pro Phe Leu Cys Tyr Pro Ile Thr Lys
 2050 2055 2060
 Lys Gly Ile Lys Thr Ser Leu Ser Lys Leu Lys Ser Val Val Asn Gly
 2065 2070 2075 2080
 Asp Ile Leu Ser Tyr Ser Ile Ala Gly Arg Asn Glu Val Phe Ser Asn
 2085 2090 2095
 Lys Leu Ile Asn His Lys His Met Asn Ile Leu Lys Trp Leu Asp His
 2100 2105 2110
 Val Leu Asn Phe Arg Ser Ala Glu Leu Asn Tyr Asn His Leu Tyr Met
 2115 2120 2125
 Ile Glu Ser Thr Tyr Pro Tyr Leu Ser Glu Leu Leu Asn Ser Leu Thr

- 401 -

2130	2135	2140
Thr Asn Glu Leu Lys Lys Leu Ile Lys Ile Thr Gly Ser Val Leu Tyr		
2145	2150	2155 2160
Asn Leu Pro Asn Glu Gln		
2165		

(2) INFORMATION FOR SEQ ID NO:35:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 24 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: RNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:35:

CATATCACTC ACTCTGGGAT GGAG

24

(2) INFORMATION FOR SEQ ID NO:36:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 20 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: RNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:36:

TCAGAACATC AAGCACCGCC

20

(2) INFORMATION FOR SEQ ID NO:37:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 20 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: RNA (genomic)

- 402 -

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:37:

ACAGTCAAGA CTGAGATGAG

20

(2) INFORMATION FOR SEQ ID NO:38:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 20 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: RNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:38:

AAGAGTCAGA TACATGTGGA

20

(2) INFORMATION FOR SEQ ID NO:39:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 20 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: RNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:39:

ACATGAATCA GCCTAAAGTC

20

(2) INFORMATION FOR SEQ ID NO:40:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 25 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: RNA (genomic)

- 403 -

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:40:

CCGAAAGAGT TCCTGCGTTA CGACC

25

(2) INFORMATION FOR SEQ ID NO:41:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 20 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: RNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:41:

CAGTCCACAC AAGTACCAGG

20

(2) INFORMATION FOR SEQ ID NO:42:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 20 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: RNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:42:

GTCAGAAGCT GTGGACCATC

20

(2) INFORMATION FOR SEQ ID NO:43:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 20 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: RNA (genomic)

- 404 -

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:43:

AATATTGCTA CAACAATGGC

20

(2) INFORMATION FOR SEQ ID NO:44:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 20 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: RNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:44:

ACTCTTCATT CCTAGACTGG

20

(2) INFORMATION FOR SEQ ID NO:45:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 20 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: RNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:45:

GTCCAATTAT GACTATGAAC

20

(2) INFORMATION FOR SEQ ID NO:46:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 20 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: RNA (genomic)

- 405 -

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:46:

AGAACAGACA TGAAGCTTGC

20

(2) INFORMATION FOR SEQ ID NO:47:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 20 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: RNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:47:

CCAACAAGGA ATGCTTCTAG

20

(2) INFORMATION FOR SEQ ID NO:48:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 25 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: RNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:48:

ACAGCACTAT CTATGATTGA CCTGG

25

(2) INFORMATION FOR SEQ ID NO:49:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 20 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: RNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:49:

- 406 -

GCAACATGGT TTACACATGC

20

(2) INFORMATION FOR SEQ ID NO:50:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 20 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: RNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:50:

AGATTGAGAG TTGATCCAGG

20

(2) INFORMATION FOR SEQ ID NO:51:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 20 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: RNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:51:

AGGAGATACT TAAACTAAGC

20

(2) INFORMATION FOR SEQ ID NO:52:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 20 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: RNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:52:

- 407 -

TAAGCTTATG CCTTTCAGCG

20

(2) INFORMATION FOR SEQ ID NO:53:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 20 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: RNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:53:

TTAACGGACC TAAGCTGTGC

20

(2) INFORMATION FOR SEQ ID NO:54:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 20 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: RNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:54:

GAAACAGATT ATTATGACGG

20

(2) INFORMATION FOR SEQ ID NO:55:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 24 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: RNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:55:

CGGGCTATCT AGGTGAACTT CAGG

24

- 408 -

(2) INFORMATION FOR SEQ ID NO:56:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 20 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: RNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:56:

ATTGGATAT GGAATATGAG

20

(2) INFORMATION FOR SEQ ID NO:57:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 20 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: RNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:57:

ACTCAACTGA ACTACCACTG

20

(2) INFORMATION FOR SEQ ID NO:58:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 20 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: RNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:58:

AAGAACATCA TGTATTTTCAG

20

- 409 -

(2) INFORMATION FOR SEQ ID NO:59:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 20 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: RNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:59:

TTATCAACGC ACTGCTCATG

20

(2) INFORMATION FOR SEQ ID NO:60:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 25 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: RNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:60:

ATTTTCAGCA ATCACTTGGC ATGCC

25

(2) INFORMATION FOR SEQ ID NO:61:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 20 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: RNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:61:

GCCTCTGTGC AAACAAGCTG

20

(2) INFORMATION FOR SEQ ID NO:62:

- 410 -

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 20 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: RNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:62:

TCTCTAGTTA CTCTAGCAGC

20

(2) INFORMATION FOR SEQ ID NO:63:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 20 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: RNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:63:

AGGTCGTTGT TTGTGAGGAG

20

(2) INFORMATION FOR SEQ ID NO:64:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 20 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: RNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:64:

TCGTCCTCTT CTTTACTGTC

20

(2) INFORMATION FOR SEQ ID NO:65:

- 411 -

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 20 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: RNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:65:

CCGTCCTCGA GCTAGCCTCG

20

(2) INFORMATION FOR SEQ ID NO:66:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 20 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: RNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:66:

CTCCTCCAGG CTCACATTGG

20

(2) INFORMATION FOR SEQ ID NO:67:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 20 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: RNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:67:

GGGTTGGTAC ATAGCTCTGC

20

(2) INFORMATION FOR SEQ ID NO:68:

- (i) SEQUENCE CHARACTERISTICS:

- 412 -

- (A) LENGTH: 25 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: RNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:68:

CACCCATCTG ATATTTCCCT GATGG

25

(2) INFORMATION FOR SEQ ID NO:69:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 20 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: RNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:69:

TGGTTGACAG TACAAATCTG

20

(2) INFORMATION FOR SEQ ID NO:70:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 20 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: RNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:70:

CTGAAATGGG AAGATTGTGC

20

(2) INFORMATION FOR SEQ ID NO:71:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 20 base pairs

- 413 -

- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: RNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:71:

AGCAATCTAC ACTGCCTACC

20

(2) INFORMATION FOR SEQ ID NO:72:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 20 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: RNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:72:

TCACAGATGA TTCAATTATC

20

(2) INFORMATION FOR SEQ ID NO:73:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 20 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: RNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:73:

GATCCTAGAT ATAAGTTCTC

20

(2) INFORMATION FOR SEQ ID NO:74:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 21 base pairs
 - (B) TYPE: nucleic acid

- 414 -

- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: RNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:74:

ACCAAACAAA GTTGGGTAAG G

21

(2) INFORMATION FOR SEQ ID NO:75:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 32 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: RNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:75:

GGGGGATCCA TCCCTAATCC TGCTCTTGTC CC

32

(2) INFORMATION FOR SEQ ID NO:76:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 20 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: RNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:76:

GATTCCTCTG ATGGCTCCAC

20

(2) INFORMATION FOR SEQ ID NO:77:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 21 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single

- 415 -

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: RNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:77:

TAACAGTCAA GGAGACCAA G

21

(2) INFORMATION FOR SEQ ID NO:78:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 32 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: RNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:78:

GGGAAGCTTA ACCCTAATCC TGCCCTAGGT GG

32

(2) INFORMATION FOR SEQ ID NO:79:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 22 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: RNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:79:

ACCAGACAAA GCTGGGAATA GA

22

- 416 -

What is claimed is:

1. An isolated, recombinantly-generated, attenuated, nonsegmented, negative-sense, single stranded RNA virus of the Order Mononegavirales having at least one attenuating mutation in the 3' genomic promoter region and having at least one attenuating mutation in the RNA polymerase gene.
2. The virus of Claim 1 wherein the virus is from the Family Paramyxoviridae.
3. The virus of Claim 2 wherein the virus is from the Subfamily Paramyxovirinae.
4. The virus of Claim 3 wherein the virus is from the Genus Morbillivirus.
5. The virus of Claim 4 wherein the virus is measles virus.
6. The measles virus of Claim 5 wherein:
 - (a) the at least one attenuating mutation in the 3' genomic promoter region is selected from the group consisting of nucleotide 26 (A → T), nucleotide 42 (A → T or A → C) and nucleotide 96 (G → A), where these nucleotides are presented in positive strand, antigenomic, message sense; and
 - (b) the at least one attenuating mutation in the RNA polymerase gene is selected from the group consisting of nucleotide changes which produce changes in an amino acid selected from the group consisting of residues 331 (isoleucine → threonine), 1409 (alanine → threonine), 1624 (threonine → alanine), 1649 (arginine → methionine), 1717

- 417 -

(aspartic acid → alanine), 1936
(histidine → tyrosine), 2074
(glutamine → arginine) and 2114
(arginine → lysine).

7. The virus of Claim 3 wherein the virus is from the Genus *Paramyxovirus*.

8. The virus of Claim 7 wherein the virus is human parainfluenzae virus type 3 (PIV-3).

9. The PIV-3 of Claim 8 wherein:

- (a) the at least one attenuating mutation in the 3' genomic promoter region is selected from the group consisting of nucleotide 23 (T → C), nucleotide 24 (C → T), nucleotide 28 (G → T) and nucleotide 45 (T → A), where these nucleotides are presented in positive strand, antigenomic, message sense; and
- (b) the at least one attenuating mutation in the RNA polymerase gene is selected from the group consisting of nucleotide changes which produce changes in an amino acid selected from the group consisting of residues 942 (tyrosine → histidine), 992 (leucine → phenylalanine), 1292 (leucine → phenylalanine), and 1558 (threonine → isoleucine).

10. The virus of Claim 3 wherein the virus is from the Genus *Rubulavirus*.

11. The virus of Claim 2 wherein the virus is from the Subfamily *Pneumovirinae*.

12. The virus of Claim 11 wherein the virus is from the Genus *Pneumovirus*.

- 418 -

13. The virus of Claim 12 wherein the virus is human respiratory syncytial virus (RSV) subgroup B.

14. The virus of Claim 13 wherein:

- (a) the at least one attenuating mutation in the 3' genomic promoter region is selected from the group consisting of nucleotide 4 (C → G) and the insertion of an additional A in the stretch of A's at nucleotides 6-11, where these nucleotides are presented in positive strand, antigenomic, message sense; and
- (b) the at least one attenuating mutation in the RNA polymerase gene is selected from the group consisting of nucleotide changes which produce changes in an amino acid selected from the group consisting of residues 353 (arginine → lysine), 451 (lysine → arginine), 1229 (aspartic acid → asparagine), 2029 (threonine → isoleucine) and 2050 (asparagine → aspartic acid).

15. The virus of Claim 1 wherein the virus is from the Family Rhabdoviridae.

16. The virus of Claim 1 wherein the virus is from the Family Filoviridae.

17. A vaccine comprising an isolated, recombinantly-generated, attenuated, nonsegmented, negative-sense, single stranded RNA virus of the Order Mononegavirales according to Claim 1 and a physiologically acceptable carrier.

18. The vaccine of Claim 17 comprising a measles virus according to Claim 5 and a physiologically acceptable carrier.

- 419 -

19. The vaccine of Claim 18 comprising a measles virus according to Claim 6 and a physiologically acceptable carrier.

20. The vaccine of Claim 17 comprising a PIV-3 according to Claim 8 and a physiologically acceptable carrier.

21. The vaccine of Claim 20 comprising a PIV-3 according to Claim 9 and a physiologically acceptable carrier.

22. The vaccine of Claim 17 comprising an RSV subgroup B according to Claim 13 and a physiologically acceptable carrier.

23. The vaccine of Claim 22 comprising an RSV subgroup B according to Claim 14 and a physiologically acceptable carrier.

24. A method for immunizing an individual to induce protection against a nonsegmented, negative-sense, single stranded RNA virus of the Order Mononegavirales which comprises administering to the individual the vaccine of Claim 17.

25. The method of Claim 24 wherein the vaccine is the vaccine of Claim 18.

26. The method of Claim 25 wherein the vaccine is the vaccine of Claim 19.

27. The method of Claim 24 wherein the vaccine is the vaccine of Claim 20.

28. The method of Claim 27 wherein the vaccine is the vaccine of Claim 21.

29. The method of Claim 24 wherein the vaccine is the vaccine of Claim 22.

30. The method of Claim 29 wherein the vaccine is the vaccine of Claim 23.

- 420 -

31. An isolated nucleic acid molecule comprising a measles virus sequence in positive strand, antigenomic message sense selected from the group consisting of 1977 wild-type strain (SEQ ID NO:3), 1983 wild-type strain (SEQ ID NO:5) where the nucleotide 2499 is G or C, Montefiore wild-type strain (SEQ ID NO:7), Rubeovax™ vaccine strain (SEQ ID NO:9), where the nucleotide 2143 is T or C, Moraten vaccine strain (SEQ ID NO:11), Schwarz vaccine strain (SEQ ID NO:11), where the nucleotide 4917 is C and the nucleotide 4924 is C, and Zagreb vaccine strain (SEQ ID NO:13), and the complementary genomic sequences thereof.

32. An isolated nucleic acid molecule comprising a PIV-3 sequence in positive strand, antigenomic message sense selected from the group consisting of cp45 vaccine strain grown in fetal rhesus lung cells (SEQ ID NO:19) and cp45 vaccine strain grown in Vero cells (SEQ ID NO:21), and the complementary genomic sequences thereof.

33. A composition which comprises a transcription vector comprising an isolated nucleic acid molecule encoding a genome or antigenome of a nonsegmented, negative-sense, single stranded RNA virus of the Order Mononegavirales having at least one attenuating mutation in the 3' genomic promoter region and having at least one attenuating mutation in the RNA polymerase gene, together with at least one expression vector which comprises at least one isolated nucleic acid molecule encoding the trans-acting proteins necessary for encapsidation, transcription and replication, whereby upon expression an infectious attenuated virus is produced.

- 421 -

34. The composition of Claim 33 wherein the transcription vector comprises an isolated nucleic acid molecule which encodes a measles virus according to Claim 5 and the at least one expression vector comprises at least one isolated nucleic acid molecule encoding the trans-acting proteins N, P and L.

35. The composition of Claim 34 wherein the transcription vector comprises an isolated nucleic acid molecule which encodes a measles virus according to Claim 6.

36. The composition of Claim 33 wherein the transcription vector comprises an isolated nucleic acid molecule which encodes a PIV-3 according to Claim 8 and the at least one expression vector comprises at least one isolated nucleic acid molecule encoding the trans-acting proteins NP, P and L.

37. The composition of Claim 36 wherein the transcription vector comprises an isolated nucleic acid molecule which encodes a PIV-3 according to Claim 9.

38. The composition of Claim 33 wherein the transcription vector comprises an isolated nucleic acid molecule which encodes an RSV subgroup B according to Claim 13 and the at least one expression vector comprises at least one isolated nucleic acid molecule encoding the trans-acting proteins N, P, L and M2.

39. The composition of Claim 38 wherein the transcription vector comprises an isolated nucleic acid molecule which encodes an RSV subgroup B according to Claim 14.

40. A method for producing infectious attenuated nonsegmented, negative-sense, single stranded RNA virus of the Order Mononegavirales which comprises transforming or transfecting host cells with

- 422 -

the at least two vectors of Claim 33 and culturing the host cells under conditions which permit the co-expression of these vectors so as to produce the infectious attenuated virus.

41. The method of Claim 40 wherein the virus is the measles virus of Claim 5.

42. The method of Claim 41 wherein the virus is the measles virus of Claim 6.

43. The method of Claim 40 wherein the virus is the PIV-3 of Claim 8.

44. The method of Claim 43 wherein the virus is the PIV-3 of Claim 9.

45. The method of Claim 40 wherein the virus is the RSV subgroup B of Claim 13.

46. The method of Claim 45 wherein the virus is the RSV subgroup B of Claim 14.




FIG.1

2/3




FIG.2

